

# Berkin Bilgic

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6740804/publications.pdf>

Version: 2024-02-01

79  
papers

3,493  
citations

172457

29  
h-index

161849

54  
g-index

82  
all docs

82  
docs citations

82  
times ranked

3308  
citing authors

#	ARTICLE	IF	CITATIONS
1	Rapid simultaneous acquisition of macromolecular tissue volume, susceptibility, and relaxometry maps. Magnetic Resonance in Medicine, 2022, 87, 781-790.	3.0	3
2	Scan-specific artifact reduction in k-space (SPARK) neural networks synergize with physics-based reconstruction to accelerate MRI. Magnetic Resonance in Medicine, 2022, 87, 764-780.	3.0	19
3	Optimization of magnetization transfer contrast for EPI FLAIR brain imaging. Magnetic Resonance in Medicine, 2022, 87, 2380-2387.	3.0	4
4	High-fidelity fast volumetric brain MRI using synergistic wave-controlled aliasing in parallel imaging and a hybrid denoising generative adversarial network (HDnGAN). Medical Physics, 2022, 49, 1000-1014.	3.0	9
5	Optimized multi-axis spiral projection $\langle \text{MR} \rangle$ fingerprinting with subspace reconstruction for rapid whole-brain high-isotropic-resolution quantitative imaging. Magnetic Resonance in Medicine, 2022, 88, 133-150.	3.0	14
6	$\langle \text{BUDA} \rangle$ MESMERISE: Rapid acquisition and unsupervised parameter estimation for $\langle \text{T}_{1} \rangle$ , $\langle \text{T}_{2} \rangle$ , $\langle \text{M}_{0} \rangle$ , $\langle \text{B}_{0} \rangle$ , and $\langle \text{B}_{1} \rangle$ maps. Magnetic Resonance in Medicine, 2022, 88, 292-308.	3.0	4
7	SDnDTI: Self-supervised deep learning-based denoising for diffusion tensor MRI. NeuroImage, 2022, 253, 119033.	4.2	31
8	Mapping the human connectome using diffusion MRI at 300 mT/m gradient strength: Methodological advances and scientific impact. NeuroImage, 2022, 254, 118958.	4.2	18
9	An artificial intelligence-accelerated 2-minute multi-shot echo planar imaging protocol for comprehensive high-quality clinical brain imaging. Magnetic Resonance in Medicine, 2022, 87, 2453-2463.	3.0	9
10	Blip up-down acquisition for spin- and gradient-echo imaging ( $\langle \text{BUDA} \rangle$ SAGE) with self-supervised denoising enables efficient $\langle \text{T}_{2} \rangle$ , $\langle \text{T}_{2}^{*} \rangle$ , and diamagnetic susceptibility mapping. Magnetic Resonance in Medicine, 2022, 88, 633-650.	3.0	15
11	Liver-Buda-Sage: Simultaneous Whole Liver $\langle \text{T}_{2} \rangle$ and $\langle \text{T}_{2}^{*} \rangle$ Mapping in one Breath-Hold. , 2022, , .		1
12	Highly accelerated $\langle \text{EPI} \rangle$ with wave encoding and multi-shot simultaneous multislice imaging. Magnetic Resonance in Medicine, 2022, 88, 1180-1197.	3.0	3
13	Comparison of parameter optimization methods for quantitative susceptibility mapping. Magnetic Resonance in Medicine, 2021, 85, 480-494.	3.0	12
14	Improving <i>in vivo</i> human cerebral cortical surface reconstruction using data-driven super-resolution. Cerebral Cortex, 2021, 31, 463-482.	2.9	17
15	QSM reconstruction challenge 2.0: A realistic in silico head phantom for MRI data simulation and evaluation of susceptibility mapping procedures. Magnetic Resonance in Medicine, 2021, 86, 526-542.	3.0	34
16	Distortion-free, high-isotropic-resolution diffusion MRI with gSlider BUDA-EPI and multicoil dynamic $\langle \text{B}_{0} \rangle$ shimming. Magnetic Resonance in Medicine, 2021, 86, 791-803.	3.0	31
17	A multi-inversion multi-echo spin and gradient echo echo planar imaging sequence with low image distortion for rapid quantitative parameter mapping and synthetic image contrasts. Magnetic Resonance in Medicine, 2021, 86, 866-880.	3.0	11
18	QSM reconstruction challenge 2.0: Design and report of results. Magnetic Resonance in Medicine, 2021, 86, 1241-1255.	3.0	30

#	ARTICLE	IF	CITATIONS
19	Variable flip angle echo planar time-resolved imaging (vFA-EPTI) for fast high-resolution gradient echo myelin water imaging. <i>NeuroImage</i> , 2021, 232, 117897.	4.2	22
20	Efficient $T_2$ mapping with blip-up/down EPI and gSlider-SMS ( $T_2$ -BUDA-gSlider). <i>Magnetic Resonance in Medicine</i> , 2021, 86, 2064-2075.	3.0	13
21	Improved cortical surface reconstruction using sub-millimeter resolution MPRAGE by image denoising. <i>NeuroImage</i> , 2021, 233, 117946.	4.2	11
22	A 48-channel receive array coil for mesoscopic diffusion-weighted MRI of <i>ex vivo</i> human brain on the 3 T connectome scanner. <i>NeuroImage</i> , 2021, 238, 118256.	4.2	13
23	Connectome 2.0: Developing the next-generation ultra-high gradient strength human MRI scanner for bridging studies of the micro-, meso- and macro-connectome. <i>NeuroImage</i> , 2021, 243, 118530.	4.2	58
24	High-fidelity approximation of grid- and shell-based sampling schemes from undersampled DSI using compressed sensing: Post mortem validation. <i>NeuroImage</i> , 2021, 244, 118621.	4.2	11
25	High-fidelity, high-isotropic-resolution diffusion imaging through gSlider acquisition with and $T_1$ corrections and integrated $1^{\text{st}}$ B <sub>0</sub> / Rx shim array. <i>Magnetic Resonance in Medicine</i> , 2020, 83, 56-67.	3.0	31
26	Accelerated spin-echo functional MRI using multisection excitation by simultaneous spin-echo interleaving (MESSI) with complex-encoded generalized slice dithered enhanced resolution (cgSlider) simultaneous multislice echo-planar imaging. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 206-220.	3.0	8
27	DeepDTI: High-fidelity six-direction diffusion tensor imaging using deep learning. <i>NeuroImage</i> , 2020, 219, 117017.	4.2	63
28	Joint multi-contrast variational network reconstruction (jVN) with application to rapid 2D and 3D imaging. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 1456-1469.	3.0	28
29	The 2016 QSM Challenge: Lessons learned and considerations for a future challenge design. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 1624-1637.	3.0	18
30	Nonlinear dipole inversion (NDI) enables robust quantitative susceptibility mapping (QSM). <i>NMR in Biomedicine</i> , 2020, 33, e4271.	2.8	39
31	Echo planar time-resolved imaging with subspace reconstruction and optimized spatiotemporal encoding. <i>Magnetic Resonance in Medicine</i> , 2020, 84, 2442-2455.	3.0	28
32	Echo planar time-resolved imaging (EPTI). <i>Magnetic Resonance in Medicine</i> , 2019, 81, 3599-3615.	3.0	75
33	Accelerated whole-brain perfusion imaging using a simultaneous multislice spin-echo and gradient-echo sequence with joint virtual coil reconstruction. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 973-983.	3.0	10
34	Highly accelerated multishot echo planar imaging through synergistic machine learning and joint reconstruction. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1343-1358.	3.0	40
35	Network Accelerated Motion Estimation and Reduction (NAMER): Convolutional neural network guided retrospective motion correction using a separable motion model. <i>Magnetic Resonance in Medicine</i> , 2019, 82, 1452-1461.	3.0	67
36	Phase-matched virtual coil reconstruction for highly accelerated diffusion echo-planar imaging. <i>NeuroImage</i> , 2019, 194, 291-302.	4.2	19

#	ARTICLE	IF	CITATIONS
37	Highly accelerated volumetric brain examination using optimized waveCAIPI encoding. Journal of Magnetic Resonance Imaging, 2019, 50, 961-974.	3.4	44
38	TiltedCAIPI for highly accelerated distortion-free EPI with point spread function (PSF) encoding. Magnetic Resonance in Medicine, 2019, 81, 377-392.	3.0	37
39	Characterization of normal-appearing white matter in multiple sclerosis using quantitative susceptibility mapping in conjunction with diffusion tensor imaging. Neuroradiology, 2019, 61, 71-79.	2.2	24
40	WeakCharmonic regularization for quantitative susceptibility mapping. Magnetic Resonance in Medicine, 2019, 81, 1399-1411.	3.0	19
41	WaveLORAKS: Combining wave encoding with structured low-rank matrix modeling for more highly accelerated 3D imaging. Magnetic Resonance in Medicine, 2019, 81, 1620-1633.	3.0	24
42	Highly efficient MRI through multi-shot echo planar imaging. , 2019, , .		10
43	Motion-robust sub-millimeter isotropic diffusion imaging through motion corrected generalized slice dithered enhanced resolution (MCgSlider) acquisition. Magnetic Resonance in Medicine, 2018, 80, 1891-1906.	3.0	28
44	WaveCAIPI ViSta: highly accelerated whole-brain direct myelin water imaging with zero-padding reconstruction. Magnetic Resonance in Medicine, 2018, 80, 1061-1073.	3.0	10
45	Improving parallel imaging by jointly reconstructing multi-contrast data. Magnetic Resonance in Medicine, 2018, 80, 619-632.	3.0	62
46	Fast nonlinear susceptibility inversion with variational regularization. Magnetic Resonance in Medicine, 2018, 80, 814-821.	3.0	55
47	WaveCAIPI for highly accelerated MP-RAGE imaging. Magnetic Resonance in Medicine, 2018, 79, 401-406.	3.0	53
48	High-resolution in vivo diffusion imaging of the human brain with generalized slice dithered enhanced resolution: Simultaneous multislice (gS<sc>S</sc>liderSMS</sc>). Magnetic Resonance in Medicine, 2018, 79, 141-151.	3.0	134
49	Quantitative susceptibility mapping: Report from the 2016 reconstruction challenge. Magnetic Resonance in Medicine, 2018, 79, 1661-1673.	3.0	151
50	Quantitative susceptibility mapping using deep neural network: QSMnet. NeuroImage, 2018, 179, 199-206.	4.2	115
51	Single-step quantitative susceptibility mapping with variational penalties. NMR in Biomedicine, 2017, 30, e3570.	2.8	50
52	Mitigation of partial volume effects in susceptibility-based oxygenation measurements by joint utilization of magnitude and phase (JUMP). Magnetic Resonance in Medicine, 2017, 77, 1713-1727.	3.0	9
53	Simultaneous multislice magnetic resonance fingerprinting (SMS-MRF) with direct-spiral sliceGRAPPA (dsESG) reconstruction. Magnetic Resonance in Medicine, 2017, 77, 1966-1974.	3.0	35
54	Susceptibility-Based Neuroimaging: Standard Methods, Clinical Applications, and Future Directions. Current Radiology Reports, 2017, 5, 1.	1.4	6

#	ARTICLE	IF	CITATIONS
55	Model-based iterative reconstruction for single-shot EPI at 7T. Magnetic Resonance in Medicine, 2017, 78, 2250-2264.	3.0	13
56	Simultaneous Time Interleaved MultiSlice (STIMS) for Rapid Susceptibility Weighted acquisition. NeuroImage, 2017, 155, 577-586.	4.2	21
57	3D MR fingerprinting with accelerated stack-of-spirals and hybrid sliding-window and GRAPPA reconstruction. NeuroImage, 2017, 162, 13-22.	4.2	87
58	Autocalibrated wavelet-CAIPI reconstruction; Joint optimization of k-space trajectory and parallel imaging reconstruction. Magnetic Resonance in Medicine, 2017, 78, 1093-1099.	3.0	47
59	Vectorial total generalized variation for accelerated multi-channel multi-contrast MRI. Magnetic Resonance Imaging, 2016, 34, 1161-1170.	1.8	19
60	Rapid multi-orientation quantitative susceptibility mapping. NeuroImage, 2016, 125, 1131-1141.	4.2	52
61	Accelerated $1^{\text{H}}$ MRSI using randomly undersampled spiral-based k-space trajectories. Magnetic Resonance in Medicine, 2015, 74, 13-24.	3.0	23
62	Wavelet-CAIPI for highly accelerated 3D imaging. Magnetic Resonance in Medicine, 2015, 73, 2152-2162.	3.0	180
63	Fast reconstruction for accelerated multi-slice multi-contrast MRI. , 2015, , .		4
64	RARE/turbo spin echo imaging with simultaneous multislice Wave-CAIPI. Magnetic Resonance in Medicine, 2015, 73, 929-938.	3.0	68
65	Fast quantitative susceptibility mapping using 3D EPI and total generalized variation. NeuroImage, 2015, 111, 622-630.	4.2	157
66	Fast reconstruction for multichannel compressed sensing using a hierarchically semiseparable solver. Magnetic Resonance in Medicine, 2015, 73, 1034-1040.	3.0	14
67	Wave-CAIPI enables highly accelerated 3D MRI. , 2014, , .		1
68	Fast quantitative susceptibility mapping with $L1$ -regularization and automatic parameter selection. Magnetic Resonance in Medicine, 2014, 72, 1444-1459.	3.0	110
69	Quantitative oxygenation venography from MRI phase. Magnetic Resonance in Medicine, 2014, 72, 149-159.	3.0	143
70	Fast image reconstruction with $L2$ -regularization. Journal of Magnetic Resonance Imaging, 2014, 40, 181-191.	3.4	125
71	Lipid suppression in CSI with spatial priors and highly undersampled peripheral k-space. Magnetic Resonance in Medicine, 2013, 69, 1501-1511.	3.0	33
72	Fast Dictionary-Based Reconstruction for Diffusion Spectrum Imaging. IEEE Transactions on Medical Imaging, 2013, 32, 2022-2033.	8.9	16

#	ARTICLE	IF	CITATIONS
73	Quantitative Susceptibility Map Reconstruction via a Total Generalized Variation Regularization. , 2013, , .		4
74	Accelerated diffusion spectrum imaging with compressed sensing using adaptive dictionaries. Magnetic Resonance in Medicine, 2012, 68, spcone-spcone.	3.0	4
75	Accelerated diffusion spectrum imaging with compressed sensing using adaptive dictionaries. Magnetic Resonance in Medicine, 2012, 68, 1747-1754.	3.0	66
76	MRI estimates of brain iron concentration in normal aging using quantitative susceptibility mapping. NeuroImage, 2012, 59, 2625-2635.	4.2	427
77	Multi-contrast reconstruction with Bayesian compressed sensing. Magnetic Resonance in Medicine, 2011, 66, 1601-1615.	3.0	109
78	Efficient integral image computation on the GPU. , 2010, , .		56
79	Fast human detection with cascaded ensembles on the GPU. , 2010, , .		27