

Won Sik Jang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6741406/publications.pdf>

Version: 2024-02-01

59
papers

700
citations

567247

15
h-index

677123

22
g-index

62
all docs

62
docs citations

62
times ranked

1145
citing authors

#	ARTICLE	IF	CITATIONS
1	Gene Expression Analysis of Aggressive Adult Xp11.2 Translocation Renal Cell Carcinoma at Clinical Stage T1N0M0 to Identify Potential Prognostic and Therapeutic Biomarkers. <i>Biomedicines</i> , 2022, 10, 321.	3.2	1
2	Systemic Injection of Oncolytic Vaccinia Virus Suppresses Primary Tumor Growth and Lung Metastasis in Metastatic Renal Cell Carcinoma by Remodeling Tumor Microenvironment. <i>Biomedicines</i> , 2022, 10, 173.	3.2	6
3	Evaluation of the Surgical Margin Threshold for Avoiding Recurrence after Partial Nephrectomy in Patients with Renal Cell Carcinoma. <i>Yonsei Medical Journal</i> , 2022, 63, 173.	2.2	4
4	External validation of karyotype nomogram to predict karyotype abnormalities in oligospermic men. <i>Andrologia</i> , 2022, , e14446.	2.1	0
5	Clinical Implications for da Vinci SP Partial Nephrectomy in High-Complexity Tumors: Propensity Score-Matching Analysis. <i>Journal of Endourology</i> , 2022, 36, 1290-1295.	2.1	4
6	Clinical Outcomes After Urinary Diversion for Malignant Ureteral Obstruction Secondary to Non-urolologic Cancer: An Analysis of 778 Cases. <i>Annals of Surgical Oncology</i> , 2021, 28, 2367-2373.	1.5	9
7	Comparison of intraoperative and short-term postoperative outcomes between robot-assisted laparoscopic multi-port pyeloplasty using the da Vinci Si system and single-port pyeloplasty using the da Vinci SP system in children. <i>Investigative and Clinical Urology</i> , 2021, 62, 592.	2.0	10
8	Prostate epithelial genes define therapy-relevant prostate cancer molecular subtype. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 1080-1092.	3.9	15
9	Association between visceral adiposity and DDX11 as a predictor of aggressiveness of small clear-cell renal-cell carcinoma: a prospective clinical trial. <i>Cancer & Metabolism</i> , 2021, 9, 15.	5.0	1
10	Development of a highly pulmonary metastatic orthotopic renal cell carcinoma murine model. <i>Biology Open</i> , 2021, 10, .	1.2	6
11	The DEAD/DEAH Box Helicase, DDX11, Is Essential for the Survival of Advanced Clear Cell Renal Cell Carcinoma and Is a Determinant of PARP Inhibitor Sensitivity. <i>Cancers</i> , 2021, 13, 2574.	3.7	7
12	The Prognosis and Oncological Predictor of Urachal Carcinoma of the Bladder: A Large Scale Multicenter Cohort Study Analyzed 203 Patients With Long Term Follow-Up. <i>Frontiers in Oncology</i> , 2021, 11, 683190.	2.8	10
13	Revisiting extraprostatic extension based on invasion depth and number for new algorithm for substaging of pT3a prostate cancer. <i>Scientific Reports</i> , 2021, 11, 13952.	3.3	5
14	Prognostic value of prostate volume in non-muscle invasive bladder cancer. <i>Scientific Reports</i> , 2021, 11, 18784.	3.3	3
15	Effect of Dexmedetomidine on Biochemical Recurrence in Patients after Robot-Assisted Laparoscopic Radical Prostatectomy: A Retrospective Study. <i>Journal of Personalized Medicine</i> , 2021, 11, 912.	2.5	1
16	Postoperative biochemical recurrence of pathologically localized high-grade prostate cancer in adjuvant treatment-naïve patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 221-227.	2.5	1
17	True Single-Site Partial Nephrectomy Using the SP Surgical System: Feasibility, Comparison with the Xi Single-Site Platform, and Step-By-Step Procedure Guide. <i>Journal of Endourology</i> , 2020, 34, 169-174.	2.1	20
18	Scale-Up Evaluation of a Composite Tumor Marker Assay for the Early Detection of Renal Cell Carcinoma. <i>Diagnostics</i> , 2020, 10, 750.	2.6	6

#	ARTICLE	IF	CITATIONS
19	Muscle Characteristics Obtained Using Computed Tomography as Prognosticators in Patients with Castration-Resistant Prostate Cancer. <i>Cancers</i> , 2020, 12, 1864.	3.7	7
20	Programmed Cell Death-Ligand 1 Expression Status in Urothelial Carcinoma According to Clinical and Pathological Factors: A Multi-Institutional Retrospective Study. <i>Frontiers in Oncology</i> , 2020, 10, 568809.	2.8	3
21	External validation of the post-vasectomy semen analysis nomogram to predict total motile sperm count: A multicenter study. <i>Andrologia</i> , 2020, 52, e13809.	2.1	4
22	Prediction of High-Grade Clear Cell Renal Cell Carcinoma Based on Plasma mRNA Profiles in Patients with Localized Pathologic T1NOMO Stage Disease. <i>Cancers</i> , 2020, 12, 1182.	3.7	9
23	Comparison of Biochemical Recurrence After Robot-assisted Laparoscopic Radical Prostatectomy with Volatile and Total Intravenous Anesthesia. <i>International Journal of Medical Sciences</i> , 2020, 17, 449-456.	2.5	10
24	Urethral realignment with maximal urethral length and bladder neck preservation in robot-assisted radical prostatectomy: Urinary continence recovery. <i>PLoS ONE</i> , 2020, 15, e0227744.	2.5	7
25	Gene Expression Analysis of Aggressive Clinical T1 Stage Clear Cell Renal Cell Carcinoma for Identifying Potential Diagnostic and Prognostic Biomarkers. <i>Cancers</i> , 2020, 12, 222.	3.7	25
26	Association Between Prostate Cancer and 25-Hydroxyvitamin D2 Levels: National Health and Nutrition Examination Survey 2007~2008 Results. <i>The Korean Journal of Urological Oncology</i> , 2020, 18, 32-39.	0.1	0
27	The prognostic impact of downgrading and upgrading from biopsy to radical prostatectomy among men with Gleason score 7 prostate cancer. <i>Prostate</i> , 2019, 79, 1805-1810.	2.3	11
28	Effect of prostate gland weight on the surgical and oncological outcomes of extraperitoneal robot-assisted radical prostatectomy. <i>BMC Urology</i> , 2019, 19, 1.	1.4	42
29	Robot-assisted laparoscopic single-port pyeloplasty using the da Vinci SP [®] system: initial experience with a pediatric patient. <i>Journal of Pediatric Urology</i> , 2019, 15, 576-577.	1.1	19
30	Clinical Significance of Multiparametric Magnetic Resonance Imaging as a Preoperative Predictor of Oncologic Outcome in Very Low-Risk Prostate Cancer. <i>Journal of Clinical Medicine</i> , 2019, 8, 542.	2.4	3
31	Risk Prediction Tool for Aggressive Tumors in Clinical T1 Stage Clear Cell Renal Cell Carcinoma Using Molecular Biomarkers. <i>Computational and Structural Biotechnology Journal</i> , 2019, 17, 371-377.	4.1	24
32	Predictive Factors and Oncologic Outcome of Downgrade to Pathologic Gleason Score 6~7 after Radical Prostatectomy in Patients with Biopsy Gleason Score 8~10. <i>Journal of Clinical Medicine</i> , 2019, 8, 438.	2.4	6
33	Preoperative controlling nutritional status (CONUT) score as a novel immune-nutritional predictor of survival in non-metastatic clear cell renal cell carcinoma of ≥ 7 cm on preoperative imaging. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 957-965.	2.5	26
34	Pure single-site robot-assisted pyeloplasty with the da Vinci SP surgical system: Initial experience. <i>Investigative and Clinical Urology</i> , 2019, 60, 326.	2.0	27
35	Outcomes of pathologically localized high-grade prostate cancer treated with radical prostatectomy. <i>Medicine (United States)</i> , 2019, 98, e17627.	1.0	5
36	Is the extirpative surgery for primary tumor helpful for the patients with metastatic urothelial cancer at the time of diagnosis?. <i>Medicine (United States)</i> , 2019, 98, e15930.	1.0	3

#	ARTICLE	IF	CITATIONS
37	Neutrophil-to-Lymphocyte Ratio Predicts Pathological Renal Sinus Fat Invasion in Renal Cell Carcinomas of ≥ 7 cm with Presumed Renal Sinus Fat Invasion. <i>Yonsei Medical Journal</i> , 2019, 60, 1021.	2.2	7
38	Does robot-assisted radical prostatectomy benefit patients with prostate cancer and bone oligometastases?. <i>BJU International</i> , 2018, 121, 225-231.	2.5	54
39	Clinical significance of multiparametric MRI and PSA density as predictors of residual tumor (pT0) following radical prostatectomy for T1a-T1b (incidental) prostate cancer. <i>PLoS ONE</i> , 2018, 13, e0210037.	2.5	12
40	Predictive value of preoperative monocyte-lymphocyte ratio among patients with localized clear renal cell carcinoma of ≤ 5 cm on preoperative imaging. <i>Medicine (United States)</i> , 2018, 97, e13433.	1.0	3
41	Management of postoperative ileus after robot-assisted laparoscopic prostatectomy. <i>Medicine (United States)</i> , 2018, 97, e13433.	1.0	3
42	Clinical significance and predictors of oncologic outcome after radical prostatectomy for invisible prostate cancer on multiparametric MRI. <i>BMC Cancer</i> , 2018, 18, 1057.	2.6	10
43	Efficacy and Safety of Robotic Procedures Performed Using the da Vinci Robotic Surgical System at a Single Institute in Korea: Experience with 10000 Cases. <i>Yonsei Medical Journal</i> , 2018, 59, 975.	2.2	30
44	Impact of Early Salvage Androgen Deprivation Therapy in Localized Prostate Cancer after Radical Prostatectomy: A Propensity Score Matched Analysis. <i>Yonsei Medical Journal</i> , 2018, 59, 580.	2.2	9
45	Predictors of adverse pathologic features after radical prostatectomy in low-risk prostate cancer. <i>BMC Cancer</i> , 2018, 18, 545.	2.6	11
46	Age-adjusted Charlson Comorbidity Index as a prognostic factor for radical prostatectomy outcomes of very high-risk prostate cancer patients. <i>PLoS ONE</i> , 2018, 13, e0199365.	2.5	16
47	Prognostic Significance of the Proportion of Ductal Component in Ductal Adenocarcinoma of the Prostate. <i>Journal of Urology</i> , 2017, 197, 1048-1053.	0.4	30
48	Prognostic Significance of Vas Deferens Invasion After Radical Prostatectomy in Patients with Pathological Stage T3b Prostate Cancer. <i>Annals of Surgical Oncology</i> , 2017, 24, 1143-1149.	1.5	7
49	Impact of lymphovascular invasion on lymph node metastasis for patients undergoing radical prostatectomy with negative resection margin. <i>BMC Cancer</i> , 2017, 17, 321.	2.6	18
50	Intermediate PSA half-life after neoadjuvant hormone therapy predicts reduced risk of castration-resistant prostate cancer development after radical prostatectomy. <i>BMC Cancer</i> , 2017, 17, 789.	2.6	1
51	The prognostic significance of postoperative neutrophil-to-lymphocyte ratio after radical prostatectomy for localized prostate cancer. <i>Oncotarget</i> , 2017, 8, 11778-11787.	1.8	32
52	Total intraglandular and index tumor volumes predict biochemical recurrence in prostate cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 305-312.	2.8	8
53	Association of Anterior and Lateral Extraprostatic Extensions with Base-Positive Resection Margins in Prostate Cancer. <i>PLoS ONE</i> , 2016, 11, e0158922.	2.5	8
54	Effect of Preoperative Risk Group Stratification on Oncologic Outcomes of Patients with Adverse Pathologic Findings at Radical Prostatectomy. <i>PLoS ONE</i> , 2016, 11, e0164497.	2.5	6

#	ARTICLE	IF	CITATIONS
55	Optimal Skin-to-Stone Distance Is a Positive Predictor for Successful Outcomes in Upper Ureter Calculi following Extracorporeal Shock Wave Lithotripsy: A Bayesian Model Averaging Approach. PLoS ONE, 2015, 10, e0144912.	2.5	27
56	The risk factors and clinical significance of acute postoperative complications after unstented pediatric pyeloplasty: A single surgeon's experience. Journal of Pediatric Surgery, 2014, 49, 1166-1170.	1.6	15
57	Simple, Safe, and Successful Evacuation of Severe Organized Clot Retention Using a Catheter Connected With Wall Suction: Suction and Fishing Method. Urology, 2011, 78, 1199-1202.	1.0	10
58	Laparoendoscopic Single-Site Surgery (LESS) for Excision of a Seminal Vesicle Cyst Associated with Ipsilateral Renal Agenesis. Korean Journal of Urology, 2011, 52, 431.	1.2	10
59	The Learning Curve for Flank Percutaneous Nephrolithotomy for Kidney Calculi: A Single Surgeon's Experience. Korean Journal of Urology, 2011, 52, 284.	1.2	27