

# Henning Andersen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6741523/publications.pdf>

Version: 2024-02-01

137  
papers

5,844  
citations

76294

40  
h-index

88593

70  
g-index

141  
all docs

141  
docs citations

141  
times ranked

5536  
citing authors

#	ARTICLE	IF	CITATIONS
1	Safety and efficacy of eculizumab in anti-acetylcholine receptor antibody-positive refractory generalised myasthenia gravis (REGAIN): a phase 3, randomised, double-blind, placebo-controlled, multicentre study. <i>Lancet Neurology</i> , The, 2017, 16, 976-986.	4.9	472
2	Muscle Strength in Type 2 Diabetes. <i>Diabetes</i> , 2004, 53, 1543-1548.	0.3	292
3	Maximal isokinetic and isometric muscle strength of major muscle groups related to age, body mass, height, and sex in 178 healthy subjects. <i>European Journal of Applied Physiology</i> , 2012, 112, 267-275.	1.2	282
4	Muscular atrophy in diabetic neuropathy: a stereological magnetic resonance imaging study. <i>Diabetologia</i> , 1997, 40, 1062-1069.	2.9	202
5	Schwann cell interactions with axons and microvessels in diabetic neuropathy. <i>Nature Reviews Neurology</i> , 2017, 13, 135-147.	4.9	202
6	Regional variation of Guillain-Barré syndrome. <i>Brain</i> , 2018, 141, 2866-2877.	3.7	190
7	Atrophy of Foot Muscles: A measure of diabetic neuropathy. <i>Diabetes Care</i> , 2004, 27, 2382-2385.	4.3	189
8	Long-term safety and efficacy of eculizumab in generalized myasthenia gravis. <i>Muscle and Nerve</i> , 2019, 60, 14-24.	1.0	162
9	Isokinetic Muscle Strength in Long-Term IDDM Patients in Relation to Diabetic Complications. <i>Diabetes</i> , 1996, 45, 440-445.	0.3	153
10	Muscle Weakness: A Progressive Late Complication in Diabetic Distal Symmetric Polyneuropathy. <i>Diabetes</i> , 2006, 55, 806-812.	0.3	146
11	Risk Factors for Incident Diabetic Polyneuropathy in a Cohort With Screen-Detected Type 2 Diabetes Followed for 13 Years: ADDITION-Denmark. <i>Diabetes Care</i> , 2018, 41, 1068-1075.	4.3	146
12	Motor dysfunction in diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2012, 28, 89-92.	1.7	133
13	Accelerated atrophy of lower leg and foot muscles—a follow-up study of long-term diabetic polyneuropathy using magnetic resonance imaging (MRI). <i>Diabetologia</i> , 2009, 52, 1182-1191.	2.9	121
14	F-wave latency, the most sensitive nerve conduction parameter in patients with diabetes mellitus. , 1997, 20, 1296-1302.		119
15	Subcutaneous immunoglobulin in responders to intravenous therapy with chronic inflammatory demyelinating polyradiculoneuropathy. <i>European Journal of Neurology</i> , 2013, 20, 836-842.	1.7	117
16	Efficacy and Safety of Rozanolixizumab in Moderate to Severe Generalized Myasthenia Gravis. <i>Neurology</i> , 2021, 96, e853-e865.	1.5	97
17	Decreased muscle strength in patients with alcoholic liver cirrhosis in relation to nutritional status, alcohol abstinence, liver function, and neuropathy. <i>Hepatology</i> , 1998, 27, 1200-1206.	3.6	92
18	Diabetic polyneuropathy and pain, prevalence, and patient characteristics: a cross-sectional questionnaire study of 5,514 patients with recently diagnosed type 2 diabetes. <i>Pain</i> , 2020, 161, 574-583.	2.0	81

#	ARTICLE	IF	CITATIONS
19	Painful and non-painful diabetic neuropathy, diagnostic challenges and implications for future management. <i>Brain</i> , 2021, 144, 1632-1645.	3.7	81
20	Late-onset Pompe disease is prevalent in unclassified limb-girdle muscular dystrophies. <i>Molecular Genetics and Metabolism</i> , 2013, 110, 287-289.	0.5	73
21	Association of muscle strength and electrophysiological measures of reinnervation in diabetic neuropathy. <i>Journal of Neurology</i> , 1998, 241, 1647-1654.		69
22	Risk Factors for the Presence and Progression of Cardiovascular Autonomic Neuropathy in Type 2 Diabetes: ADDITION-Denmark. <i>Diabetes Care</i> , 2018, 41, 2586-2594.	4.3	67
23	Critical illness myopathy as a consequence of Covid-19 infection. <i>Clinical Neurophysiology</i> , 2020, 131, 1931-1932.	0.7	64
24	A Comparative Study of Isokinetic Dynamometry and Manual Muscle Testing of Ankle Dorsal and Plantar Flexors and Knee Extensors and Flexors. <i>European Neurology</i> , 1997, 37, 239-242.	0.6	62
25	Myopathic changes in patients with long-term fatigue after COVID-19. <i>Clinical Neurophysiology</i> , 2021, 132, 1974-1981.	0.7	61
26	Exercise in myasthenia gravis: A feasibility study of aerobic and resistance training. <i>Muscle and Nerve</i> , 2017, 56, 700-709.	1.0	59
27	Muscular Endurance in Long-Term IDDM Patients. <i>Diabetes Care</i> , 1998, 21, 604-609.	4.3	58
28	Effects of Resistance Training and Aerobic Training on Ambulation in Chronic Stroke. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2014, 93, 29-42.	0.7	57
29	Association of IgM type anti-GM1 antibodies and muscle strength in chronic acquired demyelinating polyneuropathy. <i>Annals of Neurology</i> , 1998, 43, 72-78.	2.8	54
30	Volume of ankle dorsiflexors and plantar flexors determined with stereological techniques. <i>Journal of Applied Physiology</i> , 1999, 86, 1670-1675.	1.2	54
31	Evidence-based recommendations for examination and diagnostic strategies of polyneuropathy electrodiagnosis. <i>Clinical Neurophysiology Practice</i> , 2019, 4, 214-222.	0.6	54
32	Subcutaneous immunoglobulin as first-line therapy in treatment-naïve patients with chronic inflammatory demyelinating polyneuropathy: randomized controlled trial study. <i>European Journal of Neurology</i> , 2017, 24, 412-418.	1.7	52
33	Resistance Training Increases Muscle Strength and Muscle Size in Patients With Liver Cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 1179-1187.e6.	2.4	52
34	Reliability of isokinetic measurements of ankle dorsal and plantar flexors in normal subjects and in patients with peripheral neuropathy. <i>Archives of Physical Medicine and Rehabilitation</i> , 1996, 77, 265-268.	0.5	51
35	Transcranial Direct Current Stimulation Potentiates Improvements in Functional Ability in Patients With Chronic Stroke Receiving Constraint-Induced Movement Therapy. <i>Stroke</i> , 2017, 48, 229-232.	1.0	51
36	The antimyotonic effect of lamotrigine in non-dystrophic myotonias: a double-blind randomized study. <i>Brain</i> , 2017, 140, 2295-2305.	3.7	49

#	ARTICLE	IF	CITATIONS
37	Decreased isometric muscle strength after acute hyperglycaemia in Type 1 diabetic patients. <i>Diabetic Medicine</i> , 2005, 22, 1401-1407.	1.2	48
38	Evaluation of atrophy of foot muscles in diabetic neuropathy – A comparative study of nerve conduction studies and ultrasonography. <i>Clinical Neurophysiology</i> , 2007, 118, 2172-2175.	0.7	48
39	Autoimmune encephalitis associated with voltage-gated potassium channels-complex and leucine-rich glioma-inactivated 1 antibodies – a national cohort study. <i>European Journal of Neurology</i> , 2017, 24, 999-1005.	1.7	48
40	Atrophy of Foot Muscles in Diabetic Patients Can Be Detected With Ultrasonography. <i>Diabetes Care</i> , 2007, 30, 3053-3057.	4.3	45
41	Magnetic Resonance Neurography Visualizes Abnormalities in Sciatic and Tibial Nerves in Patients With Type 1 Diabetes and Neuropathy. <i>Diabetes</i> , 2017, 66, 1779-1788.	0.3	45
42	Metabolic Factors, Lifestyle Habits, and Possible Polyneuropathy in Early Type 2 Diabetes: A Nationwide Study of 5,249 Patients in the Danish Centre for Strategic Research in Type 2 Diabetes (DD2) Cohort. <i>Diabetes Care</i> , 2020, 43, 1266-1275.	4.3	43
43	Isokinetic muscle strength in long-term IDDM patients in relation to diabetic complications. <i>Diabetes</i> , 1996, 45, 440-445.	0.3	40
44	Diffusion tensor imaging MR neurography for the detection of polyneuropathy in type 1 diabetes. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 1125-1134.	1.9	39
45	Corneal confocal microscopy as a tool for detecting diabetic polyneuropathy in a cohort with screen-detected type 2 diabetes: ADDITION-Denmark. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 1153-1159.	1.2	37
46	Muscle strength, Na,K-pumps, magnesium and potassium in patients with alcoholic liver cirrhosis - relation to spironolactone. <i>Journal of Internal Medicine</i> , 2002, 252, 56-63.	2.7	35
47	Mortality in myasthenia gravis: A nationwide population-based follow-up study in Denmark. <i>Muscle and Nerve</i> , 2016, 53, 73-77.	1.0	35
48	Disordered Mobility of Large Joints in Association with Neuropathy in Patients with Long-standing Insulin-dependent Diabetes Mellitus. , 1997, 14, 221-227.		33
49	Balance and walking performance are improved after resistance and aerobic training in persons with chronic stroke. <i>Disability and Rehabilitation</i> , 2018, 40, 2408-2415.	0.9	33
50	Eculizumab improves fatigue in refractory generalized myasthenia gravis. <i>Quality of Life Research</i> , 2019, 28, 2247-2254.	1.5	32
51	Outcome Measures in Clinical Trials of Patients With Myasthenia Gravis. <i>Frontiers in Neurology</i> , 2020, 11, 596382.	1.1	32
52	Diffusion tensor imaging can be used to detect lesions in peripheral nerves in patients with chronic inflammatory demyelinating polyneuropathy treated with subcutaneous immunoglobulin. <i>Neuroradiology</i> , 2016, 58, 745-752.	1.1	31
53	Axonal loss in patients with inflammatory demyelinating polyneuropathy as determined by motor unit number estimation and MUNIX. <i>Clinical Neurophysiology</i> , 2016, 127, 898-904.	0.7	30
54	Headache and Nausea after Treatment with High-Dose Subcutaneous versus Intravenous Immunoglobulin. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015, 117, 409-412.	1.2	29

#	ARTICLE	IF	CITATIONS
55	Magnetic resonance neurography and diffusion tensor imaging of the peripheral nerves in patients with Charcot-Marie-Tooth Type 1A. <i>Muscle and Nerve</i> , 2017, 56, E78-E84.	1.0	28
56	Diagnosis and prevalence of diabetic polyneuropathy: a cross-sectional study of Danish patients with type 2 diabetes. <i>European Journal of Neurology</i> , 2020, 27, 2575-2585.	1.7	28
57	Resistance training and aerobic training improve muscle strength and aerobic capacity in chronic inflammatory demyelinating polyneuropathy. <i>Muscle and Nerve</i> , 2018, 57, 70-76.	1.0	27
58	Guillain-Barré syndrome in Denmark: a population-based study on epidemiology, diagnosis and clinical severity. <i>Journal of Neurology</i> , 2019, 266, 440-449.	1.8	27
59	Diffusion tensor imaging MR Neurography detects polyneuropathy in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107439.	1.2	27
60	Risk-Factor Trajectories Preceding Diabetic Polyneuropathy: ADDITION-Denmark. <i>Diabetes Care</i> , 2018, 41, 1955-1962.	4.3	25
61	Post-exercise facilitation of compound muscle action potentials evoked by transcranial magnetic stimulation in healthy subjects. <i>Experimental Brain Research</i> , 2000, 132, 517-522.	0.7	22
62	Detection of early motor involvement in diabetic polyneuropathy using a novel MUNE method – MScanFit MUNE. <i>Clinical Neurophysiology</i> , 2019, 130, 1981-1987.	0.7	22
63	Pediatric Guillain-Barré Syndrome in a 30-Year Nationwide Cohort. <i>Pediatric Neurology</i> , 2020, 107, 57-63.	1.0	22
64	Guillain-Barré syndrome in Denmark: validation of diagnostic codes and a population-based nationwide study of the incidence in a 30-year period. <i>Clinical Epidemiology</i> , 2019, Volume 11, 275-283.	1.5	21
65	MRI of Skeletal Muscles in Participants with Type 2 Diabetes with or without Diabetic Polyneuropathy. <i>Radiology</i> , 2020, 297, 608-619.	3.6	21
66	Skeletal muscle fiber characteristics and oxidative capacity in hemiparetic stroke survivors. <i>Muscle and Nerve</i> , 2016, 53, 748-754.	1.0	20
67	The six-spot step test – a new method for monitoring walking ability in patients with chronic inflammatory polyneuropathy. <i>Journal of the Peripheral Nervous System</i> , 2017, 22, 131-138.	1.4	20
68	Genetic analysis of Charcot-Marie-Tooth disease in Denmark and the implementation of a next generation sequencing platform. <i>European Journal of Medical Genetics</i> , 2019, 62, 1-8.	0.7	20
69	Small and large fiber sensory polyneuropathy in type 2 diabetes: Influence of diagnostic criteria on neuropathy subtypes. <i>Journal of the Peripheral Nervous System</i> , 2021, 26, 55-65.	1.4	20
70	The Impact of Diabetic Neuropathy on Activities of Daily Living, Postural Balance and Risk of Falls - A Systematic Review. <i>Journal of Diabetes Science and Technology</i> , 2022, 16, 289-294.	1.3	20
71	Mechanisms of disease. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2014, 126, 443-460.	1.0	19
72	MScanFit motor unit number estimation (MScan) and muscle velocity recovery cycle recordings in amyotrophic lateral sclerosis patients. <i>Clinical Neurophysiology</i> , 2019, 130, 1280-1288.	0.7	18

#	ARTICLE	IF	CITATIONS
73	Statin Therapy and Risk of Polyneuropathy in Type 2 Diabetes: A Danish Cohort Study. <i>Diabetes Care</i> , 2020, 43, 2945-2952.	4.3	18
74	ELECTROPHORETIC PATTERNS OF EXTRACTABLE PROTEINS AND ENZYMES IN EMBRYONIC AND ADULT BRAINS. <i>Acta Neurologica Scandinavica</i> , 1963, 39, 31-40.	1.0	17
75	Effect of enzyme replacement therapy on isokinetic strength for all major muscle groups in four patients with Pompe disease—a long-term follow-up. <i>Molecular Genetics and Metabolism</i> , 2014, 112, 40-43.	0.5	17
76	Decreased muscle strength and contents of Mg and Na,K-pumps in chronic alcoholics occur independently of liver cirrhosis. <i>Journal of Internal Medicine</i> , 2003, 253, 359-366.	2.7	16
77	Motor pathway function in normoalbuminuric IDDM patients. <i>Diabetologia</i> , 1995, 38, 1191-1196.	2.9	15
78	Motor function in diabetic neuropathy. <i>Acta Neurologica Scandinavica</i> , 2009, 100, 211-220.	1.0	15
79	Near-Nerve Needle Technique Versus Surface Electrode Recordings in Electrodiagnosis of Diabetic Polyneuropathy. <i>Journal of Clinical Neurophysiology</i> , 2016, 33, 346-349.	0.9	15
80	Muscle weakness and functional disability in patients with myasthenia gravis. <i>Muscle and Nerve</i> , 2019, 59, 218-223.	1.0	15
81	Neuromuscular electrical stimulation in early rehabilitation of Guillain-Barré syndrome: A pilot study. <i>Muscle and Nerve</i> , 2019, 59, 481-484.	1.0	14
82	High-intensity training in patients with spinal and bulbar muscular atrophy. <i>Journal of Neurology</i> , 2019, 266, 1693-1697.	1.8	14
83	A novel de novo mutation of the mitochondrial tRNA <sup>lys</sup> gene mt.8340G>A associated with pure myopathy. <i>Neuromuscular Disorders</i> , 2014, 24, 162-166.	0.3	13
84	Motor neuropathy. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2014, 126, 81-95.	1.0	12
85	Randomized trial of facilitated subcutaneous immunoglobulin in multifocal motor neuropathy. <i>European Journal of Neurology</i> , 2019, 26, 1289.	1.7	12
86	Screening for Fabry disease and Hereditary ATTR amyloidosis in idiopathic small fiber and mixed neuropathy. <i>Muscle and Nerve</i> , 2019, 59, 354-357.	1.0	12
87	A population-based study of long-term outcome in treated chronic inflammatory demyelinating polyneuropathy. <i>Muscle and Nerve</i> , 2020, 61, 316-324.	1.0	12
88	MScanFit motor unit number estimation and muscle velocity recovery cycle recordings in diabetic polyneuropathy. <i>Clinical Neurophysiology</i> , 2020, 131, 2591-2599.	0.7	12
89	A novel single nucleotide splice site mutation in FHL1 confirms an Emery-Dreifuss plus phenotype with pulmonary artery hypoplasia and facial dysmorphism. <i>European Journal of Medical Genetics</i> , 2015, 58, 222-229.	0.7	11
90	Can diabetic polyneuropathy and foot ulcers in patients with type 2 diabetes be accurately identified based on ICD-10 hospital diagnoses and drug prescriptions? <i>Clinical Epidemiology</i> , 2019, Volume 11, 311-321.	1.5	11

#	ARTICLE	IF	CITATIONS
91	Falls in individuals with type 2 diabetes; a cross-sectional study on the impact of motor dysfunction, postural instability and diabetic polyneuropathy. <i>Diabetic Medicine</i> , 2021, 38, e14470.	1.2	11
92	Gender differences in clinical outcomes in myasthenia gravis: A prospective cohort study. <i>Muscle and Nerve</i> , 2021, 64, 538-544.	1.0	11
93	Motor cortical excitability remains unaffected of short-term hyperglycemia in Type 1 diabetic patients. <i>Journal of Diabetes and Its Complications</i> , 2006, 20, 51-55.	1.2	10
94	Muscle strength and fatigue in newly diagnosed patients with myasthenia gravis. <i>Muscle and Nerve</i> , 2016, 54, 709-714.	1.0	10
95	Diurnal and day-to-day variation of isometric muscle strength in myasthenia gravis. <i>Muscle and Nerve</i> , 2016, 53, 67-72.	1.0	10
96	Charcot-Marie-Tooth disease in Denmark: a nationwide register-based study of mortality, prevalence and incidence. <i>BMJ Open</i> , 2017, 7, e018048.	0.8	10
97	Changes in Functional Outcome and Quality of Life in Soft Tissue Sarcoma Patients within the First Year after Surgery: A Prospective Observational Study. <i>Cancers</i> , 2020, 12, 463.	1.7	10
98	Effect of Gender, Disease Duration and Treatment on Muscle Strength in Myasthenia Gravis. <i>PLoS ONE</i> , 2016, 11, e0164092.	1.1	9
99	Screening for late-onset Pompe disease in western Denmark. <i>Acta Neurologica Scandinavica</i> , 2018, 137, 85-90.	1.0	9
100	A population-based and cross-sectional study of the long-term prognosis in multifocal motor neuropathy. <i>Journal of the Peripheral Nervous System</i> , 2019, 24, 64-71.	1.4	9
101	The utility of a point-of-care sural nerve conduction device for detection of diabetic polyneuropathy: A cross-sectional study. <i>Muscle and Nerve</i> , 2019, 59, 187-193.	1.0	9
102	Diabetic Polyneuropathy Early in Type 2 Diabetes Is Associated With Higher Incidence Rate of Cardiovascular Disease: Results From Two Danish Cohort Studies. <i>Diabetes Care</i> , 2021, 44, 1714-1721.	4.3	8
103	Falls and fractures associated with type 2 diabetic polyneuropathy: A cross-sectional nationwide questionnaire study. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1827-1834.	1.1	8
104	Muscle Strength and Aerobic Capacity in Patients with CIDP One Year after Participation in an Exercise Trial. <i>Journal of Neuromuscular Diseases</i> , 2019, 6, 93-97.	1.1	7
105	Intrarater reliability and validity of outcome measures in myotonic dystrophy type 1. <i>Neurology</i> , 2020, 94, e2508-e2520.	1.5	7
106	Sensory and motor axonal excitability testing in early diabetic neuropathy. <i>Clinical Neurophysiology</i> , 2021, 132, 1407-1415.	0.7	7
107	Electrodiagnosis of Guillain-Barre syndrome in the International GBS Outcome Study: Differences in methods and reference values. <i>Clinical Neurophysiology</i> , 2022, 138, 231-240.	0.7	7
108	Magnetic Resonance Imaging May Be Used for Early Evaluation of Diabetic Peripheral Polyneuropathy. <i>Journal of Diabetes Science and Technology</i> , 2015, 9, 162-163.	1.3	6

#	ARTICLE	IF	CITATIONS
109	Association Between Incident Cancer and Guillain-Barré Syndrome Development: A Nationwide Case-Control Study. <i>Neurology</i> , 2022, , 10.1212/WNL.0000000000200015.	1.5	6
110	Neuropsychiatric symptoms among adult patients with aseptic meningitis: a prospective case series. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 426-427.	2.2	5
111	Quality of life in chronic inflammatory demyelinating polyneuropathy patients treated with subcutaneous immunoglobulin. <i>Acta Neurologica Scandinavica</i> , 2020, 142, 637-640.	1.0	5
112	Association of Hospital-Diagnosed Infections and Antibiotic Use with Risk of Developing Guillain-Barré Syndrome. <i>Neurology</i> , 2020, 96, 10.1212/WNL.000000000011342.	1.5	5
113	Normative reference values for the dorsal sural nerve derived from a large multicenter cohort. <i>Clinical Neurophysiology Practice</i> , 2021, 6, 239-243.	0.6	5
114	Effects of progressive resistance training in individuals with type 2 diabetic polyneuropathy: a randomised assessor-blinded controlled trial. <i>Diabetologia</i> , 2022, 65, 620-631.	2.9	5
115	Increased mortality following Guillain-Barré syndrome: A population-based cohort study. <i>European Journal of Neurology</i> , 2022, 29, 1145-1154.	1.7	5
116	Lower muscle endurance in patients with alcoholic liver disease. <i>International Journal of Rehabilitation Research</i> , 2012, 35, 20-25.	0.7	4
117	Validation of diagnostic codes for Charcot-Marie-Tooth disease in the Danish National Patient Registry. <i>Clinical Epidemiology</i> , 2016, Volume 8, 783-787.	1.5	4
118	Attenuation of Cortically Evoked Motor-Neuron Potential in Streptozotocin-Induced Diabetic Rats: A Study about the Effect of Diabetes upon Cortical-Initiated Movement. <i>BioMed Research International</i> , 2020, 2020, 1-5.	0.9	4
119	Retrospective correlation analysis of plasma Immunoglobulin G and clinical performance in CIDP. <i>PeerJ</i> , 2019, 7, e6969.	0.9	4
120	Effect of ischemia and cooling on the response to high frequency stimulation in rat tail nerves. <i>Journal of the Peripheral Nervous System</i> , 2000, 5, 22-26.	1.4	3
121	DOK7 congenital myasthenia may be associated with severe mitral valve insufficiency. <i>Journal of the Neurological Sciences</i> , 2017, 379, 217-218.	0.3	3
122	PAPP-A activity is increased in cerebrospinal fluid from patients with diabetic polyneuropathy and correlates with peripheral nerve impairment. <i>Growth Hormone and IGF Research</i> , 2019, 48-49, 53-59.	0.5	3
123	Overactive bladder in patients with myasthenia gravis—A cross-sectional population-based study. <i>Acta Neurologica Scandinavica</i> , 2021, 144, 76-80.	1.0	3
124	Function, structure and quality of striated muscles in the lower extremities in patients with late onset Pompe Disease—an MRI study. <i>PeerJ</i> , 2021, 9, e10928.	0.9	2
125	Gastrointestinal transit time and heart rate variability in patients with mild acquired brain injury. <i>PeerJ</i> , 2018, 6, e4912.	0.9	2
126	Atrophy Of Foot Muscles In Type 1 Diabetic Patients In Relation To Presence And Severity Of Neuropathy. <i>Journal of the Peripheral Nervous System</i> , 2000, 5, 186-186.	1.4	1



#	ARTICLE	IF	CITATIONS
127	The role of electrodiagnostic testing in patients referred with the suspicion of polyneuropathy. <i>Muscle and Nerve</i> , 2020, 62, E66-E67.	1.0	1
128	A Search for Undiagnosed Charcot-Marie-Tooth Disease Among Patients Registered with Unspecified Polyneuropathy in the Danish National Patient Registry. <i>Clinical Epidemiology</i> , 2021, Volume 13, 113-120.	1.5	1
129	Isokinetic strength and degeneration of lower extremity muscles in patients with myotonic dystrophy; an MRI study. <i>Neuromuscular Disorders</i> , 2021, 31, 198-211.	0.3	1
130	Motor pathway function in normoalbuminuric IDDM patients. <i>Diabetologia</i> , 1995, 38, 1191-1196.	2.9	1
131	A population-based follow-up study of maximal muscle strength and mobility in patients with myasthenia gravis. <i>Neuromuscular Disorders</i> , 2022, , .	0.3	1
132	Response to Comment on Andersen et al. Risk-Factor Trajectories Preceding Diabetic Polyneuropathy: ADDITION-Denmark. <i>Diabetes Care</i> 2018;41:1955-1962. <i>Diabetes Care</i> , 2018, 41, e148-e149.	4.3	0
133	Neuromuscular effects and rehabilitation in Guillain-Barré syndrome. , 2021, , 143-149.		0
134	Neuromuscular Effects and Rehabilitation in Guillain-Barré Syndrome Associated with Zika Virus Infection. , 0, , .		0
135	Oral function in patients with myasthenia gravis. <i>PeerJ</i> , 2021, 9, e11680.	0.9	0
136	Reply to "Maybe myopathic EMG but not myopathy" and to "Exclude differentials before attributing post-COVID fatigue to myopathy". <i>Clinical Neurophysiology</i> , 2021, 132, 2326-2327.	0.7	0
137	Motor dysfunction in diabetes. , 2022, , 135-161.		0