Cecilie KyrÃ,

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6742305/publications.pdf

Version: 2024-02-01

			159358	174990
87		3,110	30	52
papers	}	citations	h-index	g-index
90		90	90	5065
90		90	90	3063
all doc	s	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Milk intake and incident stroke and CHD in populations of European descent: a Mendelian randomisation study. British Journal of Nutrition, 2022, 128, 1789-1797.	1.2	2
2	Flavonoid intakes inversely associate with COPD in smokers. European Respiratory Journal, 2022, 60, 2102604.	3.1	8
3	Inflammatory potential of diet and pancreatic cancer risk in the EPIC study. European Journal of Nutrition, 2022, 61, 2313-2320.	1.8	3
4	Physical activity attenuates but does not eliminate coronary heart disease risk amongst adults with risk factors: EPIC-CVD case-cohort study. European Journal of Preventive Cardiology, 2022, 29, 1618-1629.	0.8	8
5	Meat Intake Is Associated with a Higher Risk of Ulcerative Colitis in a Large European Prospective Cohort Study \tilde{A}_{s} , Journal of Crohn's and Colitis, 2022, 16, 1187-1196.	0.6	27
6	Intake of whole grain and associations with lifestyle and demographics: a cross-sectional study based on the Danish Diet, Cancer and Health—Next Generations cohort. European Journal of Nutrition, 2021, 60, 883-895.	1.8	16
7	Blood polyphenol concentrations and differentiated thyroid carcinoma in women from the European Prospective Investigation into Cancer and Nutrition (EPIC) study. American Journal of Clinical Nutrition, 2021, 113, 162-171.	2.2	12
8	Soluble Receptor for Advanced Glycation End-products (sRAGE) and Colorectal Cancer Risk: A Caseâ€"Control Study Nested within a European Prospective Cohort. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 182-192.	1.1	7
9	Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. Diabetes Care, 2021, 44, 416-424.	4.3	6
10	Flavonoid intake and incident dementia in the Danish Diet, Cancer, and Health cohort. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12175.	1.8	7
11	Whole-Grain Intake and Pancreatic Cancer Riskâ€"The Danish, Diet, Cancer and Health Cohort. Journal of Nutrition, 2021, 151, 666-674.	1.3	11
12	Vegetable nitrate intake, blood pressure and incident cardiovascular disease: Danish Diet, Cancer, and Health Study. European Journal of Epidemiology, 2021, 36, 813-825.	2.5	28
13	Habitual flavonoid intake and ischemic stroke incidence in the Danish Diet, Cancer, and Health Cohort. American Journal of Clinical Nutrition, 2021, 114, 348-357.	2.2	13
14	Higher Habitual Flavonoid Intakes Are Associated with a Lower Incidence of Diabetes. Journal of Nutrition, 2021, 151, 3533-3542.	1.3	17
15	Higher habitual flavonoid intakes are associated with a lower risk of peripheral artery disease hospitalizations. American Journal of Clinical Nutrition, 2021, 113, 187-199.	2.2	16
16	Polyphenol intake and differentiated thyroid cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. International Journal of Cancer, 2020, 146, 1841-1850.	2.3	20
17	Alkylresorcinols (biomarkers of whole grain intake), cereal fibre intake and metabolic profile - results from a European study. Proceedings of the Nutrition Society, 2020, 79, .	0.4	1
18	Identification of metabolites associated with prostate cancer risk: a nested case-control study with long follow-up in the Northern Sweden Health and Disease Study. BMC Medicine, 2020, 18, 187.	2.3	21

#	Article	IF	Citations
19	Antibody Responses to <i>Helicobacter pylori</i> and Risk of Developing Colorectal Cancer in a European Cohort. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 1475-1481.	1.1	11
20	Flavonoid intake and its association with atrial fibrillation. Clinical Nutrition, 2020, 39, 3821-3828.	2.3	10
21	Healthy lifestyle and the risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2020, 147, 1649-1656.	2.3	4
22	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. BMJ, The, 2020, 370, m2194.	3.0	75
23	Effects of whole-grain wheat, rye, and lignan supplementation on cardiometabolic risk factors in men with metabolic syndrome: a randomized crossover trial. American Journal of Clinical Nutrition, 2020, 111, 864-876.	2.2	54
24	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2020, 147, 1027-1039.	2.3	17
25	Coffee and tea consumption and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2019, 144, 240-250.	2.3	21
26	Flavonoid intake is associated with lower mortality in the Danish Diet Cancer and Health Cohort. Nature Communications, 2019, 10, 3651.	5.8	197
27	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. Journal of Nutrition, 2019, 149, 1047-1055.	1.3	6
28	Pre-diagnostic plasma enterolactone concentrations are associated with lower mortality among individuals with type 2 diabetes: a case-cohort study in the Danish Diet, Cancer and Health cohort. Diabetologia, 2019, 62, 959-969.	2.9	8
29	Long-Term Whole Grain Wheat and Rye Intake Reflected by Adipose Tissue Alkylresorcinols and Breast Cancer: A Case-Cohort Study. Nutrients, 2019, 11, 465.	1.7	6
30	Adherence to the World Cancer Research Fund/American Institute for Cancer Research cancer prevention recommendations and risk of in situ breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. BMC Medicine, 2019, 17, 221.	2.3	18
31	Associations between habitual flavonoid intake and hospital admissions for atherosclerotic cardiovascular disease: a prospective cohort study. Lancet Planetary Health, The, 2019, 3, e450-e459.	5.1	34
32	Prediagnosis plasma concentrations of enterolactone and survival after colorectal cancer: the Danish Diet, Cancer and Health cohort. British Journal of Nutrition, 2019, 122, 552-563.	1.2	9
33	Dietary folate intake and pancreatic cancer risk: Results from the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2019, 144, 1511-1521.	2.3	6
34	The insulin-like growth factor family and breast cancer prognosis: A prospective cohort study among postmenopausal women in Denmark. Growth Hormone and IGF Research, 2019, 44, 33-42.	0.5	13
35	Heterogeneity of Colorectal Cancer Risk Factors by Anatomical Subsite in 10 European Countries: AÂMultinational Cohort Study. Clinical Gastroenterology and Hepatology, 2019, 17, 1323-1331.e6.	2.4	99
36	Prospective evaluation of antibody response to <i>Streptococcus gallolyticus</i> and risk of colorectal cancer. International Journal of Cancer, 2018, 143, 245-252.	2.3	25

#	Article	IF	CITATIONS
37	A prospective evaluation of plasma polyphenol levels and colon cancer risk. International Journal of Cancer, 2018, 143, 1620-1631.	2.3	33
38	Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. Diabetologia, 2018, 61, 1325-1332.	2.9	20
39	Lifetime and baseline alcohol intakes and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition study. International Journal of Cancer, 2018, 143, 801-812.	2.3	42
40	Nut intake and 5-year changes in body weight and obesity risk in adults: results from the EPIC-PANACEA study. European Journal of Nutrition, 2018, 57, 2399-2408.	1.8	58
41	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. Diabetes Care, 2018, 41, 277-285.	4.3	15
42	Pre-diagnostic plasma enterolactone concentrations and breast cancer prognosis among postmenopausal women – The Danish Diet, Cancer and Health cohort. Clinical Nutrition, 2018, 37, 2217-2225.	2.3	9
43	Nutritional quality of food as represented by the FSAm-NPS nutrient profiling system underlying the Nutri-Score label and cancer risk in Europe: Results from the EPIC prospective cohort study. PLoS Medicine, 2018, 15, e1002651.	3.9	63
44	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. BMJ: British Medical Journal, 2018, 361, k934.	2.4	70
45	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. European Journal of Epidemiology, 2018, 33, 1063-1075.	2.5	41
46	Circulating isoflavone and lignan concentrations and prostate cancer risk: a metaâ€analysis of individual participant data from seven prospective studies including 2,828 cases and 5,593 controls. International Journal of Cancer, 2018, 143, 2677-2686.	2.3	27
47	The Influence of Menopausal Hormone Therapy and Potential Lifestyle Interactions in Female Cancer Developmentâ€"a Population-Based Prospective Study. Hormones and Cancer, 2018, 9, 254-264.	4.9	10
48	A new food-composition database for 437 polyphenols in 19,899 raw and prepared foods used to estimate polyphenol intakes in adults from 10 European countries. American Journal of Clinical Nutrition, 2018, 108, 517-524.	2.2	47
49	Rye and health - Where do we stand and where do we go?. Trends in Food Science and Technology, 2018, 79, 78-87.	7.8	66
50	Higher Whole-Grain Intake Is Associated with Lower Risk of Type 2 Diabetes among Middle-Aged Men and Women: The Danish Diet, Cancer, and Health Cohort. Journal of Nutrition, 2018, 148, 1434-1444.	1.3	56
51	A lifestyle intervention among elderly men on active surveillance for non-aggressive prostate cancer: a randomised feasibility study with whole-grain rye and exercise. Trials, 2017, 18, 20.	0.7	15
52	Dietary intake of whole grains and plasma alkylresorcinol concentrations in relation to changes in anthropometry: the Danish diet, cancer and health cohort study. European Journal of Clinical Nutrition, 2017, 71, 944-952.	1.3	5
53	Adherence to a healthy Nordic food index and risk of myocardial infarction in middle-aged Danes: the diet, cancer and health cohort study. European Journal of Clinical Nutrition, 2017, 71, 652-658.	1.3	30
54	Prediagnostic enterolactone concentrations and mortality among Danish men diagnosed with prostate cancer. European Journal of Clinical Nutrition, 2017, 71, 1235-1240.	1.3	11

#	Article	IF	CITATIONS
55	Dietary flavonoid intake and colorectal cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. International Journal of Cancer, 2017, 140, 1836-1844.	2.3	50
56	Adherence to a Healthy Nordic Diet and Risk of Stroke. Stroke, 2017, 48, 259-264.	1.0	65
57	Consumption of Whole-Grain Bread and Risk of Colorectal Cancer among Norwegian Women (the) Tj ETQq1 1 C).784314 1.7	rgBT/Overlo
58	Reply to A Abbasi. American Journal of Clinical Nutrition, 2016, 104, 1725-1726.	2.2	0
59	Reply to J-B Qin et al American Journal of Clinical Nutrition, 2016, 104, 1723-1724.	2.2	0
60	Use of antibiotics is associated with lower enterolactone plasma concentration. Molecular Nutrition and Food Research, 2016, 60, 2712-2721.	1.5	16
61	Whole grains and public health. BMJ, The, 2016, 353, i3046.	3.0	19
62	Plasma alkylresorcinols, biomarkers of whole-grain wheat and rye intake, and risk of type 2 diabetes in Scandinavian men and women. American Journal of Clinical Nutrition, 2016, 104, 88-96.	2.2	51
63	Intake of whole grains is associated with lower risk of myocardial infarction: the Danish Diet, Cancer and Health Cohort. American Journal of Clinical Nutrition, 2016, 103, 999-1007.	2.2	60
64	High-Throughput LC–MS/MS Method for Direct Quantification of Glucuronidated, Sulfated, and Free Enterolactone in Human Plasma. Journal of Proteome Research, 2016, 15, 1051-1058.	1.8	19
65	Dietary polyphenol intake in Europe: the European Prospective Investigation into Cancer and Nutrition (EPIC) study. European Journal of Nutrition, 2016, 55, 1359-1375.	1.8	313
66	Intake of whole grains and incidence of oesophageal cancer in the HELGA Cohort. European Journal of Epidemiology, 2016, 31, 405-414.	2.5	18
67	Adherence to a Healthy Nordic Food Index Is Associated with a Lower Risk of Type-2 Diabetesâ€"The Danish Diet, Cancer and Health Cohort Study. Nutrients, 2015, 7, 8633-8644.	1.7	65
68	No Association between Adherence to a Healthy Nordic Food Index and Colorectal Cancer: Results from a Swedish Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 755-757.	1.1	17
69	Pre-diagnostic polyphenol intake and breast cancer survival: the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. Breast Cancer Research and Treatment, 2015, 154, 389-401.	1.1	31
70	Dietary fibre and incidence of type 2 diabetes in eight European countries: the EPIC-InterAct Study and a meta-analysis of prospective studies. Diabetologia, 2015, 58, 1394-1408.	2.9	237
71	Rye Consumption and the Risk of Colorectal Cancer. , 2014, , 247-260.		1
72	Plasma alkylresorcinol concentrations, biomarkers of whole-grain wheat and rye intake, in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. British Journal of Nutrition, 2014, 111, 1881-1890.	1.2	29

#	Article	IF	CITATIONS
73	Plasma Alkylresorcinols, Biomarkers of Whole-Grain Wheat and Rye Intake, and Incidence of Colorectal Cancer. Journal of the National Cancer Institute, 2014, 106, djt352.	3.0	67
74	Flavonoid and lignan intake in relation to bladder cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. British Journal of Cancer, 2014, 111, 1870-1880.	2.9	50
75	Plasma and dietary carotenoids and vitamins A, C and E and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2014, 135, 2930-2939.	2.3	55
76	Whole Grain Intake and Survival Among Scandinavian Colorectal Cancer Patients. Nutrition and Cancer, 2014, 66, 6-13.	0.9	18
77	Self-Reported Whole-Grain Intake and Plasma Alkylresorcinol Concentrations in Combination in Relation to the Incidence of Colorectal Cancer. American Journal of Epidemiology, 2014, 179, 1188-1196.	1.6	39
78	Adherence to a healthy Nordic food index is associated with a lower incidence of colorectal cancer in women: the Diet, Cancer and Health cohort study $\hat{a} \in \mathbb{R}$ ERRATUM. British Journal of Nutrition, 2014, 111, 758-759.	1.2	1
79	Intake of whole grains from different cereal and food sources and incidence of colorectal cancer in the Scandinavian HELGA cohort. Cancer Causes and Control, 2013, 24, 1363-1374.	0.8	77
80	Adherence to a healthy Nordic food index is associated with a lower incidence of colorectal cancer in women: The Diet, Cancer and Health cohort study. British Journal of Nutrition, 2013, 109, 920-927.	1.2	60
81	Plasma enterolactone and incidence of endometrial cancer in a case–cohort study of Danish women. British Journal of Nutrition, 2013, 109, 2269-2275.	1.2	18
82	Intake of whole grain in Scandinavia: Intake, sources and compliance with new national recommendations. Scandinavian Journal of Public Health, 2012, 40, 76-84.	1.2	91
83	Serum estrogen and SHBG levels and breast cancer incidence among users and never users of hormone replacement therapy. Cancer Causes and Control, 2012, 23, 1711-1720.	0.8	9
84	Whole Grain, Dietary Fiber, and Incidence of Endometrial Cancer in a Danish Cohort Study. Nutrition and Cancer, 2012, 64, 1160-1168.	0.9	19
85	Dietary Fiber, Carbohydrate Quality and Quantity, and Mortality Risk of Individuals with Diabetes Mellitus. PLoS ONE, 2012, 7, e43127.	1.1	89
86	Intake of whole grains in Scandinavia is associated with healthy lifestyle, socio-economic and dietary factors. Public Health Nutrition, 2011, 14, 1787-1795.	1.1	52
87	High-throughput technique – targeted LC-MS/MS method to measure enterolactone "a biomarker of healthy lifestyle" for epidemiological investigation and clinical diagnosis ., 0,,.		0