Nuvee Prapasarakul

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/674287/publications.pdf

Version: 2024-02-01

471509 552781 52 834 17 26 citations h-index g-index papers 53 53 53 1054 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Novel Pseudo-Staphylococcal Cassette Chromosome <i>mec</i> Element (f SCC <i>mec</i>) Tj ETQq1 1 0.7843	314 rgBT /C 3.2	Overlock 10 Tf 53
	Agents and Chemotherapy, 2013, 57, 5509-5515.		00
2	Strain typing and antimicrobial susceptibility of methicillin-resistant coagulase-positive staphylococcal species in dogs and people associated with dogs in Thailand. Journal of Applied Microbiology, 2014, 117, 572-586.	3.1	53
3	Autochthonous lactic acid bacteria isolated from pig faeces in Thailand show probiotic properties and antibacterial activity against enteric pathogenic bacteria. Microbial Pathogenesis, 2018, 119, 208-215.	2.9	50
4	Molecular detection and isolation of pathogenic Leptospira from asymptomatic humans, domestic animals and water sources in Nan province, a rural area of Thailand. Research in Veterinary Science, 2017, 115, 146-154.	1.9	46
5	Endometritis in gilts: reproductive data, bacterial culture, histopathology, and infiltration of immune cells in the endometrium. Comparative Clinical Pathology, 2010, 19, 575-584.	0.7	42
6	Antimicrobial Resistance in Commensal <i>Escherichia coli</i> Isolated from Pigs and Pork Derived from Farms Either Routinely Using or Not Using In-Feed Antimicrobials. Microbial Drug Resistance, 2018, 24, 1054-1066.	2.0	42
7	The efficacy of three double-microencapsulation methods for preservation of probiotic bacteria. Scientific Reports, 2021, 11, 13753.	3.3	37
8	Protective Effects of Cell-Free Supernatant and Live Lactic Acid Bacteria Isolated from Thai Pigs Against a Pandemic Strain of Porcine Epidemic Diarrhea Virus. Probiotics and Antimicrobial Proteins, 2018, 10, 383-390.	3.9	28
9	Leptospira infection and shedding in dogs in Thailand. BMC Veterinary Research, 2020, 16, 89.	1.9	27
10	<i>Leptospira</i> infection and shedding in cats in Thailand. Transboundary and Emerging Diseases, 2019, 66, 948-956.	3.0	26
11	Comparative analysis of the frequency, distribution and population sizes of yeasts associated with canine seborrheic dermatitis and healthy skin. Veterinary Microbiology, 2011, 148, 356-362.	1.9	25
12	Biofilm production and antifungal susceptibility of co-cultured <i>Malassezia pachydermatis</i> and <i>Candida parapsilosis</i> isolated from canine seborrheic dermatitis. Medical Mycology, 2016, 54, 544-549.	0.7	25
13	Routine Prophylactic Antimicrobial Use Is Associated with Increased Phenotypic and Genotypic Resistance in Commensal <i>Escherichia coli</i> Isolates Recovered from Healthy Fattening Pigs on Farms in Thailand. Microbial Drug Resistance, 2018, 24, 213-223.	2.0	25
14	Multidrug Resistance and Virulence Factors of Escherichia coli Harboring Plasmid-Mediated Colistin Resistance: mcr-1 and mcr-3 Genes in Contracted Pig Farms in Thailand. Frontiers in Veterinary Science, 2020, 7, 582899.	2.2	24
15	Characterization of a Novel Composite Staphylococcal Cassette Chromosome <i>mec</i> in Methicillin-Resistant Staphylococcus pseudintermedius from Thailand. Antimicrobial Agents and Chemotherapy, 2016, 60, 1153-1157.	3.2	22
16	Use of Lactobacillus plantarum (strains 22F and 25F) and Pediococcus acidilactici (strain 72N) as replacements for antibiotic-growth promotants in pigs. Scientific Reports, 2021, 11, 12028.	3.3	22
17	Antifungal agent susceptibilities and interpretation of <i>Malassezia pachydermatis </i> and <i>Candida parapsilosis </i> isolated from dogs with and without seborrheic dermatitis skin. Medical Mycology, 2013, 51, 721-730.	0.7	20
18	Enterotoxin gene profile of methicillin-resistant Staphylococcus pseudintermedius isolates from dogs, humans and the environment. Journal of Medical Microbiology, 2018, 67, 866-873.	1.8	18

#	Article	IF	CITATIONS
19	Biochemical markers and protein pattern analysis for canine coagulase-positive staphylococci and their distribution on dog skin. Journal of Microbiological Methods, 2011, 86, 175-181.	1.6	17
20	Comparison of detection procedures of Mycoplasma hyopneumoniae, Mycoplasma hyosynoviae, and Mycoplasma hyorhinis in lungs, tonsils, and synovial fluid of slaughtered pigs and their distributions in Thailand. Tropical Animal Health and Production, 2012, 44, 313-318.	1.4	15
21	Molecular Characterization and Antimicrobial Resistance of Livestock-Associated Methicillin-Resistant <i>Staphylococcus aureus</i> Isolates from Pigs and Swine Workers in Central Thailand. Microbial Drug Resistance, 2019, 25, 1382-1389.	2.0	15
22	Reducing the Risk of Transmission of Critical Antimicrobial Resistance Determinants From Contaminated Pork Products to Humans in South-East Asia. Frontiers in Microbiology, 2021, 12, 689015.	3.5	15
23	Virulence Genes and Antimicrobial Susceptibilities of Hemolytic and Nonhemolytic Escherichia coli Isolated from Post-Weaning Piglets in Central Thailand. Journal of Veterinary Medical Science, 2010, 72, 1603-1608.	0.9	13
24	A Biological Study of Anisotropic Silver Nanoparticles and Their Antimicrobial Application for Topical Use. Veterinary Sciences, 2021, 8, 177.	1.7	13
25	Microencapsulated probiotic Lactiplantibacillus plantarum and/or Pediococcus acidilactici strains ameliorate diarrhoea in piglets challenged with enterotoxigenic Escherichia coli. Scientific Reports, 2022, 12, 7210.	3.3	13
26	Occurrence and susceptibilities to disinfectants of <i>Cryptococcus neoformans</i> in fecal droppings from pigeons in Bangkok, Thailand. Journal of Veterinary Medical Science, 2016, 78, 391-396.	0.9	11
27	Faecal excretion of intestinal spirochaetes by urban dogs, and their pathogenicity in a chick model of intestinal spirochaetosis. Research in Veterinary Science, 2011, 91, e38-e43.	1.9	10
28	Anticonjugation and Antibiofilm Evaluation of Probiotic Strains Lactobacillus plantarum 22F, 25F, and Pediococcus acidilactici 72N Against Escherichia coli Harboring mcr-1 Gene. Frontiers in Veterinary Science, 2021, 8, 614439.	2.2	10
29	In vitro Susceptibility and a New Point Mutation Associated with Tylosin-Resistance in Japanese Canine Intestinal Spirochetes. Journal of Veterinary Medical Science, 2003, 65, 1275-1280.	0.9	9
30	Salmonella serovar distribution in cobras (Naja kaouthia), snake-food species, and farm workers at Queen Saovabha Snake Park, Thailand. Journal of Veterinary Diagnostic Investigation, 2012, 24, 288-294.	1.1	9
31	Development of a set of multiplex PCRs for detection of genes encoding cell wall-associated proteins in Staphylococcus pseudintermedius isolates from dogs, humans and the environment. Journal of Microbiological Methods, 2017, 142, 90-95.	1.6	8
32	Distribution of methicillin-resistant coagulase-positive staphylococci (MRCoPS) in a surgical unit and cystotomy operation sites in a veterinary teaching hospital. Journal of Veterinary Medical Science, 2017, 79, 359-365.	0.9	8
33	Genomic analysis of Leptospira interrogans serovar Paidjan and Dadas isolates from carrier dogs and comparative genomic analysis to detect genes under positive selection. BMC Genomics, 2019, 20, 168.	2.8	8
34	Genomic insights into methicillin-resistant Staphylococcus pseudintermedius isolates from dogs and humans of the same sequence types reveals diversity in prophages and pathogenicity islands. PLoS ONE, 2021, 16, e0254382.	2.5	8
35	Longitudinal Monitoring Reveals Persistence of Colistin-Resistant Escherichia coli on a Pig Farm Following Cessation of Colistin Use. Frontiers in Veterinary Science, 2022, 9, 845746.	2.2	8
36	Antibody levels to Malassezia pachydermatis and Staphylococcus pseudintermedius in atopic dogs and their relationship with lesion scores. Veterinary Dermatology, 2020, 31, 111.	1,2	7

#	Article	IF	CITATIONS
37	Metagenomic analysis of the gut microbiota in piglets either challenged or not with enterotoxigenic Escherichia coli reveals beneficial effects of probiotics on microbiome composition, resistome, digestive function and oxidative stress responses. PLoS ONE, 2022, 17, e0269959.	2.5	7
38	Frequency, Distribution, and Antimicrobial Resistance of Coagulase-Negative Staphylococci Isolated from Clinical Samples in Dogs and Cats. Microbial Drug Resistance, 2022, 28, 236-243.	2.0	6
39	Predictors of knowledge, attitudes, and practices towards food safety among food handlers in Bangkok, Thailand. Food Control, 2021, 126, 108020.	5.5	6
40	Extensively drug-resistant community-acquired Acinetobacter baumannii sequence type 2 in a dog with urinary tract infection in Thailand. Journal of Global Antimicrobial Resistance, 2018, 13, 33-34.	2.2	5
41	Development of a modified selective medium to enhance the recovery rate of Brachyspira hyodysenteriae and other porcine intestinal spirochaetes from faeces. Letters in Applied Microbiology, 2012, 54, 330-335.	2.2	4
42	Draft Genome Sequence of a Leptospira interrogans Strain Isolated from the Urine of an Asymptomatic Dog in Thailand. Genome Announcements, 2018, 6, .	0.8	4
43	Anisotropic Silver Nanoparticles Gel Exhibits Antibacterial Action and Reduced Scar Formation on Wounds Contaminated with Methicillin-Resistant Staphylococcus pseudintermedius (MRSP) in a Mice Model. Animals, 2021, 11, 3412.	2.3	4
44	Occurrence and characterization of inducible clindamycin resistance in canine methicillin-resistant Staphylococcus pseudintermedius. Veterinary Journal, 2016, 208, 99-101.	1.7	3
45	Draft Genome Sequence of Leptospira interrogans Serovar Bataviae Strain D64, Isolated from the Urine of an Asymptomatic Dog in Pathum Thani, Thailand. Microbiology Resource Announcements, 2020, 9, .	0.6	3
46	Nasal carriage of methicillin-resistant in dogs treated with cephalexin monohydrate. Canadian Veterinary Journal, 2017, 58, 73-77.	0.0	3
47	Chronology of emergence of the genus Leptospira and over-representation of gene families enriched by vitamin B2, B12 biosynthesis, cell adhesion and external encapsulating structure in L. interrogans isolates from asymptomatic dogs. Infection, Genetics and Evolution, 2019, 73, 7-12.	2.3	2
48	Allergen components of <i>Dermatophagoides farinae</i> recognised by serum immunoglobulin (Ig)E in Thai dogs with atopic dermatitis. Veterinary Dermatology, 2021, 32, 338.	1.2	1
49	Comparative Genomic Analysis and a Novel Set of Missense Mutation of the Leptospira weilii Serogroup Mini From the Urine of Asymptomatic Dogs in Thailand. Frontiers in Microbiology, 2021, 12, 731937.	3.5	1
50	Novel Organization of the Staphylococcal Cassette Chromosome <i>mec</i> Composite Island in Clinical Staphylococcus haemolyticus and Staphylococcus hominis Subspecies <i>hominis</i> Isolates from Dogs. Microbiology Spectrum, 0, , .	3.0	1
51	Immunoglobulin G1 subclass responses can be used to detect specific allergy to the house dust mites Dermatophagoides farinae and Dermatophagoides pteronyssinus in atopic dogs. BMC Veterinary Research, 2021, 17, 71.	1.9	0
52	Investigating the ability of methicillin-resistant isolates from different sources to adhere to canine and human corneocytes. Canadian Journal of Veterinary Research, 2019, 83, 231-234.	0.2	0