## Gérard Hopfgartner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6744081/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Mass spectrometry based high-throughput bioanalysis of low molecular weight compounds: are we ready to support personalized medicine?. Analytical and Bioanalytical Chemistry, 2022, 414, 181-192.	1.9	3
2	Annotation of complex mass spectra by multi-layered analysis. Analytica Chimica Acta, 2022, 1193, 339317.	2.6	7
3	Association of diuretic use with increased risk for long-term post-transplantation diabetes mellitus in kidney transplant recipients. Nephrology Dialysis Transplantation, 2022, , .	0.4	3
4	Microflow Liquid Chromatography Coupled to Mass Spectrometry (μLC–MS) Workflow for O-Glycopeptides Isomers Analysis Combining Differential Mobility Spectrometry and Collision Induced and Electron Capture Dissociation. Journal of the American Society for Mass Spectrometry, 2022, 33, 688-694.	1.2	3
5	Untargeted â€~SWATH' mass spectrometry-based metabolomics for studying chronic and intermittent exposure to xenobiotics in cohort studies. Food and Chemical Toxicology, 2022, 165, 113188.	1.8	3
6	Adduct annotation in liquid chromatography/high-resolution mass spectrometry to enhance compound identification. Analytical and Bioanalytical Chemistry, 2021, 413, 503-517.	1.9	17
7	Improved metabolite characterization by liquid chromatography – Tandem mass spectrometry through electron impact type fragments from adduct ions. Analytica Chimica Acta, 2021, 1150, 338207.	2.6	10
8	Clustering and Nonclustering Modifier Mixtures in Differential Mobility Spectrometry for Multidimensional Liquid Chromatography Ion Mobility–Mass Spectrometry Analysis. Analytical Chemistry, 2021, 93, 6638-6645.	3.2	10
9	Metabolomics data complemented drug use information in epidemiological databases: pilot study of potential kidney donors. Journal of Clinical Epidemiology, 2021, 135, 10-16.	2.4	9
10	Urea-Peptide Hybrids as VEGF-A165/NRP-1 Complex Inhibitors with Improved Receptor Affinity and Biological Properties. International Journal of Molecular Sciences, 2021, 22, 72.	1.8	8
11	Mass spectrometry based approaches and strategies in bioanalysis for qualitative and quantitative analysis of pharmaceutically relevant molecules. Drug Discovery Today: Technologies, 2021, 40, 64-68.	4.0	1
12	Supercritical fluid chromatography–mass spectrometry using data independent acquisition for the analysis of polar metabolites in human urine. Journal of Chromatography A, 2020, 1609, 460449.	1.8	19
13	Wenkui Li, Wenying Jian, and Yunlin Fu (Eds.): Sample preparation in LC-MS bioanalysis. Analytical and Bioanalytical Chemistry, 2020, 412, 803-804.	1.9	1
14	Bioanalytical method validation: How much should we do and how should we document?. Analytical and Bioanalytical Chemistry, 2020, 412, 531-532.	1.9	10
15	Automated parallel derivatization of metabolites with SWATH-MS data acquisition for qualitative and quantitative analysis. Analytica Chimica Acta, 2020, 1127, 198-206.	2.6	14
16	SWATH-MS for metabolomics and lipidomics: critical aspects of qualitative and quantitative analysis. Metabolomics, 2020, 16, 71.	1.4	36
17	Hyphenation of packed column supercritical fluid chromatography with mass spectrometry: where are we and what are the remaining challenges?. Analytical and Bioanalytical Chemistry, 2020, 412, 6667-6677.	1.9	22
18	Does Cysteine Rule (CysR) Complete the CendR Principle? Increase in Affinity of Peptide Ligands for NRP-1 Through the Presence of N-Terminal Cysteine. Biomolecules, 2020, 10, 448.	1.8	7

#	Article	IF	CITATIONS
19	Application of 3D printed tools for customized open port probe-electrospray mass spectrometry. Talanta, 2020, 215, 120894.	2.9	20
20	Bioanalytical research and training in academia during the COVID-19 pandemic. Bioanalysis, 2020, 12, 1209-1211.	0.6	4
21	SWATH data independent acquisition mass spectrometry for screening of xenobiotics in biological fluids: Opportunities and challenges for data processing. Talanta, 2020, 211, 120747.	2.9	22
22	Loss of NifQ Leads to Accumulation of Porphyrins and Altered Metal-Homeostasis in Nitrogen-Fixing Symbioses. Molecular Plant-Microbe Interactions, 2019, 32, 208-216.	1.4	8
23	Current developments in ion mobility spectrometry. Analytical and Bioanalytical Chemistry, 2019, 411, 6227-6227.	1.9	7
24	Modifier Selectivity Effect on Differential Ion Mobility Resolution of Isomeric Drugs and Multidimensional Liquid Chromatography Ion Mobility Analysis. Analytical Chemistry, 2019, 91, 11670-11677.	3.2	20
25	Urea moiety as amide bond mimetic in peptide-like inhibitors of VEGF-A165/NRP-1 complex. Bioorganic and Medicinal Chemistry Letters, 2019, 29, 2493-2497.	1.0	7
26	Hybrid SWATH/MS and HR-SRM/MS acquisition for phospholipidomics using QUAL/QUANT data processing. Analytical and Bioanalytical Chemistry, 2019, 411, 5681-5690.	1.9	13
27	SWATH data independent acquisition mass spectrometry for metabolomics. TrAC - Trends in Analytical Chemistry, 2019, 120, 115278.	5.8	58
28	Metabolomic spectral libraries for data-independent SWATH liquid chromatography mass spectrometry acquisition. Analytical and Bioanalytical Chemistry, 2018, 410, 1873-1884.	1.9	30
29	Mapping of drug distribution in the rabbit liver tumor model by complementary fluorescence and mass spectrometry imaging. Journal of Controlled Release, 2018, 269, 128-135.	4.8	13
30	High-throughput liquid chromatography differential mobility spectrometry mass spectrometry for bioanalysis: determination of reduced and oxidized form of glutathione in human blood. Analytical and Bioanalytical Chemistry, 2018, 410, 7153-7161.	1.9	26
31	Optimization by infusion of multiple reaction monitoring transitions for sensitive quantification of peptides by liquid chromatography/mass spectrometry. Rapid Communications in Mass Spectrometry, 2017, 31, 753-761.	0.7	8
32	Mass Spectrometry Imaging of Drugs of Abuse in Hair. Methods in Molecular Biology, 2017, 1618, 137-147.	0.4	16
33	What makes a good review from an editor's perspective?. Analytical and Bioanalytical Chemistry, 2017, 409, 6721-6722.	1.9	1
34	Effects of liquid post-column addition in electrospray ionization performance in supercritical fluid chromatography–mass spectrometry. Journal of Chromatography A, 2017, 1517, 176-184.	1.8	43
35	The use of LC predicted retention times to extend metabolites identification with SWATH data acquisition. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2017, 1071, 3-10.	1.2	37
36	The use of mass spectrometry to analyze dried blood spots. Mass Spectrometry Reviews, 2016, 35, 361-438.	2.8	193

#	Article	IF	CITATIONS
37	Laser-based methods for the analysis of low molecular weight compounds in biological matrices. Methods, 2016, 104, 142-153.	1.9	23
38	SWATH acquisition mode for drug metabolism and metabolomics investigations. Bioanalysis, 2016, 8, 1735-1750.	0.6	39
39	Dedicated Software Enhancing Data-independent Acquisition Methods in Mass Spectrometry. Chimia, 2016, 70, 293.	0.3	3
40	Processing strategies and software solutions for dataâ€independent acquisition in mass spectrometry. Proteomics, 2015, 15, 964-980.	1.3	143
41	Optimization of human dendritic cell sample preparation for mass spectrometry-based proteomic studies. Analytical Biochemistry, 2015, 484, 40-50.	1.1	16
42	Comparison of fractionation strategies for offline two-dimensional liquid chromatography tandem mass spectrometry analysis of proteins from mouse adipose tissue. Analytical Biochemistry, 2015, 484, 122-132.	1.1	8
43	Ranking Fragment Ions Based on Outlier Detection for Improved Label-Free Quantification in Data-Independent Acquisition LC–MS/MS. Journal of Proteome Research, 2015, 14, 4581-4593.	1.8	19
44	The Use of Variable Q1 Isolation Windows Improves Selectivity in LC–SWATH–MS Acquisition. Journal of Proteome Research, 2015, 14, 4359-4371.	1.8	151
45	Quantification in MALDI-MS imaging: what can we learn from MALDI-selected reaction monitoring and what can we expect for imaging?. Analytical and Bioanalytical Chemistry, 2015, 407, 2177-2187.	1.9	89
46	Generic on-line solid phase extraction sample preparation strategies for the analysis of drugs in biological matrices by LC–MS/MS. Journal of Pharmaceutical and Biomedical Analysis, 2015, 102, 290-298.	1.4	14
47	Simultaneous Quantitative Analysis of HIV Protease Inhibitors in Human Plasma Using Core-Shell Column and Fast MRM Detection. Chromatography, 2015, 36, 127-131.	0.8	2
48	Integrated Quantification and Identification of Aldehydes and Ketones in Biological Samples. Analytical Chemistry, 2014, 86, 5089-5100.	3.2	62
49	Quantification of ghrelin and des-acyl ghrelin in human plasma by using cubic-selected reaction-monitoring LCMS. Bioanalysis, 2014, 6, 1373-1383.	0.6	9
50	Parallel ultra high pressure liquid chromatography–mass spectrometry for the quantification of HIV protease inhibitors using dried spot sample collection format. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2014, 965, 244-253.	1.2	18
51	Editorial. Chimia, 2014, 68, 109.	0.3	0
52	Gas-Phase Separation of Drugs and Metabolites Using Modifier-Assisted Differential Ion Mobility Spectrometry Hyphenated to Liquid Extraction Surface Analysis and Mass Spectrometry. Analytical Chemistry, 2013, 85, 11771-11779.	3.2	57
53	Analysis of biopharmaceutical proteins in biological matrices by LC-MS/MS II. LC-MS/MS analysis. TrAC - Trends in Analytical Chemistry, 2013, 48, 52-61.	5.8	36
54	In silicoprediction for the investigation of comedication interferences in quantitative LC–MS detection in the SRM mode. Bioanalysis, 2012, 4, 1907-1917.	0.6	2

#	Article	IF	CITATIONS
55	Mass Spectrometric QUAL/QUAN Approaches for Drug Metabolism and Metabolomics. Chimia, 2012, 66, 218-222.	0.3	10
56	A Novel Tube-based Format for Dried Blood Spots Integrating Sample Collection and Sample Preparation. Chimia, 2012, 66, 65.	0.3	3
57	Peptides Quantification by Liquid Chromatography with Matrix-Assisted Laser Desorption/Ionization and Selected Reaction Monitoring Detection. Journal of Proteome Research, 2012, 11, 4972-4982.	1.8	16
58	The Life Sciences Mass Spectrometry Research Unit. Chimia, 2012, 66, 335-338.	0.3	1
59	Quantification of acetaminophen and two of its metabolites in human plasma by ultra-high performance liquid chromatography–low and high resolution tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 904, 42-50.	1.2	43
60	High-resolution mass spectrometry for integrated qualitative and quantitative analysis of pharmaceuticals in biological matrices. Analytical and Bioanalytical Chemistry, 2012, 402, 2587-2596.	1.9	137
61	Analytical science in Switzerland and ANAKON 2011. Analytical and Bioanalytical Chemistry, 2012, 402, 2483-2484.	1.9	Ο
62	Single Hair Cocaine Consumption Monitoring by Mass Spectrometric Imaging. Analytical Chemistry, 2011, 83, 4266-4272.	3.2	103
63	Alternative CHCAâ€based matrices for the analysis of low molecular weight compounds by UVâ€MALDIâ€tandem mass spectrometry. Journal of Mass Spectrometry, 2011, 46, 144-152.	0.7	36
64	Can MS fully exploit the benefits of fast chromatography?. Bioanalysis, 2011, 3, 121-123.	0.6	25
65	Accelerated tryptic digestion for the analysis of biopharmaceutical monoclonal antibodies in plasma by liquid chromatography with tandem mass spectrometric detection. Journal of Chromatography A, 2010, 1217, 57-64.	1.8	60
66	Protein Quantification by MALDI-Selected Reaction Monitoring Mass Spectrometry Using Sulfonate Derivatized Peptides. Analytical Chemistry, 2010, 82, 5227-5237.	3.2	16
67	Matrixâ€assisted laser desorption/ionization mass spectrometric imaging of complete rat sections using a triple quadrupole linear ion trap. Rapid Communications in Mass Spectrometry, 2009, 23, 733-736.	0.7	85
68	Ultra-fast quantitation of saquinavir in human plasma by matrix-assisted laser desorption/ionization and selected reaction monitoring mode detection. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2008, 872, 68-76.	1.2	42
69	Pharmacokinetic and Pharmacodynamic Properties of Buprenorphine After a Single Intravenous Administration in Healthy Volunteers: A Randomized, Double-Blind, Placebo-Controlled, Crossover Study. Clinical Therapeutics, 2007, 29, 1620-1631.	1.1	46
70	Analysis of erlotinib and its metabolites in rat tissue sections by MALDI quadrupole time-of-flight mass spectrometry. Journal of Mass Spectrometry, 2007, 42, 900-909.	0.7	105
71	Method development aspects for the quantitation of pharmaceutical compounds in human plasma with a matrix-assisted laser desorption/ionization source in the multiple reaction monitoring mode. Rapid Communications in Mass Spectrometry, 2007, 21, 911-919.	0.7	52
72	The combination of liquid chromatography/tandem mass spectrometry and chip-based infusion for improved screening and characterization of drug metabolites. Rapid Communications in Mass Spectrometry, 2005, 19, 618-626.	0.7	44

Gérard Hopfgartner

#	Article	IF	CITATIONS
73	Triple quadrupole linear ion trap mass spectrometer for the analysis of small molecules and macromolecules. Journal of Mass Spectrometry, 2004, 39, 845-855.	0.7	248
74	Rapid screening and characterization of drug metabolites using a new quadrupole-linear ion trap mass spectrometer. Journal of Mass Spectrometry, 2003, 38, 138-150.	0.7	133
75	Quantitative high-throughput analysis of drugs in biological matrices by mass spectrometry. Mass Spectrometry Reviews, 2003, 22, 195-214.	2.8	255
76	A kinetically inert and optically active CrIII partner in thermodynamically self-assembled heterodimetallic non-covalent dâ $\in$ "f podates. Dalton Transactions RSC, 2002, , 1929.	2.3	80
77	Lanthanide Triple Helical Complexes with a Chiral Bis(benzimidazole)pyridine Derivative. European Journal of Inorganic Chemistry, 2002, 2002, 3101-3110.	1.0	29
78	Exact mass measurement of product ions for the structural elucidation of drug metabolites with a tandem quadrupole orthogonal-acceleration time-of-flight mass spectrometer. Journal of the American Society for Mass Spectrometry, 1999, 10, 1305-1314.	1.2	86
79	Ion spray mass spectrometric detection for liquid chromatography: A concentration- or a mass-flow-sensitive device?. Journal of Chromatography A, 1993, 647, 51-61.	1.8	145