

Philippe BÃ©gin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6744967/publications.pdf>

Version: 2024-02-01

81
papers

3,424
citations

201575

27
h-index

155592

55
g-index

88
all docs

88
docs citations

88
times ranked

4389
citing authors

#	ARTICLE	IF	CITATIONS
1	Inspiratory Muscle Dysfunction and Chronic Hypercapnia in Chronic Obstructive Pulmonary Disease. <i>The American Review of Respiratory Disease</i> , 1991, 143, 905-912.	2.9	279
2	Effect of Epicutaneous Immunotherapy vs Placebo on Reaction to Peanut Protein Ingestion Among Children With Peanut Allergy. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 946.	3.8	206
3	Convalescent plasma for hospitalized patients with COVID-19: an open-label, randomized controlled trial. <i>Nature Medicine</i> , 2021, 27, 2012-2024.	15.2	206
4	Decline of Humoral Responses against SARS-CoV-2 Spike in Convalescent Individuals. <i>MBio</i> , 2020, 11, .	1.8	186
5	Phase 1 results of safety and tolerability in a rush oral immunotherapy protocol to multiple foods using Omalizumab. <i>Allergy, Asthma and Clinical Immunology</i> , 2014, 10, 7.	0.9	184
6	Effect of Convalescent Plasma on Organ Supportâ€Free Days in Critically Ill Patients With COVID-19. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 1690.	3.8	169
7	Safety and feasibility of oral immunotherapy to multiple allergens for food allergy. <i>Allergy, Asthma and Clinical Immunology</i> , 2014, 10, 1.	0.9	158
8	Treatment of Patients with a History of Penicillin Allergy in a Large Tertiary-Care Academic Hospital. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2013, 1, 252-257.	2.0	153
9	Longitudinal analysis of humoral immunity against SARS-CoV-2 Spike in convalescent individuals up to 8Âmonths post-symptom onset. <i>Cell Reports Medicine</i> , 2021, 2, 100290.	3.3	145
10	Relationship Between Chronic Hypercapnia and Inspiratory-Muscle Weakness in Myotonic Dystrophy. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1997, 156, 133-139.	2.5	138
11	Waning of SARS-CoV-2 RBD antibodies in longitudinal convalescent plasma samples within 4 months after symptom onset. <i>Blood</i> , 2020, 136, 2588-2591.	0.6	127
12	Epigenetic regulation of asthma and allergic disease. <i>Allergy, Asthma and Clinical Immunology</i> , 2014, 10, 27.	0.9	107
13	CSACI guidelines for the ethical, evidence-based and patient-oriented clinical practice of oral immunotherapy in IgE-mediated food allergy. <i>Allergy, Asthma and Clinical Immunology</i> , 2020, 16, 20.	0.9	100
14	Efficacy and safety of convalescent plasma for severe COVID-19 based on evidence in other severe respiratory viral infections: a systematic review and meta-analysis. <i>Cmaj</i> , 2020, 192, E745-E755.	0.9	78
15	Multiple-allergen oral immunotherapy improves quality of life in caregivers of food-allergic pediatric subjects. <i>Allergy, Asthma and Clinical Immunology</i> , 2014, 10, 25.	0.9	70
16	Long-term, open-label extension study of the efficacy and safety of epicutaneous immunotherapy for peanut allergy in children: PEOPLE 3-year results. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 146, 863-874.	1.5	63
17	Cross-Reactivity to Cephalosporins and Carbapenems in Penicillin-Allergic Patients: Two Systematic Reviews and Meta-Analyses. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 2722-2738.e5.	2.0	59
18	Allergen immunotherapy and/or biologicals for IgEâ€mediated food allergy: A systematic review and metaâ€analysis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1852-1862.	2.7	58

#	ARTICLE	IF	CITATIONS
19	IgE-mediated food allergy. <i>Allergy, Asthma and Clinical Immunology</i> , 2018, 14, 55.	0.9	50
20	Basophils are recruited to inflamed lungs and exacerbate memory Th_2 responses in mice and humans. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013, 68, 180-189.	2.7	48
21	Inflammatory Bowel Disease and T cell Lymphopenia in G6PC3 Deficiency. <i>Journal of Clinical Immunology</i> , 2013, 33, 520-525.	2.0	45
22	An Approach to the Office-Based Practice of Food Oral Immunotherapy. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 1826-1838.e8.	2.0	44
23	Two year effects of food allergen immunotherapy on quality of life in caregivers of children with food allergies. <i>Allergy, Asthma and Clinical Immunology</i> , 2014, 10, 57.	0.9	42
24	Natural resolution of peanut allergy: A 12-year longitudinal follow-up study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2013, 1, 528-530.e4.	2.0	39
25	Community Use of Epinephrine for the Treatment of Anaphylaxis: A Review and Meta-Analysis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 2321-2333.	2.0	37
26	Anti-IgE therapy and severe atopic dermatitis: A pediatric perspective. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, 832-834.	0.6	34
27	Oral immunotherapy for the treatment of food allergy. <i>Human Vaccines and Immunotherapeutics</i> , 2014, 10, 2295-2302.	1.4	34
28	Safety of Epicutaneous Immunotherapy in Peanut-Allergic Children: REALISE Randomized Clinical Trial Results. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2022, 10, 1864-1873.e10.	2.0	31
29	Determinants of omalizumab dose-related efficacy in oral immunotherapy: Evidence from a cohort of 181 patients. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 233-243.	1.5	26
30	Protocol for a double-blind, randomized controlled trial on the dose-related efficacy of omalizumab in multi-food oral immunotherapy. <i>Allergy, Asthma and Clinical Immunology</i> , 2020, 16, 25.	0.9	25
31	The Use of Omalizumab in Food Oral Immunotherapy. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2017, 65, 189-199.	1.0	24
32	Introduction of peanuts in younger siblings of children with peanut allergy: a prospective, double-blind assessment of risk, of diagnostic tests, and an analysis of patient preferences. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016, 71, 1762-1771.	2.7	23
33	Convalescent plasma for adults with acute COVID-19 respiratory illness (CONCOR-1): study protocol for an international, multicentre, randomized, open-label trial. <i>Trials</i> , 2021, 22, 323.	0.7	21
34	Proposal of 0.5 mg of protein/100 g of processed food as threshold for voluntary declaration of food allergen traces in processed food: A first step in an initiative to better inform patients and avoid fatal allergic reactions: A GA ² LEN position paper. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1736-1750.	2.7	21
35	Changes in peanut-specific T-cell clonotype with oral immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, 1636-1638.e3.	1.5	20
36	Skin testing only with penicillin G in children with a history of penicillin allergy. <i>Annals of Allergy, Asthma and Immunology</i> , 2014, 113, 75-81.	0.5	19

#	ARTICLE	IF	CITATIONS
37	Ceftazidime-induced drug reaction with eosinophilia and systemic symptoms (DRESS) complicated by hemophagocytic lymphohistiocytosis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2013, 1, 409-412.e2.	2.0	17
38	Conflicting verdicts on peanut oral immunotherapy from the Institute for Clinical and Economic Review and US Food and Drug Administration Advisory Committee: Where do we go from here?. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 1153-1156.	1.5	17
39	Practical challenges in oral immunotherapy resolved through patient-centered care. <i>Allergy, Asthma and Clinical Immunology</i> , 2021, 17, 31.	0.9	16
40	ICER report for peanut OIT comes up short. <i>Annals of Allergy, Asthma and Immunology</i> , 2019, 123, 430-432.	0.5	15
41	Advances, Practical Implementation, and Unmet Needs Regarding Oral Immunotherapy for Food Allergy. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2022, 10, 19-33.	2.0	14
42	Human in vitro induced T regulatory cells and memory T cells share common demethylation of specific FOXP3 promoter region. <i>Clinical and Translational Allergy</i> , 2015, 5, 35.	1.4	13
43	Polygenic risk score for atopic dermatitis in the Canadian population. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 406-409.	1.5	12
44	Nicolau syndrome may be caused by intravascular vaccine injection. <i>Vaccine</i> , 2012, 30, 2035-2036.	1.7	11
45	Comparison of ImmunoCAP and Immulite serum specific IgE assays for the assessment of egg allergy. <i>Allergy, Asthma and Clinical Immunology</i> , 2016, 12, 29.	0.9	10
46	Consultation with registered dietitian to prevent accidental reactions to food: insight from an egg allergy influenza vaccination cohort. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 287-289.	1.3	10
47	Sensitivity and specificity of double-blinded penicillin skin testing in relation to oral provocation with amoxicillin in children. <i>Allergy, Asthma and Clinical Immunology</i> , 2020, 16, 57.	0.9	10
48	A High Proportion of Canadian Allergists Offer Oral Immunotherapy but Barriers Remain. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 1902-1908.	2.0	10
49	Update on oral immunotherapy for egg allergy. <i>Human Vaccines and Immunotherapeutics</i> , 2017, 13, 2452-2461.	1.4	9
50	Spontaneous resolution of diphtheria-tetanus vaccine hypersensitivity in a pediatric population. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 1508-1510.	2.7	8
51	Economic considerations on the usage of biologics in the allergy clinic. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 191-209.	2.7	8
52	Beta-2 Agonists May be Superior to Epinephrine to Relieve Severe Anaphylactic Uterine Contractions. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 1232-1241.	2.0	8
53	TREX-1-Related Disease Associated with the Presence of Cryofibrinogenemia. <i>Journal of Clinical Immunology</i> , 2019, 39, 118-125.	2.0	7
54	Epicutaneous peanut patch device for the treatment of peanut allergy. <i>Expert Review of Clinical Immunology</i> , 2019, 15, 449-460.	1.3	7

#	ARTICLE	IF	CITATIONS
55	Evaluation of Adverse Reactions to Vaccines. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 3584-3597.	2.0	7
56	Effect of Epicutaneous Immunotherapy on Inducing Peanut Desensitization in Peanut-Allergic Children: Topline Peanut Epicutaneous Immunotherapy Efficacy and Safety (PEPITES) Randomized Clinical Trial Results. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, AB410.	1.5	6
57	Early introduction without screening is a good deal, if caregivers will buy it. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019, 74, 213-215.	2.7	6
58	Impact of a dietitian-led counseling program to support transition to whole foods during oral immunotherapy. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 2107-2109.e3.	2.0	6
59	Single-dose yellow fever vaccination is well tolerated in egg-allergic children despite positive intradermal test to the vaccine. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 4170-4172.e1.	2.0	6
60	Potential Efficacy of High-Dose Inhaled Salbutamol for the Treatment of Abdominal Pain During Oral Food Challenge. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 3130-3137.	2.0	6
61	Familial Primary Cryofibrinogenemia. <i>New England Journal of Medicine</i> , 2013, 369, e10.	13.9	5
62	Long-term prognostic value of component-resolved diagnosis in infants and toddlers with peanut allergy. <i>Pediatric Allergy and Immunology</i> , 2014, 25, 506-508.	1.1	5
63	The value of oral immunotherapy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 1291-1293.	2.7	5
64	Visual assessment does not reliably predict peanut content in chocolate-covered peanut candies used for oral immunotherapy. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 368-370.	2.0	5
65	SF6Dv2 preference value set for health utility in food allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 326-338.	2.7	5
66	Treatment expectations in food-allergic patients referred for oral immunotherapy. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 2087-2089.	2.0	5
67	A pediatric case of selective fixed drug eruption to amoxicillin. <i>Pediatric Allergy and Immunology</i> , 2017, 28, 848-850.	1.1	4
68	Reduction in peanut reaction severity during oral challenge after 12 months of epicutaneous immunotherapy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 3835-3838.	2.7	4
69	Mapping the Food Allergy Quality of Life Questionnaire Parent Form onto the SF6Dv2.. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, , .	2.7	4
70	Powder milk: a user-friendly and safe product for heated-milk food challenge?. <i>Allergy, Asthma and Clinical Immunology</i> , 2015, 11, 39.	0.9	3
71	Anaphylaxis to clindamycin following cutaneous exposure. <i>Allergy, Asthma and Clinical Immunology</i> , 2020, 16, 51.	0.9	3
72	Accuracy of rating scale interval values used in multiple mini-interviews: a mixed methods study. <i>Advances in Health Sciences Education</i> , 2021, 26, 37-51.	1.7	3

#	ARTICLE	IF	CITATIONS
73	Peanut consumption habits and incidence of new peanut allergy in a cohort of younger siblings of peanut-allergic children. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 539-541.e1.	2.0	2
74	Use of Early Donated COVID-19 Convalescent Plasma Is Optimal to Preserve the Integrity of Lymphatic Endothelial Cells. <i>Pharmaceuticals</i> , 2022, 15, 365.	1.7	2
75	Role of Inspiratory Muscle Dysfunction in Chronic Hypercapnia. <i>Chest</i> , 1990, 97, 58S.	0.4	1
76	Prenatal and/or Breastfeeding Food Exposures and Risk of Food Allergies in the Offspring. <i>Current Nutrition Reports</i> , 2015, 4, 250-258.	2.1	1
77	Age Does Not Affect The Safety of Progressive Food Introduction in Food Allergic Children with High Reaction Thresholds. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, AB249.	1.5	1
78	Reply to: Concerns about estimating relative risk of death associated with convalescent plasma for COVID-19. <i>Nature Medicine</i> , 2022, , .	15.2	1
79	Lessons learned from the <sc>CONCOR</sc> â€1 trial. <i>Transfusion Medicine</i> , 0, , .	0.5	1
80	Atypical Eczematous Lesions Triggered by Oral Immunotherapy in a Patient with a Familial History of Psoriasis. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 3479-3480.	2.0	0
81	Specific IgE to Total IgE Ratio Does Not Improve Peanut Diagnostic Accuracy in Adults. <i>International Archives of Allergy and Immunology</i> , 2022, 183, 980-984.	0.9	0