

M Shahria Alam

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6746251/publications.pdf>

Version: 2024-02-01

184
papers

6,276
citations

71004

43
h-index

104191

69
g-index

191
all docs

191
docs citations

191
times ranked

3559
citing authors

#	ARTICLE	IF	CITATIONS
1	Probabilistic Nonlinear Displacement Ratio Prediction of Self-centering Energy-absorbing Dual Rocking Core System under Near-fault Ground Motions Using Machine Learning. <i>Journal of Earthquake Engineering</i> , 2023, 27, 488-519.	1.4	15
2	Investigation on Bond Performance Between Basalt FRP Rebars and Recycled Aggregate Concrete. <i>Lecture Notes in Civil Engineering</i> , 2023, , 695-705.	0.3	2
3	Effect of Multi-Story Brace Distribution on Seismic Performance of RC Tall Bridge Bents Retrofitted with Buckling Restrained Braces. <i>Journal of Earthquake Engineering</i> , 2022, 26, 8688-8705.	1.4	2
4	Seismic Design Guideline for Hybrid GFRP-Steel RC Bridge Pier Considering Performance-Based Design. <i>Lecture Notes in Civil Engineering</i> , 2022, , 1005-1019.	0.3	0
5	Multi-criteria optimal design and seismic assessment of SMA RC piers and SMA cable restrainers for mitigating seismic damage of simply-supported highway bridges. <i>Engineering Structures</i> , 2022, 252, 113547.	2.6	7
6	Simplified Predictive Expressions of Drift Limit States for Reinforced Concrete Circular Bridge Columns. <i>Journal of Structural Engineering</i> , 2022, 148, .	1.7	12
7	Design, manufacturing, and performance evaluation of a novel smart roller bearing equipped with shape memory alloy wires. <i>Smart Materials and Structures</i> , 2022, 31, 025032.	1.8	7
8	Explainable machine learning model and reliability analysis for flexural capacity prediction of RC beams strengthened in flexure with FRCM. <i>Engineering Structures</i> , 2022, 255, 113903.	2.6	70
9	Drift Ratio Limit States for Circular Concrete Columns Reinforced with Different Types of High-Strength Steel Reinforcing Bars. <i>Journal of Bridge Engineering</i> , 2022, 27, .	1.4	6
10	Hybrid self-centering rocking core system with fiction spring and viscous dampers for seismic resilience. <i>Engineering Structures</i> , 2022, 257, 114102.	2.6	16
11	Compression tests of thin-walled cold-formed steel columns with ξ -shaped sections and patterned perforations distributed along the length. <i>Thin-Walled Structures</i> , 2022, 174, 109082.	2.7	5
12	Machine learning-based shear capacity prediction and reliability analysis of shear-critical RC beams strengthened with inorganic composites. <i>Case Studies in Construction Materials</i> , 2022, 16, e01008.	0.8	6
13	Life Cycle Thinking-Based Decision Making for Bridges under Seismic Conditions. II: A Case Study on Bridges with Superelastic SMA RC Piers. <i>Journal of Bridge Engineering</i> , 2022, 27, .	1.4	3
14	Seismic response sensitivity and optimal design of an isolated multi-span continuous highway bridge with self-centering SMA RC bridge piers and superelastic SMA restrainers. <i>Journal of Intelligent Material Systems and Structures</i> , 2022, 33, 2542-2563.	1.4	3
15	Life Cycle Thinking-Based Decision Making for Bridges under Seismic Conditions. I: Methodology and Framework. <i>Journal of Bridge Engineering</i> , 2022, 27, .	1.4	3
16	Repair and Retrofit of RC Bridge Piers with Steel-Reinforced Grout Jackets: An Experimental Investigation. <i>Journal of Bridge Engineering</i> , 2022, 27, .	1.4	13
17	Finite-Element Simulation of the Lateral Response of Posttensioned Base Rocking Steel Bridge Piers. <i>Journal of Structural Engineering</i> , 2022, 148, .	1.7	5
18	Seismic performance assessment of a multispan continuous isolated highway bridge with superelastic shape memory alloy reinforced piers and restraining devices. <i>Earthquake Engineering and Structural Dynamics</i> , 2021, 50, 673-691.	2.5	32

#	ARTICLE	IF	CITATIONS
19	Evaluation of financial incentives for green buildings in Canadian landscape. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 135, 110199.	8.2	39
20	Pseudo-dynamic and quasi-static testing of hinged truss with all-steel buckling-restrained braces at base. <i>Earthquake Engineering and Structural Dynamics</i> , 2021, 50, 1204-1222.	2.5	5
21	Seismic fragility assessment of multi-span concrete highway bridges in British Columbia considering soil-structure interaction. <i>Canadian Journal of Civil Engineering</i> , 2021, 48, 39-51.	0.7	15
22	Effect of bonding or unbonding on seismic behavior of bridge elastomeric bearings: lessons learned from past earthquakes in China and Japan and inspirations for future design. <i>Advances in Bridge Engineering</i> , 2021, 2, .	0.8	16
23	Lateral Cyclic Response of RC Bridge Piers Made of Recycled Concrete: Experimental Study. <i>Journal of Bridge Engineering</i> , 2021, 26, .	1.4	6
24	Lateral cyclic response sensitivity of rectangular bridge piers confined with UHPFRC tube using fractional factorial design. <i>Engineering Structures</i> , 2021, 235, 111883.	2.6	13
25	Low-cycle fatigue performance of high-strength steel reinforcing bars considering the effect of inelastic buckling. <i>Engineering Structures</i> , 2021, 235, 112114.	2.6	12
26	Performance-based design of self-centering energy-absorbing dual rocking core system. <i>Journal of Constructional Steel Research</i> , 2021, 181, 106630.	1.7	24
27	Effect of rebar embedment length on the bond behavior of commercially produced recycled concrete using beam-end specimens. <i>Construction and Building Materials</i> , 2021, 286, 122957.	3.2	7
28	Prediction of carbonation depth for recycled aggregate concrete using ANN hybridized with swarm intelligence algorithms. <i>Construction and Building Materials</i> , 2021, 301, 124382.	3.2	42
29	Comparative Study on Seismic Fragility Assessment of Self-Centering Energy-Absorbing Dual Rocking Core versus Buckling Restrained Braced Systems under Mainshock-Aftershock Sequences. <i>Journal of Structural Engineering</i> , 2021, 147, .	1.7	26
30	Plastic hinge length of rectangular RC columns using ensemble machine learning model. <i>Engineering Structures</i> , 2021, 244, 112808.	2.6	40
31	Parametric study on the vertical operational characteristics of carbon fiber reinforced elastomeric isolators using Taguchi approach. <i>Structures</i> , 2021, 33, 2974-2989.	1.7	0
32	Incremental Dynamic Analysis-Based Procedure for the Development of Loading Protocols. <i>Journal of Bridge Engineering</i> , 2021, 26, .	1.4	1
33	Glass fiber reinforced Polymer (GFRP) retrofitting of timber I-joists with opening and notch. <i>Structures</i> , 2021, 34, 804-826.	1.7	2
34	Experimental Investigations on the Lateral Cyclic Response of Post-Tensioned Rocking Steel Bridge Piers. <i>Journal of Structural Engineering</i> , 2021, 147, .	1.7	13
35	Seismic fragility assessment of bridge piers incorporating high-strength steel reinforcement and concrete under near-fault ground motions. <i>Canadian Journal of Civil Engineering</i> , 2021, 48, 1440-1453.	0.7	3
36	Special Issue "Advances in reinforced concrete. <i>Canadian Journal of Civil Engineering</i> , 2021, 48, v-vi.	0.7	1

#	ARTICLE	IF	CITATIONS
37	Selection of Energy Upgrades for Canadian Single-Detached Residential Households Based on Occupancy Profile. IOP Conference Series: Earth and Environmental Science, 2021, 943, 012026.	0.2	0
38	Optimal intensity measures for probabilistic seismic demand models of a cable-stayed bridge based on generalized linear regression models. Soil Dynamics and Earthquake Engineering, 2020, 131, 106024.	1.9	37
39	Shear strength of reinforced concrete deep beams – A review with improved model by genetic algorithm and reliability analysis. Structures, 2020, 23, 494-508.	1.7	35
40	A novel shape memory alloy-based element for structural stability control in offshore structures under cyclic loading. Ships and Offshore Structures, 2020, 15, 844-851.	0.9	8
41	Recycled aggregate concrete from large-scale production to sustainable field application. Construction and Building Materials, 2020, 262, 119979.	3.2	45
42	State-of-the-Art Review of Seismic-Resistant Precast Bridge Columns. Journal of Bridge Engineering, 2020, 25, .	1.4	41
43	Probabilistic seismic vulnerability and loss assessment of a seismic resistance bridge system with post-tensioning precast segmental ultra-high performance concrete bridge columns. Engineering Structures, 2020, 225, 111321.	2.6	25
44	Seismic Fragility Estimates for Cross-Laminated Timber Platform Building. Journal of Structural Engineering, 2020, 146, .	1.7	20
45	High-Strength Steel Reinforcement (ASTM A1035/A1035M Grade 690): State-of-the-Art Review. Journal of Structural Engineering, 2020, 146, .	1.7	19
46	A process-based LCA for selection of low-impact DBPs control strategy for indoor swimming pool operation. Journal of Cleaner Production, 2020, 270, 122372.	4.6	11
47	Effect of cover on bond strength of structural concrete using commercially produced recycled coarse and fine aggregates. Construction and Building Materials, 2020, 255, 119275.	3.2	19
48	Occupant-based energy upgrades selection for Canadian residential buildings based on field energy data and calibrated simulations. Journal of Cleaner Production, 2020, 271, 122430.	4.6	13
49	Development and validation test of a novel Self-centering Energy-absorbing Dual Rocking Core (SEDRC) system for seismic resilience. Engineering Structures, 2020, 211, 110424.	2.6	46
50	Elastic buckling behaviour of Î£-shaped rack columns under uniaxial compression. Engineering Structures, 2020, 212, 110469.	2.6	5
51	Seismic vulnerability and loss assessment of an isolated simply-supported highway bridge retrofitted with optimized superelastic shape memory alloy cable restrainers. Bulletin of Earthquake Engineering, 2020, 18, 3285-3316.	2.3	27
52	Performance-based seismic loss assessment of isolated simply-supported highway bridges retrofitted with different shape memory alloy cable restrainers in a life-cycle context. Journal of Intelligent Material Systems and Structures, 2020, 31, 1053-1075.	1.4	23
53	Comparative seismic fragility assessment of buckling restrained and self-centering (friction spring) Tj ETQq1 1 0.784314 rgBT /Overlook	1.8	20
54	Genetic algorithm for predicting shear strength of steel fiber reinforced concrete beam with parameter identification and sensitivity analysis. Journal of Building Engineering, 2020, 29, 101205.	1.6	23

#	ARTICLE	IF	CITATIONS
55	Probabilistic seismic fragility and loss analysis of concrete bridge piers with superelastic shape memory alloy-steel coupled reinforcing bars. <i>Engineering Structures</i> , 2020, 207, 110229.	2.6	83
56	Stability control of a novel frame integrated with an SMA-MRF control system for marine structural applications based on the frequency analysis. <i>Applied Ocean Research</i> , 2020, 97, 102091.	1.8	14
57	Self-centering energy-absorbing rocking core system with friction spring damper: Experiments, modeling and design. <i>Engineering Structures</i> , 2020, 225, 111338.	2.6	36
58	Mechanical properties of recycled aggregate concrete containing crumb rubber and polypropylene fiber. <i>Construction and Building Materials</i> , 2019, 225, 983-996.	3.2	130
59	Effect of shape memory alloy-magnetorheological fluid-based structural control system on the marine structure using nonlinear time-history analysis. <i>Applied Ocean Research</i> , 2019, 91, 101836.	1.8	25
60	Cable force optimization of a curved cable-stayed bridge with combined simulated annealing method and cubic B-Spline interpolation curves. <i>Engineering Structures</i> , 2019, 201, 109813.	2.6	31
61	Yielding Steel Dampers as Restraining Devices to Control Seismic Sliding of Laminated Rubber Bearings for Highway Bridges: Analytical and Experimental Study. <i>Journal of Bridge Engineering</i> , 2019, 24, .	1.4	30
62	Passive seismic unseating prevention strategies implemented in highway bridges: A state-of-the-art review. <i>Engineering Structures</i> , 2019, 194, 77-93.	2.6	53
63	Experimental and numerical study on the seismic performance of a self-centering bracing system using closed-loop dynamic (CLD) testing. <i>Engineering Structures</i> , 2019, 195, 144-158.	2.6	48
64	Superelastic shape memory alloy flag-shaped hysteresis model with sliding response from residual deformation: Experimental and numerical study. <i>Journal of Intelligent Material Systems and Structures</i> , 2019, 30, 1823-1849.	1.4	21
65	Comparative Seismic Fragility Assessment of an Existing Isolated Continuous Bridge Retrofitted with Different Energy Dissipation Devices. <i>Journal of Bridge Engineering</i> , 2019, 24, .	1.4	54
66	Improving the seismic performance of post-tensioned self-centering connections using SMA angles or end plates with SMA bolts. <i>Smart Materials and Structures</i> , 2019, 28, 075044.	1.8	32
67	Flange-notched wood I-joists reinforced with OSB collars: Experimental investigation and sensitivity analysis. <i>Structures</i> , 2019, 19, 490-498.	1.7	7
68	Sensitivity analysis and multi-criteria optimization of SMA cable restrainers for longitudinal seismic protection of isolated simply supported highway bridges. <i>Engineering Structures</i> , 2019, 189, 509-522.	2.6	39
69	Analytical Seismic Fragility Curves for Reinforced Concrete Wall pier using Shape Memory Alloys considering maximum drift. <i>MATEC Web of Conferences</i> , 2019, 258, 04001.	0.1	1
70	Seismic fragility analysis of deteriorating recycled aggregate concrete bridge columns subjected to freeze-thaw cycles. <i>Engineering Structures</i> , 2019, 187, 1-15.	2.6	30
71	Seismic fragility assessment of a multi-span RC bridge in Bangladesh considering near-fault, far-field and long duration ground motions. <i>Structures</i> , 2019, 19, 333-348.	1.7	32
72	Performance-based seismic design of bridges: a global perspective and critical review of past, present and future directions. <i>Structure and Infrastructure Engineering</i> , 2019, 15, 539-554.	2.0	13

#	ARTICLE	IF	CITATIONS
73	Feasibility of using reduced length superelastic shape memory alloy strands in post-tensioned steel beam-column connections. <i>Journal of Intelligent Material Systems and Structures</i> , 2019, 30, 283-307.	1.4	28
74	Displacement-based seismic design of bridge bents retrofitted with various bracing devices and their seismic fragility assessment under near-fault and far-field ground motions. <i>Soil Dynamics and Earthquake Engineering</i> , 2019, 119, 75-90.	1.9	62
75	Seismic Performance of a Novel Single and Double Spring-Based Piston Bracing. <i>Journal of Structural Engineering</i> , 2019, 145, .	1.7	52
76	Probabilistic seismic risk assessment of concrete bridge piers reinforced with different types of shape memory alloys. <i>Engineering Structures</i> , 2018, 162, 97-108.	2.6	49
77	The Dynamics of Precast Post-Tensioned Rocking Columns. , 2018, , .		2
78	Displacement-Based Seismic Design of Steel, FRP, and SMA Cable Restrainers for Isolated Simply Supported Bridges. <i>Journal of Bridge Engineering</i> , 2018, 23, .	1.4	35
79	Smart Lead Rubber Bearings Equipped with Ferrous Shape Memory Alloy Wires for Seismically Isolating Highway Bridges. <i>Journal of Earthquake Engineering</i> , 2018, 22, 1042-1067.	1.4	42
80	A review on the application of sprayed-FRP composites for strengthening of concrete and masonry structures in the construction sector. <i>Composite Structures</i> , 2018, 187, 518-534.	3.1	42
81	Longitudinal seismic response control of long-span cable-stayed bridges using shape memory alloy wire-based lead rubber bearings under near-fault records. <i>Journal of Intelligent Material Systems and Structures</i> , 2018, 29, 703-728.	1.4	29
82	Behaviour of Superelastic Nickel Titanium Shape Memory Alloy Material under Uniaxial Testing and its Potential in Civil Engineering. <i>MATEC Web of Conferences</i> , 2018, 203, 06005.	0.1	1
83	Analytical Prediction and Finite-Element Simulation of the Lateral Response of Rocking Steel Bridge Piers with Energy-Dissipating Steel Bars. <i>Journal of Structural Engineering</i> , 2018, 144, .	1.7	28
84	Closure to "Lateral Load" Drift Response and Limit States of Posttensioned Steel Beam-Column Connections: Parametric Study by Saber Moradi and M. Shahria Alam. <i>Journal of Structural Engineering</i> , 2018, 144, 07018007.	1.7	0
85	Shake table studies of a highway bridge model by allowing the sliding of laminated-rubber bearings with and without restraining devices. <i>Engineering Structures</i> , 2018, 171, 583-601.	2.6	49
86	Scenario-based economic and environmental analysis of clean energy incentives for households in Canada: Multi criteria decision making approach. <i>Journal of Cleaner Production</i> , 2018, 198, 170-186.	4.6	23
87	In-Plane Strength and Stiffness of Cross-Laminated Timber Shear Walls. <i>Buildings</i> , 2018, 8, 100.	1.4	30
88	Effect of different steel-reinforced elastomeric isolators on the seismic fragility of a highway bridge. <i>Structural Control and Health Monitoring</i> , 2017, 24, e1866.	1.9	33
89	Parametric Study on Mechanical Responses of Corrugated-Core Sandwich Panels for Bridge Decks. <i>Journal of Bridge Engineering</i> , 2017, 22, .	1.4	7
90	Sensitivity analysis on mechanical characteristics of lead-core steel-reinforced elastomeric bearings under cyclic loading. <i>Engineering Structures</i> , 2017, 140, 39-50.	2.6	36

#	ARTICLE	IF	CITATIONS
91	Lateral Load-Drift Response and Limit States of Posttensioned Steel Beam-Column Connections: Parametric Study. <i>Journal of Structural Engineering</i> , 2017, 143, .	1.7	31
92	Experimental investigation and numerical simulation of pallet-rack stub columns under compression load. <i>Journal of Constructional Steel Research</i> , 2017, 133, 282-299.	1.7	9
93	Reinforced Wood I-Joists with Web Openings. <i>Journal of Structural Engineering</i> , 2017, 143, .	1.7	12
94	Capacity-Based Design for Cross-Laminated Timber Buildings. , 2017, , .		8
95	Failure progression resistance of a generic steel moment-resisting frame under beam-removal scenarios. <i>International Journal of Structural Integrity</i> , 2017, 8, 308-325.	1.8	4
96	Retrofitting of Flange Notched Wood I-Joists with Glass Fiber Reinforced Polymer (GFRP) Plates. , 2017, , .		1
97	Collapse Fragility Analysis of Non-Seismically Designed Bridge Columns Retrofitted with FRP Composites. , 2017, , .		1
98	Seismic responses of super-span cable-stayed bridges induced by ground motions in different sites relative to fault rupture considering soil-structure interaction. <i>Soil Dynamics and Earthquake Engineering</i> , 2017, 101, 295-310.	1.9	35
99	Seismic performance assessment of a curved bridge equipped with a new type spring restrainer. <i>Engineering Structures</i> , 2017, 151, 105-114.	2.6	12
100	Hysteretic Behaviour of a Piston Based Self-centering (PBSC) Bracing System Made of Superelastic SMA Bars – A Feasibility Study. <i>Structures</i> , 2017, 12, 102-114.	1.7	36
101	Effect of constitutive models on the seismic response of an SMA-LRB isolated highway bridge. <i>Engineering Structures</i> , 2017, 148, 113-125.	2.6	38
102	In-Plane Stiffness of Cross-Laminated Timber Panels with Openings. <i>Structural Engineering International: Journal of the International Association for Bridge and Structural Engineering (IABSE)</i> , 2017, 27, 217-223.	0.5	56
103	Multi-criteria optimization of lateral load-drift response of posttensioned steel beam-column connections. <i>Engineering Structures</i> , 2017, 130, 180-197.	2.6	14
104	Seismic collapse assessment of non-seismically designed circular RC bridge piers retrofitted with FRP composites. <i>Composite Structures</i> , 2017, 160, 901-916.	3.1	23
105	Effects of Near-Fault Motions and Artificial Pulse-Type Ground Motions on Super-Span Cable-Stayed Bridge Systems. <i>Journal of Bridge Engineering</i> , 2017, 22, .	1.4	65
106	Highway Bridge Infrastructure in the Province of British Columbia (BC), Canada. <i>Infrastructures</i> , 2017, 2, 7.	1.4	16
107	Performance Based Seismic Design of Shape Memory Alloy Reinforced Concrete Bridge Pier. <i>IABSE Symposium Report</i> , 2017, , .	0.0	0
108	Performance Analysis of Recycled and Natural Aggregate Concrete Column with Varying Design Parameters. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
109	Experiment-Based Sensitivity Analysis of Scaled Carbon-Fiber-Reinforced Elastomeric Isolators in Bonded Applications. <i>Fibers</i> , 2016, 4, 4.	1.8	10
110	Performance of Hybrid Reinforced Concrete Beam Column Joint: A Critical Review. <i>Fibers</i> , 2016, 4, 13.	1.8	13
111	Improved Bond Equations for Fiber-Reinforced Polymer Bars in Concrete. <i>Materials</i> , 2016, 9, 737.	1.3	25
112	Influence of green roofs on the seismic response of frame structures. <i>Earthquake and Structures</i> , 2016, 11, 265-280.	1.0	1
113	Evaluating the Seismic Behavior of Segmental Unbounded Posttensioned Concrete Bridge Piers Using Factorial Analysis. <i>Journal of Bridge Engineering</i> , 2016, 21, .	1.4	24
114	Response modification factors for steel buckling restrained braced frames designed as per the 2010 National Building Code of Canada. <i>Canadian Journal of Civil Engineering</i> , 2016, 43, 702-715.	0.7	11
115	Seismic behavior of deficient reinforced concrete bridge piers confined with FRP – A fractional factorial analysis. <i>Engineering Structures</i> , 2016, 126, 531-546.	2.6	22
116	Performance-Based Seismic Design of Shape Memory Alloy-Reinforced Concrete Bridge Piers. I: Development of Performance-Based Damage States. <i>Journal of Structural Engineering</i> , 2016, 142, .	1.7	70
117	Performance-Based Seismic Design of Shape Memory Alloy-Reinforced Concrete Bridge Piers. II: Methodology and Design Example. <i>Journal of Structural Engineering</i> , 2016, 142, .	1.7	25
118	Mechanical and durability properties of concrete using recycled granulated steel. <i>Construction and Building Materials</i> , 2016, 123, 174-183.	3.2	14
119	Seismic performance comparison between force-based and performance-based design as per Canadian Highway Bridge Design Code (CHBDC) 2014. <i>Canadian Journal of Civil Engineering</i> , 2016, 43, 741-748.	0.7	7
120	Novel Method for Interstory Drift Measurement of Building Frames Using Laser-Displacement Sensors. <i>Journal of Structural Engineering</i> , 2016, 142, .	1.7	11
121	Seismic vulnerability assessment of a steel-girder highway bridge equipped with different SMA wire-based smart elastomeric isolators. <i>Smart Materials and Structures</i> , 2016, 25, 075039.	1.8	34
122	Investigation of Compressive Bond Behavior of Steel Rebar Embedded in Concrete With Partial Recycled Aggregate Replacement. <i>Structures</i> , 2016, 7, 153-164.	1.7	40
123	Bond behavior of smooth and sand-coated shape memory alloy (SMA) rebar in concrete. <i>Structures</i> , 2016, 5, 186-195.	1.7	25
124	Effects of curing regimes on the mechanical properties and durability of polymer-modified mortars – an experimental investigation. <i>Journal of Sustainable Cement-Based Materials</i> , 2016, 5, 324-347.	1.7	14
125	Plastic hinge length of shape memory alloy (SMA) reinforced concrete bridge pier. <i>Engineering Structures</i> , 2016, 117, 321-331.	2.6	53
126	Physical and mechanical properties of cementitious composites containing recycled glass powder (RGP) and styrene butadiene rubber (SBR). <i>Construction and Building Materials</i> , 2016, 104, 34-43.	3.2	63

#	ARTICLE	IF	CITATIONS
127	Optimized shear design equation for slender concrete beams reinforced with FRP bars and stirrups using Genetic Algorithm and reliability analysis. <i>Engineering Structures</i> , 2016, 107, 151-165.	2.6	51
128	Finite-Element Simulation of Posttensioned Steel Connections with Bolted Angles under Cyclic Loading. <i>Journal of Structural Engineering</i> , 2016, 142, .	1.7	37
129	Role of solution concentration, cement alkali and test duration on expansion of accelerated mortar bar test (AMBT). <i>Materials and Structures/Materiaux Et Constructions</i> , 2016, 49, 1955-1965.	1.3	9
130	Seismic Design and Performance of High-Rise Steel Buildings under Various International Design Codes. , 2015, , .		0
131	Feasible Application of Shape Memory Alloy Plates in Steel Beam-Column Connections. , 2015, , .		0
132	Mechanical and Freeze-Thaw Durability Properties of Recycled Aggregate Concrete Made with Recycled Coarse Aggregate. <i>Journal of Materials in Civil Engineering</i> , 2015, 27, .	1.3	131
133	Hysteresis model of shape memory alloy wire-based laminated rubber bearing under compression and unidirectional shear loadings. <i>Smart Materials and Structures</i> , 2015, 24, 065022.	1.8	27
134	Cyclic response sensitivity of post-tensioned steel connections using sequential fractional factorial design. <i>Journal of Constructional Steel Research</i> , 2015, 112, 155-166.	1.7	21
135	Structural capacity of timber I-joist with flange notch: Experimental evaluation. <i>Construction and Building Materials</i> , 2015, 79, 290-300.	3.2	15
136	Seismic Vulnerability Assessment of a Multi-Span Continuous Steel-Girder Bridge Isolated by SMA Wire-Based Natural Rubber Bearings (SMA-NRB). , 2015, , .		2
137	Cyclic Performance of a Piston Based Self-Centering Bracing System. , 2015, , .		4
138	Damping-Ductility Relationship for Performance Based Seismic Design of Shape Memory Alloy Reinforced Concrete Bridge Pier. , 2015, , .		0
139	Characterization of piezoelectric materials for simultaneous strain and temperature sensing for ultra-low frequency applications. <i>Smart Materials and Structures</i> , 2015, 24, 085019.	1.8	9
140	Seismic Performance of Reinforced Concrete Wall with Superelastic Shape Memory Alloy Rebar. , 2015, , .		2
141	Feasibility study of utilizing superelastic shape memory alloy plates in steel beam-column connections for improved seismic performance. <i>Journal of Intelligent Material Systems and Structures</i> , 2015, 26, 463-475.	1.4	53
142	Seismic fragility assessment of highway bridges: a state-of-the-art review. <i>Structure and Infrastructure Engineering</i> , 2015, 11, 804-832.	2.0	207
143	Seismic Fragility Assessment of Concrete Bridge Pier Reinforced with Superelastic Shape Memory Alloy. <i>Earthquake Spectra</i> , 2015, 31, 1515-1541.	1.6	101
144	Seismic performance comparison between direct displacement-based and force-based design of a multi-span continuous reinforced concrete bridge with irregular column heights. <i>Canadian Journal of Civil Engineering</i> , 2014, 41, 440-449.	0.7	4

#	ARTICLE	IF	CITATIONS
145	Incremental Dynamic Analysis of Shape Memory Alloy Braced Steel Frames. Applied Mechanics and Materials, 2014, 680, 263-266.	0.2	0
146	Seismic performance evaluation of multi-column bridge bents retrofitted with different alternatives using incremental dynamic analysis. Engineering Structures, 2014, 62-63, 105-117.	2.6	44
147	Incremental dynamic analysis of steel frames equipped with NiTi shape memory alloy braces. Structural Design of Tall and Special Buildings, 2014, 23, 1406-1425.	0.9	63
148	Lateral load resistance of bridge piers under flexure and shear using factorial analysis. Engineering Structures, 2014, 59, 821-835.	2.6	15
149	Performance-based prioritisation for seismic retrofitting of reinforced concrete bridge bent. Structure and Infrastructure Engineering, 2014, 10, 929-949.	2.0	17
150	Sensitivity analysis of carbon fiber-reinforced elastomeric isolators based on experimental tests and finite element simulations. Bulletin of Earthquake Engineering, 2014, 12, 1025-1043.	2.3	24
151	Performance-based assessment and design of FRP-based high damping rubber bearing incorporated with shape memory alloy wires. Engineering Structures, 2014, 61, 166-183.	2.6	65
152	Performance of carbon fiber-reinforced elastomeric isolators manufactured in a simplified process: experimental investigations. Structural Control and Health Monitoring, 2014, 21, 1347-1359.	1.9	22
153	Mechanical behavior of three generations of 100% repeated recycled coarse aggregate concrete. Construction and Building Materials, 2014, 65, 574-582.	3.2	153
154	Improved Shear Equations for Steel Fiber-Reinforced Concrete Deep and Slender Beams. ACI Structural Journal, 2014, 111, .	0.3	45
155	Principal Component and Multiple Regression Analysis for Steel Fiber Reinforced Concrete (SFRC) Beams. International Journal of Concrete Structures and Materials, 2013, 7, 303-317.	1.4	38
156	Statistical distribution of seismic performance criteria of retrofitted multi-column bridge bents using incremental dynamic analysis: a case study. Bulletin of Earthquake Engineering, 2013, 11, 2333-2362.	2.3	9
157	Multi-criteria optimization and seismic performance assessment of carbon FRP-based elastomeric isolator. Engineering Structures, 2013, 49, 525-540.	2.6	38
158	An overview of construction and demolition waste management in Canada: a lifecycle analysis approach to sustainability. Clean Technologies and Environmental Policy, 2013, 15, 81-91.	2.1	373
159	Seismic performance assessment of highway bridges equipped with superelastic shape memory alloy-based laminated rubber isolation bearing. Engineering Structures, 2013, 49, 396-407.	2.6	105
160	Fragility Analysis of Retrofitted Multicolumn Bridge Bent Subjected to Near-Fault and Far-Field Ground Motion. Journal of Bridge Engineering, 2013, 18, 992-1004.	1.4	125
161	Direct Displacement-Based Design of Industrial Rack Clad Buildings. Earthquake Spectra, 2013, 29, 1311-1334.	1.6	7
162	GIS-Based Seismic Damage Estimation: Case Study for the City of Kelowna, BC. Natural Hazards Review, 2013, 14, 66-78.	0.8	17

#	ARTICLE	IF	CITATIONS
163	Green Concrete Made with RCA and FRP Scrap Aggregate: Fresh and Hardened Properties. Journal of Materials in Civil Engineering, 2013, 25, 1783-1794.	1.3	59
164	Shape memory alloy wire-based smart natural rubber bearing. Smart Materials and Structures, 2013, 22, 045013.	1.8	77
165	Seismic behavior of soft storey mid-rise steel frames with randomly distributed masonry infill. Steel and Composite Structures, 2013, 14, 523-545.	1.3	4
166	Fire performance curves for unprotected HSS steel columns. Steel and Composite Structures, 2013, 15, 705-724.	1.3	3
167	Seismic fragility assessment of SMA-bar restrained multi-span continuous highway bridge isolated by different laminated rubber bearings in medium to strong seismic risk zones. Bulletin of Earthquake Engineering, 2012, 10, 1885-1909.	2.3	107
168	Seismic fragility assessment of concrete bridge pier reinforced with shape memory alloy considering residual displacement. Proceedings of SPIE, 2012, , .	0.8	1
169	Seismic Vulnerability Assessment of a Multi-Span Continuous Highway Bridge Fitted with Shape Memory Alloy Bars and Laminated Rubber Bearings. Earthquake Spectra, 2012, 28, 1379-1404.	1.6	55
170	Revisiting the shear design equations for concrete beams reinforced with FRP rebar and stirrup. Materials and Structures/Materiaux Et Constructions, 2012, 45, 1593-1612.	1.3	31
171	Buildingsâ€™ seismic vulnerability assessment methods: a comparative study. Natural Hazards, 2012, 62, 405-424.	1.6	54
172	Predicting the shear strength of steel fiber reinforced concrete beams. Construction and Building Materials, 2012, 26, 423-436.	3.2	99
173	Seismic performance of concrete columns reinforced with hybrid shape memory alloy (SMA) and fiber reinforced polymer (FRP) bars. Construction and Building Materials, 2012, 28, 730-742.	3.2	135
174	Seismic overstrength and ductility of concrete buildings reinforced with superelastic shape memory alloy rebar. Engineering Structures, 2012, 34, 8-20.	2.6	54
175	Seismic behaviour of repaired superelastic shape memory alloy reinforced concrete beam-column joint. Smart Structures and Systems, 2011, 7, 329-348.	1.9	7
176	Exploratory investigation on mechanical anchors for connecting SMA bars to steel or FRP bars. Materials and Structures/Materiaux Et Constructions, 2010, 43, 91-107.	1.3	65
177	Development of corrosion-free concrete beamâ€™column joint with adequate seismic energy dissipation. Engineering Structures, 2010, 32, 2518-2528.	2.6	86
178	Modelling and analysis of retrofitted and un-retrofitted masonry-infilled RC frames under in-plane lateral loading. Structure and Infrastructure Engineering, 2009, 5, 71-90.	2.0	16
179	Seismic performance of concrete frame structures reinforced with superelastic shape memory alloys. Smart Structures and Systems, 2009, 5, 565-585.	1.9	84
180	Analytical prediction of the seismic behaviour of superelastic shape memory alloy reinforced concrete elements. Engineering Structures, 2008, 30, 3399-3411.	2.6	154

#	ARTICLE	IF	CITATIONS
181	Experimental Investigation on the Seismic Behavior of Beam-Column Joints Reinforced with Superelastic Shape Memory Alloys. Journal of Earthquake Engineering, 2008, 12, 1205-1222.	1.4	181
182	Shape memory alloy-based smart RC bridges: overview of state-of-the-art. Smart Structures and Systems, 2008, 4, 367-389.	1.9	19
183	Utilizing shape memory alloys to enhance the performance and safety of civil infrastructure: a review. Canadian Journal of Civil Engineering, 2007, 34, 1075-1086.	0.7	200
184	Low-cycle fatigue performance of high-strength steel rebars in concrete bridge columns. Earthquake Engineering and Structural Dynamics, 0, , .	2.5	0