

# Riccardo Valdagni

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/67473/publications.pdf>

Version: 2024-02-01

208  
papers

8,596  
citations

38660

50  
h-index

51492

86  
g-index

209  
all docs

209  
docs citations

209  
times ranked

11162  
citing authors

#	ARTICLE	IF	CITATIONS
1	Almost one year of COVID-19 pandemic: how radiotherapy centers have counteracted its impact on cancer treatment in Lombardy, Italy. CODRAL/AIRO-L study. <i>Tumori</i> , 2022, 108, 177-181.	0.6	2
2	Use of angiotensin converting enzyme inhibitors is associated with reduced risk of late bladder toxicity following radiotherapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2022, 168, 75-82.	0.3	10
3	Prostate Cancer Patients Under Active Surveillance with a Suspicious Magnetic Resonance Imaging Finding Are at Increased Risk of Needing Treatment: Results of the Movember Foundation's Global Action Plan Prostate Cancer Active Surveillance (GAP3) Consortium. <i>European Urology Open Science</i> , 2022, 35, 59-67.	0.2	13
4	Comparison of outcomes of different biopsy schedules among men on active surveillance for prostate cancer: An analysis of the G.A.P.3 global consortium database. <i>Prostate</i> , 2022, 82, 876-879.	1.2	2
5	A Multivariable Approach Using Magnetic Resonance Imaging to Avoid a Protocol-based Prostate Biopsy in Men on Active Surveillance for Prostate Cancer: Data from the International Multicenter Prospective PRIAS Study. <i>European Urology Oncology</i> , 2022, 5, 651-658.	2.6	13
6	Cross-cultural differences in men on active surveillance: anxiety: a longitudinal comparison between Italian and Dutch patients from the Prostate cancer Research International Active Surveillance study. <i>BMC Urology</i> , 2022, 22, .	0.6	0
7	How do prostate cancer patients navigate the active surveillance journey? A 3-year longitudinal study. <i>Supportive Care in Cancer</i> , 2021, 29, 645-651.	1.0	8
8	Personalised biopsy schedules based on risk of Gleason upgrading for patients with low-risk prostate cancer on active surveillance. <i>BJU International</i> , 2021, 127, 96-107.	1.3	15
9	How to implement the requirements of a quality assurance system for prostate cancer. <i>World Journal of Urology</i> , 2021, 39, 41-47.	1.2	1
10	Prediction of Grade Reclassification of Prostate Cancer Patients on Active Surveillance through the Combination of a Three-miRNA Signature and Selected Clinical Variables. <i>Cancers</i> , 2021, 13, 2433.	1.7	8
11	Acute patient-reported intestinal toxicity in whole pelvis IMRT for prostate cancer: Bowel dose-volume effect quantification in a multicentric cohort study. <i>Radiotherapy and Oncology</i> , 2021, 158, 74-82.	0.3	5
12	Predictors of Patient-Reported Incontinence at Adjuvant/Salvage Radiotherapy after Prostatectomy: Impact of Time between Surgery and Radiotherapy. <i>Cancers</i> , 2021, 13, 3243.	1.7	2
13	Development of a method for generating SNP interaction-aware polygenic risk scores for radiotherapy toxicity. <i>Radiotherapy and Oncology</i> , 2021, 159, 241-248.	0.3	11
14	Risk-Based Selection for Active Surveillance: Results of the Movember Foundation's Global Action Plan Prostate Cancer Active Surveillance (GAP3) Initiative. <i>Journal of Urology</i> , 2021, 206, 62-68.	0.2	6
15	Breast cancer patient perspective on opportunities and challenges of a genetic test aimed to predict radio-induced side effects before treatment: Analysis of the Italian branch of the REQUITE project. <i>Radiologia Medica</i> , 2021, 126, 1366-1373.	4.7	17
16	Modelling Radiation-Induced Salivary Dysfunction during IMRT and Chemotherapy for Nasopharyngeal Cancer Patients. <i>Cancers</i> , 2021, 13, 3983.	1.7	1
17	Dosimetric Impact of Inter-Fraction Anatomical Changes in Carbon Ion Boost Treatment for High-Risk Prostate Cancer (AIRC IG 14300). <i>Frontiers in Oncology</i> , 2021, 11, 740661.	1.3	4
18	Comparison of Characteristics, Follow-up and Outcomes of Active Surveillance for Prostate Cancer According to Ethnicity in the GAP3 Global Consortium Database. <i>European Urology Open Science</i> , 2021, 34, 47-54.	0.2	3

#	ARTICLE	IF	CITATIONS
19	Mixed-Beam Approach for High-Risk Prostate Cancer Carbon-Ion Boost Followed by Photon Intensity-Modulated Radiotherapy: Preliminary Results of Phase II Trial AIRC-IG-14300. <i>Frontiers in Oncology</i> , 2021, 11, 778729.	1.3	1
20	The role of individual characteristics in predicting decisional conflict for patients with prostate cancer (PCa): preliminary results. <i>Current Psychology</i> , 2020, 39, 354-363.	1.7	0
21	Adherence to Active Surveillance Protocols for Low-risk Prostate Cancer: Results of the Movember Foundation's Global Action Plan Prostate Cancer Active Surveillance Initiative. <i>European Urology Oncology</i> , 2020, 3, 80-91.	2.6	24
22	Hypofractionated irradiation in 794 elderly breast cancer patients: An observational study. <i>Breast Journal</i> , 2020, 26, 188-196.	0.4	3
23	EAU-ESMO Consensus Statements on the Management of Advanced and Variant Bladder Cancer – An International Collaborative Multistakeholder Effort. <i>European Urology</i> , 2020, 77, 223-250.	0.9	132
24	A Deep Learning Approach Validates Genetic Risk Factors for Late Toxicity After Prostate Cancer Radiotherapy in a REQUITE Multi-National Cohort. <i>Frontiers in Oncology</i> , 2020, 10, 541281.	1.3	15
25	Back to (new) normality – A CODRAL/AIRO-L survey on cancer radiotherapy in Lombardy during Italian COVID-19 phase 2. <i>Medical Oncology</i> , 2020, 37, 108.	1.2	5
26	Mixed-beam approach for high-risk prostate cancer: Carbon-ion boost followed by photon intensity-modulated radiotherapy. Dosimetric and geometric evaluations (AIRC IG-14300). <i>Physica Medica</i> , 2020, 76, 327-336.	0.4	4
27	The emerging role of PARP inhibitors in prostate cancer. <i>Expert Review of Anticancer Therapy</i> , 2020, 20, 715-726.	1.1	12
28	Predictors of 2-Year Incidence of Patient-Reported Urinary Incontinence After Post-prostatectomy Radiotherapy: Evidence of Dose and Fractionation Effects. <i>Frontiers in Oncology</i> , 2020, 10, 1207.	1.3	7
29	Local dose analysis to predict acute and late urinary toxicities after prostate cancer radiotherapy: Assessment of cohort and method effects. <i>Radiotherapy and Oncology</i> , 2020, 147, 40-49.	0.3	17
30	SPOP Deregulation Improves the Radiation Response of Prostate Cancer Models by Impairing DNA Damage Repair. <i>Cancers</i> , 2020, 12, 1462.	1.7	8
31	miR-1272 Exerts Tumor-Suppressive Functions in Prostate Cancer via HIP1 Suppression. <i>Cells</i> , 2020, 9, 435.	1.8	11
32	ECCO Essential Requirements for Quality Cancer Care: Prostate cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2020, 148, 102861.	2.0	29
33	The simulation-CT: Radiotherapy's useful tool in the race against COVID-19 pandemic. A serendipity approach. <i>Radiotherapy and Oncology</i> , 2020, 147, 151-152.	0.3	7
34	External Validation of a Predictive Model for Acute Skin Radiation Toxicity in the REQUITE Breast Cohort. <i>Frontiers in Oncology</i> , 2020, 10, 575909.	1.3	1
35	External Validation of a Predictive Model for Acute Skin Radiation Toxicity in the REQUITE Breast Cohort. <i>Frontiers in Oncology</i> , 2020, 10, 575909.	1.3	10
36	Multidisciplinary teams for the proper management of patients with genitourinary tumors: When topics set scientific societies' agenda. <i>Tumori</i> , 2019, 105, 161-167.	0.6	2

#	ARTICLE	IF	CITATIONS
37	Patterns in ano-rectal dose maps and the risk of late toxicity after prostate IMRT. <i>Acta Oncologica</i> , 2019, 58, 1757-1764.	0.8	15
38	Letter to the Editor. <i>Contemporary Clinical Trials</i> , 2019, 84, 105825.	0.8	0
39	Potential role of microbiome in oncogenesis, outcome prediction and therapeutic targeting for head and neck cancer. <i>Oral Oncology</i> , 2019, 99, 104453.	0.8	43
40	LEADeR role of miR-205 host gene as long noncoding RNA in prostate basal cell differentiation. <i>Nature Communications</i> , 2019, 10, 307.	5.8	44
41	REQUITE: A prospective multicentre cohort study of patients undergoing radiotherapy for breast, lung or prostate cancer. <i>Radiotherapy and Oncology</i> , 2019, 138, 59-67.	0.3	53
42	In Reply to Loganadane et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019, 103, 777-778.	0.4	1
43	Interobserver variability (between radiation oncologist and radiation therapist) in tumor bed contouring after breast-conserving surgery. <i>Tumori</i> , 2019, 105, 210-215.	0.6	6
44	The European Prostate Cancer Centres of Excellence: A Novel Proposal from the European Association of Urology Prostate Cancer Centre Consensus Meeting. <i>European Urology</i> , 2019, 76, 179-186.	0.9	15
45	Core Biopsies from Prostate Cancer Patients in Active Surveillance Protocols Harbor PTEN and MYC Alterations. <i>European Urology Oncology</i> , 2019, 2, 277-285.	2.6	7
46	miR-205 enhances radiation sensitivity of prostate cancer cells by impairing DNA damage repair through PKC $\mu$ and ZEB1 inhibition. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 51.	3.5	64
47	Making Active Surveillance a path towards health promotion: A qualitative study on prostate cancer patients' perceptions of health promotion during Active Surveillance. <i>European Journal of Cancer Care</i> , 2019, 28, e13014.	0.7	5
48	Consistent Biopsy Quality and Gleason Grading Within the Global Active Surveillance Global Action Plan 3 Initiative: A Prerequisite for Future Studies. <i>European Urology Oncology</i> , 2019, 2, 333-336.	2.6	8
49	Radiotherapy for oligometastatic cancer: a survey among radiation oncologists of Lombardy (AIRO-Lombardy), Italy. <i>Radiologia Medica</i> , 2019, 124, 315-322.	4.7	11
50	Radiotherapy with the anti-programmed cell death ligand-1 immune checkpoint blocker avelumab: acute toxicities in triple-negative breast cancer. <i>Medical Oncology</i> , 2019, 36, 4.	1.2	11
51	Reasons for Discontinuing Active Surveillance: Assessment of 21 Centres in 12 Countries in the Movember GAP3 Consortium. <i>European Urology</i> , 2019, 75, 523-531.	0.9	58
52	Hypofractionated Whole-Breast Irradiation With or Without Boost in Elderly Patients: Clinical Evaluation of an Italian Experience. <i>Clinical Breast Cancer</i> , 2018, 18, e1059-e1066.	1.1	9
53	Texture analysis of T1 $\epsilon$ w and T2 $\epsilon$ w MR images allows a quantitative evaluation of radiation-induced changes of internal obturator muscles after radiotherapy for prostate cancer. <i>Medical Physics</i> , 2018, 45, 1518-1528.	1.6	7
54	Management of Patients with Advanced Prostate Cancer: The Report of the Advanced Prostate Cancer Consensus Conference APCCC 2017. <i>European Urology</i> , 2018, 73, 178-211.	0.9	488

#	ARTICLE	IF	CITATIONS
55	Quality of life in active surveillance and the associations with decision-makingâ€”a literature review. <i>Translational Andrology and Urology</i> , 2018, 7, 160-169.	0.6	8
56	Multivariable model for predicting acute oral mucositis during combined IMRT and chemotherapy for locally advanced nasopharyngeal cancer patients. <i>Oral Oncology</i> , 2018, 86, 266-272.	0.8	26
57	Development of a Ready-to-Use Graphical Tool Based on Artificial Neural Network Classification: Application for the Prediction of Late Fecal Incontinence After Prostate Cancer Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, 1533-1542.	0.4	14
58	Predicting Late Fecal Incontinence Risk After Radiation Therapy for Prostate Cancer: New Insights From External Independent Validation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018, 102, 127-136.	0.4	14
59	Evaluation of Mediators Associated with the Inflammatory Response in Prostate Cancer Patients Undergoing Radiotherapy. <i>Disease Markers</i> , 2018, 2018, 1-9.	0.6	13
60	Equipment, staffing, and provision of radiotherapy in Lombardy, Italy: Results of three surveys performed between 2012 and 2016. <i>Tumori</i> , 2018, 104, 352-360.	0.6	8
61	Italian cultural adaptation of the Memorial Anxiety for Prostate Cancer scale for the population of men on active surveillance. <i>Tumori</i> , 2018, 104, 172-178.	0.6	5
62	Discontinuation of hormone therapy for elderly breast cancer patients after hypofractionated whole-breast radiotherapy. <i>Medical Oncology</i> , 2018, 35, 107.	1.2	8
63	Trastuzumab and Hypofractionated Whole Breast Radiotherapy: A Victorious Combination?. <i>Clinical Breast Cancer</i> , 2018, 18, e363-e371.	1.1	14
64	Can active surveillance really reduce the harms of overdiagnosing prostate cancer? A reflection of real life clinical practice in the PRIAS study. <i>Translational Andrology and Urology</i> , 2018, 7, 98-105.	0.6	24
65	Better-Informed Decision-Making to Optimize Patient Selection. <i>Current Clinical Urology</i> , 2018, , 149-167.	0.0	2
66	Reporting Magnetic Resonance Imaging in Men on Active Surveillance for Prostate Cancer: The PRECISE Recommendationsâ€”A Report of a European School of Oncology Task Force. <i>European Urology</i> , 2017, 71, 648-655.	0.9	190
67	miR-875-5p counteracts epithelial-to-mesenchymal transition and enhances radiation response in prostate cancer through repression of the EGFR-ZEB1 axis. <i>Cancer Letters</i> , 2017, 395, 53-62.	3.2	80
68	Hadrontherapy from the Italian Radiation Oncologist point of view: face the reality. The Italian Society of Oncological Radiotherapy (AIRO) survey. <i>Radiologia Medica</i> , 2017, 122, 140-145.	4.7	4
69	Management of metastatic castration-resistant prostate cancer: A focus on radium-223. <i>Critical Reviews in Oncology/Hematology</i> , 2017, 113, 43-51.	2.0	28
70	Semantics in active surveillance for men with localized prostate cancer â€” results of a modified Delphi consensus procedure. <i>Nature Reviews Urology</i> , 2017, 14, 312-322.	1.9	65
71	Follow-up of elderly patients with urogenital cancers: Evaluation of geriatric care needs and related actions. <i>Journal of Geriatric Oncology</i> , 2017, 8, 289-295.	0.5	14
72	Patient-reported urinary incontinence after radiotherapy for prostate cancer: Quantifying the doseâ€”effect. <i>Radiotherapy and Oncology</i> , 2017, 125, 101-106.	0.3	21

#	ARTICLE	IF	CITATIONS
73	Patient-reported intestinal toxicity from whole pelvis intensity-modulated radiotherapy: First quantification of bowel doseâ€“volume effects. <i>Radiotherapy and Oncology</i> , 2017, 124, 296-301.	0.3	26
74	Setting an Agenda for Assessment of Health-related Quality of Life Among Men with Prostate Cancer on Active Surveillance: A Consensus Paper from a European School of Oncology Task Force. <i>European Urology</i> , 2017, 71, 274-280.	0.9	11
75	An Accurate Method to Quantify Breathing-induced Prostate Motion for Patients Implanted with Electromagnetic Transponders. <i>Tumori</i> , 2017, 103, 136-142.	0.6	1
76	Phase II Multi-institutional Clinical Trial on a New Mixed Beam RT Scheme of IMRT on Pelvis Combined with a Carbon Ion Boost for High-risk Prostate Cancer Patients. <i>Tumori</i> , 2017, 103, 314-318.	0.6	12
77	Physicists' Views on Hadrontherapy: A Survey of Members of the Italian Association of Medical Physics (AIFM). <i>Tumori</i> , 2017, 103, 430-437.	0.6	0
78	Changes in Mortality and Incidence of Prostate Cancer by Risk Class in Different Periods in Italy: The Possible Effects of PSA Spread. <i>Tumori</i> , 2017, 103, 292-298.	0.6	1
79	Understanding Urinary Toxicity after Radiotherapy for Prostate Cancer: First Steps Forward. <i>Tumori</i> , 2017, 103, 395-404.	0.6	20
80	Eleven-year Management of Prostate Cancer Patients on Active Surveillance: What have We Learned?. <i>Tumori</i> , 2017, 103, 464-474.	0.6	20
81	Full preclinical validation of the 123I-labeled anti-PSMA antibody fragment ScFvD2B for prostate cancer imaging. <i>Oncotarget</i> , 2017, 8, 10919-10930.	0.8	17
82	Multidisciplinary Approach of Prostate Cancer Patients. , 2017, , 281-293.		0
83	Comment on â€œObjective assessment in digital images of skin erythema caused by radiotherapyâ€•[ <i>Med. Phys.</i> 42, 5568-5577 (2015)]. <i>Medical Physics</i> , 2016, 43, 2687-2688.	1.6	4
84	Predicting toxicity in radiotherapy for prostate cancer. <i>Physica Medica</i> , 2016, 32, 521-532.	0.4	75
85	Prostate cancer changes in clinical presentation and treatments in two decades: an Italian population-based study. <i>European Journal of Cancer</i> , 2016, 67, 91-98.	1.3	17
86	Safety of long-term exposure to abiraterone acetate in patients with castration-resistant prostate cancer and concomitant cardiovascular risk factors. <i>Therapeutic Advances in Medical Oncology</i> , 2016, 8, 323-330.	1.4	13
87	Lifestyle interventions to improve the quality of life of men with prostate cancer: A systematic review of randomized controlled trials. <i>Critical Reviews in Oncology/Hematology</i> , 2016, 108, 13-22.	2.0	30
88	â€œWhat ifâ€¦â€ Decisional Regret in Patients who Discontinued Active Surveillance. <i>Tumori</i> , 2016, 102, 562-568.	0.6	6
89	A Decade of Active Surveillance in the PRIAS Study: An Update and Evaluation of the Criteria Used to Recommend a Switch to Active Treatment. <i>European Urology</i> , 2016, 70, 954-960.	0.9	290
90	Baseline status and dose to the penile bulb predict impotence 1Âyear after radiotherapy for prostate cancer. <i>Strahlentherapie Und Onkologie</i> , 2016, 192, 297-304.	1.0	10

#	ARTICLE	IF	CITATIONS
91	Complications after prostate biopsies in men on active surveillance and its effects on receiving further biopsies in the Prostate cancer Research International: Active Surveillance (PRIAS) study. BJU International, 2016, 118, 366-371.	1.3	51
92	Multi-variable models of large International Prostate Symptom Score worsening at the end of therapy in prostate cancer radiotherapy. Radiotherapy and Oncology, 2016, 118, 92-98.	0.3	22
93	Estimates of prostate cancer burden in Italy. Cancer Epidemiology, 2016, 40, 166-172.	0.8	10
94	First application of a pixel-wise analysis on bladder dose surface maps in prostate cancer radiotherapy. Radiotherapy and Oncology, 2016, 119, 123-128.	0.3	47
95	Active surveillance for prostate cancer: a narrative review of clinical guidelines. Nature Reviews Urology, 2016, 13, 151-167.	1.9	139
96	Involving a Citizensâ€™ Jury in Decisions on Individual Screening for Prostate Cancer. PLoS ONE, 2016, 11, e0143176.	1.1	10
97	PD34-04 FREQUENCY OF PSA TESTING IN MEN ON ACTIVE SURVEILLANCE FOR PROSTATE CANCER.. Journal of Urology, 2015, 193, .	0.2	3
98	Safety of Abiraterone Acetate in Castration-resistant Prostate Cancer Patients With Concomitant Cardiovascular Risk Factors. American Journal of Clinical Oncology: Cancer Clinical Trials, 2015, 38, 479-482.	0.6	26
99	Urinary Bladder Preservation for Muscle-invasive Bladder Cancer: A Survey among Radiation Oncologists of Lombardy, Italy. Tumori, 2015, 101, 174-178.	0.6	9
100	High quality surface reconstruction in radiotherapy: Cross-sectional contours to 3D mesh using wavelets. , 2015, 2015, 4222-5.		5
101	Active Surveillance for Low-risk Prostate Cancer: Developments to Date. European Urology, 2015, 67, 646-648.	0.9	25
102	How Does Active Surveillance for Prostate Cancer Affect Quality of Life? A Systematic Review. European Urology, 2015, 67, 637-645.	0.9	105
103	Prostate Cancer Unit Initiative in Europe: A position paper by the European School of Oncology. Critical Reviews in Oncology/Hematology, 2015, 95, 133-143.	2.0	23
104	Compliance Rates with the Prostate Cancer Research International Active Surveillance (PRIAS) Protocol and Disease Reclassification in Noncompliers. European Urology, 2015, 68, 814-821.	0.9	116
105	Predictive role of free prostate-specific antigen in a prospective active surveillance program (PRIAS). World Journal of Urology, 2015, 33, 1735-1740.	1.2	7
106	Effect of radiochemical modification on biodistribution of scFvD2B antibody fragment recognising prostate specific membrane antigen. Immunology Letters, 2015, 168, 105-110.	1.1	11
107	Multi-variable models predicting specific patient-reported acute urinary symptoms after radiotherapy for prostate cancer: Results of a cohort study. Radiotherapy and Oncology, 2015, 116, 185-191.	0.3	29
108	Integrated gene and miRNA expression analysis of prostate cancer associated fibroblasts supports a prominent role for interleukin-6 in fibroblast activation. Oncotarget, 2015, 6, 31441-31460.	0.8	55

#	ARTICLE	IF	CITATIONS
109	Editorial Comment to Health-related quality of life after carbon-11 radiotherapy for prostate cancer: A 3-year prospective study. <i>International Journal of Urology</i> , 2014, 21, 375-376.	0.5	0
110	Living with untreated prostate cancer. <i>Current Opinion in Urology</i> , 2014, 24, 311-317.	0.9	10
111	Long term rectal function after high-dose prostate cancer radiotherapy: Results from a prospective cohort study. <i>Radiotherapy and Oncology</i> , 2014, 110, 272-277.	0.3	30
112	Daily Sodium Butyrate Enema for the Prevention of Radiation Proctitis in Prostate Cancer Patients Undergoing Radical Radiation Therapy: Results of a Multicenter Randomized Placebo-Controlled Dose-Finding Phase 2 Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 89, 518-524.	0.4	29
113	miR-205 Hinders the Malignant Interplay Between Prostate Cancer Cells and Associated Fibroblasts. <i>Antioxidants and Redox Signaling</i> , 2014, 20, 1045-1059.	2.5	63
114	Targeted Prostate Cancer Screening in BRCA1 and BRCA2 Mutation Carriers: Results from the Initial Screening Round of the IMPACT Study. <i>European Urology</i> , 2014, 66, 489-499.	0.9	195
115	Can we improve the definition of high-risk, hormone naïve, non-metastatic prostate cancer?. <i>BJU International</i> , 2014, 113, 189-199.	1.3	11
116	The REQUITE Project: Validating Predictive Models and Biomarkers of Radiotherapy Toxicity to Reduce Side-effects and Improve Quality of Life in Cancer Survivors. <i>Clinical Oncology</i> , 2014, 26, 739-742.	0.6	73
117	miRNAs in tumor radiation response: bystanders or participants?. <i>Trends in Molecular Medicine</i> , 2014, 20, 529-539.	3.5	40
118	miR-205 impairs the autophagic flux and enhances cisplatin cytotoxicity in castration-resistant prostate cancer cells. <i>Biochemical Pharmacology</i> , 2014, 87, 579-597.	2.0	83
119	Relationships between bladder dose-volume/surface histograms and acute urinary toxicity after radiotherapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2014, 111, 100-105.	0.3	43
120	Telomere Length Shows No Association with BRCA1 and BRCA2 Mutation Status. <i>PLoS ONE</i> , 2014, 9, e86659.	1.1	10
121	Act on Oncology™ as a New Comprehensive Approach to Assess Prostate Cancer Centres Method Description and Results of a Pilot Study. <i>PLoS ONE</i> , 2014, 9, e106743.	1.1	4
122	Active Surveillance for Low-Risk Prostate Cancer Worldwide: The PRIAS Study. <i>European Urology</i> , 2013, 63, 597-603.	0.9	450
123	Prostate cancer: ESMO Consensus Conference Guidelines 2012. <i>Annals of Oncology</i> , 2013, 24, 1141-1162.	0.6	137
124	Reply from Authors re: Laurence Klotz. Active Surveillance, Quality of Life, and Cancer-related Anxiety. <i>Eur Urol</i> 2013;64:37-9. <i>European Urology</i> , 2013, 64, 39-40.	0.9	1
125	Active surveillance for low-risk prostate cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2013, 85, 295-302.	2.0	46
126	Reducing rectal injury during external beam radiotherapy for prostate cancer. <i>Nature Reviews Urology</i> , 2013, 10, 345-357.	1.9	13

#	ARTICLE	IF	CITATIONS
127	Predictors of Health-related Quality of Life and Adjustment to Prostate Cancer During Active Surveillance. <i>European Urology</i> , 2013, 64, 30-36.	0.9	81
128	Impact of the radiotherapy technique on the correlation between dose-volume histograms of the bladder wall defined on MRI imaging and dose-volume/surface histograms in prostate cancer patients. <i>Physics in Medicine and Biology</i> , 2013, 58, N115-N123.	1.6	12
129	Improving plan quality and consistency by standardization of dose constraints in prostate cancer patients treated with CyberKnife. <i>Journal of Applied Clinical Medical Physics</i> , 2013, 14, 162-172.	0.8	19
130	Don't run before you can walk. <i>Nature Reviews Urology</i> , 2012, 9, 602-602.	1.9	0
131	Late rectal bleeding after 3D-CRT for prostate cancer: development of a neural-network-based predictive model. <i>Physics in Medicine and Biology</i> , 2012, 57, 1399-1412.	1.6	44
132	Is It Time to Tailor the Prediction of Radio-Induced Toxicity in Prostate Cancer Patients? Building the First Set of Nomograms for Late Rectal Syndrome. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 82, 1957-1966.	0.4	41
133	Late Fecal Incontinence After High-Dose Radiotherapy for Prostate Cancer: Better Prediction Using Longitudinal Definitions. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, 38-45.	0.4	38
134	Contouring Variability of the Penile Bulb on CT Images: Quantitative Assessment Using a Generalized Concordance Index. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 84, 841-846.	0.4	41
135	Correlation between surrogates of bladder dosimetry and dose-volume histograms of the bladder wall defined on MRI in prostate cancer radiotherapy. <i>Radiotherapy and Oncology</i> , 2012, 105, 180-183.	0.3	18
136	Increasing the risk of late rectal bleeding after high-dose radiotherapy for prostate cancer: The case of previous abdominal surgery. Results from a prospective trial. <i>Radiotherapy and Oncology</i> , 2012, 103, 252-255.	0.3	39
137	miR-205 regulates basement membrane deposition in human prostate: implications for cancer development. <i>Cell Death and Differentiation</i> , 2012, 19, 1750-1760.	5.0	77
138	Predictors of Unfavourable Repeat Biopsy Results in Men Participating in a Prospective Active Surveillance Program. <i>European Urology</i> , 2012, 61, 370-377.	0.9	64
139	Radical Prostatectomy for Low-Risk Prostate Cancer Following Initial Active Surveillance: Results From a Prospective Observational Study. <i>European Urology</i> , 2012, 62, 195-200.	0.9	89
140	The 6-year attendance of a multidisciplinary prostate cancer clinic in Italy: incidence of management changes. <i>BJU International</i> , 2012, 110, 998-1003.	1.3	47
141	Patient's choice of observational strategy for early-stage prostate cancer. <i>Neuropsychological Trends (discontinued)</i> , 2012, , .	0.4	8
142	The requirements of a specialist Prostate Cancer Unit: A discussion paper from the European School of Oncology. <i>European Journal of Cancer</i> , 2011, 47, 1-7.	1.3	45
143	Inclusion of clinical risk factors into NTCP modelling of late rectal toxicity after high dose radiotherapy for prostate cancer. <i>Radiotherapy and Oncology</i> , 2011, 100, 124-130.	0.3	65
144	Long-term biochemical control of prostate cancer after standard or hyper-fractionation: Evidence for different outcomes between low-intermediate and high risk patients. <i>Radiotherapy and Oncology</i> , 2011, 101, 454-459.	0.3	13

#	ARTICLE	IF	CITATIONS
145	Low dose of ketoconazole in patients with prostate adenocarcinoma resistant to pharmacological castration. <i>BJU International</i> , 2011, 108, 223-227.	1.3	10
146	Prostate Cancer Units: Has the Time Come to Discuss This Thorny Issue and Promote their Establishment in Europe?. <i>European Urology</i> , 2011, 60, 1193-1196.	0.9	8
147	Inter-observer variability in contouring the penile bulb on CT images for prostate cancer treatment planning. <i>Radiation Oncology</i> , 2011, 6, 123.	1.2	17
148	Multidisciplinary Versus One-on-One Setting: A Qualitative Study of Clinicians' Perceptions of Their Relationship With Patients With Prostate Cancer. <i>Journal of Oncology Practice</i> , 2011, 7, e1-e5.	2.5	27
149	Short-term outcomes of the prospective multicentre "Prostate Cancer Research International: Active Surveillance" study. <i>BJU International</i> , 2010, 105, 956-962.	1.3	157
150	miR-21: an oncomir on strike in prostate cancer. <i>Molecular Cancer</i> , 2010, 9, 12.	7.9	189
151	Multipeptide vaccination in cancer patients. <i>Expert Opinion on Biological Therapy</i> , 2009, 9, 1043-1055.	1.4	57
152	Prostate cancer treatment in Europe at the end of 1990s. <i>Acta Oncologica</i> , 2009, 48, 867-873.	0.8	11
153	miR-205 Exerts Tumor-Suppressive Functions in Human Prostate through Down-regulation of Protein Kinase C $\beta$ . <i>Cancer Research</i> , 2009, 69, 2287-2295.	0.4	334
154	The 2008 European School of Oncology inside Track Conference, "Predictive Modeling in Prostate Cancer". <i>Cancer</i> , 2009, 115, 3035-3038.	2.0	2
155	Predictive models of toxicity in external radiotherapy. <i>Cancer</i> , 2009, 115, 3135-3140.	2.0	39
156	Predictive models of toxicity with external radiotherapy for prostate cancer. <i>Cancer</i> , 2009, 115, 3141-3149.	2.0	33
157	Phase "II Study of Hypofractionated Simultaneous Integrated Boost With Tomotherapy for Prostate Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 74, 392-398.	0.4	58
158	Modified peptides in anti-cancer vaccines: are we eventually improving anti-tumour immunity?. <i>Cancer Immunology, Immunotherapy</i> , 2009, 58, 1159-1167.	2.0	21
159	Quality assurance of 3D-CRT: Indications and difficulties in their applications. <i>Critical Reviews in Oncology/Hematology</i> , 2009, 70, 24-38.	2.0	9
160	To Bleed or Not to Bleed. A Prediction Based on Individual Gene Profiling Combined With Dose-volume Histogram Shapes in Prostate Cancer Patients Undergoing Three-Dimensional Conformal Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 74, 1431-1440.	0.4	55
161	Dose-volume effects for normal tissues in external radiotherapy: Pelvis. <i>Radiotherapy and Oncology</i> , 2009, 93, 153-167.	0.3	249
162	Clinical and dosimetric predictors of late rectal toxicity after conformal radiation for localized prostate cancer: Results of a large multicenter observational study. <i>Radiotherapy and Oncology</i> , 2009, 93, 197-202.	0.3	71

#	ARTICLE	IF	CITATIONS
163	Predictive Modeling in Prostate Cancer: A Conference Summary. <i>European Urology</i> , 2009, 55, 300-302.	0.9	3
164	Clinical and Dosimetric Predictors of Late Rectal Syndrome After 3D-CRT for Localized Prostate Cancer: Preliminary Results of a Multicenter Prospective Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 70, 1130-1137.	0.4	132
165	Development of a Set of Nomograms to Predict Acute Lower Gastrointestinal Toxicity for Prostate Cancer 3D-CRT. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 71, 1065-1073.	0.4	68
166	Evidence of Limited Motion of the Prostate by Carefully Emptying the Rectum as Assessed by Daily MVCT Image Guidance with Helical Tomotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 71, 611-617.	0.4	71
167	Hypofractionated adjuvant radiotherapy with helical Tomotherapy after radical prostatectomy: Planning data and toxicity results of a Phase II study. <i>Radiotherapy and Oncology</i> , 2008, 88, 26-33.	0.3	39
168	Physics aspects of prostate tomotherapy: Planning optimization and image-guidance issues. <i>Acta Oncologica</i> , 2008, 47, 1309-1316.	0.8	35
169	Regional Estimates of Prostate Cancer Burden in Italy. <i>Tumori</i> , 2007, 93, 380-386.	0.6	25
170	Predictors for Rectal and Intestinal Acute Toxicities During Prostate Cancer High-Dose 3D-CRT: Results of a Prospective Multicenter Study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 67, 1401-1410.	0.4	91
171	Vaccination therapy in prostate cancer. <i>Cancer Immunology, Immunotherapy</i> , 2007, 56, 429-445.	2.0	21
172	Emptying the rectum before treatment delivery limits the variations of rectal dose-volume parameters during 3DCRT of prostate cancer. <i>Radiotherapy and Oncology</i> , 2006, 80, 363-370.	0.3	74
173	Fractionation and late rectal toxicity: No reliable estimates of $\hat{1}\pm/\hat{1}^2$ value for rectum can be derived from studies where different volumes of rectum are irradiated at different dose levels: In regard to Brenner ( <i>Int J Radiat Oncol Biol Phys</i> 2004;60:1013-1015.). <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 62, 289-290.	0.4	6
174	In regard to Kagan: "The multidisciplinary clinic" ( <i>Int J Radiat Oncol Biol Phys</i> 2005;61:967-968). <i>International Journal of Radiation Oncology Biology Physics</i> , 2005, 63, 309-310.	0.4	13
175	Cancer of the prostate. <i>Critical Reviews in Oncology/Hematology</i> , 2005, 56, 379-396.	2.0	89
176	Italian Survey in Postoperative Radiation Therapy for Prostate Carcinoma by the Airo National Working Group on Prostate Radiotherapy: Definitive Results. <i>Tumori</i> , 2005, 91, 156-162.	0.6	1
177	Is the alpha-beta ratio of prostate cancer really low? A prospective, non-randomized trial comparing standard and hyperfractionated conformal radiation therapy. <i>Radiotherapy and Oncology</i> , 2005, 75, 74-82.	0.3	74
178	In response to Dr. G. Bauman and Dr. G. Rodrigues. <i>International Journal of Radiation Oncology Biology Physics</i> , 2004, 59, 914-915.	0.4	0
179	Fitting late rectal bleeding data using different NTCP models: results from an Italian multi-centric study (AIROPROS0101). <i>Radiotherapy and Oncology</i> , 2004, 73, 21-32.	0.3	183
180	The impact of contouring uncertainty on rectal 3D dose-volume data: Results of a dummy run in a multicenter trial (AIROPROS0102). <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 57, 573-579.	0.4	73

#	ARTICLE	IF	CITATIONS
181	Rectal dose-volume constraints in high-dose radiotherapy of localized prostate cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2003, 57, 953-962.	0.4	177
182	Malignant melanoma. <i>Critical Reviews in Oncology/Hematology</i> , 2003, 47, 35-63.	2.0	55
183	Subclinical Ductal Carcinoma in Situ of the Breast: Treatment with Conservative Surgery and Radiotherapy. <i>Tumori</i> , 1999, 85, 488-493.	0.6	11
184	Patterns of radiotherapy for early breast cancer in Northern Italy compared with European and national standards. <i>Radiotherapy and Oncology</i> , 1999, 51, 79-85.	0.3	10
185	Quality Control by Portal Film Analysis in Radiotherapy for Prostate Cancer: A Comparison between Two Different Institutions and Treatment Techniques. <i>Tumori</i> , 1998, 84, 640-648.	0.6	5
186	Hyperfractionated radiation in combination with local hyperthermia in the treatment of advanced squamous cell carcinoma of the head and neck: a phase I/II study. <i>Radiotherapy and Oncology</i> , 1997, 45, 155-158.	0.3	24
187	Clinical target volume localization using conventional methods (anatomy and palpation) and ultrasonography in early breast cancer post-operative external irradiation. <i>Radiotherapy and Oncology</i> , 1997, 42, 231-237.	0.3	14
188	Ten-year results of treatment of ductal carcinoma in situ (DCIS) of the breast with conservative surgery and radiotherapy. <i>European Journal of Cancer</i> , 1997, 33, 1559-1565.	1.3	35
189	Past and present of radiation oncology in Italy. <i>International Journal of Radiation Oncology Biology Physics</i> , 1996, 35, 609-614.	0.4	0
190	Hyperthermia and radiation therapy for inoperable or recurrent parotid carcinoma. A phase I/II study. <i>Cancer</i> , 1995, 75, 908-913.	2.0	22
191	Report of long-term follow-up in a randomized trial comparing radiation therapy and radiation therapy plus hyperthermia to metastatic lymphnodes in stage IV head and neck patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 1994, 28, 163-169.	0.4	263
192	Cisplatin, hyperthermia, and radiation (trimodal therapy) in patients with locally advanced head and neck tumors: A phase I/II study. <i>International Journal of Radiation Oncology Biology Physics</i> , 1993, 26, 801-807.	0.4	59
193	Beam modifying devices in the treatment of early breast cancer: 3-D stepped compensating technique. <i>Radiotherapy and Oncology</i> , 1992, 23, 192-195.	0.3	19
194	Radiation Treatment of Prostate Bone Metastases and the Biological Considerations. <i>Advances in Experimental Medicine and Biology</i> , 1992, 324, 255-268.	0.8	8
195	Quality control in the conservative treatment of breast cancer: patient dosimetry using silicon detectors. <i>Radiotherapy and Oncology</i> , 1991, 22, 304-307.	0.3	9
196	Early breast cancer irradiation after conservative surgery: quality control by portal localization films. <i>Radiotherapy and Oncology</i> , 1991, 22, 311-313.	0.3	31
197	Response to Parsons. <i>International Journal of Radiation Oncology Biology Physics</i> , 1991, 20, 1382.	0.4	1
198	Radiation Therapy of Carotid Body Tumors. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 1990, 13, 45-48.	0.6	64

#	ARTICLE	IF	CITATIONS
199	Reduction of spinal metastases after preemptive irradiation in prostatic cancer. International Journal of Radiation Oncology Biology Physics, 1990, 18, 1019-1025.	0.4	16
200	Evaluating Radiation in Combination with Hyperthermia Trials: The Importance of Clinical and Technical Parameters. Tumori, 1990, 76, 205-211.	0.6	1
201	Absorption rate density (ARD) computation in microwave hyperthermia by the finite-difference time-domain method. Physics in Medicine and Biology, 1990, 35, 891-904.	1.6	5
202	Important prognostic factors influencing outcome of combined radiation and hyperthermia. International Journal of Radiation Oncology Biology Physics, 1988, 15, 959-972.	0.4	102
203	Radical radiation alone versus radical radiation plus microwave hyperthermia for N3 (TNM-UICC) neck nodes: a prospective randomized clinical trial. International Journal of Radiation Oncology Biology Physics, 1988, 15, 13-24.	0.4	156
204	Intracavitary hyperthermia: Construction and heat patterns of individualized vaginal prototype applicators. International Journal of Hyperthermia, 1988, 4, 457-466.	1.1	17
205	Peripheral DTIC neurotoxicity: a case report. Cancer Chemotherapy and Pharmacology, 1987, 19, 87-88.	1.1	1
206	Correlations of thermal washout rate, steady state temperatures, and tissue type in deep seated recurrent or metastatic tumors. International Journal of Radiation Oncology Biology Physics, 1987, 13, 907-916.	0.4	68
207	N <sub>3</sub> (TNM-UICC) metastatic neck nodes managed by combined radiation therapy and hyperthermia: clinical results and analysis of treatment parameters. International Journal of Hyperthermia, 1986, 2, 189-200.	1.1	51
208	Local Microwave Hyperthermia in Cancer Therapy. Preliminary Report. Tumori, 1982, 68, 247-251.	0.6	4