

Franklin Outten

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6747645/publications.pdf>

Version: 2024-02-01

40
papers

4,113
citations

172457

29
h-index

302126

39
g-index

42
all docs

42
docs citations

42
times ranked

3868
citing authors

#	ARTICLE	IF	CITATIONS
1	Ni-NTA Affinity Chromatography to Characterize Protein-Protein Interactions During Fe-S Cluster Biogenesis. <i>Methods in Molecular Biology</i> , 2021, 2353, 125-136.	0.9	1
2	Fe-S cluster biogenesis by the bacterial Suf pathway. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2020, 1867, 118829.	4.1	40
3	Nickel exposure reduces enterobactin production in <i>Escherichia coli</i> . <i>MicrobiologyOpen</i> , 2019, 8, e00691.	3.0	6
4	Direct observation of intermediates in the SufS cysteine desulfurase reaction reveals functional roles of conserved active-site residues. <i>Journal of Biological Chemistry</i> , 2019, 294, 12444-12458.	3.4	21
5	Structural Evidence for Dimer-Interface-Driven Regulation of the Type II Cysteine Desulfurase, SufS. <i>Biochemistry</i> , 2019, 58, 687-696.	2.5	20
6	Extra-mitochondrial Cu/Zn superoxide dismutase (Sod1) is dispensable for protection against oxidative stress but mediates peroxide signaling in <i>Saccharomyces cerevisiae</i> . <i>Redox Biology</i> , 2019, 21, 101064.	9.0	39
7	Evidence that a respiratory shield in <i>Escherichia coli</i> protects a low-molecular-mass FeII pool from O ₂ -dependent oxidation. <i>Journal of Biological Chemistry</i> , 2019, 294, 50-62.	3.4	35
8	Changes in Protein Dynamics in <i>Escherichia coli</i> SufS Reveal a Possible Conserved Regulatory Mechanism in Type II Cysteine Desulfurase Systems. <i>Biochemistry</i> , 2018, 57, 5210-5217.	2.5	13
9	Conserved cysteine residues are necessary for nickel-induced allosteric regulation of the metalloregulatory protein YqjI (NfeR) in <i>E. coli</i> . <i>Journal of Inorganic Biochemistry</i> , 2018, 184, 123-133.	3.5	3
10	Heme dynamics and trafficking factors revealed by genetically encoded fluorescent heme sensors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 7539-7544.	7.1	154
11	Recent advances in the Suf Fe-S cluster biogenesis pathway: Beyond the Proteobacteria. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 1464-1469.	4.1	63
12	Functional Dynamics Revealed by the Structure of the SufBCD Complex, a Novel ATP-binding Cassette (ABC) Protein That Serves as a Scaffold for Iron-Sulfur Cluster Biogenesis. <i>Journal of Biological Chemistry</i> , 2015, 290, 29717-29731.	3.4	77
13	SufE D74R Substitution Alters Active Site Loop Dynamics To Further Enhance SufE Interaction with the SufS Cysteine Desulfurase. <i>Biochemistry</i> , 2015, 54, 4824-4833.	2.5	11
14	12. A stress-responsive Fe-S cluster biogenesis system in bacteria - the suf operon of Gammaproteobacteria. , 2014, , 297-324.		1
15	Communication between Binding Sites Is Required for YqjI Regulation of Target Promoters within the <i>yqjH-yqjI</i> Intergenic Region. <i>Journal of Bacteriology</i> , 2014, 196, 3199-3207.	2.2	7
16	Interplay between Oxygen and Fe-S Cluster Biogenesis: Insights from the Suf Pathway. <i>Biochemistry</i> , 2014, 53, 5834-5847.	2.5	106
17	<i>Escherichia coli</i> SufE Sulfur Transfer Protein Modulates the SufS Cysteine Desulfurase through Allosteric Conformational Dynamics*. <i>Journal of Biological Chemistry</i> , 2013, 288, 36189-36200.	3.4	35
18	Lability and Liability of Endogenous Copper Pools. <i>Journal of Bacteriology</i> , 2013, 195, 4553-4555.	2.2	11

#	ARTICLE	IF	CITATIONS
19	The <i>E. coli</i> SufS-SufE sulfur transfer system is more resistant to oxidative stress than IscS-IscU. <i>FEBS Letters</i> , 2012, 586, 4016-4022.	2.8	77
20	Separate FeS scaffold and carrier functions for SufB2C2 and SufA during in vitro maturation of [2Fe2S] Fdx. <i>Journal of Inorganic Biochemistry</i> , 2012, 116, 126-134.	3.5	45
21	Fur and the Novel Regulator YqjI Control Transcription of the Ferric Reductase Gene <i>yqjH</i> in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2011, 193, 563-574.	2.2	44
22	SufD and SufC ATPase Activity Are Required for Iron Acquisition during in Vivo Fe-S Cluster Formation on SufB. <i>Biochemistry</i> , 2010, 49, 9402-9412.	2.5	110
23	Iron-Based Redox Switches in Biology. <i>Antioxidants and Redox Signaling</i> , 2009, 11, 1029-1046.	5.4	88
24	Native <i>Escherichia coli</i> SufA, Coexpressed with SufBCDSE, Purifies as a [2Fe ²⁺ S] Protein and Acts as an Fe ²⁺ S Transporter to Fe ²⁺ S Target Enzymes. <i>Journal of the American Chemical Society</i> , 2009, 131, 6149-6153.	13.7	89
25	IscR Controls Iron-Dependent Biofilm Formation in <i>Escherichia coli</i> by Regulating Type I Fimbria Expression. <i>Journal of Bacteriology</i> , 2009, 191, 1248-1257.	2.2	151
26	The SufBCD Fe ²⁺ S Scaffold Complex Interacts with SufA for Fe ²⁺ S Cluster Transfer. <i>Biochemistry</i> , 2009, 48, 10644-10653.	2.5	91
27	Molecular Dynamism of Fe ²⁺ S Cluster Biosynthesis Implicated by the Structure of the SufC2-SufD2 Complex. <i>Journal of Molecular Biology</i> , 2009, 387, 245-258.	4.2	39
28	The Impact of O ₂ on the Fe ²⁺ S Cluster Biogenesis Requirements of <i>Escherichia coli</i> FNR. <i>Journal of Molecular Biology</i> , 2008, 384, 798-811.	4.2	57
29	Fe-S Cluster Assembly Pathways in Bacteria. <i>Microbiology and Molecular Biology Reviews</i> , 2008, 72, 110-125.	6.6	306
30	SufE Transfers Sulfur from SufS to SufB for Iron-Sulfur Cluster Assembly. <i>Journal of Biological Chemistry</i> , 2007, 282, 13342-13350.	3.4	140
31	Iron-sulfur clusters as oxygen-responsive molecular switches. <i>Nature Chemical Biology</i> , 2007, 3, 206-207.	8.0	36
32	Mutational Analysis To Define an Activating Region on the Redox-Sensitive Transcriptional Regulator OxyR. <i>Journal of Bacteriology</i> , 2006, 188, 8335-8342.	2.2	23
33	Repair of Oxidized Iron-Sulfur Clusters in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 44590-44599.	3.4	166
34	A suf operon requirement for Fe-S cluster assembly during iron starvation in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2004, 52, 861-872.	2.5	400
35	The SufE Protein and the SufBCD Complex Enhance SufS Cysteine Desulfurase Activity as Part of a Sulfur Transfer Pathway for Fe-S Cluster Assembly in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2003, 278, 45713-45719.	3.4	252
36	Spectroscopy of Cu(II)-PcoC and the Multicopper Oxidase Function of PcoA, Two Essential Components of <i>Escherichia coli</i> pcoCopper Resistance Operon. <i>Biochemistry</i> , 2002, 41, 10046-10055.	2.5	92

#	ARTICLE	IF	CITATIONS
37	The Independent cue and cusSystems Confer Copper Tolerance during Aerobic and Anaerobic Growth in Escherichia coli. Journal of Biological Chemistry, 2001, 276, 30670-30677.	3.4	492
38	Transcriptional Activation of an Escherichia coli Copper Efflux Regulon by the Chromosomal MerR Homologue, CueR. Journal of Biological Chemistry, 2000, 275, 31024-31029.	3.4	288
39	Identification of a Copper-Responsive Two-Component System on the Chromosome of Escherichia coli K-12. Journal of Bacteriology, 2000, 182, 5864-5871.	2.2	299
40	DNA Distortion Mechanism for Transcriptional Activation by ZntR, a Zn(II)-responsive MerR Homologue in Escherichia coli. Journal of Biological Chemistry, 1999, 274, 37517-37524.	3.4	183