

Xiangyu Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6747856/publications.pdf>

Version: 2024-02-01

77
papers

3,194
citations

172457

29
h-index

155660

55
g-index

80
all docs

80
docs citations

80
times ranked

3070
citing authors

#	ARTICLE	IF	CITATIONS
1	Bismuth chloride@mesocellular carbon foam nanocomposite cathode materials for rechargeable chloride ion batteries. Chinese Chemical Letters, 2022, 33, 2200-2204.	9.0	15
2	Intelligent upgrading of plant breeding: Decision support tools in the golden seed breeding cloud platform. Computers and Electronics in Agriculture, 2022, 194, 106672.	7.7	8
3	Halogen Storage Electrode Materials for Rechargeable Batteries. Energy and Environmental Materials, 2022, 5, 1155-1179.	12.8	19
4	Polyxylylviologen Chloride as an Organic Electrode Material for Efficient Reversible Chloride-Ion Storage. ACS Applied Energy Materials, 2022, 5, 6980-6985.	5.1	11
5	Phoenix Tree Leavesâ€‘Derived Biomass Carbons for Sodium-Ion Batteries. , 2021, , 135-146.		0
6	Carbon Nanotube Supported Li-Excess Cation-Disordered Li _{1.24} Fe _{0.38} Ti _{0.38} O ₂ Cathode with Enhanced Lithium-Ion Storage Performance. Journal of Electronic Materials, 2021, 50, 5029-5036.	2.2	4
7	Chloride ion storage performance of polyaniline/graphene nanocomposite in aqueous sodium chloride solution. Materials Research Bulletin, 2021, 138, 111209.	5.2	7
8	A Pyrite Iron Disulfide Cathode with a Copper Current Collector for Highâ€‘Energy Reversible Magnesiumâ€‘Ion Storage. Advanced Materials, 2021, 33, e2103881.	21.0	50
9	Halogenidâ€‘basierte Materialien und Chemie fÃ¼r wiederaufladbare Batterien. Angewandte Chemie, 2020, 132, 5954-6004.	2.0	14
10	Halideâ€‘Based Materials and Chemistry for Rechargeable Batteries. Angewandte Chemie - International Edition, 2020, 59, 5902-5949.	13.8	142
11	Highâ€‘Energy Interlayerâ€‘Expanded Copper Sulfide Cathode Material in Nonâ€‘Corrosive Electrolyte for Rechargeable Magnesium Batteries. Advanced Materials, 2020, 32, e1905524.	21.0	125
12	Resol and urea derived N-doped porous carbon for Na-ion storage. Materials Chemistry and Physics, 2020, 254, 123535.	4.0	9
13	A Highâ€‘Energy Aqueous Manganeseâ€‘Metal Hydride Hybrid Battery. Advanced Materials, 2020, 32, e2001106.	21.0	22
14	Plant Breeding Evaluation Based on Coupled Feature Representation. IEEE Access, 2020, 8, 153641-153650.	4.2	1
15	Low-Temperature Synthesis of LiFePO ₄ Nanoplates/C Composite for Lithium Ion Batteries. Energy & Fuels, 2020, 34, 11597-11605.	5.1	15
16	Nitrogen/chlorine-doped carbon nanodisk-encapsulated hematite nanoparticles for high-performance lithium-ion storage. Journal of Alloys and Compounds, 2020, 843, 156045.	5.5	7
17	Room-Temperature Stable Inorganic Halide Perovskite as Potential Solid Electrolyte for Chloride Ion Batteries. ACS Applied Materials & Interfaces, 2020, 12, 18634-18641.	8.0	35
18	Vanadium oxychloride as cathode for rechargeable aluminum batteries. Journal of Alloys and Compounds, 2019, 806, 1109-1115.	5.5	9

#	ARTICLE	IF	CITATIONS
19	Cation-Disordered Lithium-Excess Li ⁺ Fe ²⁺ Ti Oxide Cathode Materials for Enhanced Li-Ion Storage. ACS Applied Materials & Interfaces, 2019, 11, 44144-44152.	8.0	22
20	Polypyrrole as a Novel Chloride-Ion Storage Electrode for Seawater Desalination. Energy Technology, 2019, 7, 1900835.	3.8	40
21	An All-Solid-State Rechargeable Chloride Ion Battery. Advanced Science, 2019, 6, 1802130.	11.2	41
22	Polyaniline-Intercalated FeOCl Cathode Material for Chloride-Ion Batteries. ChemElectroChem, 2019, 6, 1761-1767.	3.4	31
23	Polypyrrole-coated iron oxychloride cathode material with improved cycling stability for chloride ion batteries. Journal of Alloys and Compounds, 2019, 788, 407-412.	5.5	37
24	Triconstituent co-assembly to hierarchically porous carbons as high-performance anodes for sodium-ion batteries. Journal of Alloys and Compounds, 2019, 771, 140-146.	5.5	7
25	Typha-derived hard carbon for high-performance sodium ion storage. Journal of Alloys and Compounds, 2019, 784, 1290-1296.	5.5	28
26	Ti substituted Ni-free Zr _{65-x} Ti _x Cu _{17.5} Fe ₁₀ Al _{7.5} bulk metallic glasses with significantly enhanced glass-forming ability and mechanical properties. Journal of Alloys and Compounds, 2019, 773, 713-718.	5.5	10
27	Chloride ion-doped polypyrrole nanocomposite as cathode material for rechargeable magnesium battery. Materials Research Bulletin, 2018, 101, 1-5.	5.2	24
28	Yolk-Shell NiS ₂ Nanoparticle-Embedded Carbon Fibers for Flexible Fiber-Shaped Sodium Battery. Advanced Energy Materials, 2018, 8, 1800054.	19.5	162
29	Chloride ion-doped polyaniline/carbon nanotube nanocomposite materials as new cathodes for chloride ion battery. Electrochimica Acta, 2018, 270, 30-36.	5.2	68
30	Phoenix tree leaves-derived biomass carbons for sodium-ion batteries. Functional Materials Letters, 2018, 11, 1840008.	1.2	11
31	Enhanced chloride ion corrosion resistance of Zr-based bulk metallic glasses with cobalt substitution. Journal of Non-Crystalline Solids, 2018, 496, 18-23.	3.1	23
32	Image enhancement for crop trait information acquisition system. Information Processing in Agriculture, 2018, 5, 433-442.	4.1	6
33	Developing Polymer Cathode Material for the Chloride Ion Battery. ACS Applied Materials & Interfaces, 2017, 9, 2535-2540.	8.0	90
34	Nanoconfined Iron Oxychloride Material as a High-Performance Cathode for Rechargeable Chloride Ion Batteries. ACS Energy Letters, 2017, 2, 2341-2348.	17.4	87
35	Co substituted Zr-Cu-Al-Ni metallic glasses with enhanced glass-forming ability and high plasticity. Journal of Non-Crystalline Solids, 2017, 473, 120-124.	3.1	17
36	Improved electrochemical properties of flower-like Co architectures as anode materials for alkaline secondary batteries. Functional Materials Letters, 2017, 10, 1750076.	1.2	4

#	ARTICLE	IF	CITATIONS
37	Intercalation and electrochemical behaviors of layered FeOCl cathode material in chloride ion battery. Materials Research Bulletin, 2017, 96, 485-490.	5.2	35
38	Plant Breeding Evaluation with Rank Entropy-based Decision Tree. IFAC-PapersOnLine, 2016, 49, 336-340.	0.9	2
39	Hierarchically ordered mesoporous Co ₃ O ₄ materials for high performance Li-ion batteries. Scientific Reports, 2016, 6, 19564.	3.3	79
40	Spinel LiMn ₂ xSi _x O ₄ (x ≤ 1) through Si ⁴⁺ substitution as a potential cathode material for lithium-ion batteries. Science China Materials, 2016, 59, 558-566.	6.3	8
41	Improving Diversity of User-Based Two-Step Recommendation Algorithm with Popularity Normalization. Lecture Notes in Computer Science, 2016, , 15-26.	1.3	7
42	Nanostructured cation disordered Li ₂ FeTiO ₄ /graphene composite as high capacity cathode for lithium-ion batteries. Materials Technology, 2016, 31, 537-543.	3.0	22
43	Carbon incorporation effects and reaction mechanism of FeOCl cathode materials for chloride ion batteries. Scientific Reports, 2016, 6, 19448.	3.3	43
44	Electrochemical properties of Co-S/x wt.% AB ₅ composite materials. Science China Technological Sciences, 2015, 58, 1355-1359.	4.0	3
45	Facile and Eco-Friendly Synthesis of Finger-Like Co ₃ O ₄ Nanorods for Electrochemical Energy Storage. Nanomaterials, 2015, 5, 2335-2347.	4.1	19
46	Improving Top-N Recommendation Performance Using Missing Data. Mathematical Problems in Engineering, 2015, 2015, 1-13.	1.1	8
47	Batteries: Performance Improvement of Magnesium Sulfur Batteries with Modified Non-Nucleophilic Electrolytes (Adv. Energy Mater. 3/2015). Advanced Energy Materials, 2015, 5, .	19.5	2
48	The spinel phase LiMnTiO ₄ as a potential cathode for rechargeable lithium ion batteries. Journal of Materials Science: Materials in Electronics, 2015, 26, 6366-6372.	2.2	10
49	Performance Improvement of Magnesium Sulfur Batteries with Modified Non-Nucleophilic Electrolytes. Advanced Energy Materials, 2015, 5, 1401155.	19.5	308
50	Electrochemical performance of nanocrystalline Li ₂ CoTiO ₄ cathode materials for lithium ion batteries. Journal of Alloys and Compounds, 2015, 618, 210-216.	5.5	10
51	A hybrid approach of topic model and matrix factorization based on two-step recommendation framework. Journal of Intelligent Information Systems, 2015, 44, 335-353.	3.9	32
52	Vanadium Oxychloride/Magnesium Electrode Systems for Chloride Ion Batteries. ACS Applied Materials & Interfaces, 2014, 6, 22430-22435.	8.0	64
53	A hybrid recommendation algorithm adapted in e-learning environments. World Wide Web, 2014, 17, 271-284.	4.0	138
54	Novel transmetalation reaction for electrolyte synthesis for rechargeable magnesium batteries. RSC Advances, 2014, 4, 26924-26927.	3.6	55

#	ARTICLE	IF	CITATIONS
55	Magnesium Anode for Chloride Ion Batteries. ACS Applied Materials & Interfaces, 2014, 6, 10997-11000.	8.0	69
56	Chloride ion battery: A new member in the rechargeable battery family. Journal of Power Sources, 2014, 245, 706-711.	7.8	148
57	Interest before liking: Two-step recommendation approaches. Knowledge-Based Systems, 2013, 48, 46-56.	7.1	35
58	Bisamide based non-nucleophilic electrolytes for rechargeable magnesium batteries. RSC Advances, 2013, 3, 16330.	3.6	164
59	Electrochemical redox mechanism of Co ²⁺ /H anode material and its optimization by a novel electrolyte additive. RSC Advances, 2013, 3, 1327-1331.	3.6	8
60	Metal Oxychlorides as Cathode Materials for Chloride Ion Batteries. Angewandte Chemie - International Edition, 2013, 52, 13621-13624.	13.8	145
61	Opinion-Based Collaborative Filtering to Solve Popularity Bias in Recommender Systems. Lecture Notes in Computer Science, 2013, , 426-433.	1.3	21
62	Co-based anode materials for alkaline rechargeable Ni/Co batteries: a review. Journal of Materials Chemistry, 2012, 22, 277-285.	6.7	48
63	Cation disordered rock salt phase Li ₂ CoTiO ₄ as a potential cathode material for Li-ion batteries. Journal of Materials Chemistry, 2012, 22, 6200.	6.7	39
64	Electrochemical hydrogen storage properties of a non-equilibrium Ti ₂ Ni alloy. RSC Advances, 2012, 2, 2149.	3.6	14
65	Structure and electrochemical hydrogen storage properties of A ₂ B-type Ti ²⁺ /Zr ²⁺ /Ni alloys. International Journal of Hydrogen Energy, 2012, 37, 5050-5055.	7.1	30
66	Electrochemical energy storage of Co powders in alkaline electrolyte. Electrochimica Acta, 2010, 55, 1169-1174.	5.2	15
67	Electrochemical properties of Co(OH) ₂ powders as an anode in an alkaline battery. Journal of Materials Science, 2010, 45, 3752-3756.	3.7	13
68	Electrochemical properties of Ti ²⁺ /Ni ²⁺ /H powders prepared by milling titanium hydride and nickel. International Journal of Hydrogen Energy, 2010, 35, 3076-3079.	7.1	11
69	Synergistic effects in an AB ₅ -type Co material as an anode for a secondary alkaline battery. International Journal of Hydrogen Energy, 2010, 35, 4342-4346.	7.1	6
70	Structural evolution and electrochemical hydrogenation behavior of Ti ₂ Ni alloy. Intermetallics, 2010, 18, 1086-1090.	3.9	13
71	Ti ₂ Ni alloy: a potential candidate for hydrogen storage in nickel/metal hydride secondary batteries. Energy and Environmental Science, 2010, 3, 1316.	30.8	38
72	Effect of surface treatments on microstructure and electrochemical properties of La ²⁺ /Ni ²⁺ /Al hydrogen storage alloy. International Journal of Hydrogen Energy, 2009, 34, 1904-1909.	7.1	25

#	ARTICLE	IF	CITATIONS
73	Effect of particle size on the electrochemical properties of $\text{MmNi}_{3.8}\text{Co}_{0.75}\text{Mn}_{0.4}\text{Al}_{0.2}$ hydrogen storage alloy. International Journal of Hydrogen Energy, 2009, 34, 3389-3394.	7.1	20
74	Recent progress in hydrogen storage alloys for nickel/metal hydride secondary batteries. International Journal of Hydrogen Energy, 2009, 34, 4788-4796.	7.1	208
75	Effect of Mechanical Milling on the Structure and Electrochemical Properties of Ti_2Ni Alloy in an Alkaline Battery. Energy & Fuels, 2009, 23, 4678-4682.	5.1	13
76	Effect of surface treatment on electrochemical properties of $\text{MmNi}_{3.8}\text{Co}_{0.75}\text{Mn}_{0.4}\text{Al}_{0.2}\text{MmNi}_{3.8}\text{Co}_{0.75}\text{Mn}_{0.4}\text{Al}_{0.2}$ hydrogen storage alloy. International Journal of Hydrogen Energy, 2008, 33, 81-86.	7.1	44
77	Porous $\text{TiO}_2 \cdot x$ with oxygen deficiency as sulfur host for lithium-sulfur batteries. Functional Materials Letters, 0, , 2143004.	1.2	1