

Xiangyu Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6747856/publications.pdf>

Version: 2024-02-01

77
papers

3,194
citations

172207

29
h-index

155451

55
g-index

80
all docs

80
docs citations

80
times ranked

3070
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Bismuth chloride@mesocellular carbon foam nanocomposite cathode materials for rechargeable chloride ion batteries. Chinese Chemical Letters, 2022, 33, 2200-2204. | 4.8 | 15 |
| 2 | Intelligent upgrading of plant breeding: Decision support tools in the golden seed breeding cloud platform. Computers and Electronics in Agriculture, 2022, 194, 106672. | 3.7 | 8 |
| 3 | Halogen Storage Electrode Materials for Rechargeable Batteries. Energy and Environmental Materials, 2022, 5, 1155-1179. | 7.3 | 19 |
| 4 | Polyxylylviologen Chloride as an Organic Electrode Material for Efficient Reversible Chloride-Ion Storage. ACS Applied Energy Materials, 2022, 5, 6980-6985. | 2.5 | 11 |
| 5 | Phoenix Tree Leavesâ€“Derived Biomass Carbons for Sodium-Ion Batteries. , 2021, , 135-146. | | 0 |
| 6 | Carbon Nanotube Supported Li-Excess Cation-Disordered Li _{1.24} Fe _{0.38} Ti _{0.38} O ₂ Cathode with Enhanced Lithium-Ion Storage Performance. Journal of Electronic Materials, 2021, 50, 5029-5036. | 1.0 | 4 |
| 7 | Chloride ion storage performance of polyaniline/graphene nanocomposite in aqueous sodium chloride solution. Materials Research Bulletin, 2021, 138, 111209. | 2.7 | 7 |
| 8 | A Pyrite Iron Disulfide Cathode with a Copper Current Collector for Highâ€“Energy Reversible Magnesiumâ€“Ion Storage. Advanced Materials, 2021, 33, e2103881. | 11.1 | 50 |
| 9 | Halogenidâ€“basierte Materialien und Chemie fÃ¼r wiederaufladbare Batterien. Angewandte Chemie, 2020, 132, 5954-6004. | 1.6 | 14 |
| 10 | Halideâ€“Based Materials and Chemistry for Rechargeable Batteries. Angewandte Chemie - International Edition, 2020, 59, 5902-5949. | 7.2 | 142 |
| 11 | Highâ€“Energy Interlayerâ€“Expanded Copper Sulfide Cathode Material in Nonâ€“Corrosive Electrolyte for Rechargeable Magnesium Batteries. Advanced Materials, 2020, 32, e1905524. | 11.1 | 125 |
| 12 | Resol and urea derived N-doped porous carbon for Na-ion storage. Materials Chemistry and Physics, 2020, 254, 123535. | 2.0 | 9 |
| 13 | A Highâ€“Energy Aqueous Manganeseâ€“Metal Hydride Hybrid Battery. Advanced Materials, 2020, 32, e2001106. | 11.1 | 22 |
| 14 | Plant Breeding Evaluation Based on Coupled Feature Representation. IEEE Access, 2020, 8, 153641-153650. | 2.6 | 1 |
| 15 | Low-Temperature Synthesis of LiFePO ₄ Nanoplates/C Composite for Lithium Ion Batteries. Energy & Fuels, 2020, 34, 11597-11605. | 2.5 | 15 |
| 16 | Nitrogen/chlorine-doped carbon nanodisk-encapsulated hematite nanoparticles for high-performance lithium-ion storage. Journal of Alloys and Compounds, 2020, 843, 156045. | 2.8 | 7 |
| 17 | Room-Temperature Stable Inorganic Halide Perovskite as Potential Solid Electrolyte for Chloride Ion Batteries. ACS Applied Materials & Interfaces, 2020, 12, 18634-18641. | 4.0 | 35 |
| 18 | Vanadium oxychloride as cathode for rechargeable aluminum batteries. Journal of Alloys and Compounds, 2019, 806, 1109-1115. | 2.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Cation-Disordered Lithium-Excess Li ⁺ Fe ²⁺ Ti Oxide Cathode Materials for Enhanced Li-Ion Storage. ACS Applied Materials & Interfaces, 2019, 11, 44144-44152. | 4.0 | 22 |
| 20 | Polypyrrole as a Novel Chloride Storage Electrode for Seawater Desalination. Energy Technology, 2019, 7, 1900835. | 1.8 | 40 |
| 21 | An All-Solid-State Rechargeable Chloride Ion Battery. Advanced Science, 2019, 6, 1802130. | 5.6 | 41 |
| 22 | Polyaniline-Intercalated FeOCl Cathode Material for Chloride Ion Batteries. ChemElectroChem, 2019, 6, 1761-1767. | 1.7 | 31 |
| 23 | Polypyrrole-coated iron oxychloride cathode material with improved cycling stability for chloride ion batteries. Journal of Alloys and Compounds, 2019, 788, 407-412. | 2.8 | 37 |
| 24 | Triconstituent co-assembly to hierarchically porous carbons as high-performance anodes for sodium-ion batteries. Journal of Alloys and Compounds, 2019, 771, 140-146. | 2.8 | 7 |
| 25 | Typha-derived hard carbon for high-performance sodium ion storage. Journal of Alloys and Compounds, 2019, 784, 1290-1296. | 2.8 | 28 |
| 26 | Ti substituted Ni-free Zr _{65-x} Ti _x Cu _{17.5} Fe ₁₀ Al _{7.5} bulk metallic glasses with significantly enhanced glass-forming ability and mechanical properties. Journal of Alloys and Compounds, 2019, 773, 713-718. | 2.8 | 10 |
| 27 | Chloride ion-doped polypyrrole nanocomposite as cathode material for rechargeable magnesium battery. Materials Research Bulletin, 2018, 101, 1-5. | 2.7 | 24 |
| 28 | Yolk-Shell NiS ₂ Nanoparticle-Embedded Carbon Fibers for Flexible Fiber-Shaped Sodium Battery. Advanced Energy Materials, 2018, 8, 1800054. | 10.2 | 162 |
| 29 | Chloride ion-doped polyaniline/carbon nanotube nanocomposite materials as new cathodes for chloride ion battery. Electrochimica Acta, 2018, 270, 30-36. | 2.6 | 68 |
| 30 | Phoenix tree leaves-derived biomass carbons for sodium-ion batteries. Functional Materials Letters, 2018, 11, 1840008. | 0.7 | 11 |
| 31 | Enhanced chloride ion corrosion resistance of Zr-based bulk metallic glasses with cobalt substitution. Journal of Non-Crystalline Solids, 2018, 496, 18-23. | 1.5 | 23 |
| 32 | Image enhancement for crop trait information acquisition system. Information Processing in Agriculture, 2018, 5, 433-442. | 2.9 | 6 |
| 33 | Developing Polymer Cathode Material for the Chloride Ion Battery. ACS Applied Materials & Interfaces, 2017, 9, 2535-2540. | 4.0 | 90 |
| 34 | Nanoconfined Iron Oxychloride Material as a High-Performance Cathode for Rechargeable Chloride Ion Batteries. ACS Energy Letters, 2017, 2, 2341-2348. | 8.8 | 87 |
| 35 | Co substituted Zr-Cu-Al-Ni metallic glasses with enhanced glass-forming ability and high plasticity. Journal of Non-Crystalline Solids, 2017, 473, 120-124. | 1.5 | 17 |
| 36 | Improved electrochemical properties of flower-like Co architectures as anode materials for alkaline secondary batteries. Functional Materials Letters, 2017, 10, 1750076. | 0.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Intercalation and electrochemical behaviors of layered FeOCl cathode material in chloride ion battery. <i>Materials Research Bulletin</i> , 2017, 96, 485-490. | 2.7 | 35 |
| 38 | Plant Breeding Evaluation with Rank Entropy-based Decision Tree. <i>IFAC-PapersOnLine</i> , 2016, 49, 336-340. | 0.5 | 2 |
| 39 | Hierarchically ordered mesoporous Co ₃ O ₄ materials for high performance Li-ion batteries. <i>Scientific Reports</i> , 2016, 6, 19564. | 1.6 | 79 |
| 40 | Spinel LiMn ₂ ^x Si _x O ₄ (x < 1) through Si ⁴⁺ substitution as a potential cathode material for lithium-ion batteries. <i>Science China Materials</i> , 2016, 59, 558-566. | 3.5 | 8 |
| 41 | Improving Diversity of User-Based Two-Step Recommendation Algorithm with Popularity Normalization. <i>Lecture Notes in Computer Science</i> , 2016, , 15-26. | 1.0 | 7 |
| 42 | Nanostructured cation disordered Li ₂ FeTiO ₄ /graphene composite as high capacity cathode for lithium-ion batteries. <i>Materials Technology</i> , 2016, 31, 537-543. | 1.5 | 22 |
| 43 | Carbon incorporation effects and reaction mechanism of FeOCl cathode materials for chloride ion batteries. <i>Scientific Reports</i> , 2016, 6, 19448. | 1.6 | 43 |
| 44 | Electrochemical properties of Co-S/x wt.% AB ₅ composite materials. <i>Science China Technological Sciences</i> , 2015, 58, 1355-1359. | 2.0 | 3 |
| 45 | Facile and Eco-Friendly Synthesis of Finger-Like Co ₃ O ₄ Nanorods for Electrochemical Energy Storage. <i>Nanomaterials</i> , 2015, 5, 2335-2347. | 1.9 | 19 |
| 46 | Improving Top-N Recommendation Performance Using Missing Data. <i>Mathematical Problems in Engineering</i> , 2015, 2015, 1-13. | 0.6 | 8 |
| 47 | Batteries: Performance Improvement of Magnesium Sulfur Batteries with Modified Non-Nucleophilic Electrolytes (<i>Adv. Energy Mater.</i> 3/2015). <i>Advanced Energy Materials</i> , 2015, 5, . | 10.2 | 2 |
| 48 | The spinel phase LiMnTiO ₄ as a potential cathode for rechargeable lithium ion batteries. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 6366-6372. | 1.1 | 10 |
| 49 | Performance Improvement of Magnesium Sulfur Batteries with Modified Non-Nucleophilic Electrolytes. <i>Advanced Energy Materials</i> , 2015, 5, 1401155. | 10.2 | 308 |
| 50 | Electrochemical performance of nanocrystalline Li ₂ CoTiO ₄ cathode materials for lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2015, 618, 210-216. | 2.8 | 10 |
| 51 | A hybrid approach of topic model and matrix factorization based on two-step recommendation framework. <i>Journal of Intelligent Information Systems</i> , 2015, 44, 335-353. | 2.8 | 32 |
| 52 | Vanadium Oxychloride/Magnesium Electrode Systems for Chloride Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 22430-22435. | 4.0 | 64 |
| 53 | A hybrid recommendation algorithm adapted in e-learning environments. <i>World Wide Web</i> , 2014, 17, 271-284. | 2.7 | 138 |
| 54 | Novel transmetalation reaction for electrolyte synthesis for rechargeable magnesium batteries. <i>RSC Advances</i> , 2014, 4, 26924-26927. | 1.7 | 55 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Magnesium Anode for Chloride Ion Batteries. ACS Applied Materials & Interfaces, 2014, 6, 10997-11000. | 4.0 | 69 |
| 56 | Chloride ion battery: A new member in the rechargeable battery family. Journal of Power Sources, 2014, 245, 706-711. | 4.0 | 148 |
| 57 | Interest before liking: Two-step recommendation approaches. Knowledge-Based Systems, 2013, 48, 46-56. | 4.0 | 35 |
| 58 | Bisamide based non-nucleophilic electrolytes for rechargeable magnesium batteries. RSC Advances, 2013, 3, 16330. | 1.7 | 164 |
| 59 | Electrochemical redox mechanism of Co ²⁺ /H anode material and its optimization by a novel electrolyte additive. RSC Advances, 2013, 3, 1327-1331. | 1.7 | 8 |
| 60 | Metal Oxychlorides as Cathode Materials for Chloride Ion Batteries. Angewandte Chemie - International Edition, 2013, 52, 13621-13624. | 7.2 | 145 |
| 61 | Opinion-Based Collaborative Filtering to Solve Popularity Bias in Recommender Systems. Lecture Notes in Computer Science, 2013, , 426-433. | 1.0 | 21 |
| 62 | Co-based anode materials for alkaline rechargeable Ni/Co batteries: a review. Journal of Materials Chemistry, 2012, 22, 277-285. | 6.7 | 48 |
| 63 | Cation disordered rock salt phase Li ₂ CoTiO ₄ as a potential cathode material for Li-ion batteries. Journal of Materials Chemistry, 2012, 22, 6200. | 6.7 | 39 |
| 64 | Electrochemical hydrogen storage properties of a non-equilibrium Ti ₂ Ni alloy. RSC Advances, 2012, 2, 2149. | 1.7 | 14 |
| 65 | Structure and electrochemical hydrogen storage properties of A2B-type Ti ²⁺ /Zr ²⁺ /Ni alloys. International Journal of Hydrogen Energy, 2012, 37, 5050-5055. | 3.8 | 30 |
| 66 | Electrochemical energy storage of Co powders in alkaline electrolyte. Electrochimica Acta, 2010, 55, 1169-1174. | 2.6 | 15 |
| 67 | Electrochemical properties of Co(OH) ₂ powders as an anode in an alkaline battery. Journal of Materials Science, 2010, 45, 3752-3756. | 1.7 | 13 |
| 68 | Electrochemical properties of Ti ²⁺ /Ni ²⁺ /H powders prepared by milling titanium hydride and nickel. International Journal of Hydrogen Energy, 2010, 35, 3076-3079. | 3.8 | 11 |
| 69 | Synergistic effects in an AB ₅ -type Co material as an anode for a secondary alkaline battery. International Journal of Hydrogen Energy, 2010, 35, 4342-4346. | 3.8 | 6 |
| 70 | Structural evolution and electrochemical hydrogenation behavior of Ti ₂ Ni alloy. Intermetallics, 2010, 18, 1086-1090. | 1.8 | 13 |
| 71 | Ti ₂ Ni alloy: a potential candidate for hydrogen storage in nickel/metal hydride secondary batteries. Energy and Environmental Science, 2010, 3, 1316. | 15.6 | 38 |
| 72 | Effect of surface treatments on microstructure and electrochemical properties of La ²⁺ /Ni ²⁺ /Al hydrogen storage alloy. International Journal of Hydrogen Energy, 2009, 34, 1904-1909. | 3.8 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Effect of particle size on the electrochemical properties of $MmNi_{3.8}Co_{0.75}Mn_{0.4}Al_{0.2}$ hydrogen storage alloy. International Journal of Hydrogen Energy, 2009, 34, 3389-3394. | 3.8 | 20 |
| 74 | Recent progress in hydrogen storage alloys for nickel/metal hydride secondary batteries. International Journal of Hydrogen Energy, 2009, 34, 4788-4796. | 3.8 | 208 |
| 75 | Effect of Mechanical Milling on the Structure and Electrochemical Properties of Ti_2Ni Alloy in an Alkaline Battery. Energy & Fuels, 2009, 23, 4678-4682. | 2.5 | 13 |
| 76 | Effect of surface treatment on electrochemical properties of $MmNi_{3.8}Co_{0.75}Mn_{0.4}Al_{0.2}$ hydrogen storage alloy. International Journal of Hydrogen Energy, 2008, 33, 81-86. | 3.8 | 44 |
| 77 | Porous $TiO_2 \cdot x$ with oxygen deficiency as sulfur host for lithium-sulfur batteries. Functional Materials Letters, 0, , 2143004. | 0.7 | 1 |