

Simona Nardoni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6747940/publications.pdf>

Version: 2024-02-01

103
papers

2,181
citations

201385

27
h-index

329751

37
g-index

104
all docs

104
docs citations

104
times ranked

2809
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemical composition and antimicrobial activity of essential oil of wild and cultivated <i>Origanum syriacum</i> plants grown in Sinai, Egypt. <i>Industrial Crops and Products</i> , 2015, 67, 201-207.	2.5	69
2	Dermatophytes isolated from symptomatic dogs and cats in Tuscany, Italy during a 15-year-period. <i>Mycopathologia</i> , 2002, 156, 13-18.	1.3	59
3	Environmental distribution of <i>Cryptococcus neoformans</i> and <i>C. gattii</i> around the Mediterranean basin. <i>FEMS Yeast Research</i> , 2016, 16, fow045.	1.1	57
4	Environmental detection of <i>Microsporum canis</i> arthrospores in the households of infected cats and dogs. <i>Journal of Feline Medicine and Surgery</i> , 2003, 5, 323-328.	0.6	56
5	Seroprevalence, Detection of DNA in Blood and Milk, and Genotyping of <i>Toxoplasma gondii</i> in a Goat Population in Italy. <i>BioMed Research International</i> , 2013, 2013, 1-6.	0.9	55
6	Isolation of <i>Malassezia</i> species from healthy cats and cats with otitis. <i>Journal of Feline Medicine and Surgery</i> , 2005, 7, 141-145.	0.6	48
7	Occurrence of yeasts in psittacines droppings from captive birds in Italy. <i>Mycopathologia</i> , 2002, 153, 121-124.	1.3	46
8	High Infection Rate of <i>Trichophyton verrucosum</i> in Calves from Central Italy. <i>Zoonoses and Public Health</i> , 2009, 56, 59-64.	0.9	45
9	Antimicrobial Activity of Five Essential Oils against Bacteria and Fungi Responsible for Urinary Tract Infections. <i>Molecules</i> , 2018, 23, 1668.	1.7	45
10	Fundamental niche prediction of the pathogenic yeasts <i>Cryptococcus neoformans</i> and <i>Cryptococcus gattii</i> in Europe. <i>Environmental Microbiology</i> , 2017, 19, 4318-4325.	1.8	44
11	Chemical Composition and In Vitro Antimicrobial Efficacy of Sixteen Essential Oils against <i>Escherichia coli</i> and <i>Aspergillus fumigatus</i> Isolated from Poultry. <i>Veterinary Sciences</i> , 2018, 5, 62.	0.6	43
12	Occurrence of <i>Malassezia</i> species in healthy and dermatologically diseased dogs. <i>Mycopathologia</i> , 2004, 157, 383-388.	1.3	42
13	Anatomopathological aspects of avian aspergillosis. <i>Veterinary Research Communications</i> , 2009, 33, 521-527.	0.6	41
14	Feline Cutaneous Phaeohiphomycosis Due to <i>Cladophialophora Bantiana</i> . <i>Journal of Feline Medicine and Surgery</i> , 2002, 4, 157-163.	0.6	40
15	Presence and distribution of fungi and bacteria in the reproductive tract of healthy stallions. <i>Theriogenology</i> , 2011, 76, 464-470.	0.9	38
16	Antibacterial and antifungal activity of essential oils against some pathogenic bacteria and yeasts shed from poultry. <i>Flavour and Fragrance Journal</i> , 2016, 31, 302-309.	1.2	37
17	Molecular detection of tick-borne pathogens in wild red foxes (<i>Vulpes vulpes</i>) from Central Italy. <i>Acta Tropica</i> , 2017, 172, 197-200.	0.9	37
18	Genotypes and population genetics of <i>cryptococcus neoformans</i> and <i>cryptococcus gattii</i> species complexes in Europe and the mediterranean area. <i>Fungal Genetics and Biology</i> , 2019, 129, 16-29.	0.9	37

#	ARTICLE	IF	CITATIONS
19	Occurrence, distribution and population size of <i>Malassezia pachydermatis</i> on skin and mucosae of atopic dogs. <i>Veterinary Microbiology</i> , 2007, 122, 172-177.	0.8	35
20	Aspergillosis in <i>Larus cachinnans miccaellis</i> : Survey of Eight Cases. <i>Mycopathologia</i> , 2006, 161, 317-321.	1.3	34
21	Prevalence of <i>Toxoplasma gondii</i> infection in <i>Myocastor coypus</i> in a protected Italian wetland. <i>Parasites and Vectors</i> , 2011, 4, 240.	1.0	34
22	Antibacterial and Antifungal Activity of Essential Oils against Pathogens Responsible for Otitis Externa in Dogs and Cats. <i>Medicines (Basel, Switzerland)</i> , 2017, 4, 21.	0.7	34
23	In vitro and in vivo antifungal activity of some essential oils against feline isolates of <i>Microsporum canis</i> . <i>Journal De Mycologie Medicale</i> , 2012, 22, 179-184.	0.7	32
24	In Vitro Antimicrobial Activity of Essential Oils Against <i>Salmonella enterica</i> Serotypes Enteritidis and Typhimurium Strains Isolated from Poultry. <i>Molecules</i> , 2019, 24, 900.	1.7	32
25	Microemulsions: An effective encapsulation tool to enhance the antimicrobial activity of selected EOs. <i>Journal of Drug Delivery Science and Technology</i> , 2019, 53, 101101.	1.4	31
26	In Vitro Activity of Twenty Commercially Available, Plant-Derived Essential Oils against Selected Dermatophyte Species. <i>Natural Product Communications</i> , 2015, 10, 1473-8.	0.2	31
27	Detection and genotyping of <i>Toxoplasma gondii</i> DNA in the blood and milk of naturally infected donkeys (<i>Equus asinus</i>). <i>Parasites and Vectors</i> , 2014, 7, 165.	1.0	30
28	Molecular survey on the presence of zoonotic arthropod-borne pathogens in wild red deer (<i>Cervus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.7	29
29	Detection of <i>Leishmania infantum</i> DNA in tissues of free-ranging red foxes (<i>Vulpes vulpes</i>) in Central Italy. <i>European Journal of Wildlife Research</i> , 2010, 56, 689-692.	0.7	27
30	A retrospective molecular study of select intestinal protozoa in healthy pet cats from Italy. <i>Journal of Feline Medicine and Surgery</i> , 2015, 17, 163-167.	0.6	26
31	Molecular survey on the occurrence of arthropod-borne pathogens in wild brown hares (<i>Lepus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.0	26
32	Cross-sectional survey of <i>Toxoplasma gondii</i> infection in colony cats from urban Florence (Italy). <i>Journal of Feline Medicine and Surgery</i> , 2010, 12, 351-354.	0.6	25
33	SEROLOGIC, MOLECULAR, AND PATHOLOGIC SURVEY OF TOXOPLASMA GONDII INFECTION IN FREE-RANGING RED FOXES (<i>VULPES VULPES</i>) IN CENTRAL ITALY. <i>Journal of Wildlife Diseases</i> , 2013, 49, 545-551.	0.3	25
34	Clinical and mycological evaluation of an herbal antifungal formulation in canine <i>Malassezia dermatitis</i> . <i>Journal De Mycologie Medicale</i> , 2014, 24, 234-240.	0.7	25
35	<i>In Vitro</i> Activity of Twenty Commercially Available, Plant-Derived Essential Oils against Selected Dermatophyte Species. <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000.	0.2	25
36	Production of <i>Chlorella protothecoides</i> biomass, chlorophyll and carotenoids using the dairy industry by-product scotta as a substrate. <i>Biocatalysis and Agricultural Biotechnology</i> , 2017, 11, 207-213.	1.5	25

#	ARTICLE	IF	CITATIONS
37	Extracellular enzymatic activity of <i>Malassezia</i> spp. isolates. <i>Mycopathologia</i> , 2001, 149, 131-135.	1.3	24
38	Occurrence of Fungi from Conjunctiva of Healthy Horses in Tuscany, Italy. <i>Veterinary Research Communications</i> , 2006, 30, 903-906.	0.6	24
39	Conjunctival fungal flora in healthy donkeys. <i>Veterinary Ophthalmology</i> , 2007, 10, 207-210.	0.6	24
40	Prevalence of <i>Malassezia</i> spp. yeasts in feline nail folds: a cytological and mycological study. <i>Veterinary Dermatology</i> , 2007, 18, 278-283.	0.4	24
41	Antimicrobial Activity of Essential Oils against <i>Staphylococcus</i> and <i>Malassezia</i> Strains Isolated from Canine Dermatitis. <i>Microorganisms</i> , 2020, 8, 252.	1.6	24
42	Identification and seasonal distribution of airborne fungi in three horse stables in Italy. <i>Mycopathologia</i> , 2005, 160, 29-34.	1.3	23
43	In Vitro Activity of Essential Oils against <i>Saprolegnia parasitica</i> . <i>Molecules</i> , 2019, 24, 1270.	1.7	23
44	A herbal antifungal formulation of <i>Thymus serpyllum</i> , <i>Origanum vulgare</i> and <i>Rosmarinus officinalis</i> for treating ovine dermatophytosis due to <i>Trichophyton mentagrophytes</i> . <i>Mycoses</i> , 2013, 56, 333-337.	1.8	22
45	Serological survey on some pathogens in wild brown hares (<i>Lepus europaeus</i>) in Central Italy. <i>Asian Pacific Journal of Tropical Medicine</i> , 2016, 9, 465-469.	0.4	22
46	Antifungal activity of tea tree oil from <i>Melaleuca alternifolia</i> against <i>Trichophyton equinum</i> : An in vivo assay. <i>Phytomedicine</i> , 2009, 16, 1056-1058.	2.3	21
47	Occurrence of moulds from bee pollen in Central Italy – A preliminary study. <i>Annals of Agricultural and Environmental Medicine</i> , 2015, 23, 103-105.	0.5	21
48	Fungal Flora of Normal Eyes in Healthy Newborn Foals Living in the Same Stud Farm in Italy. <i>Journal of Equine Veterinary Science</i> , 2008, 28, 540-543.	0.4	20
49	Keratinophilic fungi on feathers of common clinically healthy birds in Bahrain. <i>Mycoses</i> , 2011, 54, 71-77.	1.8	20
50	Molecular detection of vector-borne bacteria and protozoa in healthy hunting dogs from Central Italy. <i>Asian Pacific Journal of Tropical Biomedicine</i> , 2015, 5, 108-112.	0.5	19
51	A preliminary study on the quality and safety of milk in donkeys positive for <i>Toxoplasma gondii</i> . <i>Animal</i> , 2014, 8, 1996-1998.	1.3	18
52	Occurrence of <i>Toxoplasma gondii</i> in Carcasses of Pigs Reared in Intensive Systems in Northern Italy. <i>Journal of Food Protection</i> , 2017, 80, 515-522.	0.8	18
53	Canine and feline dermatophytosis due to <i>Microsporum gypseum</i> : A retrospective study of clinical data and therapy outcome with griseofulvin. <i>Journal De Mycologie Medicale</i> , 2013, 23, 164-167.	0.7	17
54	Seroprevalence and Genotyping of <i>Toxoplasma gondii</i> in Horses Slaughtered for Human Consumption in Italy. <i>Journal of Equine Veterinary Science</i> , 2015, 35, 657-661.	0.4	17

#	ARTICLE	IF	CITATIONS
55	<i>Toxoplasma gondii</i> in Waterfowl: The First Detection of this Parasite in <i>Anas crecca</i> and <i>Anas clypeata</i> from Italy. Journal of Parasitology, 2013, 99, 561-563.	0.3	16
56	Traditional Mediterranean plants: characterization and use of an essential oils mixture to treat <i>Malassezia</i> otitis externa in atopic dogs. Natural Product Research, 2017, 31, 1891-1894.	1.0	16
57	Activity of <i>Salvia dolomitica</i> and <i>Salvia somalensis</i> Essential Oils against Bacteria, Molds and Yeasts. Molecules, 2018, 23, 396.	1.7	16
58	Identification of <i>Microsporum canis</i> from dermatophytic pseudomycetoma in paraffin-embedded veterinary specimens using a common PCR protocol. Mycoses, 2007, 50, 215-217.	1.8	15
59	Essential Oil Composition and Biological Activity of "Pompia", a Sardinian Citrus Ecotype. Molecules, 2019, 24, 908.	1.7	15
60	Arthropod-Borne Pathogens in Stray Cats from Northern Italy: A Serological and Molecular Survey. Animals, 2020, 10, 2334.	1.0	15
61	Stonebrood and chalkbrood in <i>Apis mellifera</i> causing fungi: <i>in vitro</i> sensitivity to some essential oils. Natural Product Research, 2018, 32, 385-390.	1.0	14
62	Chemical Composition, Antifungal and Insecticidal Activities of the Essential Oils from Tunisian <i>Clinopodium nepeta</i> subsp. <i>nepeta</i> and <i>Clinopodium nepeta</i> subsp. <i>glandulosum</i> . Molecules, 2020, 25, 2137.	1.7	14
63	Seroprevalence and Molecular Analysis of <i>Babesia caballi</i> and <i>Theileria equi</i> in Horses From Central Italy During a 10-Year Period. Journal of Equine Veterinary Science, 2015, 35, 865-868.	0.4	13
64	<i>Neospora caninum</i> in Wild Waterfowl: Occurrence of Parasite DNA and Low Antibody Titers. Journal of Parasitology, 2017, 103, 142-145.	0.3	13
65	Serological and Molecular Investigation on <i>Toxoplasma gondii</i> Infection in Wild Birds. Pathogens, 2019, 8, 58.	1.2	13
66	Seroprevalence of <i>Toxoplasma gondii</i> and <i>Neospora caninum</i> in red deer from Central Italy. Annals of Agricultural and Environmental Medicine, 2016, 23, 699-701.	0.5	13
67	Identification of <i>Malassezia</i> species isolated from patients with extensive forms of pityriasis versicolor in Siena, Italy. Revista Iberoamericana De Micología, 2013, 30, 231-234.	0.4	12
68	Sensitivity of Entomopathogenic Fungi and Bacteria to Plants Secondary Metabolites, for an Alternative Control of <i>Rhipicephalus (Boophilus) microplus</i> in Cattle. Frontiers in Pharmacology, 2018, 9, 937.	1.6	12
69	First data on microflora of loggerhead sea turtle (<i>Caretta caretta</i>) nests from the coastlines of Sicily (Italy). Biology Open, 2020, 9, .	0.6	12
70	Seasonal prevalence of fungi in the conjunctival fornix of healthy cows during a 2-year study. Veterinary Ophthalmology, 2010, 13, 227-234.	0.6	11
71	Tick-Borne Infections in Horses From Tuscany, Italy. Journal of Equine Veterinary Science, 2015, 35, 290-294.	0.4	11
72	Open-field study comparing an essential oil-based shampoo with miconazole/chlorhexidine for haircoat disinfection in cats with spontaneous microsporiasis. Journal of Feline Medicine and Surgery, 2017, 19, 697-701.	0.6	11

#	ARTICLE	IF	CITATIONS
73	Chemical composition and antifungal activity of essential oils from four Asteraceae plants grown in Egypt. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2018, 73, 313-318.	0.6	11
74	Molecular survey on the occurrence of avian haemosporidia, <i>Coxiella burnetii</i> and <i>Francisella tularensis</i> in waterfowl from central Italy. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2019, 10, 87-92.	0.6	11
75	Volatiles and Antifungal, Antibacterial, Antiviral Activity of South African <i>Salvia</i> spp. Essential Oils Cultivated in Uniform Conditions. <i>Molecules</i> , 2021, 26, 2826.	1.7	11
76	Isolation and characterization of <i>Malassezia</i> spp. in healthy swine of different breeds. <i>Veterinary Microbiology</i> , 2010, 141, 155-158.	0.8	9
77	Serological and Molecular Findings of <i>Leishmania</i> Infection in Healthy Donkeys (<i>Equus asinus</i>) from a Canine Leishmaniosis Endemic Focus in Tuscany, Italy: A Preliminary Report. <i>Pathogens</i> , 2019, 8, 99.	1.2	9
78	Volatilome Analyses and In Vitro Antimicrobial Activity of the Essential Oils from Five South African <i>Helichrysum</i> Species. <i>Molecules</i> , 2020, 25, 3196.	1.7	9
79	Antimicrobial Activity and Composition of Five <i>Rosmarinus</i> (Now <i>Salvia</i> spp. and Varieties) Essential Oils. <i>Antibiotics</i> , 2021, 10, 1090.	1.5	9
80	Shell mycosis in a group of Hermann's tortoises (<i>Testudo hermanni</i>). <i>Veterinary Record</i> , 2012, 170, 76-76.	0.2	8
81	Comparative assessment of volatiles in juices and essential oils from minor <i>Citrus</i> fruits (Rutaceae). <i>Flavour and Fragrance Journal</i> , 2020, 35, 639-652.	1.2	8
82	Prevalence of <i>Toxoplasma gondii</i> and Potentially Zoonotic Helminths in Wild Boars (<i>Sus</i>) Tj ETQq0 0 0 rgBT ₁ /Overlock 10 Tf 50	0.2	8
83	Foal-Heat Diarrhea Is Not Caused by the Presence of Yeasts in Gastrointestinal Tract of Foals. <i>Journal of Equine Veterinary Science</i> , 2008, 28, 145-148.	0.4	7
84	In vitro effectiveness of tea tree oil against <i>Trichophyton equinum</i> . <i>Journal De Mycologie Medicale</i> , 2010, 20, 75-79.	0.7	7
85	In Vitro Activity of 30 Essential Oils against Bovine Clinical Isolates of <i>Prototheca zopfii</i> and <i>Prototheca blaschkeae</i> . <i>Veterinary Sciences</i> , 2018, 5, 45.	0.6	7
86	A lufenuron pre-treatment may enhance the effects of enilconazole or griseofulvin in feline dermatophytosis?. <i>Journal of Feline Medicine and Surgery</i> , 2009, 11, 91-95.	0.6	6
87	Cutaneous lesions due to <i>Trichosporon jirovecii</i> in a tortoise (<i>Testudo hermanni</i>). <i>Medical Mycology Case Reports</i> , 2017, 18, 18-20.	0.7	6
88	Activity of selected essential oils on spoiling fungi cultured from Marzolino cheese. <i>Annals of Agricultural and Environmental Medicine</i> , 2018, 25, 280-284.	0.5	6
89	Detection of <i>Neospora Caninum</i> DNA in Wild Birds from Italy. <i>Pathogens</i> , 2019, 8, 202.	1.2	6
90	Serological Survey on the Occurrence of <i>Rickettsia</i> spp., <i>Neospora caninum</i> , <i>Bartonella henselae</i> and <i>Toxoplasma gondii</i> in Cats from Tuscany (Central Italy). <i>Animals</i> , 2021, 11, 1842.	1.0	6

#	ARTICLE	IF	CITATIONS
91	Susceptibility of <i>Microsporium canis</i> arthrospores to a mixture of chemically defined essential oils: a perspective for environmental decontamination. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2015, 70, 15-24.	0.6	5
92	<i>Helichrysum araxinum</i> Takht. ex Kirp. grown in Italy: volatiloma composition and in vitro antimicrobial activity. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2020, 75, 265-270.	0.6	5
93	Dermatophytes and other keratinophilic fungi from coypus (<i>Myocastor coypus</i>) and brown rats (<i>Rattus norvegicus</i>). European Journal of Wildlife Research, 2008, 54, 455-459.	0.7	4
94	<i>Neospora caninum</i> oocyst shedding in a naturally infected dog from Italy. Veterinary Parasitology: Regional Studies and Reports, 2017, 8, 10-12.	0.3	4
95	<i>Haemoproteus</i> spp. and <i>Leucocytozoon californicus</i> Coinfection in a Merlin (<i>Falco colombarius</i>). Pathogens, 2020, 9, 263.	1.2	4
96	Apicomplexan Protozoa Responsible for Reproductive Disorders: Occurrence of DNA in Blood and Milk of Donkeys (<i>Equus asinus</i>) and Minireview of the Related Literature. Pathogens, 2021, 10, 111.	1.2	3
97	<i>In vitro</i> antimicrobial activity of selected essential oils against bacteria and yeasts isolated from the genital tract of mares. Natural Product Research, 2022, 36, 2648-2653.	1.0	3
98	Survey on the Presence of Bacterial, Fungal and Helminthic Agents in Off-Leash Dog Parks Located in Urban Areas in Central-Italy. Animals, 2021, 11, 1685.	1.0	3
99	Survey on the role of brown hares (<i>Lepus europaeus</i> , Pallas 1778) as carriers of zoonotic dermatophytes. Italian Journal of Animal Science, 2010, 9, e24.	0.8	2
100	Dermatophytosis in donkeys (<i>Equus asinus</i>) due to <i>Microsporium racemosum</i> , an unusual geophilic agent. Medical Mycology Case Reports, 2016, 12, 8-10.	0.7	2
101	Molecular Detection of Arthropod-Borne Pathogens in Eurasian Badgers (<i>Meles meles</i>) from the United Kingdom. Animals, 2020, 10, 446.	1.0	2
102	Survey of Keratinophilic Fungi from Feathers of Birds in Tuscany. Biology, 2021, 10, 1317.	1.3	2
103	In Vitro Inhibiting Effects of Three Fungal Species on Eggs of Donkey Gastrointestinal Strongyles. Veterinary Sciences, 2020, 7, 53.	0.6	0