List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6747940/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	<i>In vitro</i> antimicrobial activity of selected essential oils against bacteria and yeasts isolated from the genital tract of mares. Natural Product Research, 2022, 36, 2648-2653.	1.0	3
2	Apicomplexan Protozoa Responsible for Reproductive Disorders: Occurrence of DNA in Blood and Milk of Donkeys (Equus asinus) and Minireview of the Related Literature. Pathogens, 2021, 10, 111.	1.2	3
3	Volatiles and Antifungal–Antibacterial–Antiviral Activity of South African Salvia spp. Essential Oils Cultivated in Uniform Conditions. Molecules, 2021, 26, 2826.	1.7	11
4	Survey on the Presence of Bacterial, Fungal and Helminthic Agents in Off-Leash Dog Parks Located in Urban Areas in Central-Italy. Animals, 2021, 11, 1685.	1.0	3
5	Serological Survey on the Occurrence of Rickettsia spp., Neospora caninum, Bartonella henselae and Toxoplasma gondii in Cats from Tuscany (Central Italy). Animals, 2021, 11, 1842.	1.0	6
6	Antimicrobial Activity and Composition of Five Rosmarinus (Now Salvia spp. and Varieties) Essential Oils. Antibiotics, 2021, 10, 1090.	1.5	9
7	Survey of Keratinophilic Fungi from Feathers of Birds in Tuscany. Biology, 2021, 10, 1317.	1.3	2
8	Volatilome Analyses and In Vitro Antimicrobial Activity of the Essential Oils from Five South African Helichrysum Species. Molecules, 2020, 25, 3196.	1.7	9
9	Comparative assessment of volatiles in juices and essential oils from minor <i>Citrus</i> fruits (Rutaceae). Flavour and Fragrance Journal, 2020, 35, 639-652.	1.2	8
10	Arthropod-Borne Pathogens in Stray Cats from Northern Italy: A Serological and Molecular Survey. Animals, 2020, 10, 2334.	1.0	15
11	Chemical Composition, Antifungal and Insecticidal Activities of the Essential Oils from Tunisian Clinopodium nepeta subsp. nepeta and Clinopodium nepeta subsp. glandulosum. Molecules, 2020, 25, 2137.	1.7	14
12	Molecular Detection of Arthropod-Borne Pathogens in Eurasian Badgers (Meles meles) from the United Kingdom. Animals, 2020, 10, 446.	1.0	2
13	Antimicrobial Activity of Essential Oils against Staphylococcus and Malassezia Strains Isolated from Canine Dermatitis. Microorganisms, 2020, 8, 252.	1.6	24
14	In Vitro Inhibiting Effects of Three Fungal Species on Eggs of Donkey Gastrointestinal Strongyles. Veterinary Sciences, 2020, 7, 53.	0.6	0
15	Haemoproteus spp. and Leucocytozoon californicus Coinfection in a Merlin (Falco colombarius). Pathogens, 2020, 9, 263.	1.2	4
16	First data on microflora of loggerhead sea turtle (<i>Caretta caretta)</i> nests from the coastlines of Sicily (Italy). Biology Open, 2020, 9, .	0.6	12
17	<i>Helichrysum araxinum</i> Takht. ex Kirp. grown in Italy: volatiloma composition and in vitro antimicrobial activity. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2020, 75, 265-270.	0.6	5
18	Molecular survey on the occurrence of avian haemosporidia, Coxiella burnetii and Francisella tularensis in waterfowl from central Italy. International Journal for Parasitology: Parasites and Wildlife, 2019, 10, 87-92.	0.6	11

SIMONA NARDONI

#	Article	IF	CITATIONS
19	Serological and Molecular Findings of Leishmania Infection in Healthy Donkeys (Equus asinus) from a Canine Leishmaniosis Endemic Focus in Tuscany, Italy: A Preliminary Report. Pathogens, 2019, 8, 99.	1.2	9
20	Microemulsions: An effective encapsulation tool to enhance the antimicrobial activity of selected EOs. Journal of Drug Delivery Science and Technology, 2019, 53, 101101.	1.4	31
21	In Vitro Activity of Essential Oils against Saprolegnia parasitica. Molecules, 2019, 24, 1270.	1.7	23
22	Serological and Molecular Investigation on Toxoplasma gondii Infection in Wild Birds. Pathogens, 2019, 8, 58.	1.2	13
23	In Vitro Antimicrobial Activity of Essential Oils Against Salmonella enterica Serotypes Enteritidis and Typhimurium Strains Isolated from Poultry. Molecules, 2019, 24, 900.	1.7	32
24	Essential Oil Composition and Biological Activity of "Pompiaâ€; a Sardinian Citrus Ecotype. Molecules, 2019, 24, 908.	1.7	15
25	Genotypes and population genetics of cryptococcus neoformans and cryptococcus gattii species complexes in Europe and the mediterranean area. Fungal Genetics and Biology, 2019, 129, 16-29.	0.9	37
26	Detection of Neospora Caninum DNA in Wild Birds from Italy. Pathogens, 2019, 8, 202.	1.2	6
27	Molecular survey on the occurrence of arthropod-borne pathogens in wild brown hares (Lepus) Tj ETQq1 1 0.78	4314 rgBT 1.0 rgBT	- Overlock 1 26
28	Stonebrood and chalkbrood in <i>Apis mellifera</i> causing fungi: <i> in vitro </i> sensitivity to some essential oils. Natural Product Research, 2018, 32, 385-390.	1.0	14
29	Activity of selected essential oils on spoiling fungi cultured from Marzolino cheese. Annals of Agricultural and Environmental Medicine, 2018, 25, 280-284.	0.5	6
30	In Vitro Activity of 30 Essential Oils against Bovine Clinical Isolates of Prototheca zopfii and Prototheca blaschkeae. Veterinary Sciences, 2018, 5, 45.	0.6	7
31	Chemical composition and antifungal activity of essential oils from four Asteraceae plants grown in Egypt. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2018, 73, 313-318.	0.6	11
32	Activity of Salvia dolomitica and Salvia somalensis Essential Oils against Bacteria, Molds and Yeasts. Molecules, 2018, 23, 396.	1.7	16
33	Antimicrobial Activity of Five Essential Oils against Bacteria and Fungi Responsible for Urinary Tract Infections. Molecules, 2018, 23, 1668.	1.7	45
34	Chemical Composition and In Vitro Antimicrobial Efficacy of Sixteen Essential Oils against Escherichia coli and Aspergillus fumigatus Isolated from Poultry. Veterinary Sciences, 2018, 5, 62.	0.6	43
35	Sensitivity of Entomopathogenic Fungi and Bacteria to Plants Secondary Metabolites, for an Alternative Control of Rhipicephalus (Boophilus) microplus in Cattle. Frontiers in Pharmacology, 2018, 9, 937.	1.6	12

 $_{36}$ Prevalence of <i>Toxoplasma gondii</i> and Potentially Zoonotic Helminths in Wild Boars (<i>Sus) Tj ETQq0 0 0 rg $_{0.2}^{\text{PT}}$ /Overlock 10 Tf 50

SIMONA NARDONI

#	Article	IF	CITATIONS
37	Open-field study comparing an essential oil-based shampoo with miconazole/chlorhexidine for haircoat disinfection in cats with spontaneous microsporiasis. Journal of Feline Medicine and Surgery, 2017, 19, 697-701.	0.6	11
38	Neospora caninum oocyst shedding in a naturally infected dog from Italy. Veterinary Parasitology: Regional Studies and Reports, 2017, 8, 10-12.	0.3	4
39	<i>Neospora caninum</i> in Wild Waterfowl: Occurrence of Parasite DNA and Low Antibody Titers. Journal of Parasitology, 2017, 103, 142-145.	0.3	13
40	Molecular detection of tick-borne pathogens in wild red foxes (Vulpes vulpes) from Central Italy. Acta Tropica, 2017, 172, 197-200.	0.9	37
41	Traditional Mediterranean plants: characterization and use of an essential oils mixture to treat <i>Malassezia</i> otitis externa in atopic dogs. Natural Product Research, 2017, 31, 1891-1894.	1.0	16
42	Fundamental niche prediction of the pathogenic yeasts <i>Cryptococcus neoformans</i> and <i>Cryptococcus gattii</i> in Europe. Environmental Microbiology, 2017, 19, 4318-4325.	1.8	44
43	Production of Chlorella protothecoides biomass, chlorophyll and carotenoids using the dairy industry by-product scotta as a substrate. Biocatalysis and Agricultural Biotechnology, 2017, 11, 207-213.	1.5	25
44	Cutaneous lesions due to Trichosporon jirovecii in a tortoise (Testudo hermanni). Medical Mycology Case Reports, 2017, 18, 18-20.	0.7	6
45	Antibacterial and Antifungal Activity of Essential Oils against Pathogens Responsible for Otitis Externa in Dogs and Cats. Medicines (Basel, Switzerland), 2017, 4, 21.	0.7	34
46	Occurrence of Toxoplasma gondii in Carcasses of Pigs Reared in Intensive Systems in Northern Italy. Journal of Food Protection, 2017, 80, 515-522.	0.8	18
47	Antibacterial and antifungal activity of essential oils against some pathogenic bacteria and yeasts shed from poultry. Flavour and Fragrance Journal, 2016, 31, 302-309.	1.2	37
48	Serological survey on some pathogens in wild brown hares (Lepus europaeus) in Central Italy. Asian Pacific Journal of Tropical Medicine, 2016, 9, 465-469.	0.4	22
49	Environmental distribution of <i>Cryptococcus neoformans</i> and <i>C. gattii</i> around the Mediterranean basin. FEMS Yeast Research, 2016, 16, fow045.	1.1	57
50	Molecular survey on the presence of zoonotic arthropod-borne pathogens in wild red deer (Cervus) Tj ETQq0 0 0	rgBT /Ove	rlock 10 Tf 5
51	Dermatophytosis in donkeys (Equus asinus) due to Microsporum racemosum, an unusual geophilic agent. Medical Mycology Case Reports, 2016, 12, 8-10.	0.7	2
52	Seroprevalence of Toxoplasma gondii and Neospora caninum in red deer from Central Italy. Annals of Agricultural and Environmental Medicine, 2016, 23, 699-701.	0.5	13
53	<i>In Vitro</i> Activity of Twenty Commercially Available, Plant-Derived Essential Oils against Selected Dermatophyte Species. Natural Product Communications, 2015, 10, 1934578X1501000.	0.2	25
54	Susceptibility of <i>Microsporum canis</i> arthrospores to a mixture of chemically defined essential oils: a perspective for environmental decontamination. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2015, 70, 15-24.	0.6	5

#	Article	IF	CITATIONS
55	Chemical composition and antimicrobial activity of essential oil of wild and cultivated Origanum syriacum plants grown in Sinai, Egypt. Industrial Crops and Products, 2015, 67, 201-207.	2.5	69
56	Seroprevalence and Genotyping of Toxoplasma gondii in Horses Slaughtered for Human Consumption in Italy. Journal of Equine Veterinary Science, 2015, 35, 657-661.	0.4	17
57	Molecular detection of vector-borne bacteria and protozoa in healthy hunting dogs from Central Italy. Asian Pacific Journal of Tropical Biomedicine, 2015, 5, 108-112.	0.5	19
58	Tick-Borne Infections in Horses From Tuscany, Italy. Journal of Equine Veterinary Science, 2015, 35, 290-294.	0.4	11
59	Seroprevalence and Molecular Analysis of Babesia caballi and Theileria equi in Horses From Central Italy During a 10-Year Period. Journal of Equine Veterinary Science, 2015, 35, 865-868.	0.4	13
60	A retrospective molecular study of select intestinal protozoa in healthy pet cats from Italy. Journal of Feline Medicine and Surgery, 2015, 17, 163-167.	0.6	26
61	Occurrence of moulds from bee pollen in Central Italy – A preliminary study. Annals of Agricultural and Environmental Medicine, 2015, 23, 103-105.	0.5	21
62	In Vitro Activity of Twenty Commercially Available, Plant-Derived Essential Oils against Selected Dermatophyte Species. Natural Product Communications, 2015, 10, 1473-8.	0.2	31
63	A preliminary study on the quality and safety of milk in donkeys positive for Toxoplasma gondii. Animal, 2014, 8, 1996-1998.	1.3	18
64	Clinical and mycological evaluation of an herbal antifungal formulation in canine Malassezia dermatitis. Journal De Mycologie Medicale, 2014, 24, 234-240.	0.7	25
65	Detection and genotyping of Toxoplasma gondii DNA in the blood and milk of naturally infected donkeys (Equus asinus). Parasites and Vectors, 2014, 7, 165.	1.0	30
66	<i>Toxoplasma gondii</i> in Waterfowl: The First Detection of this Parasite in <i>Anas crecca</i> and <i>Anas clypeata</i> from Italy. Journal of Parasitology, 2013, 99, 561-563.	0.3	16
67	Canine and feline dermatophytosis due to Microsporum gypseum : A retrospective study of clinical data and therapy outcome with griseofulvin. Journal De Mycologie Medicale, 2013, 23, 164-167.	0.7	17
68	Identification of Malassezia species isolated from patients with extensive forms of pityriasis versicolor in Siena, Italy. Revista Iberoamericana De Micologia, 2013, 30, 231-234.	0.4	12
69	A herbal antifungal formulation of <i>Thymus serpillum</i> , <i>Origanum vulgare</i> and <i>Rosmarinus officinalis</i> for treating ovine dermatophytosis due to <i>Trichophyton mentagrophytes</i> . Mycoses, 2013, 56, 333-337.	1.8	22
70	Seroprevalence, Detection of DNA in Blood and Milk, and Genotyping of <i>Toxoplasma gondii</i> in a Goat Population in Italy. BioMed Research International, 2013, 2013, 1-6.	0.9	55
71	SEROLOGIC, MOLECULAR, AND PATHOLOGIC SURVEY OF TOXOPLASMA GONDII INFECTION IN FREE-RANGING RED FOXES (VULPES VULPES) IN CENTRAL ITALY. Journal of Wildlife Diseases, 2013, 49, 545-551.	0.3	25
72	Shell mycosis in a group of Hermann's tortoises (<i>Testudo hermanni</i>). Veterinary Record, 2012, 170, 76-76.	0.2	8

#	Article	IF	CITATIONS
73	In vitro and in vivo antifungal activity of some essential oils against feline isolates of Microsporum canis. Journal De Mycologie Medicale, 2012, 22, 179-184.	0.7	32
74	Presence and distribution of fungi and bacteria in the reproductive tract of healthy stallions. Theriogenology, 2011, 76, 464-470.	0.9	38
75	Keratinophilic fungi on feathers of common clinically healthy birds in Bahrain. Mycoses, 2011, 54, 71-77.	1.8	20
76	Prevalence of Toxoplasma gondii infection in Myocastor coypus in a protected Italian wetland. Parasites and Vectors, 2011, 4, 240.	1.0	34
77	Detection of Leishmania infantum DNA in tissues of free-ranging red foxes (Vulpes vulpes) in Central Italy. European Journal of Wildlife Research, 2010, 56, 689-692.	0.7	27
78	Isolation and characterization of Malassezia spp. in healthy swine of different breeds. Veterinary Microbiology, 2010, 141, 155-158.	0.8	9
79	In vitro effectiveness of tea tree oil against Trichophyton equinum. Journal De Mycologie Medicale, 2010, 20, 75-79.	0.7	7
80	Seasonal prevalence of fungi in the conjunctival fornix of healthy cows during a 2-year study. Veterinary Ophthalmology, 2010, 13, 227-234.	0.6	11
81	Survey on the role of brown hares (Lepus europaeus, Pallas 1778) as carriers of zoonotic dermatophytes. Italian Journal of Animal Science, 2010, 9, e24.	0.8	2
82	Cross-sectional survey of <i>Toxoplasma gondii</i> infection in colony cats from urban Florence (Italy). Journal of Feline Medicine and Surgery, 2010, 12, 351-354.	0.6	25
83	Antifungal activity of tea tree oil from Melaleuca alternifolia against Trichophyton equinum: An in vivo assay. Phytomedicine, 2009, 16, 1056-1058.	2.3	21
84	Anatomopathological aspects of avian aspergillosis. Veterinary Research Communications, 2009, 33, 521-527.	0.6	41
85	High Infection Rate of <i>Trichophyton verrucosum</i> in Calves from Central Italy. Zoonoses and Public Health, 2009, 56, 59-64.	0.9	45
86	A lufenuron pre-treatment may enhance the effects of enilconazole or griseofulvin in feline dermatophytosis?. Journal of Feline Medicine and Surgery, 2009, 11, 91-95.	0.6	6
87	Dermatophytes and other keratinophilic fungi from coypus (Myocastor coypus) and brown rats (Rattus norvegicus). European Journal of Wildlife Research, 2008, 54, 455-459.	0.7	4
88	Foal-Heat Diarrhea Is Not Caused by the Presence of Yeasts in Gastrointestinal Tract of Foals. Journal of Equine Veterinary Science, 2008, 28, 145-148.	0.4	7
89	Fungal Flora of Normal Eyes in Healthy Newborn Foals Living in the Same Stud Farm in Italy. Journal of Equine Veterinary Science, 2008, 28, 540-543.	0.4	20
90	Identification of Microsporum canis from dermatophytic pseudomycetoma in paraffin-embedded veterinary specimens using a common PCR protocol. Mycoses, 2007, 50, 215-217.	1.8	15

#	Article	IF	CITATIONS
91	Conjunctival fungal flora in healthy donkeys. Veterinary Ophthalmology, 2007, 10, 207-210.	0.6	24
92	Prevalence of Malassezia spp. yeasts in feline nail folds: a cytological and mycological study. Veterinary Dermatology, 2007, 18, 278-283.	0.4	24
93	Occurrence, distribution and population size of Malassezia pachydermatis on skin and mucosae of atopic dogs. Veterinary Microbiology, 2007, 122, 172-177.	0.8	35
94	Occurrence of Fungi from Conjunctiva of Healthy Horses in Tuscany, Italy. Veterinary Research Communications, 2006, 30, 903-906.	0.6	24
95	Aspergillosis in Larus cachinnans micaellis: Survey of Eight Cases. Mycopathologia, 2006, 161, 317-321.	1.3	34
96	Identification and seasonal distribution of airborne fungi in three horse stables in Italy. Mycopathologia, 2005, 160, 29-34.	1.3	23
97	Isolation of Malassezia species from healthy cats and cats with otitis. Journal of Feline Medicine and Surgery, 2005, 7, 141-145.	0.6	48
98	Occurrence of Malassezia species in healthy and dermatologically diseased dogs. Mycopathologia, 2004, 157, 383-388.	1.3	42
99	Environmental detection of Microsporum canis arthrospores in the households of infected cats and dogs. Journal of Feline Medicine and Surgery, 2003, 5, 323-328.	0.6	56
100	Feline Cutaneous Phaeohyphomycosis Due to Cladophyalophora Bantiana. Journal of Feline Medicine and Surgery, 2002, 4, 157-163.	0.6	40
101	Occurrence of yeasts in psittacines droppings from captive birds in Italy. Mycopathologia, 2002, 153, 121-124.	1.3	46
102	Dermatophytes isolated from symptomatic dogs and cats in Tuscany, Italy during a 15-year-period. Mycopathologia, 2002, 156, 13-18.	1.3	59
103	Extracellular enzymatic activity of Malassezia spp. isolates. Mycopathologia, 2001, 149, 131-135.	1.3	24