Antonio Lobo

List of Publications by Citations

Source: https://exaly.com/author-pdf/6749345/antonio-lobo-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

202 9,023 44 91 g-index

228 10,851 4.7 5.43 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
202	Prevalence of dementia and major subtypes in Europe: A collaborative study of population-based cohorts. Neurologic Diseases in the Elderly Research Group. <i>Neurology</i> , 2000 , 54, S4-9	6.5	634
201	Rates and risk factors for dementia and Alzheimer's disease: results from EURODEM pooled analyses. EURODEM Incidence Research Group and Work Groups. European Studies of Dementia. <i>Neurology</i> , 1999 , 52, 78-84	6.5	592
200	The prevalence of dementia in Europe: a collaborative study of 1980-1990 findings. Eurodem Prevalence Research Group. <i>International Journal of Epidemiology</i> , 1991 , 20, 736-48	7.8	509
199	Development of the EURO-D scalea European, Union initiative to compare symptoms of depression in 14 European centres. <i>British Journal of Psychiatry</i> , 1999 , 174, 330-8	5.4	458
198	Incidence of dementia and major subtypes in Europe: A collaborative study of population-based cohorts. Neurologic Diseases in the Elderly Research Group. <i>Neurology</i> , 2000 , 54, S10-5	6.5	355
197	The changing prevalence and incidence of dementia over time - current evidence. <i>Nature Reviews Neurology</i> , 2017 , 13, 327-339	15	319
196	Validity of the scaled version of the General Health Questionnaire (GHQ-28) in a Spanish population. <i>Psychological Medicine</i> , 1986 , 16, 135-40	6.9	311
195	Dementia in western Europe: epidemiological evidence and implications for policy making. <i>Lancet Neurology, The</i> , 2016 , 15, 116-24	24.1	255
194	Depression in Europe. Geographical distribution among older people. <i>British Journal of Psychiatry</i> , 1999 , 174, 312-21	5.4	178
193	Depression symptoms in late life assessed using the EURO-D scale. Effect of age, gender and marital status in 14 European centres. <i>British Journal of Psychiatry</i> , 1999 , 174, 339-45	5.4	169
192	The Prevalence of Mild Cognitive Impairment in Diverse Geographical and Ethnocultural Regions: The COSMIC Collaboration. <i>PLoS ONE</i> , 2015 , 10, e0142388	3.7	157
191	"INTERMED": a method to assess health service needs. I. Development and reliability. <i>General Hospital Psychiatry</i> , 1999 , 21, 39-48	5.6	135
190	Depressive disorder and incident diabetes mellitus: the effect of characteristics of depression. <i>American Journal of Psychiatry</i> , 2010 , 167, 580-8	11.9	133
189	Effect of smoking on global cognitive function in nondemented elderly. <i>Neurology</i> , 2004 , 62, 920-4	6.5	132
188	The prevalence of dementia and depression in the elderly community in a southern European population. The Zaragoza study. <i>Archives of General Psychiatry</i> , 1995 , 52, 497-506		128
187	Retinal alterations in mild cognitive impairment and Alzheimer's disease: an optical coherence tomography study. <i>Journal of Neurology</i> , 2014 , 261, 1522-30	5.5	126
186	Religion as a cross-cultural determinant of depression in elderly Europeans: results from the EURODEP collaboration. <i>Psychological Medicine</i> , 2001 , 31, 803-14	6.9	115

(2010-2001)

185	Consultation-Liaison psychiatric service delivery: results from a European study. <i>General Hospital Psychiatry</i> , 2001 , 23, 124-32	5.6	102
184	Social brain, social dysfunction and social withdrawal. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 97, 10-33	9	96
183	Effects of early treatment of poststroke depression on neuropsychological rehabilitation. <i>International Psychogeriatrics</i> , 1995 , 7, 547-60	3.4	92
182	Prevalence of anxiety in the COVID-19 pandemic: An updated meta-analysis of community-based studies. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 109, 110207	5.5	91
181	Prevalence of dementia and major dementia subtypes in Spanish populations: a reanalysis of dementia prevalence surveys, 1990-2008. <i>BMC Neurology</i> , 2009 , 9, 55	3.1	90
180	Prevalence of dementia in a southern European population in two different time periods: the ZARADEMP Project. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 116, 299-307	6.5	90
179	Impact of multimorbidity on disability and quality of life in the Spanish older population. <i>PLoS ONE</i> , 2014 , 9, e111498	3.7	85
178	Prevalent and incident depression in community-dwelling elderly persons with diabetes mellitus: results from the ZARADEMP project. <i>Diabetologia</i> , 2006 , 49, 2627-33	10.3	81
177	Depression, subthreshold depression and comorbid anxiety symptoms in older Europeans: results from the EURODEP concerted action. <i>Journal of Affective Disorders</i> , 2014 , 155, 266-72	6.6	80
176	Age-related cognitive decline and associations with sex, education and apolipoprotein E genotype across ethnocultural groups and geographic regions: a collaborative cohort study. <i>PLoS Medicine</i> , 2017 , 14, e1002261	11.6	79
175	Premorbid adjustment and clinical correlates of cognitive impairment in first-episode psychosis. The PEPsCog Study. <i>Schizophrenia Research</i> , 2015 , 164, 65-73	3.6	75
174	Prevalence of Anxiety in Medical Students during the COVID-19 Pandemic: A Rapid Systematic Review with Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	66
173	COMPRIan instrument to detect patients with complex care needs: results from a European study. <i>Psychosomatics</i> , 2001 , 42, 222-8	2.6	63
172	Cognitive assessment of cancer patients. <i>Cancer</i> , 1984 , 53, 2250-7	6.4	63
171	Retinal nerve fiber layer and macular thickness in patients with schizophrenia: Influence of recent illness episodes. <i>Psychiatry Research</i> , 2015 , 229, 230-6	9.9	62
170	Cognition and the five-factor model of the positive and negative syndrome scale in schizophrenia. <i>Schizophrenia Research</i> , 2013 , 143, 77-83	3.6	62
169	Peripheral endocannabinoid system dysregulation in first-episode psychosis. Neuropsychopharmacology, 2013 , 38, 2568-77	8.7	61
168	Changes in the frontotemporal cortex and cognitive correlates in first-episode psychosis. <i>Biological Psychiatry</i> , 2010 , 68, 51-60	7.9	61

167	Computerized diagnosis from a standardized history schedule: A preliminary communication about the organic section of the HASAGECAT system. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 443-446	3.9	57
166	Somatisation in primary care in Spain: I. Estimates of prevalence and clinical characteristics. Working Group for the Study of the Psychiatric and Psychosomatic Morbidity in Zaragoza. <i>British Journal of Psychiatry</i> , 1996 , 168, 344-8	5.4	56
165	Non-cognitive psychopathological symptoms associated with incident mild cognitive impairment and dementia, Alzheimer's type. <i>Neurotoxicity Research</i> , 2008 , 14, 263-72	4.3	54
164	The European Consultation-Liaison Workgroup (ECLW) Collaborative Study. I. General outline. <i>General Hospital Psychiatry</i> , 1996 , 18, 44-55	5.6	52
163	Depression and incident Alzheimer disease: the impact of disease severity. <i>American Journal of Geriatric Psychiatry</i> , 2015 , 23, 119-29	6.5	49
162	Incidence and lifetime risk of dementia and Alzheimer's disease in a Southern European population. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 372-83	6.5	45
161	The ECLW Collaborative Study: III. Training and reliability of ICD-10 psychiatric diagnoses in the general hospital settingan investigation of 220 consultants from 14 European countries. European Consultation Liaison Workgroup. <i>Journal of Psychosomatic Research</i> , 1996 , 41, 451-63	4.1	45
160	The MATRICS consensus cognitive battery (MCCB): co-norming and standardization in Spain. <i>Schizophrenia Research</i> , 2012 , 134, 279-84	3.6	44
159	Care complexity in the general hospital: results from a European study. <i>Psychosomatics</i> , 2001 , 42, 204-1	2 .6	44
158	Retinal nerve fiber layer thickness measured by optical coherence tomography in patients with schizophrenia: A short report. <i>European Journal of Psychiatry</i> , 2010 , 24,	1	44
157	Mild cognitive impairment in a Spanish representative sample: prevalence and associated factors. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 858-67	3.9	44
156	Age at First Episode Modulates Diagnosis-Related Structural Brain Abnormalities in Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 344-57	1.3	42
155	Cognitive reserve as an outcome predictor: first-episode affective versus non-affective psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 138, 441-455	6.5	42
154	Determinants of cognitive performance and decline in 20 diverse ethno-regional groups: A COSMIC collaboration cohort study. <i>PLoS Medicine</i> , 2019 , 16, e1002853	11.6	42
153	Diabetes and depression. Current Psychiatry Reports, 2011, 13, 26-30	9.1	42
152	COSMIC (Cohort Studies of Memory in an International Consortium): an international consortium to identify risk and protective factors and biomarkers of cognitive ageing and dementia in diverse ethnic and sociocultural groups. <i>BMC Neurology</i> , 2013 , 13, 165	3.1	41
151	Validation of the Spanish version of the EURO-D scale: an instrument for detecting depression in older people. <i>International Journal of Geriatric Psychiatry</i> , 2006 , 21, 1199-205	3.9	40
150	Frequency of stroke in Europe: A collaborative study of population-based cohorts. ILSA Working Group and the Neurologic Diseases in the Elderly Research Group. Italian Longitudinal Study on Aging Neurology 2000, 54, 528-33	6.5	40

(2008-2004)

149	A brief diagnostic screening instrument for mental disturbances in general medical wards. <i>Journal of Psychosomatic Research</i> , 2004 , 57, 17-24	4.1	38
148	BDNF and NGF Signalling in Early Phases of Psychosis: Relationship With Inflammation and Response to Antipsychotics After 1 Year. <i>Schizophrenia Bulletin</i> , 2016 , 42, 142-51	1.3	37
147	Risk factors for complex care needs in general medical inpatients: results from a European study. <i>Psychosomatics</i> , 2001 , 42, 213-21	2.6	37
146	Epidemiologic trends and costs of fragmentation. <i>Medical Clinics of North America</i> , 2006 , 90, 549-72	7	36
145	Three forms of somatization presenting in primary care settings in Spain. <i>Journal of Nervous and Mental Disease</i> , 1998 , 186, 554-60	1.8	36
144	Is there an association between low-to-moderate alcohol consumption and risk of cognitive decline?. <i>American Journal of Epidemiology</i> , 2010 , 172, 708-16	3.8	35
143	Mild cognitive impairment diagnosed with the new DSM-5 criteria: prevalence and associations with non-cognitive psychopathology. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 29-39	6.5	34
142	Detection and Treatment of Mental Disorders in General Health Care. <i>European Psychiatry</i> , 1997 , 12, 70s-78s	6	34
141	European consultation-liaison services and their user populations: the European Consultation-Liaison Workgroup Collaborative Study. <i>Psychosomatics</i> , 2000 , 41, 330-8	2.6	34
140	A new interview for the multiaxial assessment of psychiatric morbidity in medical settings. <i>Psychological Medicine</i> , 1993 , 23, 505-10	6.9	34
139	The ECLW Collaborative study II: patient registration form (PRF) instrument, training and reliability. European Consultation/Liaison Work group. <i>Journal of Psychosomatic Research</i> , 1996 , 40, 143-56	4.1	33
138	Conversion to dementia in mild cognitive impairment diagnosed with DSM-5 criteria and with Petersen's criteria. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 378-85	6.5	32
137	Cross-cultural comparison of depression and depressive symptoms in older people. <i>Acta Psychiatrica Scandinavica</i> , 1993 , 87, 369-73	6.5	31
136	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. <i>Schizophrenia Research</i> , 2017 , 189, 84-90	3.6	30
135	Modelling gene-environment interaction in first episodes of psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 181-189	3.6	30
134	Cognition and psychopathology in first-episode psychosis: are they related to inflammation?. <i>Psychological Medicine</i> , 2016 , 46, 2133-44	6.9	28
133	Functional disability and death wishes in older Europeans: results from the EURODEP concerted action. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1475-82	4.5	28
132	Somatic and psychiatric comorbidity in the general elderly population: results from the ZARADEMP Project. <i>Journal of Psychosomatic Research</i> , 2008 , 65, 347-55	4.1	28

131	Somatisation in primary care in Spain: II. Differences between somatisers and psychologisers. Working Group for the Study of the Psychiatric and Psychosomatic Morbidity in Zaragoza. <i>British Journal of Psychiatry</i> , 1996 , 168, 348-53	5.4	28
130	Attribution in somatizers: stability and relationship to outcome at 1-year follow-up. Grupo Morbilidad Psiquica y Psicosom E ica de Zaragoza (GMPPZ). <i>Acta Psychiatrica Scandinavica</i> , 1997 , 95, 433-	8 ^{6.5}	27
129	Mortality and mental disorders in a Spanish elderly population. <i>International Journal of Geriatric Psychiatry</i> , 1999 , 14, 1031-8	3.9	26
128	The prevalence of dementia among elderly people living in Zaragoza and Liverpool. <i>Psychological Medicine</i> , 1992 , 22, 239-43	6.9	26
127	Is cognitive impairment associated with antipsychotic dose and anticholinergic equivalent loads in first-episode psychosis?. <i>Psychological Medicine</i> , 2018 , 48, 2247-2256	6.9	25
126	Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 188-196	3.6	25
125	Pharmacogenetic study of antipsychotic induced acute extrapyramidal symptoms in a first episode psychosis cohort: role of dopamine, serotonin and glutamate candidate genes. <i>Pharmacogenomics Journal</i> , 2016 , 16, 439-45	3.5	25
124	Negative symptoms and executive function in schizophrenia: does their relationship change with illness duration?. <i>Psychopathology</i> , 2013 , 46, 241-8	3.4	25
123	European Consultation-Liaison Psychiatric Services: the ECLW Collaborative Study. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 360-6	6.5	25
122	Stroke prevalence among the Spanish elderly: an analysis based on screening surveys. <i>BMC Neurology</i> , 2006 , 6, 36	3.1	24
121	Prevalence and implications of psychopathological non-cognitive symptoms in dementia. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 107-16	6.5	22
120	Referral pattern of neurological patients to psychiatric Consultation-Liaison Services in 33 European hospitals. <i>General Hospital Psychiatry</i> , 2001 , 23, 152-7	5.6	22
119	Cannabis use, COMT, BDNF and age at first-episode psychosis. <i>Psychiatry Research</i> , 2017 , 250, 38-43	9.9	21
118	A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	21
117	Emotional disturbances in endocrine patients. Validity of the scaled version of the General Health Questionnaire (GHQ-28). <i>British Journal of Psychiatry</i> , 1988 , 152, 807-12	5.4	21
116	Persistent Negative Symptoms in First-Episode Psychosis: Early Cognitive and Social Functioning Correlates and Differences Between Early and Adult Onset. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, 1414	4 ⁴ 1822	21
115	Individual trajectories of cognitive performance in first episode psychosis: a 2-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 699-711	5.1	21
114	A European Research Agenda for Somatic Symptom Disorders, Bodily Distress Disorders, and Functional Disorders: Results of an Estimate-Talk-Estimate Delphi Expert Study. <i>Frontiers in Psychiatry</i> , 2018 , 9, 151	5	19

113	Prevalence and European comparison of dementia in a \$\mathbb{\mathbb{I}}5-year-old composite population in Spain. <i>Acta Neurologica Scandinavica</i> , 2011 , 123, 316-24	3.8	19	
112	Affective versus non-affective first episode psychoses: A longitudinal study. <i>Journal of Affective Disorders</i> , 2018 , 238, 297-304	6.6	18	
111	Clinically significant anxiety as a risk factor for dementia in the elderly community. <i>Acta Psychiatrica Scandinavica</i> , 2019 , 139, 6-14	6.5	18	
110	Clinically relevant anxiety and risk of Alzheimer's disease in an elderly community sample: 4.5 years of follow-up. <i>Journal of Affective Disorders</i> , 2019 , 250, 16-20	6.6	17	
109	Development of the insight scale for affective disorders (ISAD): modification from the scale to assess unawareness of mental disorder. <i>Journal of Affective Disorders</i> , 2012 , 142, 65-71	6.6	16	
108	Association of hypertension with depression in community-dwelling elderly persons: results from the ZARADEMP Project. <i>Psychotherapy and Psychosomatics</i> , 2008 , 77, 323-5	9.4	16	
107	Early detection of pneumology inpatients at risk of extended hospital stay and need for psychosocial treatment. <i>Psychosomatic Medicine</i> , 2007 , 69, 99-105	3.7	16	
106	Spanish version of the Delirium Rating Scale-Revised-98: reliability and validity. <i>Journal of Psychosomatic Research</i> , 2005 , 59, 147-51	4.1	16	
105	Neutrophil Count Is Associated With Reduced Gray Matter and Enlarged Ventricles in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 846-858	1.3	15	
104	Degree of cognitive impairment and mortality: a 17-year follow-up in a community study. <i>Epidemiology and Psychiatric Sciences</i> , 2015 , 24, 503-11	5.1	15	
103	Opposite Cannabis-Cognition Associations in Psychotic Patients Depending on Family History. <i>PLoS ONE</i> , 2016 , 11, e0160949	3.7	15	
102	Estimating prevalence of subjective cognitive decline in and across international cohort studies of aging: a COSMIC study. <i>Alzheimerm Research and Therapy</i> , 2020 , 12, 167	9	15	
101	Relating constructs of attention and working memory to social withdrawal in Alzheimer's disease and schizophrenia: issues regarding paradigm selection. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 97, 47-69	9	15	
100	Dysregulated peripheral endocannabinoid system signaling is associated with cognitive deficits in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2016 , 75, 14-21	5.2	14	
99	RELIABILITY AND VALIDITY OF THE SPANISH VERSION OF THEGMSAGECAT PACKAGE FOR THE ASSESSMENT OF DEMENTIA AND COGNITIVE DISTURBANCES. <i>International Journal of Geriatric Psychiatry</i> , 1996 , 11, 721-728	3.9	14	
98	Influence of social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. <i>Psychological Medicine</i> , 2020 , 50, 2702-2710	6.9	14	
97	The MCCB impairment profile in a Spanish sample of patients with schizophrenia: Effects of diagnosis, age, and gender on cognitive functioning. <i>Schizophrenia Research</i> , 2015 , 169, 116-120	3.6	13	
96	Screening of somatization disorder: validation of the Spanish version of the Othmer and DeSouza test. <i>Acta Psychiatrica Scandinavica</i> , 1996 , 94, 411-5	6.5	13	

95	Intuitive pharmacogenetic dosing of risperidone according to CYP2D6 phenotype extrapolated from genotype in a cohort of first episode psychosis patients. <i>European Neuropsychopharmacology</i> , 2017 , 27, 647-656	1.2	12
94	Are negative symptoms really related to cognition in schizophrenia?. <i>Psychiatry Research</i> , 2015 , 230, 377-82	9.9	12
93	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 199, 64-74	3.6	12
92	Association of the brain-derived neurotrophic factor Val66Met polymorphism with negative symptoms severity, but not cognitive function, in first-episode schizophrenia spectrum disorders. <i>European Psychiatry</i> , 2016 , 38, 61-69	6	12
91	Gene-environment interaction between an endocannabinoid system genetic polymorphism and cannabis use in first episode of psychosis. <i>European Neuropsychopharmacology</i> , 2019 , 29, 786-794	1.2	11
90	Examining Gene-Environment Interactions Using Aggregate Scores in a First-Episode Psychosis Cohort. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1019-1025	1.3	11
89	Cardiovascular Risk in Early Psychosis: Relationship with Inflammation and Clinical Features 6 Months after Diagnosis. <i>International Journal of Neuropsychopharmacology</i> , 2018 , 21, 410-422	5.8	10
88	Patterns of comorbidity in relation to functioning (GAF) among general hospital psychiatric referrals. European Consultation-Liaison Workgroup. <i>Acta Psychiatrica Scandinavica</i> , 1999 , 99, 135-40	6.5	10
87	Psychiatric morbidity among residents in a home for the elderly in spain: Prevalence of disorder and validity of screening. <i>International Journal of Geriatric Psychiatry</i> , 1990 , 5, 83-91	3.9	10
86	Psychosomatic Psychiatry: a European View. European Journal of Psychiatry, 2007, 21,	1	10
85	Prevalence of anxiety disorder among older adults in Spain: A meta-analysis. <i>Journal of Affective Disorders</i> , 2019 , 246, 408-417	6.6	10
84	COVID-19 and dementia: experience from six European countries. <i>International Journal of Geriatric Psychiatry</i> , 2021 , 36, 943-949	3.9	10
83	Development of an international schedule for the assessment and staging of care for dementia. Journal of Alzheimerm Disease, 2015, 44, 139-51	4.3	9
82	Care complexity, mood, and quality of life in liver pre-transplant patients. <i>Clinical Transplantation</i> , 2013 , 27, 417-25	3.8	9
81	Psychiatric Referrals Associated with Substance Use Disorders: Prevalence and Gender Differences. <i>Alcoholism: Clinical and Experimental Research</i> , 1997 , 21, 620-626	3.7	9
80	Psychiatric morbidity among medical out-patients in Spain: a case for new methods of classification. Journal of Psychosomatic Research, 1988, 32, 355-64	4.1	9
79	Association study of candidate genes with obesity and metabolic traits in antipsychotic-treated patients with first-episode psychosis over a 2-year period. <i>Journal of Psychopharmacology</i> , 2020 , 34, 51	4-523	8
78	Identification of components of health complexity on internal medicine units by means of the INTERMED method. <i>International Journal of Clinical Practice</i> , 2015 , 69, 1377-86	2.9	8

(1998-2013)

77	Depressive symptoms and associated factors in an older Spanish population positively screened for disability. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 745-55	3.9	8
76	Depression and parkinsonism in older Europeans: results from the EURODEP concerted action. <i>International Journal of Geriatric Psychiatry</i> , 2010 , 25, 679-87	3.9	8
75	Cross-national comparison of prevalence of symptoms of neurotic disorders in older people in two community samples. <i>Acta Psychiatrica Scandinavica</i> , 1995 , 91, 18-22	6.5	8
74	Pathways to care for people with dementia: An international multicentre study. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 163-173	3.9	8
73	Mortality in Mild Cognitive Impairment Diagnosed with DSM-5 Criteria and with Petersen's Criteria: A 17-Year Follow-Up in a Community Study. <i>American Journal of Geriatric Psychiatry</i> , 2016 , 24, 977-986	6.5	8
72	Gene-environment interaction as a predictor of early adjustment in first episode psychosis. <i>Schizophrenia Research</i> , 2017 , 189, 196-203	3.6	7
71	MCCB cognitive profile in Spanish first episode schizophrenia patients. <i>Schizophrenia Research</i> , 2019 , 211, 88-92	3.6	7
70	On the history of the European Association of Consultation-Liaison Psychiatry and Psychosomatics. <i>Journal of Psychosomatic Research</i> , 2011 , 70, 575-7	4.1	7
69	Mental disturbances and perceived complexity of nursing care in medical inpatients: results from a European study. <i>Journal of Advanced Nursing</i> , 2001 , 36, 355-63	3.1	7
68	The effect of occupation type on risk of Alzheimer's disease in men and women. <i>Maturitas</i> , 2019 , 126, 61-68	5	6
67	The teaching of liaison psychiatry. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 457-9	4.1	6
66	A new autopsy interview for the assessment of factors potentially related to death in depressed medical patients. <i>Behavioral Medicine</i> , 2009 , 35, 45-56	4.4	6
65	Spanish perspective on enlarging a small specialty: the national research network for liaison psychiatry and psychosomatics. <i>Psychosomatics</i> , 2007 , 48, 46-53	2.6	6
64	On Multiaxial Psychiatric Diagnosis for General Medical Patients. <i>British Journal of Psychiatry</i> , 1989 , 154, 38-41	5.4	6
63	The impact of cognitive reserve, cognition and clinical symptoms on psychosocial functioning in first-episode psychoses. <i>Psychological Medicine</i> , 2020 , 1-12	6.9	6
62	The joint association of depression and cognitive function with severe disability among community-dwelling older adults in Finland, Poland and Spain. <i>Experimental Gerontology</i> , 2016 , 76, 39-4	1 5 ^{4.5}	5
61	Reliability of INTERMED Spanish version and applicability in liver transplant patients: a cross-sectional study. <i>BMC Health Services Research</i> , 2011 , 11, 160	2.9	5
60	Factors predictive of referral to psychiatric hospital among general hospital psychiatric consultations. <i>Acta Psychiatrica Scandinavica</i> , 1998 , 97, 47-54	6.5	5

59	Personalized medicine begins with the phenotype: identifying antipsychotic response phenotypes in a first-episode psychosis cohort. <i>Acta Psychiatrica Scandinavica</i> , 2020 , 141, 541-552	6.5	5
58	Impact of NTRK2, DRD2 and ACE polymorphisms on prolactin levels in antipsychotic-treated patients with first-episode psychosis. <i>Journal of Psychopharmacology</i> , 2018 , 32, 702-710	4.6	5
57	Auditory hallucinations in first-episode psychosis: A voxel-based morphometry study. <i>Schizophrenia Research</i> , 2019 , 209, 148-155	3.6	4
56	Exploring Risk and Resilient Profiles for Functional Impairment and Baseline Predictors in a 2-Year Follow-Up First-Episode Psychosis Cohort Using Latent Class Growth Analysis. <i>Journal of Clinical Medicine</i> , 2020 , 10,	5.1	4
55	Does parity matter in women's risk of dementia? A COSMIC collaboration cohort study. <i>BMC Medicine</i> , 2020 , 18, 210	11.4	4
54	Parity and the risk of incident dementia: a COSMIC study. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e176	5.1	4
53	Staging cognitive impairment and incidence of dementia. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 562-572	5.1	4
52	Differences in the regulation of inflammatory pathways in adolescent- and adult-onset first-episode psychosis. <i>European Child and Adolescent Psychiatry</i> , 2019 , 28, 1395-1405	5.5	3
51	Is it possible to combine different psychotic symptom scales in bipolar disorder?. <i>Psychiatry Research</i> , 2014 , 220, 1090-3	9.9	3
50	Psychosomatic psychiatry: a Spanish proposal for a new dimension. <i>Journal of Psychosomatic Research</i> , 2005 , 59, 451-2	4.1	3
49	A cross-national study of depression in preclinical dementia: A COSMIC collaboration study. <i>Alzheimermand Dementia</i> , 2020 , 16, 1544-1552	1.2	3
48	The usefulness of Olanzapine plasma concentrations in monitoring treatment efficacy and metabolic disturbances in first-episode psychosis. <i>Psychopharmacology</i> , 2021 , 238, 665-676	4.7	3
47	The effect of family environment and psychiatric family history on psychosocial functioning in first-episode psychosis at baseline and after 2 years. <i>European Neuropsychopharmacology</i> , 2021 , 49, 54-6	5 1 .2	3
46	Different subpopulations of mild cognitive impairment are identified by using Petersen's or DSM-5 criteria. <i>European Journal of Psychiatry</i> , 2017 , 31, 80-86	1	2
45	The development of psychosomatic and Liaison Psychiatry units in Spain: A national enquiry. <i>Journal of Psychosomatic Research</i> , 2019 , 125, 109784	4.1	2
44	Anxiety and Risk of Vascular Dementia in an Elderly Community Sample: The Role of Sex. <i>Brain Sciences</i> , 2020 , 10,	3.4	2
43	Reliability and validity of the Spanish version of the IDEAL Schedule for assessing care needs in dementia: Cross-sectional, multicenter study. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 482-	-4 8 8	2
42	Psychosomatic and liaison psychiatry in Zaragoza: philosophy, objectives and results in a four decade experience: the 2014 EAPM 'Frits Huyse Award' lecture. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 435-7	4.1	2

(2021-2013)

41	Usefulness of 2 questions about age and year of birth in the case-finding of dementia. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 627.e7-12	5.9	2
40	Innovative methods in teaching psychiatry to medical students. <i>European Journal of Psychiatry</i> , 2015 , 29, 67-78	1	2
39	The contribution of epidemiology to psychosomatic medicine. <i>Epidemiologia E Psichiatria Sociale</i> , 1997 , 6, 40-7		2
38	Psychosocial Care of Oncological Inpatients. <i>Oncology Research and Treatment</i> , 1998 , 21, 150-155	2.8	2
37	The ZARADEMP Project on the incidence, prevalence and risk factors of dementia (and depression) in the elderly community: II. Methods and first results. <i>European Journal of Psychiatry</i> , 2005 , 19,	1	2
36	Somatic and psychiatric co-morbidity in Primary Care patients in Spain. <i>European Journal of Psychiatry</i> , 2007 , 21,	1	2
35	The prevention of relapses in first episodes of schizophrenia: The 2EPs Project, background, rationale and study design. <i>Revista De Psiquiatr Y Salud Mental</i> , 2021 , 14, 164-176	2.7	2
34	Dementia care in high-income countries. Current Opinion in Psychiatry, 2019, 32, 465-470	4.9	2
33	Cognition and daily activities in a general population sample aged +55. <i>Aging, Neuropsychology, and Cognition</i> , 2021 , 28, 270-283	2.1	2
32	Can Physical Activity Reduce the Risk of Cognitive Decline in Apolipoprotein e4 Carriers? A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
31	Association between Anxiety and Vascular Dementia Risk: New Evidence and an Updated Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
30	The assessment of self-esteem: a psychiatric perspective. <i>International Psychogeriatrics</i> , 2020 , 32, 161-1	1634	1
29	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. <i>Schizophrenia Research</i> , 2020 , 218, 292-294	3.6	1
28	The longitudinal effect of antipsychotic burden on psychosocial functioning in first-episode psychosis patients: the role of verbal memory. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	1
27	Psychosomatic Psychiatry in Spain: Historical Notes and the State of the Art 2019 , 295-327		1
26	Is the effect of cognitive reserve in longitudinal outcomes in first-episode psychoses dependent on the use of cannabis?. <i>Journal of Affective Disorders</i> , 2022 , 302, 83-83	6.6	1
25	Association of Systolic Blood Pressure With Dementia Risk and the Role of Age, U-Shaped Associations, and Mortality <i>JAMA Internal Medicine</i> , 2021 ,	11.5	1
24	A longitudinal study of gene expression in first-episode schizophrenia; exploring relapse mechanisms by co-expression analysis in peripheral blood. <i>Translational Psychiatry</i> , 2021 , 11, 539	8.6	1

23	The Role of Premorbid IQ and Age of Onset as Useful Predictors of Clinical, Functional Outcomes, and Recovery of Individuals with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
22	The prevention of relapses in first episodes of schizophrenia: The 2EPs Project, background, rationale and study design. <i>Revista De Psiquiatr Y Salud Mental (English Edition)</i> , 2021 , 14, 164-176	0.2	1
21	Anhedonia as a Potential Risk Factor of Alzheimer's Disease in a Community-Dwelling Elderly Sample: Results from the ZARADEMP Project. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
20	Trajectories of suicidal ideation after first-episode psychosis: a growth mixture modeling approach. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 418-433	6.5	1
19	Premorbid Characteristics as Predictors of Early Onset Versus Adult Onset in Patients With a First Episode of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2021 , 82,	4.6	1
18	The Prevalence of Mild Cognitive Impairment in Diverse Geographical and Ethnocultural Regions: The COSMIC Collaboration. <i>PLoS ONE</i> , 2015 , 10, e0142388	3.7	1
17	Chapter 10 Staging of Cognitive Impairment, Incidence of Dementia, and Mortality Risk: Preliminary Results with a Simply Method Based on the Mini Mental Status Examination 2012 , 111-119		1
16	Education and the moderating roles of age, sex, ethnicity and apolipoprotein epsilon 4 on the risk of cognitive impairment. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 91, 104112	4	О
15	Cognitive clusters in first-episode psychosis. <i>Schizophrenia Research</i> , 2021 , 237, 31-39	3.6	O
14	Cortical thinning over two years after first-episode psychosis depends on age of onset <i>NPJ Schizophrenia</i> , 2022 , 8, 20	5.5	О
13	The network structure of cognitive deficits in first episode psychosis patients. <i>Schizophrenia Research</i> , 2022 , 244, 46-54	3.6	O
12	Metabolic polygenic risk scores effect on antipsychotic-induced metabolic dysregulation: A longitudinal study in a first episode psychosis cohort. <i>Schizophrenia Research</i> , 2022 , 244, 101-110	3.6	O
11	The new Section of P sychosomatic Psychiatrylin the European Journal of Psychiatry. <i>European Journal of Psychiatry</i> , 2020 , 34, 53-54	1	
10	Reply: To PMID 24893954. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 81-2	6.5	
9	Complexity Prediction Instrument to detect 'complex cases' in respiratory wards: instrument development. <i>Journal of Advanced Nursing</i> , 2008 , 64, 96-103	3.1	
8	Impact of traumatic life events on clinical variables of individuals with first-episode psychosis and healthy controls <i>International Journal of Social Psychiatry</i> , 2022 , 207640211070398	8.5	
7	On multiaxial psychiatric diagnosis for general medical patients. <i>The British Journal of Psychiatry Supplement</i> , 1989 , 38-41		
6	Sociology of Aging. <i>Mental Health and Illness Worldwide</i> , 2016 , 1-24	0.1	

5	Sociology of Aging. Mental Health and Illness Worldwide, 2017 , 29-51	0.1
4	Chapter 11 Staging of Cognitive Impairment, Incidence of Dementia, and Mortality Risk: Preliminary Results with a Simply Method Based on the Mini Mental Status Examination 2013 , 115-123	
3	Dementia care and reopening the doors of nursing homes during the pandemic. <i>International Psychogeriatrics</i> , 2021 , 1-8	3.4
2	Epidemiological Perspectives in Psychosomatic and Liaison Psychiatry 2021 , 575-587	
1	Social cognition as a mediator between cognitive reserve and psychosocial functioning in patients with first episode psychosis. <i>European Psychiatry</i> , 2021 , 64, S163-S163	6