

Jose Carmine Dianese

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6749998/publications.pdf>

Version: 2024-02-01

55

papers

815

citations

623734

14

h-index

552781

26

g-index

56

all docs

56

docs citations

56

times ranked

1300

citing authors

#	ARTICLE	IF	CITATIONS
1	A Coconut-Agar Medium for Rapid Detection of Aflatoxin Production by <i>Aspergillus</i> spp.. <i>Phytopathology</i> , 1976, 66, 1466.	2.2	128
2	Unusual fungal niches. <i>Mycologia</i> , 2011, 103, 1161-1174.	1.9	94
3	Biodiversity and conservation of the Cerrado: recent advances and old challenges. <i>Biodiversity and Conservation</i> , 2020, 29, 1465-1475.	2.6	73
4	Cruciferous Weeds as Sources of Inoculum of <i>Xanthomonas campestris</i> in Black Rot of Crucifers. <i>Phytopathology</i> , 1981, 71, 1215.	2.2	62
5	Dismantling Brazil's science threatens global biodiversity heritage. <i>Perspectives in Ecology and Conservation</i> , 2017, 15, 239-243.	1.9	60
6	Race Characterization of Brazilian Isolates of <i>Colletotrichum lindemuthianum</i> and Detection of Resistance to Anthracnose in <i>Phaseolus vulgaris</i> . <i>Phytopathology</i> , 1988, 78, 650.	2.2	43
7	Epidemiology of a Neotropical rust (<i>Puccinia psidii</i>): periodical analysis of the temporal progress in a perennial host (<i>Syzygium jambos</i>). <i>Plant Pathology</i> , 2001, 50, 725-731.	2.4	24
8	Susceptibility to wilt associated with <i>Pseudomonas solanacearum</i> among six species of <i>Eucalyptus</i> growing in equatorial Brazil. <i>Australasian Plant Pathology</i> , 1990, 19, 71.	1.0	21
9	<i>Crinipellis brasiliensis</i> , a new species based on morphological and molecular data. <i>Mycologia</i> , 2005, 97, 1348-1361.	1.9	19
10	An overlooked source of fungal diversity: novel hyphomycete genera on trichomes of cerrado plants. <i>Mycological Research</i> , 2009, 113, 261-274.	2.5	17
11	Padrões de liberação de urediniosporos e desenvolvimento da ferrugem do jambeiro. <i>Pesquisa Agropecuária Brasileira</i> , 2001, 36, 845-850.	0.9	16
12	Screening <i>Eucalyptus</i> species for rust resistance in Bahia, Brazil. <i>International Journal of Pest Management</i> , 1986, 32, 292-295.	0.1	15
13	Some coelomycetes from Central Brazil. <i>Mycological Research</i> , 1998, 102, 19-29.	2.5	15
14	Some foliicolous fungi on <i>Tabebuia</i> species. <i>Mycological Research</i> , 1998, 102, 695-708.	2.5	15
15	New hyphomycete genera on <i>Qualea</i> species from the Brazilian cerrado. <i>Mycologia</i> , 2004, 96, 879-884.	1.9	15
16	High Production of Kojic Acid Crystals by <i>Aspergillus parasiticus</i> UNBF A12 in Liquid Medium. <i>Applied and Environmental Microbiology</i> , 1976, 32, 298-299.	3.1	14
17	Phylogenetic relationships of <i>Phaeochorella</i> and <i>parinarii</i> and recognition of a new family, <i>Phaeochorellaceae</i> (Diaporthales). <i>Mycologia</i> , 2019, 111, 660-675.	1.9	11
18	Comparative pathology of <i>Cylindrocladium clavatum</i> and <i>C. scoparium</i> on <i>Eucalyptus</i> spp. and screening of <i>Eucalyptus</i> provenances for resistance to <i>Cylindrocladium</i> damping-off. <i>International Journal of Pest Management</i> , 1992, 38, 155-159.	0.1	10

#	ARTICLE	IF	CITATIONS
19	Some Pseudocercospora species and a new Prathigada species from the Brazilian cerrado. <i>Mycological Research</i> , 1999, 103, 1203-1209.	2.5	10
20	<I>Chaetothyriomyces:</I> a new genus in family <I>Chaetothyriaceae</I>. <i>Mycotaxon</i> , 2009, 107, 483-488.	0.3	10
21	New <i>Stenella</i> and <i>Parastenella</i> species from the Brazilian cerrado. <i>Mycologia</i> , 2007, 99, 753-764.	1.9	9
22	Additions to the genera Asterolibertia and Cirrosia (Asterinaceae, Asterinales), with particular reference to species from the Brazilian Cerrado. <i>IMA Fungus</i> , 2016, 7, 9-28.	3.8	9
23	Reintroduction of songbirds from captivity: the case of the Great-billed Seed-finch (<i>Sporophila</i>) Tj ETQq1 1 0.784314 rgBT /Oyerlock 10		
24	ITS phylogeny and taxonomy of Phyllachora species on native Myrtaceae from the Brazilian Cerrado. <i>Mycologia</i> , 2016, 108, 1141-1164.	1.9	8
25	Pseudocercospora zeyheriae, a new combination for Cercospora zeyrae. <i>Mycological Research</i> , 1999, 103, 40-42.	2.5	7
26	Species of <I>Hemitrichia</I> <I>(Trichiaceae, Myxomycetes)</I> in Brazil. <i>Mycotaxon</i> , 2009, 107, 35-48.	0.3	7
27	Foliicolous fungi on <i>Tabebuia</i> species from the cerrado. <i>Mycological Progress</i> , 2006, 5, 120-127.	1.4	6
28	<i>Uromyces hawksworthii</i> nom. nov. for <i>Aecidium goyazense</i> , on <i>Phthirusa stelis</i> (Loranthaceae) from the Brazilian Cerrado. <i>IMA Fungus</i> , 2015, 6, 155-162.	3.8	6
29	Taxonomy, phylogeny, and divergence time estimation for <i>Apiosphaeria guaranitica</i> , a Neotropical parasite on bignoniacous hosts. <i>Mycologia</i> , 2018, 110, 526-545.	1.9	6
30	<i>Phloeosporella kitajimae</i> sp. nov. associated with leaf spots and blight of <i>Eugenia dysenterica</i> in central Brazil. <i>Mycological Research</i> , 1993, 97, 610-612.	2.5	5
31	New <i>Stenella</i> and <i>Parastenella</i> species from the Brazilian cerrado. <i>Mycologia</i> , 2007, 99, 753-764.	1.9	5
32	<i>Plurispermopsis</i>: a new capnodiaceous genus from the Brazilian Cerrado. <i>Mycologia</i> , 2010, 102, 1163-1166.	1.9	5
33	A new <i>Dothidasteroma</i> species on leaves of <i>Psidium larotteanum</i> from the Brazilian Cerrado. <i>Mycotaxon</i> , 2011, 116, 27-32.	0.3	5
34	Cercosporoid hyphomycetes on malpighiaceous hosts from the Brazilian Cerrado: New <i>Passalora</i> and <i>Pseudocercospora</i> species on hosts of the genus <i>Banisteriopsis</i> . <i>Mycological Progress</i> , 2014, 13, 365-371.	1.4	5
35	<i>Crossopsorella</i> , a new tropical genus of rust fungi. <i>Phytotaxa</i> , 2018, 375, 189.	0.3	5
36	Additions to the cercosporoid fungi from the Brazilian Cerrado: 1. New species on hosts belonging in family Fabaceae, and reallocations of four <i>Stenella</i> species into <i>Zasmidium</i> . <i>Mycobiota</i> , 0, 5, 33-64.	1.3	5

#	ARTICLE	IF	CITATIONS
37	Susceptibility of different Eucalyptus genotypes to artificial leaf-inoculations with <i>Cylindrocladium scorarium</i> and <i>C. clavatum</i> . <i>Forest Pathology</i> , 1993, 23, 276-280.	1.1	4
38	Coniella costae sp. nov. on leaves of <i>Myrcia tomentosa</i> from Brazilian cerrado. <i>Mycological Research</i> , 1993, 97, 1234-1236.	2.5	4
39	Aplopsora hennenii sp. nov., the first rust fungus recorded from Vochysiaceae. <i>Mycological Research</i> , 1995, 99, 914-916.	2.5	4
40	Rhinocladium pulchrum, a new record for Brazil and new combinations in Rhinocladium. <i>Mycological Research</i> , 1996, 100, 244-246.	2.5	4
41	New Meliola species on fabaceous hosts from the Brazilian Cerrado. <i>Mycological Progress</i> , 2014, 13, 321-331.	1.4	4
42	Wilmia, a New Genus of Phaeosphaeriaceous Ascomycetes on <i>Memora pedunculata</i> in Central Brazil. <i>Mycologia</i> , 2001, 93, 1014.	1.9	3
43	A new <i>Hysterostomella</i> species from the Cerrado in Brasília National Park. <i>Mycotaxon</i> , 2012, 119, 307-313.	0.3	3
44	New Passalora species on <i>Peixotoa</i> (Malpighiaceae) from the Brazilian Cerrado. <i>Mycological Progress</i> , 2014, 13, 75-79.	1.4	3
45	Cercosporoid hyphomycetes on malpighiaceous hosts from the Brazilian Cerrado: species of Pseudocercospora on hosts belonging to <i>Byrsinima</i> . <i>Mycological Progress</i> , 2014, 13, 193-210.	1.4	3
46	Primeiro relato de <i>Plasmopara halstedii</i> em <i>Ageratum houstonianum</i> (Asteraceae) no Distrito Federal, Brasil. <i>Tropical Plant Pathology</i> , 2006, 31, 413-413.	0.3	3
47	< i > <i>Phaeostilbelloides</i> < /i > and < i > <i>Velloziomyces</i> < /i > â€” new dematiaceous genera from the Brazilian Cerrado. <i>Mycotaxon</i> , 2015, 130, 757-767.	0.3	2
48	Infection by <i>Uromyces euphorbiae</i> : a trigger for the sporulation of endophytic <i>Colletotrichum truncatum</i> on the common host <i>Euphorbia hirta</i> . <i>Mycological Progress</i> , 2017, 16, 941-946.	1.4	2
49	Exploring the overlooked diversity of plant-associated Cerrado Microfungi. <i>Revisao Anual De Patologia De Plantas</i> , 0, , 69-101.	0.1	2
50	<i>Cladosterigma</i> : an enigmatic fungus, previously considered a basidiomycete, now revealed as an ascomycete member of the Gomphillaceae. <i>Mycologia</i> , 2020, 112, 829-846.	1.9	1
51	Screening soybean germplasm for resistance to <i>Cylindrocladium clavatum</i> . <i>International Journal of Pest Management</i> , 1999, 45, 249-253.	1.8	0
52	New Cercospora species on <i>Jatropha curcas</i> in central Brazil. <i>Mycological Progress</i> , 2014, 13, 1069.	1.4	0
53	Fungi from the â€œLost Worldâ€: Novel Asterinaceae from the Ricardo Franco Hills (Brazil), with a worldwide key to Lembosia species on Melastomataceae. <i>Phytotaxa</i> , 2019, 409, 129-145.	0.3	0
54	Professor Francisco Pereira Cupertino (*31/10/1938 â€“ 11/04/2021). <i>Tropical Plant Pathology</i> , 2021, 46, 581.	1.5	0

ARTICLE

IF CITATIONS

- | | | | |
|----|---|-----|---|
| 55 | New genus of trichomatous coelomycete on <i>Myrcia fenzliana</i> from the Brazilian Cerrado. <i>Mycologia</i> , 2021, 113, 231-244. | 1.9 | 0 |
|----|---|-----|---|