

Jose Carmine Dianese

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6749998/publications.pdf>

Version: 2024-02-01

55

papers

815

citations

623734

14

h-index

552781

26

g-index

56

all docs

56

docs citations

56

times ranked

1300

citing authors

#	ARTICLE	IF	CITATIONS
1	Professor Francisco Pereira Cupertino (*31/10/1938 à 11/04/2021). <i>Tropical Plant Pathology</i> , 2021, 46, 581.	1.5	0
2	New genus of trichomatous coelomycete on <i>Myrcia fenzliana</i> from the Brazilian Cerrado. <i>Mycologia</i> , 2021, 113, 231-244.	1.9	0
3	Reintroduction of songbirds from captivity: the case of the Great-billed Seed-finch (<i>Sporophila</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10	2.6	10
4	< i>Cladosterigma</i>: an enigmatic fungus, previously considered a basidiomycete, now revealed as an ascomycete member of the Gomphillaceae. <i>Mycologia</i> , 2020, 112, 829-846.	1.9	1
5	Biodiversity and conservation of the Cerrado: recent advances and old challenges. <i>Biodiversity and Conservation</i> , 2020, 29, 1465-1475.	2.6	73
6	Fungi from the “Lost World”. Novel Asterinaceae from the Ricardo Franco Hills (Brazil), with a worldwide key to Lembosia species on Melastomataceae. <i>Phytotaxa</i> , 2019, 409, 129-145.	0.3	0
7	Phylogenetic relationships of < i>Phaeochorella</i> < i>parinarii</i> and recognition of a new family, Phaeochorellaceae (Diaporthales). <i>Mycologia</i> , 2019, 111, 660-675.	1.9	11
8	Taxonomy, phylogeny, and divergence time estimation for <i>Apiosphaeria guaranitica</i> , a Neotropical parasite on bignoniaceous hosts. <i>Mycologia</i> , 2018, 110, 526-545.	1.9	6
9	<i>Crossopsorella</i> , a new tropical genus of rust fungi. <i>Phytotaxa</i> , 2018, 375, 189.	0.3	5
10	Infection by <i>Uromyces euphorbiae</i> : a trigger for the sporulation of endophytic <i>Colletotrichum truncatum</i> on the common host <i>Euphorbia hirta</i> . <i>Mycological Progress</i> , 2017, 16, 941-946.	1.4	2
11	Dismantling Brazil's science threatens global biodiversity heritage. <i>Perspectives in Ecology and Conservation</i> , 2017, 15, 239-243.	1.9	60
12	Additions to the genera <i>Asterolibertia</i> and <i>Cirsosia</i> (Asterinaceae, Asterales), with particular reference to species from the Brazilian Cerrado. <i>IMA Fungus</i> , 2016, 7, 9-28.	3.8	9
13	ITS phylogeny and taxonomy of <i>Phyllachora</i> species on native Myrtaceae from the Brazilian Cerrado. <i>Mycologia</i> , 2016, 108, 1141-1164.	1.9	8
14	<i>Uromyces hawksworthii</i> nom. nov. for <i>Aecidium goyazense</i> , on <i>Phthirusa stelis</i> (Loranthaceae) from the Brazilian Cerrado. <i>IMA Fungus</i> , 2015, 6, 155-162.	3.8	6
15	< i>Phaeostilbelloides</i> and < i>Velloziomyces</i> “ new dematiaceous genera from the Brazilian Cerrado. <i>Mycotaxon</i> , 2015, 130, 757-767.	0.3	2
16	New <i>Passalora</i> species on <i>Peixotoa</i> (Malpighiaceae) from the Brazilian Cerrado. <i>Mycological Progress</i> , 2014, 13, 75-79.	1.4	3
17	Cercosporoid hyphomycetes on malpighiaceous hosts from the Brazilian Cerrado: species of <i>Pseudocercospora</i> on hosts belonging to <i>Byrsinima</i> . <i>Mycological Progress</i> , 2014, 13, 193-210.	1.4	3
18	Cercosporoid hyphomycetes on malpighiaceous hosts from the Brazilian Cerrado: New <i>Passalora</i> and <i>Pseudocercospora</i> species on hosts of the genus <i>Banisteriopsis</i> . <i>Mycological Progress</i> , 2014, 13, 365-371.	1.4	5

#	ARTICLE	IF	CITATIONS
19	New <i>Meliola</i> species on fabaceous hosts from the Brazilian Cerrado. <i>Mycological Progress</i> , 2014, 13, 321-331.	1.4	4
20	New <i>Cercospora</i> species on <i>Jatropha curcas</i> in central Brazil. <i>Mycological Progress</i> , 2014, 13, 1069.	1.4	0
21	A new <i>Hysterostomella</i> species from the Cerrado in Brasília National Park. <i>Mycotaxon</i> , 2012, 119, 307-313.	0.3	3
22	A new <i>Dothidasteroma</i> species on leaves of <i>Psidium larotteanum</i> from the Brazilian Cerrado. <i>Mycotaxon</i> , 2011, 116, 27-32.	0.3	5
23	Unusual fungal niches. <i>Mycologia</i> , 2011, 103, 1161-1174.	1.9	94
24	<i>Plurispermopsis</i> : a new capnodiaceous genus from the Brazilian Cerrado. <i>Mycologia</i> , 2010, 102, 1163-1166.	1.9	5
25	An overlooked source of fungal diversity: novel hyphomycete genera on trichomes of cerrado plants. <i>Mycological Research</i> , 2009, 113, 261-274.	2.5	17
26	Species of < i>Hemitrichia</i> <i>(Trichiaceae, Myxomycetes)</i> in Brazil. <i>Mycotaxon</i> , 2009, 107, 35-48.	0.3	7
27	< i>Chaetothyriomyces</i>: a new genus in family < i>Chaetothyriaceae</i>. <i>Mycotaxon</i> , 2009, 107, 483-488.	0.3	10
28	New <i>Stenella</i> and <i>Parastenella</i> species from the Brazilian cerrado. <i>Mycologia</i> , 2007, 99, 753-764.	1.9	5
29	New <i>Stenella</i> and <i>Parastenella</i> species from the Brazilian cerrado. <i>Mycologia</i> , 2007, 99, 753-764.	1.9	9
30	Foliicolous fungi on <i>Tabebuia</i> species from the cerrado. <i>Mycological Progress</i> , 2006, 5, 120-127.	1.4	6
31	Primeiro relato de <i>Plasmopara halstedii</i> em <i>Ageratum houstonianum</i> (Asteraceae) no Distrito Federal, Brasil. <i>Tropical Plant Pathology</i> , 2006, 31, 413-413.	0.3	3
32	<i>Crinipellis brasiliensis</i> , a new species based on morphological and molecular data. <i>Mycologia</i> , 2005, 97, 1348-1361.	1.9	19
33	New hyphomycete genera on <i>Qualea</i> species from the Brazilian cerrado. <i>Mycologia</i> , 2004, 96, 879-884.	1.9	15
34	Padrões de liberação de urediniosporos e desenvolvimento da ferrugem do jambeiro. <i>Pesquisa Agropecuária Brasileira</i> , 2001, 36, 845-850.	0.9	16
35	<i>Wilmia</i> , a New Genus of Phaeosphaeriaceous Ascomycetes on <i>Memora pedunculata</i> in Central Brazil. <i>Mycologia</i> , 2001, 93, 1014.	1.9	3
36	Epidemiology of a Neotropical rust (<i>Puccinia psidii</i>): periodical analysis of the temporal progress in a perennial host (<i>Syzygium jambos</i>). <i>Plant Pathology</i> , 2001, 50, 725-731.	2.4	24

#	ARTICLE	IF	CITATIONS
37	Pseudocercospora zeyheriae, a new combination for Cercospora zeyrae. Mycological Research, 1999, 103, 40-42.	2.5	7
38	Some Pseudocercospora species and a new Prathigada species from the Brazilian cerrado. Mycological Research, 1999, 103, 1203-1209.	2.5	10
39	Screening soybean germplasm for resistance to <i>Cylindrocladium clavatum</i> . International Journal of Pest Management, 1999, 45, 249-253.	1.8	0
40	Some coelomycetes from Central Brazil. Mycological Research, 1998, 102, 19-29.	2.5	15
41	Some foliicolous fungi on <i>Tabebuia</i> species. Mycological Research, 1998, 102, 695-708.	2.5	15
42	Rhinocladium pulchrum, a new record for Brazil and new combinations in Rhinocladium. Mycological Research, 1996, 100, 244-246.	2.5	4
43	<i>Aplopsora hennenii</i> sp. nov., the first rust fungus recorded from Vochysiaceae. Mycological Research, 1995, 99, 914-916.	2.5	4
44	Susceptibility of different <i>Eucalyptus</i> genotypes to artificial leaf-inoculations with <i>Cylindrocladium scoparium</i> and <i>C. clavatum</i> . Forest Pathology, 1993, 23, 276-280.	1.1	4
45	<i>Coniella costae</i> sp. nov. on leaves of <i>Myrcia tomentosa</i> from Brazilian cerrado. Mycological Research, 1993, 97, 1234-1236.	2.5	4
46	<i>Phloeosporella kitajimae</i> sp. nov. associated with leaf spots and blight of <i>Eugenia dysenterica</i> in central Brazil. Mycological Research, 1993, 97, 610-612.	2.5	5
47	Comparative pathology of <i>Cylindrocladium clavatum</i> and <i>C. scoparium</i> on <i>Eucalyptus</i> spp. and screening of <i>Eucalyptus</i> provenances for resistance to <i>Cylindrocladium</i> damping-off. International Journal of Pest Management, 1992, 38, 155-159.	0.1	10
48	Susceptibility to wilt associated with <i>Pseudomonas solanacearum</i> among six species of <i>Eucalyptus</i> growing in equatorial Brazil. Australasian Plant Pathology, 1990, 19, 71.	1.0	21
49	Race Characterization of Brazilian Isolates of <i>Colletotrichum lindemuthianum</i> and Detection of Resistance to Anthracnose in <i>Phaseolus vulgaris</i> . Phytopathology, 1988, 78, 650.	2.2	43
50	Screening <i>Eucalyptus</i> species for rust resistance in Bahia, Brazil. International Journal of Pest Management, 1986, 32, 292-295.	0.1	15
51	Cruciferous Weeds as Sources of Inoculum of <i>Xanthomonas campestris</i> in Black Rot of Crucifers. Phytopathology, 1981, 71, 1215.	2.2	62
52	A Coconut-Agar Medium for Rapid Detection of Aflatoxin Production by <i>Aspergillus</i> spp.. Phytopathology, 1976, 66, 1466.	2.2	128
53	High Production of Kojic Acid Crystals by <i>Aspergillus parasiticus</i> UNBF A12 in Liquid Medium. Applied and Environmental Microbiology, 1976, 32, 298-299.	3.1	14
54	Additions to the cercosporoid fungi from the Brazilian Cerrado: 1. New species on hosts belonging in family Fabaceae, and reallocations of four <i>Stenella</i> species into <i>Zasmidium</i> . Mycobiota, 0, 5, 33-64.	1.3	5

ARTICLE

IF CITATIONS

- | | | | |
|----|--|-----|---|
| 55 | Exploring the overlooked diversity of plant-associated Cerrado Microfungi. Revisao Anual De Patologia De Plantas, 0, , 69-101. | 0.1 | 2 |
|----|--|-----|---|