

Andrew J Mcmichael

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6750811/andrew-j-mcmichael-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179
papers

29,939
citations

77
h-index

173
g-index

200
ext. papers

32,286
ext. citations

16.9
avg, IF

6.43
L-index

#	Paper	IF	Citations
179	Mouse and human antibodies bind HLA-E-leader peptide complexes and enhance NK cell cytotoxicity.. <i>Communications Biology</i> , 2022 , 5, 271	6.7	1
178	An immunodominant NP-B*07:02 cytotoxic T cell response controls viral replication and is associated with less severe COVID-19 disease. <i>Nature Immunology</i> , 2021 ,	19.1	19
177	HLA-E-restricted, Gag-specific CD8 T cells can suppress HIV-1 infection, offering vaccine opportunities. <i>Science Immunology</i> , 2021 , 6,	28	5
176	Interrogating the recognition landscape of a conserved HIV-specific TCR reveals distinct bacterial peptide cross-reactivity. <i>ELife</i> , 2020 , 9,	8.9	2
175	CD4 T Follicular Helper Cells in Human Tonsils and Blood Are Clonally Convergent but Divergent from Non-Tfh CD4 Cells. <i>Cell Reports</i> , 2020 , 30, 137-152.e5	10.6	46
174	Detailed and atypical HLA-E peptide binding motifs revealed by a novel peptide exchange binding assay. <i>European Journal of Immunology</i> , 2020 , 50, 2075-2091	6.1	9
173	Capturing the antigen landscape: HLA-E, CD1 and MR1. <i>Current Opinion in Immunology</i> , 2019 , 59, 121-129.8	7.8	8
172	Topological perspective on HIV escape. <i>Science</i> , 2019 , 364, 438-439	33.3	4
171	Casting a wider net: Immunosurveillance by nonclassical MHC molecules. <i>PLoS Pathogens</i> , 2019 , 15, e1007567	7.67	26
170	Contribution of proteasome-catalyzed peptide -splicing to viral targeting by CD8 T cells in HIV-1 infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 24748-24759	11.5	27
169	Lack of Truncated IFITM3 Transcripts in Cells Homozygous for the rs12252-C Variant That is Associated With Severe Influenza Infection. <i>Journal of Infectious Diseases</i> , 2018 , 217, 257-262	7	26
168	Is a Human CD8 T-Cell Vaccine Possible, and if So, What Would It Take? Could a CD8 T-Cell Vaccine Prevent Persistent HIV Infection?. <i>Cold Spring Harbor Perspectives in Biology</i> , 2018 , 10,	10.2	8
167	Antisense-Derived HIV-1 Cryptic Epitopes Are Not Major Drivers of Viral Evolution during the Acute Phase of Infection. <i>Journal of Virology</i> , 2018 , 92,	6.6	1
166	Pathogen-derived HLA-E bound epitopes reveal broad primary anchor pocket tolerability and conformationally malleable peptide binding. <i>Nature Communications</i> , 2018 , 9, 3137	17.4	33
165	The Role of MHC-E in T Cell Immunity Is Conserved among Humans, Rhesus Macaques, and Cynomolgus Macaques. <i>Journal of Immunology</i> , 2018 , 200, 49-60	5.3	35
164	Brigitte Alice Askonas. 1 April 1923–9 January 2013. <i>Biographical Memoirs of Fellows of the Royal Society</i> , 2018 , 65, 31-45	0.1	
163	Legacy of the influenza pandemic 1918: The host T cell response. <i>Biomedical Journal</i> , 2018 , 41, 242-248	7.1	2

162	Identification of novel HIV-1-derived HLA-E-binding peptides. <i>Immunology Letters</i> , 2018 , 202, 65-72	4.1	10
161	Tracking HIV-1 recombination to resolve its contribution to HIV-1 evolution in natural infection. <i>Nature Communications</i> , 2018 , 9, 1928	17.4	46
160	HIV-1 Conserved Mosaics Delivered by Regimens with Integration-Deficient DC-Targeting Lentiviral Vector Induce Robust T Cells. <i>Molecular Therapy</i> , 2017 , 25, 494-503	11.7	15
159	Unusual antigen presentation offers new insight into HIV vaccine design. <i>Current Opinion in Immunology</i> , 2017 , 46, 75-81	7.8	8
158	A strongly selected mutation in the HIV-1 genome is independent of T cell responses and neutralizing antibodies. <i>Retrovirology</i> , 2017 , 14, 46	3.6	2
157	M1-like monocytes are a major immunological determinant of severity in previously healthy adults with life-threatening influenza. <i>JCI Insight</i> , 2017 , 2, e91868	9.9	39
156	Immune perturbations in HIV-1-infected individuals who make broadly neutralizing antibodies. <i>Science Immunology</i> , 2016 , 1, aag0851	28	82
155	Broadly targeted CD8+ T cell responses restricted by major histocompatibility complex E. <i>Science</i> , 2016 , 351, 714-20	33.3	201
154	Novel Conserved-region T-cell Mosaic Vaccine With High Global HIV-1 Coverage Is Recognized by Protective Responses in Untreated Infection. <i>Molecular Therapy</i> , 2016 , 24, 832-42	11.7	80
153	HIV-Host Interactions: Implications for Vaccine Design. <i>Cell Host and Microbe</i> , 2016 , 19, 292-303	23.4	108
152	Temporal Dynamics of CD8+ T Cell Effector Responses during Primary HIV Infection. <i>PLoS Pathogens</i> , 2016 , 12, e1005805	7.6	26
151	Relative rate and location of intra-host HIV evolution to evade cellular immunity are predictable. <i>Nature Communications</i> , 2016 , 7, 11660	17.4	68
150	Proof-of-Principle for Immune Control of Global HIV-1 Reactivation In Vivo. <i>Clinical Infectious Diseases</i> , 2015 , 61, 120-8	11.6	14
149	Natural T Cell-mediated Protection against Seasonal and Pandemic Influenza. Results of the Flu Watch Cohort Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015 , 191, 1422-31	10.2	156
148	Vaccines that stimulate T cell immunity to HIV-1: the next step. <i>Nature Immunology</i> , 2014 , 15, 319-22	19.1	57
147	Proteome-wide analysis of HIV-specific naive and memory CD4(+) T cells in unexposed blood donors. <i>Journal of Experimental Medicine</i> , 2014 , 211, 1273-80	16.6	60
146	Ita Askonas and her influence in the field of antigen presentation. <i>Current Opinion in Immunology</i> , 2014 , 26, 111-4	7.8	1
145	Reversion and T cell escape mutations compensate the fitness loss of a CD8+ T cell escape mutant in their cognate transmitted/founder virus. <i>PLoS ONE</i> , 2014 , 9, e102734	3.7	8

144	Preexisting compensatory amino acids compromise fitness costs of a HIV-1 T cell escape mutation. <i>Retrovirology</i> , 2014 , 11, 101	3.6	11
143	Vaccine-elicited human T cells recognizing conserved protein regions inhibit HIV-1. <i>Molecular Therapy</i> , 2014 , 22, 464-475	11.7	157
142	Comparison of neutralizing antibody responses elicited from highly diverse polyvalent heterotrimeric HIV-1 gp140 cocktail immunogens versus a monovalent counterpart in rhesus macaques. <i>PLoS ONE</i> , 2014 , 9, e114709	3.7	9
141	HIV-1 vaccines: let β get physical. <i>Immunity</i> , 2013 , 38, 410-3	32.3	1
140	Lessons learned from HIV-1 vaccine trials: new priorities and directions. <i>Nature Immunology</i> , 2012 , 13, 423-7	19.1	70
139	High levels of virus-specific CD4+ T cells predict severe pandemic influenza A virus infection. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012 , 186, 1292-7	10.2	54
138	The T-cell response to HIV. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2012 , 2,	5.4	114
137	Preexisting influenza-specific CD4+ T cells correlate with disease protection against influenza challenge in humans. <i>Nature Medicine</i> , 2012 , 18, 274-80	50.5	688
136	Prime-boost regimens with adjuvanted synthetic long peptides elicit T cells and antibodies to conserved regions of HIV-1 in macaques. <i>Aids</i> , 2012 , 26, 275-84	3.5	33
135	Differences in HIV-specific T cell responses between HIV-exposed and -unexposed HIV-seronegative individuals. <i>Journal of Virology</i> , 2011 , 85, 3507-16	6.6	32
134	An early HIV mutation within an HLA-B*57-restricted T cell epitope abrogates binding to the killer inhibitory receptor 3DL1. <i>Journal of Virology</i> , 2011 , 85, 5415-22	6.6	48
133	Fitness costs and diversity of the cytotoxic T lymphocyte (CTL) response determine the rate of CTL escape during acute and chronic phases of HIV infection. <i>Journal of Virology</i> , 2011 , 85, 10518-28	6.6	115
132	Protective efficacy of serially up-ranked subdominant CD8+ T cell epitopes against virus challenges. <i>PLoS Pathogens</i> , 2011 , 7, e1002041	7.6	56
131	The antiviral efficacy of HIV-specific CD8+ T-cells to a conserved epitope is heavily dependent on the infecting HIV-1 isolate. <i>PLoS Pathogens</i> , 2011 , 7, e1001341	7.6	20
130	Relationship between functional profile of HIV-1 specific CD8 T cells and epitope variability with the selection of escape mutants in acute HIV-1 infection. <i>PLoS Pathogens</i> , 2011 , 7, e1001273	7.6	78
129	The immune response during acute HIV-1 infection: clues for vaccine development. <i>Nature Reviews Immunology</i> , 2010 , 10, 11-23	36.5	615
128	Elevation of intact and proteolytic fragments of acute phase proteins constitutes the earliest systemic antiviral response in HIV-1 infection. <i>PLoS Pathogens</i> , 2010 , 6, e1000893	7.6	64
127	Genetics. First-class control of HIV-1. <i>Science</i> , 2010 , 330, 1488-90	33.3	26

126	Transmission of single HIV-1 genomes and dynamics of early immune escape revealed by ultra-deep sequencing. <i>PLoS ONE</i> , 2010 , 5, e12303	3.7	234
125	New templates for HIV-1 antibody-based vaccine design. <i>F1000 Biology Reports</i> , 2010 , 2, 60		19
124	The first T cell response to transmitted/founder virus contributes to the control of acute viremia in HIV-1 infection. <i>Journal of Experimental Medicine</i> , 2009 , 206, 1253-72	16.6	500
123	Common genetic variation and the control of HIV-1 in humans. <i>PLoS Genetics</i> , 2009 , 5, e1000791	6	310
122	Increased detection of proliferating, polyfunctional, HIV-1-specific T cells in DNA-modified vaccinia virus Ankara-vaccinated human volunteers by cultured IFN-gamma ELISPOT assay. <i>European Journal of Immunology</i> , 2009 , 39, 975-85	6.1	22
121	Novel HIV-1 clade B candidate vaccines designed for HLA-B*5101(+) patients protected mice against chimaeric ecotropic HIV-1 challenge. <i>European Journal of Immunology</i> , 2009 , 39, 1831-40	6.1	20
120	Antigen processing influences HIV-specific cytotoxic T lymphocyte immunodominance. <i>Nature Immunology</i> , 2009 , 10, 636-46	19.1	153
119	Lessons from IAVI-006, a phase I clinical trial to evaluate the safety and immunogenicity of the pTHr.HIVA DNA and MVA.HIVA vaccines in a prime-boost strategy to induce HIV-1 specific T-cell responses in healthy volunteers. <i>Vaccine</i> , 2008 , 26, 6671-7	4.1	45
118	Memory T cells established by seasonal human influenza A infection cross-react with avian influenza A (H5N1) in healthy individuals. <i>Journal of Clinical Investigation</i> , 2008 , 118, 3478-90	15.9	329
117	Design and pre-clinical evaluation of a universal HIV-1 vaccine. <i>PLoS ONE</i> , 2007 , 2, e984	3.7	213
116	From influenza to HIV--and back?. <i>Nature Immunology</i> , 2007 , 8, 1149-51	19.1	2
115	Clinical experience with plasmid DNA- and modified vaccinia virus Ankara-vectored human immunodeficiency virus type 1 clade A vaccine focusing on T-cell induction. <i>Journal of General Virology</i> , 2007 , 88, 1-12	4.9	110
114	AIDS/HIV. Finding footprints among the trees. <i>Science</i> , 2007 , 315, 1505-7	33.3	9
113	Escape from the dominant HLA-B27-restricted cytotoxic T-lymphocyte response in Gag is associated with a dramatic reduction in human immunodeficiency virus type 1 replication. <i>Journal of Virology</i> , 2007 , 81, 12382-93	6.6	274
112	Triple bypass: complicated paths to HIV escape. <i>Journal of Experimental Medicine</i> , 2007 , 204, 2785-8	16.6	12
111	A whole-genome association study of major determinants for host control of HIV-1. <i>Science</i> , 2007 , 317, 944-7	33.3	999
110	Induction of long-lasting multi-specific CD8+ T cells by a four-component DNA-MVA/HIVA-RENTA candidate HIV-1 vaccine in rhesus macaques. <i>European Journal of Immunology</i> , 2006 , 36, 2574-84	6.1	22
109	Induction of multifunctional human immunodeficiency virus type 1 (HIV-1)-specific T cells capable of proliferation in healthy subjects by using a prime-boost regimen of DNA- and modified vaccinia virus Ankara-vectored vaccines expressing HIV-1 Gag coupled to CD8+ T-cell epitopes. <i>Journal of Virology</i> , 2006 , 80, 4717-28	6.6	210

108	HIV vaccines. <i>Annual Review of Immunology</i> , 2006 , 24, 227-55	34.7	242
107	Conflicting selective forces affect T cell receptor contacts in an immunodominant human immunodeficiency virus epitope. <i>Nature Immunology</i> , 2006 , 7, 179-89	19.1	83
106	Crystal structures and KIR3DL1 recognition of three immunodominant viral peptides complexed to HLA-B*2705. <i>European Journal of Immunology</i> , 2005 , 35, 341-51	6.1	94
105	A human immunodeficiency virus 1 (HIV-1) clade A vaccine in clinical trials: stimulation of HIV-specific T-cell responses by DNA and recombinant modified vaccinia virus Ankara (MVA) vaccines in humans. <i>Journal of General Virology</i> , 2004 , 85, 911-919	4.9	187
104	T cell cross-reactivity and conformational changes during TCR engagement. <i>Journal of Experimental Medicine</i> , 2004 , 200, 1455-66	16.6	137
103	HIV-specific cytotoxic T cells from long-term survivors select a unique T cell receptor. <i>Journal of Experimental Medicine</i> , 2004 , 200, 1547-57	16.6	96
102	Ex vivo phenotype and frequency of influenza virus-specific CD4 memory T cells. <i>Journal of Virology</i> , 2004 , 78, 7284-7	6.6	63
101	Requirement of the proteasome for the trimming of signal peptide-derived epitopes presented by the nonclassical major histocompatibility complex class I molecule HLA-E. <i>Journal of Biological Chemistry</i> , 2003 , 278, 33747-52	5.4	46
100	A review of vaccines for HIV prevention. <i>Journal of Gene Medicine</i> , 2003 , 5, 3-10	3.5	20
99	A structural basis for immunodominant human T cell receptor recognition. <i>Nature Immunology</i> , 2003 , 4, 657-63	19.1	258
98	HIV vaccines 1983-2003. <i>Nature Medicine</i> , 2003 , 9, 874-80	50.5	223
97	Medicine. The need for a global HIV vaccine enterprise. <i>Science</i> , 2003 , 300, 2036-9	33.3	158
96	Characterization of the CD4+ T cell response to Epstein-Barr virus during primary and persistent infection. <i>Journal of Experimental Medicine</i> , 2003 , 198, 903-11	16.6	180
95	Memory CD8+ T cells vary in differentiation phenotype in different persistent virus infections. <i>Nature Medicine</i> , 2002 , 8, 379-85	50.5	1302
94	HIV/AIDS. HLA leaves its footprints on HIV. <i>Science</i> , 2002 , 296, 1410-1	33.3	59
93	Identification and Characterisation of Derp1-Specific CD8+ T Cells in the Peripheral Blood of Atopic Individuals. <i>Clinical Science</i> , 2002 , 103, 2P-2P		
92	The use of tetramers in the quantitative analysis of T-cell responses. <i>Methods in Microbiology</i> , 2002 , 125-136		
91	Design and validation of an enzyme-linked immunospot assay for use in clinical trials of candidate HIV vaccines. <i>AIDS Research and Human Retroviruses</i> , 2002 , 18, 611-8	1.6	62

90	A DNA/MVA-based candidate human immunodeficiency virus vaccine for Kenya induces multi-specific T cell responses in rhesus macaques. <i>Journal of General Virology</i> , 2002 , 83, 75-80	4.9	64
89	Epitope specificity of clonally expanded populations of CD8+ T cells found within the joints of patients with inflammatory arthritis. <i>Arthritis and Rheumatism</i> , 2001 , 44, 2038-45		36
88	Skewed maturation of memory HIV-specific CD8 T lymphocytes. <i>Nature</i> , 2001 , 410, 106-11	50.4	871
87	Cellular immune responses to HIV. <i>Nature</i> , 2001 , 410, 980-7	50.4	498
86	Clustered mutations in HIV-1 gag are consistently required for escape from HLA-B27-restricted cytotoxic T lymphocyte responses. <i>Journal of Experimental Medicine</i> , 2001 , 193, 375-86	16.6	400
85	Cytotoxic T-cell abundance and virus load in human immunodeficiency virus type 1 and human T-cell leukaemia virus type 1. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2001 , 268, 1215-21	4.4	46
84	Effects of retroviral protease inhibitors on proteasome function and processing of HIV-derived MHC class I-restricted cytotoxic T lymphocyte epitopes. <i>AIDS Research and Human Retroviruses</i> , 2001 , 17, 1063-6	1.6	11
83	Late seroconversion in HIV-resistant Nairobi prostitutes despite pre-existing HIV-specific CD8+ responses. <i>Journal of Clinical Investigation</i> , 2001 , 107, 341-9	15.9	159
82	Direct visualization of HIV-1-specific cytotoxic T lymphocytes during primary infection. <i>Aids</i> , 2000 , 14, 225-33	3.5	124
81	HLA-E is expressed on trophoblast and interacts with CD94/NKG2 receptors on decidual NK cells. <i>European Journal of Immunology</i> , 2000 , 30, 1623-31	6.1	317
80	Design and construction of an experimental HIV-1 vaccine for a year-2000 clinical trial in Kenya. <i>Nature Medicine</i> , 2000 , 6, 951-5	50.5	180
79	Induction of AIDS virus-specific CTL activity in fresh, unstimulated peripheral blood lymphocytes from rhesus macaques vaccinated with a DNA prime/modified vaccinia virus Ankara boost regimen. <i>Journal of Immunology</i> , 2000 , 164, 4968-78	5.3	239
78	HIV-specific CD8(+) T cells produce antiviral cytokines but are impaired in cytolytic function. <i>Journal of Experimental Medicine</i> , 2000 , 192, 63-75	16.6	768
77	HIV-1-specific mucosal CD8+ lymphocyte responses in the cervix of HIV-1-resistant prostitutes in Nairobi. <i>Journal of Immunology</i> , 2000 , 164, 1602-11	5.3	334
76	Surface expression of HLA-E, an inhibitor of natural killer cells, enhanced by human cytomegalovirus gpUL40. <i>Science</i> , 2000 , 287, 1031	33.3	478
75	The dynamics of the cellular immune response to HIV infection: implications for vaccination. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2000 , 355, 1007-11	5.8	21
74	Induction of Fas ligand expression by HIV involves the interaction of Nef with the T cell receptor zeta chain. <i>Journal of Experimental Medicine</i> , 1999 , 189, 1489-96	16.6	219
73	Functions of nonclassical MHC and non-MHC-encoded class I molecules. <i>Current Opinion in Immunology</i> , 1999 , 11, 100-8	7.8	188

72	Pre-clinical development of a multi-CTL epitope-based DNA prime MVA boost vaccine for AIDS. <i>Immunology Letters</i> , 1999 , 66, 177-81	4.1	83
71	T cell receptor usage in infectious disease. <i>Seminars in Immunopathology</i> , 1999 , 21, 37-54		10
70	The role of HLA-B27 in spondyloarthritis. <i>Immunogenetics</i> , 1999 , 50, 220-7	3.2	72
69	BirA enzyme: production and application in the study of membrane receptor-ligand interactions by site-specific biotinylation. <i>Analytical Biochemistry</i> , 1999 , 266, 9-15	3.1	98
68	Effective induction of HIV-specific CTL by multi-epitope using gene gun in a combined vaccination regime. <i>Vaccine</i> , 1999 , 17, 589-96	4.1	85
67	Effective induction of simian immunodeficiency virus-specific cytotoxic T lymphocytes in macaques by using a multiepitope gene and DNA prime-modified vaccinia virus Ankara boost vaccination regimen. <i>Journal of Virology</i> , 1999 , 73, 7524-32	6.6	251
66	The arrival of HLA class II tetramers. <i>Journal of Clinical Investigation</i> , 1999 , 104, 1669-70	15.9	25
65	Rapid Death of Adoptively Transferred T Cells in Acquired Immunodeficiency Syndrome. <i>Blood</i> , 1999 , 93, 1506-1510	2.2	90
64	Rapid Death of Adoptively Transferred T Cells in Acquired Immunodeficiency Syndrome. <i>Blood</i> , 1999 , 93, 1506-1510	2.2	14
63	T cell receptor usage in infectious disease 1999 , 21, 37		2
62	HLA-E binds to natural killer cell receptors CD94/NKG2A, B and C. <i>Nature</i> , 1998 , 391, 795-9	50.4	1690
61	TAP- and tapasin-dependent HLA-E surface expression correlates with the binding of an MHC class I leader peptide. <i>Current Biology</i> , 1998 , 8, 1-10	6.3	226
60	Differential processing of influenza nucleoprotein in human and mouse cells. <i>European Journal of Immunology</i> , 1998 , 28, 625-35	6.1	24
59	Evidence for the persistence of monoclonal expansions of CD8+ T cells following primary simian immunodeficiency virus infection. <i>European Journal of Immunology</i> , 1998 , 28, 1172-80	6.1	18
58	Importance of a conserved TCR J alpha-encoded tyrosine for T cell recognition of an HLA B27/peptide complex. <i>European Journal of Immunology</i> , 1998 , 28, 2704-13	6.1	18
57	Production, crystallization, and preliminary X-ray analysis of the human MHC class Ib molecule HLA-E. <i>Protein Science</i> , 1998 , 7, 1264-6	6.3	29
56	Structural features impose tight peptide binding specificity in the nonclassical MHC molecule HLA-E. <i>Molecular Cell</i> , 1998 , 1, 531-41	17.6	165
55	T cell responses and viral escape. <i>Cell</i> , 1998 , 93, 673-6	56.2	111

54	Quantitation of HIV-1-specific cytotoxic T lymphocytes and plasma load of viral RNA. <i>Science</i> , 1998 , 279, 2103-6	33.3	1247
53	Oligoclonal expansions of CD8(+) T cells in chronic HIV infection are antigen specific. <i>Journal of Experimental Medicine</i> , 1998 , 188, 785-90	16.6	145
52	Mechanisms of protection induced by attenuated simian immunodeficiency virus. II. Lymphocyte depletion does not abrogate protection. <i>AIDS Research and Human Retroviruses</i> , 1998 , 14, 1187-98	1.6	33
51	A new look at T cells. <i>Journal of Experimental Medicine</i> , 1998 , 187, 1367-71	16.6	238
50	Immunogenicities of intravenous and intramuscular administrations of modified vaccinia virus Ankara-based multi-CTL epitope vaccine for human immunodeficiency virus type 1 in mice. <i>Journal of General Virology</i> , 1998 , 79 (Pt 1), 83-90	4.9	67
49	Evasion of cytotoxic T lymphocyte (CTL) responses by nef-dependent induction of Fas ligand (CD95L) expression on simian immunodeficiency virus-infected cells. <i>Journal of Experimental Medicine</i> , 1997 , 186, 7-16	16.6	177
48	Rapid effector function in CD8+ memory T cells. <i>Journal of Experimental Medicine</i> , 1997 , 186, 859-65	16.6	581
47	Escape of human immunodeficiency virus from immune control. <i>Annual Review of Immunology</i> , 1997 , 15, 271-96	34.7	294
46	How viruses hide from T cells. <i>Trends in Microbiology</i> , 1997 , 5, 211-2; discussion 212-3	12.4	4
45	Late escape from an immunodominant cytotoxic T-lymphocyte response associated with progression to AIDS. <i>Nature Medicine</i> , 1997 , 3, 212-7	50.5	1016
44	Crystal structure of the complex between human CD8alpha(alpha) and HLA-A2. <i>Nature</i> , 1997 , 387, 630-45	50.4	388
43	Engagement of a T cell receptor by major histocompatibility complex irrespective of peptide. <i>European Journal of Immunology</i> , 1997 , 27, 879-85	6.1	7
42	The human major histocompatibility complex class Ib molecule HLA-E binds signal sequence-derived peptides with primary anchor residues at positions 2 and 9. <i>European Journal of Immunology</i> , 1997 , 27, 1164-9	6.1	382
41	Combined structural and immunological refinement of HIV-1 HLA-B8-restricted cytotoxic T lymphocyte epitopes. <i>European Journal of Immunology</i> , 1997 , 27, 1515-21	6.1	29
40	Antagonist HIV-1 Gag peptides induce structural changes in HLA B8. <i>Journal of Experimental Medicine</i> , 1996 , 184, 2279-86	16.6	123
39	Production and crystallization of MHC class I B allele single peptide complexes. <i>FEBS Letters</i> , 1996 , 383, 119-23	3.8	28
38	Introduction: Presentation of viral antigens to cytotoxic T cells. <i>Seminars in Virology</i> , 1996 , 7, 1-2		4
37	Bound water structure and polymorphic amino acids act together to allow the binding of different peptides to MHC class I HLA-B53. <i>Immunity</i> , 1996 , 4, 215-28	32.3	142

36	Homocysteine modification of HLA antigens and its immunological consequences. <i>European Journal of Immunology</i> , 1996 , 26, 1443-50	6.1	36
35	Large clonal expansions of CD8+ T cells in acute infectious mononucleosis. <i>Nature Medicine</i> , 1996 , 2, 906-11	50.5	397
34	Antigenic oscillations and shifting immunodominance in HIV-1 infections. <i>Nature</i> , 1995 , 375, 606-11	50.4	293
33	Immune responses in HIV-exposed seronegatives: have they repelled the virus?. <i>Current Opinion in Immunology</i> , 1995 , 7, 448-55	7.8	161
32	Immune Escape in Hiv Infection. <i>Clinical Science</i> , 1995 , 88, 31P-31P		
31	Selection of T cell receptor variable gene-encoded amino acids on the third binding site loop: a factor influencing variable chain selection in a T cell response. <i>European Journal of Immunology</i> , 1995 , 25, 1529-34	6.1	14
30	The effects of natural altered peptide ligands on the whole blood cytotoxic T lymphocyte response to human immunodeficiency virus. <i>European Journal of Immunology</i> , 1995 , 25, 1927-31	6.1	68
29	Peptide anchor residue glycosylation: effect on class I major histocompatibility complex binding and cytotoxic T lymphocyte recognition. <i>European Journal of Immunology</i> , 1995 , 25, 3270-6	6.1	67
28	Recognition of viral antigens at the cell surface. <i>Cancer Surveys</i> , 1995 , 22, 51-62		2
27	Identification of T cell receptor recognition residues for a viral peptide presented by HLA B27. <i>European Journal of Immunology</i> , 1994 , 24, 2357-63	6.1	39
26	Cytotoxic T-cell activity antagonized by naturally occurring HIV-1 Gag variants. <i>Nature</i> , 1994 , 369, 403-7	50.4	387
25	Cytotoxic T lymphocytes specific for influenza virus. <i>Current Topics in Microbiology and Immunology</i> , 1994 , 189, 75-91	3.3	45
24	Natural selection at work on the surface of virus-infected cells. <i>Science</i> , 1993 , 260, 1771-2	33.3	10
23	Expression and function of HLA-B27 in lipid-linked form: implications for cytotoxic T lymphocyte-induced apoptosis signal transduction. <i>European Journal of Immunology</i> , 1993 , 23, 653-8	6.1	12
22	An antigen processing polymorphism revealed by HLA-B8-restricted cytotoxic T lymphocytes which does not correlate with TAP gene polymorphism. <i>European Journal of Immunology</i> , 1993 , 23, 1999-2004	6.1	27
21	Peptide selection by class I molecules of the major histocompatibility complex. <i>Current Biology</i> , 1993 , 3, 854-66	6.3	61
20	Cytotoxic T lymphocytes: specificity, surveillance, and escape. <i>Advances in Cancer Research</i> , 1992 , 59, 227-44	5.9	8
19	Role of class I molecules of the major histocompatibility complex in cytotoxic T-cell function in health and disease. <i>Seminars in Immunopathology</i> , 1992 , 14, 1-16		6

18	Molecular analysis of the association of HLA-B53 and resistance to severe malaria. <i>Nature</i> , 1992 , 360, 434-9	50.4	561
17	A cross-species functional interaction between the murine major histocompatibility complex class I alpha 3 domain and human CD8 revealed by peptide-specific cytotoxic T lymphocytes. <i>European Journal of Immunology</i> , 1992 , 22, 1643-6	6.1	11
16	Cytotoxic T lymphocytes and immune surveillance. <i>Cancer Surveys</i> , 1992 , 13, 5-21		8
15	Common west African HLA antigens are associated with protection from severe malaria. <i>Nature</i> , 1991 , 352, 595-600	50.4	1273
14	Human immunodeficiency virus genetic variation that can escape cytotoxic T cell recognition. <i>Nature</i> , 1991 , 354, 453-9	50.4	931
13	HLA B27: a disease-associated immune response gene. <i>Research in Immunology</i> , 1991 , 142, 475-82		7
12	Presentation of viral antigen controlled by a gene in the major histocompatibility complex. <i>Nature</i> , 1990 , 345, 449-52	50.4	355
11	Class I cross-restricted T cells reveal low responder allele due to processing of viral antigen. <i>Nature</i> , 1989 , 337, 653-5	50.4	47
10	HIV-1 gag-specific cytotoxic T lymphocytes defined with recombinant vaccinia virus and synthetic peptides. <i>Nature</i> , 1988 , 336, 484-7	50.4	424
9	Cytotoxic T lymphocytes recognize a fragment of influenza virus matrix protein in association with HLA-A2. <i>Nature</i> , 1987 , 326, 881-2	50.4	375
8	Simplification of two-dimensional gel patterns of HLA class II antigens. <i>Tissue Antigens</i> , 1986 , 28, 72-83		1
7	Characterization of the HLA-A2.2 subtype: T cell evidence for further heterogeneity. <i>Immunogenetics</i> , 1985 , 21, 11-23	3.2	37
6	Effects of monoclonal antibodies to the alpha and beta chains of the human lymphocyte function-associated (H-LFA-1) antigen on T lymphocyte functions. <i>European Journal of Immunology</i> , 1985 , 15, 888-92	6.1	53
5	A human lymphocyte-associated antigen involved in cell-mediated lympholysis. <i>European Journal of Immunology</i> , 1983 , 13, 202-8	6.1	289
4	Cytotoxic T-cell immunity to influenza. <i>New England Journal of Medicine</i> , 1983 , 309, 13-7	59.2	777
3	Lysis of allogeneic human lymphocytes by nonspecifically activated T-like cells. <i>European Journal of Immunology</i> , 1982 , 12, 1002-5	6.1	14
2	Cytotoxic T cell recognition of Epstein-Barr virus-infected B cells. II. Blocking studies with monoclonal antibodies to HLA determinants. <i>European Journal of Immunology</i> , 1981 , 11, 694-9	6.1	59
1	Detailed and atypical HLA-E peptide binding motifs revealed by a novel peptide exchange binding assay		2

