

Yonghua Xiong

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/67522/yonghua-xiong-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

4,891
citations

40
h-index

66
g-index

137
ext. papers

6,183
ext. citations

7.8
avg, IF

6.11
L-index

#	Paper	IF	Citations
125	Ultrasensitive dynamic light scattering immunosensing platform for NT-proBNP detection using boronate affinity amplification.. <i>Journal of Nanobiotechnology</i> , 2022 , 20, 21	9.4	1
124	I/I-mediated fluorescence quenching of an Ag-doped gold nanocluster-based immunoassay for sensitive detection of Escherichia coli O157:H7 in milk.. <i>Journal of Dairy Science</i> , 2022 ,	4	2
123	"Three-in-One" Multifunctional Nanohybrids with Colorimetric Magnetic Catalytic Activities to Enhance Immunochromatographic Diagnosis.. <i>ACS Nano</i> , 2022 ,	16.7	10
122	Tailoring noble metal nanoparticle designs to enable sensitive lateral flow immunoassay.. <i>Theranostics</i> , 2022 , 12, 574-602	12.1	5
121	Avoiding the self-nucleation interference: a pH-regulated gold growth strategy to enable ultrasensitive immunochromatographic diagnostics.. <i>Theranostics</i> , 2022 , 12, 2801-2810	12.1	1
120	A novel method based on Ag-Au nanorings with tunable plasmonic properties for the sensitive detection of amantadine.. <i>Journal of Hazardous Materials</i> , 2022 , 431, 128498	12.8	1
119	Covalent organic framework-gold nanoparticle heterostructures amplified dynamic light scattering immunosensor for ultrasensitive detection of NT-proBNP in whole blood. <i>Sensors and Actuators B: Chemical</i> , 2022 , 364, 131872	8.5	0
118	Recent advances in enzyme-enhanced immunosensors. <i>Biotechnology Advances</i> , 2021 , 53, 107867	17.8	6
117	Low-sample-consumption and ultrasensitive detection of procalcitonin by boronate affinity recognition-enhanced dynamic light scattering biosensor.. <i>Biosensors and Bioelectronics</i> , 2021 , 200, 113914	11.8	1
116	Point-of-care COVID-19 diagnostics powered by lateral flow assay. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 145, 116452	14.6	17
115	Ensuring food safety using fluorescent nanoparticles-based immunochromatographic test strips. <i>Trends in Food Science and Technology</i> , 2021 , 118, 658-658	15.3	9
114	Hyperbranched Gold Plasmonic Blackbodies Enhanced Immunochromatographic Test Strip for the Sensitive Detection of Aflatoxin B1 in Maize Sample. <i>Food Analytical Methods</i> , 2021 , 14, 2017-2025	3.4	2
113	Gold Nanobeads with Enhanced Absorbance for Improved Sensitivity in Competitive Lateral Flow Immunoassays. <i>Foods</i> , 2021 , 10,	4.9	4
112	A self-luminous bifunctional bacteria directed fluorescent immunosensor for the simultaneous detection and quantification of three pathogens in milk. <i>Sensors and Actuators B: Chemical</i> , 2021 , 338, 129757	8.5	1
111	Hydrazide-assisted directional antibody conjugation of gold nanoparticles to enhance immunochromatographic assay. <i>Analytica Chimica Acta</i> , 2021 , 1168, 338623	6.6	3
110	A novel magneto-gold nanohybrid-enhanced lateral flow immunoassay for ultrasensitive and rapid detection of ochratoxin A in grape juice. <i>Food Chemistry</i> , 2021 , 336, 127710	8.5	13
109	Hydrazide mediated oriented coupling of antibodies on quantum dot beads for enhancing detection performance of immunochromatographic assay. <i>Talanta</i> , 2021 , 223, 121723	6.2	6

108	Integrated nanoparticle size with membrane porosity for improved analytical performance in sandwich immunochromatographic assay. <i>Analytica Chimica Acta</i> , 2021 , 1141, 136-143	6.6	4
107	Direct competitive ELISA enhanced by dynamic light scattering for the ultrasensitive detection of aflatoxin B in corn samples. <i>Food Chemistry</i> , 2021 , 342, 128327	8.5	14
106	Controlled copper in situ growth-amplified lateral flow sensors for sensitive, reliable, and field-deployable infectious disease diagnostics. <i>Biosensors and Bioelectronics</i> , 2021 , 171, 112753	11.8	11
105	Dynamic light scattering immunosensor based on metal-organic framework mediated gold growth strategy for the ultra-sensitive detection of alpha-fetoprotein. <i>Sensors and Actuators B: Chemical</i> , 2021 , 341, 130030	8.5	2
104	Development of a rapid and sensitive quantum dot nanobead-based double-antigen sandwich lateral flow immunoassay and its clinical performance for the detection of SARS-CoV-2 total antibodies. <i>Sensors and Actuators B: Chemical</i> , 2021 , 343, 130139	8.5	9
103	Recent advances in colorimetry/fluorimetry-based dual-modal sensing technologies. <i>Biosensors and Bioelectronics</i> , 2021 , 190, 113386	11.8	12
102	Light scattering intensity as signal transducer to enhance the performance of immunoassay for Cronobacter detection in powdered infant formula. <i>Sensors and Actuators B: Chemical</i> , 2021 , 344, 130312	8.5	1
101	Chemical modification of M13 bacteriophage as nanozyme container for dramatically enhanced sensitivity of colorimetric immunosensor. <i>Sensors and Actuators B: Chemical</i> , 2021 , 346, 130368	8.5	2
100	Boronate affinity-assisted oriented antibody conjugation on quantum dot nanobeads for improved detection performance in lateral flow immunoassay. <i>Microchemical Journal</i> , 2021 , 171, 106822	4.8	0
99	Gold nanoparticle-decorated metal organic frameworks on immunochromatographic assay for human chorionic gonadotropin detection. <i>Mikrochimica Acta</i> , 2020 , 187, 640	5.8	7
98	Gold nanorods etching-based plasmonic immunoassay for qualitative and quantitative detection of aflatoxin M1 in milk. <i>Food Chemistry</i> , 2020 , 329, 127160	8.5	24
97	Quantum Dot SubmicrobeadBased Immunochromatographic Assay for the Determination of Parathion in Agricultural Products. <i>Food Analytical Methods</i> , 2020 , 13, 1736-1745	3.4	7
96	Emerging strategies to enhance the sensitivity of competitive ELISA for detection of chemical contaminants in food samples. <i>TrAC - Trends in Analytical Chemistry</i> , 2020 , 126, 115861	14.6	32
95	AI-Egens: An emerging fluorescent sensing tool to aid food safety and quality control. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2020 , 19, 2297-2329	16.4	10
94	Self-assembled colloidal gold superparticles to enhance the sensitivity of lateral flow immunoassays with sandwich format. <i>Theranostics</i> , 2020 , 10, 3737-3748	12.1	27
93	MagneticPlasmonic Nanoassemblies: CoreShell-Heterostructured MagneticPlasmonic Nanoassemblies with Highly Retained MagneticPlasmonic Activities for Ultrasensitive Bioanalysis in Complex Matrix (Adv. Sci. 2/2020). <i>Advanced Science</i> , 2020 , 7, 2070011	13.6	1
92	Engineered gold nanoparticles as multicolor labels for simultaneous multi-mycotoxin detection on the immunochromatographic test strip nanosensor. <i>Sensors and Actuators B: Chemical</i> , 2020 , 316, 128107	8.5	31
91	Emerging design strategies for constructing multiplex lateral flow test strip sensors. <i>Biosensors and Bioelectronics</i> , 2020 , 157, 112168	11.8	40

90	Integrated gold superparticles into lateral flow immunoassays for the rapid and sensitive detection of Escherichia coli O157:H7 in milk. <i>Journal of Dairy Science</i> , 2020 , 103, 6940-6949	4	9
89	Ultrahigh-sensitivity label-free optical fiber biosensor based on a tapered singlemode- no core-singlemode coupler for Staphylococcus aureus detection. <i>Sensors and Actuators B: Chemical</i> , 2020 , 320, 128283	8.5	16
88	Core-Shell-Heterostructured Magnetic-Plasmonic Nanoassemblies with Highly Retained Magnetic-Plasmonic Activities for Ultrasensitive Bioanalysis in Complex Matrix. <i>Advanced Science</i> , 2020 , 7, 1902433	13.6	16
87	Functional DNA Regulated CRISPR-Cas12a Sensors for Point-of-Care Diagnostics of Non-Nucleic-Acid Targets. <i>Journal of the American Chemical Society</i> , 2020 , 142, 207-213	16.4	172
86	Natural enzyme-free colorimetric immunoassay for human chorionic gonadotropin detection based on the Ag ⁺ -triggered catalytic activity of cetyltrimethylammonium bromide-coated gold nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2020 , 305, 127439	8.5	14
85	Dramatically Enhanced Immunochromatographic Assay Using Cascade Signal Amplification for Ultrasensitive Detection of O157:H7 in Milk. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 1118-1125	17.5	40
84	Quantum dot nanobead-based immunochromatographic assay for the quantitative detection of the procalcitonin antigen in serum samples. <i>Microchemical Journal</i> , 2020 , 159, 105533	4.8	3
83	Comparison of three sample addition methods in competitive and sandwich colloidal gold immunochromatographic assay. <i>Analytica Chimica Acta</i> , 2020 , 1094, 90-98	6.6	8
82	Highly sensitive detection of Hg ²⁺ using covalent linking single-strand DNA to the surface of graphene oxide with co-anchor strand. <i>Analytical Methods</i> , 2019 , 11, 4416-4420	3.2	1
81	Emerging strategies to develop sensitive AuNP-based ICTS nanosensors. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 112, 147-160	14.6	50
80	Invited review: Advancements in lateral flow immunoassays for screening hazardous substances in milk and milk powder. <i>Journal of Dairy Science</i> , 2019 , 102, 1887-1900	4	17
79	Fluorescence immunoassay through histone-ds-poly(AT)-templated copper nanoparticles as signal transducers for the sensitive detection of Salmonella choleraesuis in milk. <i>Journal of Dairy Science</i> , 2019 , 102, 6047-6055	4	7
78	Multicolor quantum dot nanobeads for simultaneous multiplex immunochromatographic detection of mycotoxins in maize. <i>Sensors and Actuators B: Chemical</i> , 2019 , 291, 411-417	8.5	68
77	Magnetic Quantum Dot Nanobead-Based Fluorescent Immunochromatographic Assay for the Highly Sensitive Detection of Aflatoxin B in Dark Soy Sauce. <i>Analytical Chemistry</i> , 2019 , 91, 4727-4734	7.8	72
76	Application and development of superparamagnetic nanoparticles in sample pretreatment and immunochromatographic assay. <i>TrAC - Trends in Analytical Chemistry</i> , 2019 , 114, 151-170	14.6	34
75	Quantum bead-based fluorescence-linked immunosorbent assay for ultrasensitive detection of aflatoxin M in pasteurized milk, yogurt, and milk powder. <i>Journal of Dairy Science</i> , 2019 , 102, 3985-3993	4	13
74	Integrated magneto-fluorescence nanobeads for ultrasensitive glycoprotein detection using antibody coupled boronate-affinity recognition. <i>Chemical Communications</i> , 2019 , 55, 10312-10315	5.8	8
73	Quantum dot bead-based immunochromatographic assay for the quantitative detection of triazophos. <i>Food and Agricultural Immunology</i> , 2019 , 30, 955-967	2.9	4

72	Gold Nanoflower-Enhanced Dynamic Light Scattering Immunosensor for the Ultrasensitive No-Wash Detection of O157:H7 in Milk. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 9104-9111	5.7	16
71	Biotin-Streptavidin System-Mediated Ratiometric Multiplex Immunochromatographic Assay for Simultaneous and Accurate Quantification of Three Mycotoxins. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 9022-9031	5.7	32
70	A Gold Growth-Based Plasmonic ELISA for the Sensitive Detection of Fumonisin B in Maize. <i>Toxins</i> , 2019 , 11,	4.9	13
69	Amphiphilic ligand modified gold nanocarriers to amplify lanthanide loading for ultrasensitive DELFIA detection of Cronobacter. <i>Analyst, The</i> , 2019 , 145, 249-256	5	
68	Supramolecular Recognition-Mediated Layer-by-Layer Self-Assembled Gold Nanoparticles for Customized Sensitivity in Paper-Based Strip Nanobiosensors. <i>Small</i> , 2019 , 15, e1903861	11	19
67	Plasmonic ELISA based on DNA-directed gold nanoparticle growth for Cronobacter detection in powdered infant formula samples. <i>Journal of Dairy Science</i> , 2019 , 102, 10877-10886	4	14
66	An amphiphilic-ligand-modified gold nanoflower probe for enhancing the stability of lateral flow immunoassays in dried distillers grains.. <i>RSC Advances</i> , 2019 , 9, 36670-36679	3.7	3
65	Urease-induced metallization of gold nanorods for the sensitive detection of Salmonella enterica Choleraesuis through colorimetric ELISA. <i>Journal of Dairy Science</i> , 2019 , 102, 1997-2007	4	26
64	Effect of different-sized gold nanoflowers on the detection performance of immunochromatographic assay for human chorionic gonadotropin detection. <i>Talanta</i> , 2019 , 194, 604-610	6.2	42
63	A novel method based on fluorescent magnetic nanobeads for rapid detection of Escherichia coli O157:H7. <i>Food Chemistry</i> , 2019 , 276, 333-341	8.5	65
62	Biotin-exposure-based immunomagnetic separation coupled with nucleic acid lateral flow biosensor for visibly detecting viable Listeria monocytogenes. <i>Analytica Chimica Acta</i> , 2018 , 1017, 48-56	6.6	37
61	Affordable and simple method for separating and detecting ovarian cancer circulating tumor cells using BSA coated magnetic nanoprobe modified with folic acid. <i>Sensors and Actuators B: Chemical</i> , 2018 , 262, 611-618	8.5	26
60	Plasmonic ELISA based on enzyme-assisted etching of Au nanorods for the highly sensitive detection of aflatoxin B1 in corn samples. <i>Sensors and Actuators B: Chemical</i> , 2018 , 267, 320-327	8.5	60
59	Folic Acid Targeting for Efficient Isolation and Detection of Ovarian Cancer CTCs from Human Whole Blood Based on Two-Step Binding Strategy. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 14035-14062	8.5	39
58	Quantum dot nanobead-based multiplexed immunochromatographic assay for simultaneous detection of aflatoxin B and zearalenone. <i>Analytica Chimica Acta</i> , 2018 , 1025, 163-171	6.6	87
57	A colorimetric immunoassay based on glucose oxidase-induced AuNP aggregation for the detection of fumonisin B. <i>Talanta</i> , 2018 , 186, 29-35	6.2	31
56	Fluorescence ELISA based on glucose oxidase-mediated fluorescence quenching of quantum dots for highly sensitive detection of Hepatitis B. <i>Talanta</i> , 2018 , 181, 258-264	6.2	20
55	Ratiometric optical nanoprobe enable accurate molecular detection and imaging. <i>Chemical Society Reviews</i> , 2018 , 47, 2873-2920	58.5	394

54	Multi-branched gold nanoflower-embedded iron porphyrin for colorimetric immunosensor. <i>Biosensors and Bioelectronics</i> , 2018 , 102, 9-16	11.8	45
53	Inner-filter effect based fluorescence-quenching immunochromatographic assay for sensitive detection of aflatoxin B1 in soybean sauce. <i>Food Control</i> , 2018 , 94, 71-76	6.2	24
52	"Three-in-one" Nanohybrids as Synergistic Nanoquencher to Enhance No-Wash Fluorescence Biosensors for Ratiometric Detection of Cancer Biomarkers. <i>Theranostics</i> , 2018 , 8, 3461-3473	12.1	51
51	Controllable self-assembled plasmonic vesicle-based three-dimensional SERS platform for picomolar detection of hydrophobic contaminants. <i>Nanoscale</i> , 2018 , 10, 13202-13211	7.7	18
50	Plasmonic ELISA for naked-eye detection of ochratoxin A based on the tyramine-H ₂ O ₂ amplification system. <i>Sensors and Actuators B: Chemical</i> , 2018 , 259, 162-169	8.5	33
49	Colorimetric ELISA with an acid-base indicator for sensitive detection of ochratoxin A in corn samples. <i>Analytical Methods</i> , 2018 , 10, 30-36	3.2	11
48	Fluorescence ELISA based on CAT-regulated fluorescence quenching of CdTe QDs for sensitive detection of FB1. <i>Analytical Methods</i> , 2018 , 10, 5797-5802	3.2	18
47	Fluorescence immunoassay based on the enzyme cleaving ss-DNA to regulate the synthesis of histone-ds-poly(AT) templated copper nanoparticles. <i>Nanoscale</i> , 2018 , 10, 19890-19897	7.7	15
46	Dual-mode fluorescent and colorimetric immunoassay for the ultrasensitive detection of alpha-fetoprotein in serum samples. <i>Analytica Chimica Acta</i> , 2018 , 1038, 112-119	6.6	14
45	Comparison of immunochromatographic assays based on fluorescent microsphere and quantum-dot submicrobead for quantitative detection of aflatoxin M in milk. <i>Journal of Dairy Science</i> , 2017 , 100, 2501-2511	4	16
44	Colorimetric ELISA based on glucose oxidase-regulated the color of acid-base indicator for sensitive detection of aflatoxin B1 in corn samples. <i>Food Control</i> , 2017 , 78, 317-323	6.2	29
43	Ultrasensitive direct competitive FLISA using highly luminescent quantum dot beads for tuning affinity of competing antigens to antibodies. <i>Analytica Chimica Acta</i> , 2017 , 972, 94-101	6.6	27
42	Comparison of 4 label-based immunochromatographic assays for the detection of Escherichia coli O157:H7 in milk. <i>Journal of Dairy Science</i> , 2017 , 100, 5176-5187	4	41
41	Nanotechnology-Enhanced No-Wash Biosensors for in Vitro Diagnostics of Cancer. <i>ACS Nano</i> , 2017 , 11, 5238-5292	16.7	156
40	Size-Dependent Immunochromatographic Assay with Quantum Dot Nanobeads for Sensitive and Quantitative Detection of Ochratoxin A in Corn. <i>Analytical Chemistry</i> , 2017 , 89, 7062-7068	7.8	76
39	Two-step large-volume magnetic separation combined with PCR assay for sensitive detection of <i>Listeria monocytogenes</i> in pasteurized milk. <i>Journal of Dairy Science</i> , 2017 , 100, 7883-7890	4	30
38	Silver Nanoparticle-Based Fluorescence-Quenching Lateral Flow Immunoassay for Sensitive Detection of Ochratoxin A in Grape Juice and Wine. <i>Toxins</i> , 2017 , 9,	4.9	42
37	Solution-processed multifunctional transparent conductive films based on long silver nanowires/polyimide structure with highly thermostable and antibacterial properties. <i>RSC Advances</i> , 2017 , 7, 28670-28676	3.7	11

36	Folic acid conjugated magnetic iron oxide nanoparticles for nondestructive separation and detection of ovarian cancer cells from whole blood. <i>Biomaterials Science</i> , 2016 , 4, 159-66	7.4	42
35	Phage-free peptide ELISA for ochratoxin A detection based on biotinylated mimotope as a competing antigen. <i>Talanta</i> , 2016 , 146, 394-400	6.2	44
34	Identification and characterization of species-specific nanobodies for the detection of <i>Listeria monocytogenes</i> in milk. <i>Analytical Biochemistry</i> , 2016 , 493, 1-7	3.1	29
33	Membrane-based lateral flow immunochromatographic strip with nanoparticles as reporters for detection: A review. <i>Biosensors and Bioelectronics</i> , 2016 , 75, 166-80	11.8	302
32	A novel fluorescence immunoassay for the sensitive detection of <i>Escherichia coli</i> O157:H7 in milk based on catalase-mediated fluorescence quenching of CdTe quantum dots. <i>Analytica Chimica Acta</i> , 2016 , 947, 50-57	6.6	47
31	Novel fluorescent ELISA for the sensitive detection of zearalenone based on H ₂ O ₂ -sensitive quantum dots for signal transduction. <i>Talanta</i> , 2016 , 158, 51-56	6.2	46
30	Evaluation of probiotic properties of <i>Lactobacillus plantarum</i> WLPL04 isolated from human breast milk. <i>Journal of Dairy Science</i> , 2016 , 99, 1736-1746	4	61
29	Nanospherical Brush as Catalase Container for Enhancing the Detection Sensitivity of Competitive Plasmonic ELISA. <i>Analytical Chemistry</i> , 2016 , 88, 1951-8	7.8	54
28	Quantitative detection of α -adrenergic agonists using fluorescence quenching by immunochromatographic assay. <i>Analytical Methods</i> , 2016 , 8, 627-631	3.2	15
27	Effect of the tip length of multi-branched AuNFs on the detection performance of immunochromatographic assays. <i>Analytical Methods</i> , 2016 , 8, 3316-3324	3.2	20
26	Effect of different-sized spherical gold nanoparticles grown layer by layer on the sensitivity of an immunochromatographic assay. <i>RSC Advances</i> , 2016 , 6, 26178-26185	3.7	40
25	A portable electrochemical immunosensor for rapid detection of trace aflatoxin B ₁ in rice. <i>Analytical Methods</i> , 2016 , 8, 548-553	3.2	27
24	Fluorescence ELISA for sensitive detection of ochratoxin A based on glucose oxidase-mediated fluorescence quenching of CdTe QDs. <i>Analytica Chimica Acta</i> , 2016 , 936, 195-201	6.6	41
23	Ultrasensitive fluorescence immunoassay for detection of ochratoxin A using catalase-mediated fluorescence quenching of CdTe QDs. <i>Nanoscale</i> , 2016 , 8, 9390-7	7.7	52
22	Sensitive detection of <i>Escherichia coli</i> O157:H7 based on cascade signal amplification in ELISA. <i>Journal of Dairy Science</i> , 2016 , 99, 7025-7032	4	20
21	Fast and sensitive detection of foodborne pathogen using electrochemical impedance analysis, urease catalysis and microfluidics. <i>Biosensors and Bioelectronics</i> , 2016 , 86, 770-776	11.8	65
20	Dual gold nanoparticle lateflow immunoassay for sensitive detection of <i>Escherichia coli</i> O157:H7. <i>Analytica Chimica Acta</i> , 2015 , 876, 71-6	6.6	56
19	Detection of aflatoxin B ₁ with immunochromatographic test strips: Enhanced signal sensitivity using gold nanoflowers. <i>Talanta</i> , 2015 , 142, 206-12	6.2	79

18	A fluorescence immunochromatographic assay for rapid and sensitive detection of human prealbumin in serum. <i>Analytical Methods</i> , 2015 , 7, 8683-8688	3.2	4
17	Magnetic beads carrying poly(acrylic acid) brushes as nanobody containers for immunoaffinity purification of aflatoxin B1 from corn samples. <i>RSC Advances</i> , 2015 , 5, 77380-77387	3.7	14
16	A modified lateral flow immunoassay for the detection of trace aflatoxin M1 based on immunomagnetic nanobeads with different antibody concentrations. <i>Food Control</i> , 2015 , 51, 218-224	6.2	50
15	Gold nanoparticle-based dynamic light scattering immunoassay for ultrasensitive detection of <i>Listeria monocytogenes</i> in lettuces. <i>Biosensors and Bioelectronics</i> , 2015 , 66, 184-90	11.8	64
14	Quantum-dot submicrobead-based immunochromatographic assay for quantitative and sensitive detection of zearalenone. <i>Talanta</i> , 2015 , 132, 126-31	6.2	87
13	Multifunctionalized reduced graphene oxide-doped polypyrrole/pyrrolepropyic acid nanocomposite impedimetric immunosensor to ultra-sensitively detect small molecular aflatoxin B1 <i>Biosensors and Bioelectronics</i> , 2015 , 63, 185-189	11.8	83
12	A sensitive impedance biosensor based on immunomagnetic separation and urease catalysis for rapid detection of <i>Listeria monocytogenes</i> using an immobilization-free interdigitated array microelectrode. <i>Biosensors and Bioelectronics</i> , 2015 , 74, 504-11	11.8	81
11	Immunochromatographic assay for quantitative and sensitive detection of hepatitis B virus surface antigen using highly luminescent quantum dot-beads. <i>Talanta</i> , 2015 , 142, 145-9	6.2	67
10	Citrinin detection using phage-displayed anti-idiotypic single-domain antibody for antigen mimicry. <i>Food Chemistry</i> , 2015 , 177, 97-101	8.5	23
9	Sulfonated polystyrene magnetic nanobeads coupled with immunochromatographic strip for clenbuterol determination in pork muscle. <i>Talanta</i> , 2014 , 129, 431-7	6.2	29
8	Antioxidant and antibacterial activities of exopolysaccharides from <i>Bifidobacterium bifidum</i> WBIN03 and <i>Lactobacillus plantarum</i> R315. <i>Journal of Dairy Science</i> , 2014 , 97, 7334-43	4	105
7	Immunochromatographic assay for ultrasensitive detection of aflatoxin B1 in maize by highly luminescent quantum dot beads. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 14215-22	9.5	193
6	A homogeneous immunosensor for AFB1 detection based on FRET between different-sized quantum dots. <i>Biosensors and Bioelectronics</i> , 2014 , 56, 144-50	11.8	83
5	Monoclonal antibody-based enzyme-linked immunosorbent assay for detection of total malachite green and crystal violet residues in fishery products. <i>International Journal of Environmental Analytical Chemistry</i> , 2013 , 93, 959-969	1.8	13
4	Development of an immunochromatographic assay for rapid and quantitative detection of clenbuterol in swine urine. <i>Food Control</i> , 2013 , 34, 725-732	6.2	69
3	Fluorescent Ru(phen)3(2+)-doped silica nanoparticles-based ICTS sensor for quantitative detection of enrofloxacin residues in chicken meat. <i>Analytical Chemistry</i> , 2013 , 85, 5120-8	7.8	91
2	Antibody conjugated magnetic iron oxide nanoparticles for cancer cell separation in fresh whole blood. <i>Biomaterials</i> , 2011 , 32, 9758-65	15.6	275
1	Development of a colloidal gold strip for rapid detection of ochratoxin A with mimotope peptide. <i>Food Control</i> , 2009 , 20, 791-795	6.2	68

