

Jae-Woo Chung

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6753770/jae-woo-chung-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17
papers

295
citations

10
h-index

17
g-index

19
ext. papers

384
ext. citations

5.4
avg, IF

3.21
L-index

#	Paper	IF	Citations
17	Beta-band activity and connectivity in sensorimotor and parietal cortex are important for accurate motor performance. <i>NeuroImage</i> , 2017 , 144, 164-173	7.9	52
16	A widespread visually-sensitive functional network relates to symptoms in essential tremor. <i>Brain</i> , 2018 , 141, 472-485	11.2	40
15	Repetitive Transcranial Magnetic Stimulation (rTMS) Therapy in Parkinson Disease: A Meta-Analysis. <i>PM and R</i> , 2016 , 8, 356-366	2.2	37
14	Functional activity of the sensorimotor cortex and cerebellum relates to cervical dystonia symptoms. <i>Human Brain Mapping</i> , 2017 , 38, 4563-4573	5.9	29
13	Functional MRI of disease progression in Parkinson disease and atypical parkinsonian syndromes. <i>Neurology</i> , 2016 , 87, 709-17	6.5	28
12	Beta-band oscillations in the supplementary motor cortex are modulated by levodopa and associated with functional activity in the basal ganglia. <i>NeuroImage: Clinical</i> , 2018 , 19, 559-571	5.3	20
11	Parkinson's disease diffusion MRI is not affected by acute antiparkinsonian medication. <i>NeuroImage: Clinical</i> , 2017 , 14, 417-421	5.3	19
10	Free-water and BOLD imaging changes in Parkinson's disease patients chronically treated with a MAO-B inhibitor. <i>Human Brain Mapping</i> , 2016 , 37, 2894-903	5.9	19
9	Pain-Related Suppression of Beta Oscillations Facilitates Voluntary Movement. <i>Cerebral Cortex</i> , 2017 , 27, 2592-2606	5.1	19
8	Cortical dynamics within and between parietal and motor cortex in essential tremor. <i>Movement Disorders</i> , 2019 , 34, 95-104	7	11
7	REM sleep without atonia is associated with increased rigidity in patients with mild to moderate Parkinson's disease. <i>Clinical Neurophysiology</i> , 2020 , 131, 2008-2016	4.3	8
6	Sensory and motor cortex function contributes to symptom severity in spinocerebellar ataxia type 6. <i>Brain Structure and Function</i> , 2017 , 222, 1039-1052	4	5
5	Reply: Visually-sensitive networks in essential tremor: evidence from structural and functional imaging. <i>Brain</i> , 2018 , 141, e48	11.2	3
4	REM Sleep Without Atonia and Gait Impairment in People with Mild-to-Moderate Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2021 , 11, 767-778	5.3	2
3	White matter microstructure in Parkinson's disease with and without elevated rapid eye movement sleep muscle tone. <i>Brain Communications</i> , 2022 , 4, fca027	4.5	1
2	Cortical Oscillations in Cervical Dystonia and Dystonic Tremor. <i>Cerebral Cortex Communications</i> , 2020 , 1, tgaa048	1.9	1
1	The Effects of Multi-Domain Interventions on Cognition: A Systematic Review. <i>Western Journal of Nursing Research</i> , 2021 , 1939459211032272	2	1

