

Jae-Woo Chung

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6753770/jae-woo-chung-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17
papers

295
citations

10
h-index

17
g-index

19
ext. papers

384
ext. citations

5.4
avg, IF

3.21
L-index

#	Paper	IF	Citations
17	White matter microstructure in Parkinson's disease with and without elevated rapid eye movement sleep muscle tone. <i>Brain Communications</i> , 2022 , 4, fca027	4.5	1
16	REM Sleep Without Atonia and Gait Impairment in People with Mild-to-Moderate Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2021 , 11, 767-778	5.3	2
15	The Effects of Multi-Domain Interventions on Cognition: A Systematic Review. <i>Western Journal of Nursing Research</i> , 2021 , 1939459211032272	2	1
14	REM sleep without atonia is associated with increased rigidity in patients with mild to moderate Parkinson's disease. <i>Clinical Neurophysiology</i> , 2020 , 131, 2008-2016	4.3	8
13	Cortical Oscillations in Cervical Dystonia and Dystonic Tremor. <i>Cerebral Cortex Communications</i> , 2020 , 1, tgaa048	1.9	1
12	Cortical dynamics within and between parietal and motor cortex in essential tremor. <i>Movement Disorders</i> , 2019 , 34, 95-104	7	11
11	Reply: Visually-sensitive networks in essential tremor: evidence from structural and functional imaging. <i>Brain</i> , 2018 , 141, e48	11.2	3
10	A widespread visually-sensitive functional network relates to symptoms in essential tremor. <i>Brain</i> , 2018 , 141, 472-485	11.2	40
9	Beta-band oscillations in the supplementary motor cortex are modulated by levodopa and associated with functional activity in the basal ganglia. <i>NeuroImage: Clinical</i> , 2018 , 19, 559-571	5.3	20
8	Parkinson's disease diffusion MRI is not affected by acute antiparkinsonian medication. <i>NeuroImage: Clinical</i> , 2017 , 14, 417-421	5.3	19
7	Functional activity of the sensorimotor cortex and cerebellum relates to cervical dystonia symptoms. <i>Human Brain Mapping</i> , 2017 , 38, 4563-4573	5.9	29
6	Pain-Related Suppression of Beta Oscillations Facilitates Voluntary Movement. <i>Cerebral Cortex</i> , 2017 , 27, 2592-2606	5.1	19
5	Beta-band activity and connectivity in sensorimotor and parietal cortex are important for accurate motor performance. <i>NeuroImage</i> , 2017 , 144, 164-173	7.9	52
4	Sensory and motor cortex function contributes to symptom severity in spinocerebellar ataxia type 6. <i>Brain Structure and Function</i> , 2017 , 222, 1039-1052	4	5
3	Repetitive Transcranial Magnetic Stimulation (rTMS) Therapy in Parkinson Disease: A Meta-Analysis. <i>PM and R</i> , 2016 , 8, 356-366	2.2	37
2	Functional MRI of disease progression in Parkinson disease and atypical parkinsonian syndromes. <i>Neurology</i> , 2016 , 87, 709-17	6.5	28
1	Free-water and BOLD imaging changes in Parkinson's disease patients chronically treated with a MAO-B inhibitor. <i>Human Brain Mapping</i> , 2016 , 37, 2894-903	5.9	19

