

Shuangqiang Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6755325/publications.pdf>

Version: 2024-02-01

78
papers

7,406
citations

46918

47
h-index

69108

77
g-index

78
all docs

78
docs citations

78
times ranked

9676
citing authors

#	ARTICLE	IF	CITATIONS
1	Challenges and Perspectives for NASICON-type Electrode Materials for Advanced Sodium-ion Batteries. <i>Advanced Materials</i> , 2017, 29, 1700431.	11.1	499
2	MoS ₂ -Based Nanocomposites for Electrochemical Energy Storage. <i>Advanced Science</i> , 2017, 4, 1600289.	5.6	374
3	Porous Graphene Nanoarchitectures: An Efficient Catalyst for Low Charge-Overpotential, Long Life, and High Capacity Lithium-Oxygen Batteries. <i>Nano Letters</i> , 2014, 14, 3145-3152.	4.5	329
4	Dual-Functionalized Double Carbon Shells Coated Silicon Nanoparticles for High Performance Lithium-ion Batteries. <i>Advanced Materials</i> , 2017, 29, 1605650.	11.1	325
5	Peapod-like Li ₃ VO ₄ /N-Doped Carbon Nanowires with Pseudocapacitive Properties as Advanced Materials for High-Energy Lithium-ion Capacitors. <i>Advanced Materials</i> , 2017, 29, 1700142.	11.1	298
6	Microwave-assisted synthesis of a Co ₃ O ₄ -graphene sheet-on-sheet nanocomposite as a superior anode material for Li-ion batteries. <i>Journal of Materials Chemistry</i> , 2010, 20, 9735.	6.7	261
7	Graphene-Co ₃ O ₄ nanocomposite as electrocatalyst with high performance for oxygen evolution reaction. <i>Scientific Reports</i> , 2015, 5, 7629.	1.6	234
8	MIL-96Al for Li-S Batteries: Shape or Size?. <i>Advanced Materials</i> , 2022, 34, e2107836.	11.1	205
9	Highly Porous NiCo ₂ O ₄ Nanoflakes and Nanobelts as Anode Materials for Lithium-ion Batteries with Excellent Rate Capability. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 14827-14835.	4.0	187
10	Mesoporous MnCo ₂ O ₄ with a Flake-like Structure as Advanced Electrode Materials for Lithium-ion Batteries and Supercapacitors. <i>Chemistry - A European Journal</i> , 2015, 21, 1526-1532.	1.7	183
11	Microwave-assisted Synthesis of Mesoporous Co ₃ O ₄ Nanoflakes for Applications in Lithium Ion Batteries and Oxygen Evolution Reactions. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 3306-3313.	4.0	169
12	SnS ₂ Nanoplatelet@Graphene Nanocomposites as High-Capacity Anode Materials for Sodium-ion Batteries. <i>Chemistry - an Asian Journal</i> , 2014, 9, 1611-1617.	1.7	166
13	Honeycomb-like porous gel polymer electrolyte membrane for lithium ion batteries with enhanced safety. <i>Scientific Reports</i> , 2014, 4, 6007.	1.6	165
14	Hierarchical 3D mesoporous silicon@graphene nanoarchitectures for lithium ion batteries with superior performance. <i>Nano Research</i> , 2014, 7, 85-94.	5.8	163
15	Mesoporous Carbon Nanocube Architecture for High-Performance Lithium-Oxygen Batteries. <i>Advanced Functional Materials</i> , 2015, 25, 4436-4444.	7.8	155
16	3D Hyperbranched Hollow Carbon Nanorod Architectures for High-Performance Lithium-Sulfur Batteries. <i>Advanced Energy Materials</i> , 2014, 4, 1301761.	10.2	154
17	Graphene supported Sn-Sb@carbon core-shell particles as a superior anode for lithium ion batteries. <i>Electrochemistry Communications</i> , 2010, 12, 1302-1306.	2.3	132
18	Multi-chambered micro/mesoporous carbon nanocubes as new polysulfides reservoirs for lithium-sulfur batteries with long cycle life. <i>Nano Energy</i> , 2015, 16, 268-280.	8.2	132

#	ARTICLE	IF	CITATIONS
19	A comparative investigation on the effects of nitrogen-doping into graphene on enhancing the electrochemical performance of SnO ₂ /graphene for sodium-ion batteries. <i>Nanoscale</i> , 2015, 7, 3164-3172.	2.8	130
20	The Progress and Prospect of Tunable Organic Molecules for Organic Lithium-Ion Batteries. <i>ACS Nano</i> , 2021, 15, 47-80.	7.3	130
21	A Microwave Synthesis of Mesoporous NiCo ₂ O ₄ Nanosheets as Electrode Materials for Lithium-ion Batteries and Supercapacitors. <i>ChemPhysChem</i> , 2015, 16, 169-175.	1.0	122
22	Synthesis of Fe ₂ O ₃ @CNT/graphene hybrid materials with an open three-dimensional nanostructure for high capacity lithium storage. <i>Nano Energy</i> , 2013, 2, 425-434.	8.2	120
23	Carbon nanotubes grown in situ on graphene nanosheets as superior anodes for Li-ion batteries. <i>Nanoscale</i> , 2011, 3, 4323.	2.8	119
24	Carbon-Coated Li ₃ VO ₄ Spheres as Constituents of an Advanced Anode Material for High-Rate Long-Life Lithium-ion Batteries. <i>Advanced Materials</i> , 2017, 29, 1701571.	11.1	119
25	Ultrathin Ti ₂ Nb ₂ O ₉ Nanosheets with Pseudocapacitive Properties as Superior Anode for Sodium-ion Batteries. <i>Advanced Materials</i> , 2018, 30, e1804378.	11.1	117
26	Multi-shelled hollow carbon nanospheres for lithium-sulfur batteries with superior performances. <i>Journal of Materials Chemistry A</i> , 2014, 2, 16199-16207.	5.2	116
27	A Sulfur-Limonene-Based Electrode for Lithium-Sulfur Batteries: High-Performance by Self-Protection. <i>Advanced Materials</i> , 2018, 30, e1706643.	11.1	114
28	Chemical-free synthesis of graphene-carbon nanotube hybrid materials for reversible lithium storage in lithium-ion batteries. <i>Carbon</i> , 2012, 50, 4557-4565.	5.4	106
29	Mesoporous graphene paper immobilised sulfur as a flexible electrode for lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 13484.	5.2	103
30	Multi-electron reaction materials for sodium-based batteries. <i>Materials Today</i> , 2018, 21, 960-973.	8.3	103
31	Cross-Linking Hollow Carbon Sheet Encapsulated Cu ₂ Nanocomposites for High Energy Density Sodium-Ion Batteries. <i>ACS Nano</i> , 2018, 12, 7018-7027.	7.3	99
32	3D mesoporous hybrid NiCo ₂ O ₄ @graphene nanoarchitectures as electrode materials for supercapacitors with enhanced performances. <i>Journal of Materials Chemistry A</i> , 2014, 2, 8103-8109.	5.2	94
33	Microwave hydrothermal synthesis of high performance tin-graphene nanocomposites for lithium ion batteries. <i>Journal of Power Sources</i> , 2012, 216, 22-27.	4.0	92
34	3D Honeycomb Architecture Enables a High-Rate and Long-Life Iron (III) Fluoride-Lithium Battery. <i>Advanced Materials</i> , 2019, 31, e1905146.	11.1	84
35	Hierarchical macroporous/mesoporous NiCo ₂ O ₄ nanosheets as cathode catalysts for rechargeable Li-O ₂ batteries. <i>Journal of Materials Chemistry A</i> , 2014, 2, 12053.	5.2	82
36	Nanocomposites of hematite (±-Fe ₂ O ₃) nanospindles with crumpled reduced graphene oxide nanosheets as high-performance anode material for lithium-ion batteries. <i>RSC Advances</i> , 2012, 2, 10977.	1.7	75

#	ARTICLE	IF	CITATIONS
37	Porous poly(vinylidene fluoride-co-hexafluoropropylene) polymer membrane with sandwich-like architecture for highly safe lithium ion batteries. <i>Journal of Membrane Science</i> , 2014, 472, 133-140.	4.1	75
38	3D Networked Tin Oxide/Graphene Aerogel with a Hierarchically Porous Architecture for High-Rate Performance Sodium-Ion Batteries. <i>ChemSusChem</i> , 2015, 8, 2948-2955.	3.6	70
39	Metal-Organic Framework-Derived Nanoconfinements of CoF ₂ and Mixed-Conducting Wiring for High-Performance Metal Fluoride-Lithium Battery. <i>ACS Nano</i> , 2021, 15, 1509-1518.	7.3	69
40	Self-Assembling Synthesis of Free-Standing Nanoporous Graphene-Transition Metal Oxide Flexible Electrodes for High-Performance Lithium-Ion Batteries and Supercapacitors. <i>Chemistry - an Asian Journal</i> , 2014, 9, 206-211.	1.7	62
41	In-situ structural evolution analysis of Zr-doped Na ₃ V ₂ (PO ₄) ₂ F ₃ coated by N-doped carbon layer as high-performance cathode for sodium-ion batteries. <i>Journal of Energy Chemistry</i> , 2022, 65, 514-523.	7.1	62
42	Porous carbon nanocages encapsulated with tin nanoparticles for high performance sodium-ion batteries. <i>Energy Storage Materials</i> , 2016, 5, 180-190.	9.5	61
43	An optimized LiNO ₃ /DMSO electrolyte for high-performance rechargeable Li-O ₂ batteries. <i>RSC Advances</i> , 2014, 4, 11115.	1.7	60
44	A universal synthetic route to carbon nanotube/transition metal oxide nano-composites for lithium ion batteries and electrochemical capacitors. <i>Scientific Reports</i> , 2016, 6, 37752.	1.6	58
45	A free-standing LiFePO ₄ -carbon paper hybrid cathode for flexible lithium-ion batteries. <i>Green Chemistry</i> , 2016, 18, 2691-2698.	4.6	53
46	Activated graphene with tailored pore structure parameters for long cycle-life lithium-sulfur batteries. <i>Nano Research</i> , 2017, 10, 4305-4317.	5.8	52
47	Top-down synthesis of interconnected two-dimensional carbon/antimony hybrids as advanced anodes for sodium storage. <i>Energy Storage Materials</i> , 2018, 10, 122-129.	9.5	50
48	Natural Vermiculite Enables High-Performance in Lithium-Sulfur Batteries via Electrical Double Layer Effects. <i>Advanced Functional Materials</i> , 2019, 29, 1902820.	7.8	50
49	Microwave hydrothermal synthesis of urchin-like NiO nanospheres as electrode materials for lithium-ion batteries and supercapacitors with enhanced electrochemical performances. <i>Journal of Alloys and Compounds</i> , 2014, 582, 522-527.	2.8	48
50	Core-Shell Layered Oxide Cathode for High-Performance Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 7144-7152.	4.0	47
51	Large-scale and low cost synthesis of graphene as high capacity anode materials for lithium-ion batteries. <i>Carbon</i> , 2013, 64, 158-169.	5.4	40
52	Progress and Perspective of Metal- and Covalent-Organic Frameworks and their Derivatives for Lithium-Ion Batteries. <i>Batteries and Supercaps</i> , 2021, 4, 72-97.	2.4	39
53	Microwave synthesis of Fe ₃ O ₄ nanoparticles and their lithium storage properties: A comparative study. <i>Journal of Alloys and Compounds</i> , 2015, 648, 732-739.	2.8	38
54	Cobalt Coordinated Cyano Covalent-Organic Framework for High-Performance Potassium-Organic Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 48913-48922.	4.0	36

#	ARTICLE	IF	CITATIONS
55	Graphene/MnO ₂ hybrid nanosheets as high performance electrode materials for supercapacitors. <i>Materials Chemistry and Physics</i> , 2014, 143, 740-746.	2.0	34
56	Hydrothermal Synthesis of Nickel Oxide Nanosheets for Lithium-Ion Batteries and Supercapacitors with Excellent Performance. <i>Chemistry - an Asian Journal</i> , 2013, 8, 2828-2832.	1.7	33
57	Shear-resistant interface of layered oxide cathodes for sodium ion batteries. <i>Energy Storage Materials</i> , 2022, 45, 389-398.	9.5	33
58	Lithiophilic Vertical Cactus-Like Framework Derived from Cu/Zn-Based Coordination Polymer through In Situ Chemical Etching for Stable Lithium Metal Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2008514.	7.8	32
59	A simple approach to prepare nickel hydroxide nanosheets for enhanced pseudocapacitive performance. <i>RSC Advances</i> , 2014, 4, 19476-19481.	1.7	28
60	Microwave-assisted synthesis of spherical Ni(OH) ₂ superstructures for electrochemical capacitors with excellent cycling stability. <i>Chemical Physics Letters</i> , 2014, 610-611, 115-120.	1.2	25
61	Fluorine/Nitrogen Co-Doped Porous Carbons Derived from Covalent Triazine Frameworks for High-Performance Supercapacitors. <i>ACS Applied Energy Materials</i> , 2021, 4, 4519-4529.	2.5	21
62	N-doped carbon nanofibers encapsulated Cu _{2-x} Se with the improved lithium storage performance and its structural evolution analysis. <i>Electrochimica Acta</i> , 2021, 367, 137449.	2.6	20
63	Porous carbon particles derived from natural peanut shells as lithium ion battery anode and its electrochemical properties. <i>Electronic Materials Letters</i> , 2014, 10, 819-826.	1.0	18
64	Self-assembled 3D Fe ₂ (MoO ₄) ₃ microspheres with amorphous shell as anode of lithium-ion batteries with superior electrochemical performance. <i>Chemical Engineering Science</i> , 2020, 217, 115517.	1.9	18
65	Ultra-small Fe ₃ O ₄ nanodots encapsulated in layered carbon nanosheets with fast kinetics for lithium/potassium-ion battery anodes. <i>RSC Advances</i> , 2021, 11, 1261-1270.	1.7	16
66	Preparation and characterization of novel nonstoichiometric magnesium aluminate spinels. <i>Ceramics International</i> , 2018, 44, 15104-15109.	2.3	14
67	Tin-nitrogen coordination boosted lithium-storage sites and electrochemical properties in covalent-organic framework with layer-assembled hollow structure. <i>Journal of Colloid and Interface Science</i> , 2022, 622, 591-601.	5.0	14
68	Imine-Induced Metal-Organic and Covalent Organic Coexisting Framework with Superior Li-Storage Properties and Activation Mechanism. <i>ChemSusChem</i> , 2021, 14, 3283-3292.	3.6	12
69	Atomic layer deposition of alumina onto yolk-shell FeS/MoS ₂ as universal anodes for Li/Na/K-Ion batteries. <i>Electrochimica Acta</i> , 2022, 402, 139471.	2.6	12
70	Ru- and Cl-Codoped Li ₃ V ₂ (PO ₄) ₃ with Enhanced Performance for Lithium-Ion Batteries in a Wide Temperature Range. <i>Small</i> , 2022, 18, .	5.2	10
71	Two-dimensional imine-based covalent-organic-framework derived nitrogen-doped porous carbon nanosheets for high-performance lithium-sulfur batteries. <i>New Journal of Chemistry</i> , 2021, 45, 8683-8692.	1.4	9
72	Pomegranate-Inspired Nitrogen-Doped Carbon-Coated Bimetallic Sulfides as a High-Performance Anode of Sodium-Ion Batteries and Their Structural Evolution Analysis. <i>ACS Applied Energy Materials</i> , 2022, 5, 3199-3207.	2.5	9

#	ARTICLE	IF	CITATIONS
73	Redox-Active Tetramino-Benzoquinone π - π Stacking and H-Bonding onto Multiwalled Carbon Nanotubes toward a High-Performance Asymmetric Supercapacitor. ACS Applied Energy Materials, 2022, 5, 8112-8122.	2.5	7
74	Structure and thermal expansion behavior of $\text{Ca}_{4-x}\text{La}_6\text{Nd}_x(\text{SiO}_4)_4(\text{PO}_4)_2\text{O}_6$ apatite for nuclear waste immobilization. Dalton Transactions, 2020, 49, 2578-2588.		
75	A kind of Co-based coordination compounds with tunable morphologies and its Li-storage mechanism. Electrochimica Acta, 2022, 422, 140565.	2.6	5
76	Batteries: 3D Hyperbranched Hollow Carbon Nanorod Architectures for High-Performance Lithium-Sulfur Batteries (Adv. Energy Mater. 8/2014). Advanced Energy Materials, 2014, 4, n/a-n/a.	10.2	2
77	2.5 V high performance aqueous and semi-solid state symmetric supercapacitors enabled by 3 m sulfolane saturated aqueous electrolytes. Energy Technology, 0, , .	1.8	2
78	Higher valency ion substitution causing different fluorite-derived structures in $\text{CaZr}_{1-x}\text{Nd}_x\text{Ti}_2\text{Nb}_2\text{O}_{17}$ (0.05 $\leq x \leq 1$) solid solution. Ceramics International, 2021, 47, 2694-2704.	2.3	1