

Nigel J Walker

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6755578/nigel-j-walker-publications-by-year.pdf>
Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96 papers	8,518 citations	34 h-index	92 g-index
102 ext. papers	9,180 ext. citations	5.4 avg, IF	5.31 L-index

#	Paper	IF	Citations
96	Development of a consensus approach for botanical safety evaluation - A roundtable report. <i>Toxicology Letters</i> , 2019 , 314, 10-17	4.4	2
95	Using Tox21 High-Throughput Screening Assays for the Evaluation of Botanical and Dietary Supplements. <i>Applied in Vitro Toxicology</i> , 2019 , 5, 10-25	1.3	6
94	Inhalation exposure to multi-walled carbon nanotubes alters the pulmonary allergic response of mice to house dust mite allergen. <i>Inhalation Toxicology</i> , 2019 , 31, 192-202	2.7	7
93	Advancing human health risk assessment. <i>EFSA Journal</i> , 2019 , 17, e170712	2.3	19
92	Characterizing sources of variability in zebrafish embryo screening protocols. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2019 , 36, 103-120	4.3	22
91	Screening for Developmental Neurotoxicity at the National Toxicology Program: The Future Is Here. <i>Toxicological Sciences</i> , 2019 , 167, 6-14	4.4	19
90	Disposition of fullerene C60 in rats following intratracheal or intravenous administration. <i>Xenobiotica</i> , 2019 , 49, 1078-1085	2	2
89	Naturally complex: Perspectives and challenges associated with Botanical Dietary Supplement Safety assessment. <i>Food and Chemical Toxicology</i> , 2018 , 118, 963-971	4.7	31
88	Getting to the Root of the Matter: Challenges and Recommendations for Assessing the Safety of Botanical Dietary Supplements. <i>Clinical Pharmacology and Therapeutics</i> , 2018 , 104, 429-431	6.1	9
87	Expanding the Concept of Translational Research: Making a Place for Environmental Health Sciences. <i>Environmental Health Perspectives</i> , 2018 , 126, 074501	8.4	15
86	DNA Product Formation in Female Sprague-Dawley Rats Following Polyhalogenated Aromatic Hydrocarbon (PHAH) Exposure. <i>Chemical Research in Toxicology</i> , 2017 , 30, 794-803	4	5
85	Low dose assessment of the carcinogenicity of furan in male F344/N Nctr rats in a 2-year gavage study. <i>Food and Chemical Toxicology</i> , 2017 , 99, 170-181	4.7	27
84	Respiratory toxicity and immunotoxicity evaluations of microparticle and nanoparticle C60 fullerene aggregates in mice and rats following nose-only inhalation for 13 weeks. <i>Nanotoxicology</i> , 2016 , 10, 1458-1468	5.3	15
83	Polychlorinated Biphenyls Induce Oxidative DNA Adducts in Female Sprague-Dawley Rats. <i>Chemical Research in Toxicology</i> , 2016 , 29, 1335-1344	4	12
82	Lung deposition and clearance of microparticle and nanoparticle C60 fullerene aggregates in B6C3F1 mice and Wistar Han rats following nose-only inhalation for 13 weeks. <i>Toxicology</i> , 2016 , 339, 87-96	4.4	8
81	Associations Between Selected Xenobiotics and Antinuclear Antibodies in the National Health and Nutrition Examination Survey, 1999-2004. <i>Environmental Health Perspectives</i> , 2016 , 124, 426-36	8.4	17
80	NIEHS/FDA CLARITY-BPA research program update. <i>Reproductive Toxicology</i> , 2015 , 58, 33-44	3.4	72

79	From immunotoxicity to nanotherapy: the effects of nanomaterials on the immune system. <i>Toxicological Sciences</i> , 2014 , 138, 249-55	4.4	51
78	Mode of action and dose-response framework analysis for receptor-mediated toxicity: The aryl hydrocarbon receptor as a case study. <i>Critical Reviews in Toxicology</i> , 2014 , 44, 83-119	5.7	57
77	Relative potency for altered humoral immunity induced by polybrominated and polychlorinated dioxins/furans in female B6C3F1/N mice. <i>Toxicological Sciences</i> , 2014 , 139, 488-500	4.4	10
76	Characterization of an assortment of commercially available multiwalled carbon nanotubes. <i>Mikrochimica Acta</i> , 2014 , 181, 171-179	5.8	3
75	A new approach to synergize academic and guideline-compliant research: the CLARITY-BPA research program. <i>Reproductive Toxicology</i> , 2013 , 40, 35-40	3.4	72
74	Mixtures research at NIEHS: an evolving program. <i>Toxicology</i> , 2013 , 313, 94-102	4.4	22
73	ONE Nano: NIEHS's strategic initiative on the health and safety effects of engineered nanomaterials. <i>Environmental Health Perspectives</i> , 2013 , 121, 410-4	8.4	14
72	Cerium dioxide nanoparticles do not modulate the lipopolysaccharide-induced inflammatory response in human monocytes. <i>International Journal of Nanomedicine</i> , 2012 , 7, 1387-97	7.3	19
71	Repeated dose toxicity and relative potency of 1,2,3,4,6,7-hexachloronaphthalene (PCN 66) 1,2,3,5,6,7-hexachloronaphthalene (PCN 67) compared to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) for induction of CYP1A1, CYP1A2 and thymic atrophy in female Harlan Sprague-Dawley rats. <i>Toxicology</i> , 2012 , 301, 85-93	4.4	26
70	Prevalence and sociodemographic correlates of antinuclear antibodies in the United States. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2319-27		241
69	Cerium dioxide nanoparticles induce apoptosis and autophagy in human peripheral blood monocytes. <i>ACS Nano</i> , 2012 , 6, 5820-9	16.7	179
68	Aloe vera non-decolorized whole leaf extract-induced large intestinal tumors in F344 rats share similar molecular pathways with human sporadic colorectal tumors. <i>Toxicologic Pathology</i> , 2011 , 39, 1065-74	2.1	19
67	The safety and regulation of natural products used as foods and food ingredients. <i>Toxicological Sciences</i> , 2011 , 123, 333-48	4.4	105
66	Gene expression alterations in immune system pathways in the thymus after exposure to immunosuppressive chemicals. <i>Environmental Health Perspectives</i> , 2011 , 119, 371-6	8.4	34
65	Workshop report. Nanotoxicology: "the end of the beginning" - signs on the roadmap to a strategy for assuring the safe application and use of nanomaterials. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2011 , 28, 236-41	4.3	14
64	Thyroid follicular lesions induced by oral treatment for 2 years with 2,3,7,8-tetrachlorodibenzo-p-dioxin and dioxin-like compounds in female Harlan Sprague-Dawley rats. <i>Toxicologic Pathology</i> , 2010 , 38, 1037-50	2.1	8
63	Predicting the hepatocarcinogenic potential of alkenylbenzene flavoring agents using toxicogenomics and machine learning. <i>Toxicology and Applied Pharmacology</i> , 2010 , 243, 300-14	4.6	78
62	A 21st century paradigm for evaluating the health hazards of nanoscale materials?. <i>Toxicological Sciences</i> , 2009 , 110, 251-4	4.4	66

61	Quantitative determination of skin penetration of PEG-coated CdSe quantum dots in dermabraded but not intact SKH-1 hairless mouse skin. <i>Toxicological Sciences</i> , 2009 , 111, 37-48	4.4	78
60	Reproductive lesions in female Harlan Sprague-Dawley rats following two-year oral treatment with dioxin and dioxin-like compounds. <i>Toxicologic Pathology</i> , 2009 , 37, 921-37	2.1	17
59	Accumulation of M1dG DNA adducts after chronic exposure to PCBs, but not from acute exposure to polychlorinated aromatic hydrocarbons. <i>Free Radical Biology and Medicine</i> , 2008 , 45, 585-91	7.8	27
58	Absolute estimation of initial concentrations of amplicon in a real-time RT-PCR process. <i>BMC Bioinformatics</i> , 2007 , 8, 409	3.6	18
57	Unraveling the complexities of the mechanism of action of dioxins. <i>Toxicological Sciences</i> , 2007 , 95, 297-304	2.4	8
56	A critical comparison of murine pathology and epidemiological data of TCDD, PCB126, and PeCDF. <i>Toxicologic Pathology</i> , 2007 , 35, 865-79	2.1	38
55	Migration of intradermally injected quantum dots to sentinel organs in mice. <i>Toxicological Sciences</i> , 2007 , 98, 249-57	4.4	141
54	Respiratory tract lesions in noninhalation studies. <i>Toxicologic Pathology</i> , 2007 , 35, 170-7	2.1	18
53	Pulmonary lesions in female Harlan Sprague-Dawley rats following two-year oral treatment with dioxin-like compounds. <i>Toxicologic Pathology</i> , 2007 , 35, 880-9	2.1	9
52	The putative tumor suppressor Tsc-22 is downregulated early in chemically induced hepatocarcinogenesis and may be a suppressor of Gadd45b. <i>Toxicological Sciences</i> , 2007 , 99, 43-50	4.4	16
51	Comparison of chronic toxicity and carcinogenicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) in 2-year bioassays in female Sprague-Dawley rats. <i>Molecular Nutrition and Food Research</i> , 2006 , 50, 934-44	5.9	25
50	Drug-induced expression of nonsteroidal anti-inflammatory drug-activated gene/macrophage inhibitory cytokine-1/prostate-derived factor, a putative tumor suppressor, inhibits tumor growth. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 318, 899-906	4.7	45
49	Development of a refined database of mammalian relative potency estimates for dioxin-like compounds. <i>Toxicological Sciences</i> , 2006 , 89, 4-30	4.4	103
48	The 2005 World Health Organization reevaluation of human and Mammalian toxic equivalency factors for dioxins and dioxin-like compounds. <i>Toxicological Sciences</i> , 2006 , 93, 223-41	4.4	2683
47	Safe handling of nanotechnology. <i>Nature</i> , 2006 , 444, 267-9	50.4	1202
46	Dioxin (2,3,7,8-tetrachlorodibenzo-p-dioxin) enhances triggered afterdepolarizations in rat ventricular myocytes. <i>Cardiovascular Toxicology</i> , 2006 , 6, 99-110	3.4	14
45	Complexities in understanding the nature of the dose-response for dioxins and related compounds. <i>Dose-Response</i> , 2006 , 3, 267-72	2.3	6
44	Toxicology of Dioxins and Dioxinlike Compounds 2005 , 137-157		1

43	Gingival carcinogenicity in female Harlan Sprague-Dawley rats following two-year oral treatment with 2,3,7,8-tetrachlorodibenzo-p-dioxin and dioxin-like compounds. <i>Toxicological Sciences</i> , 2005 , 83, 64-77	4.4	20
42	Incidences of selected lesions in control female Harlan Sprague-Dawley rats from two-year studies performed by the National Toxicology Program. <i>Toxicologic Pathology</i> , 2005 , 33, 477-83	2.1	41
41	Real-Time and Quantitative PCR 2005 , 147-163		
40	Experimental Toxicology: Carcinogenesis 2005 , 457-490		
39	DoseResponse Modeling for 2,3,7,8-Tetrachlorodibenzo-p-Dioxin 2005 , 247-298		
38	Dose-additive carcinogenicity of a defined mixture of "dioxin-like compounds". <i>Environmental Health Perspectives</i> , 2005 , 113, 43-8	8.4	85
37	Mechanisms of exocrine pancreatic toxicity induced by oral treatment with 2,3,7,8-tetrachlorodibenzo-p-dioxin in female Harlan Sprague-Dawley Rats. <i>Toxicological Sciences</i> , 2005 , 85, 594-606	4.4	17
36	Classification of proliferative hepatocellular lesions in harlan sprague-dawley rats chronically exposed to dioxin-like compounds. <i>Toxicologic Pathology</i> , 2005 , 33, 165-74	2.1	33
35	Olfactory epithelial metaplasia and hyperplasia in female Harlan Sprague-Dawley rats following chronic treatment with polychlorinated biphenyls. <i>Toxicologic Pathology</i> , 2005 , 33, 371-7	2.1	15
34	Gene interaction network suggests dioxin induces a significant linkage between aryl hydrocarbon receptor and retinoic acid receptor beta. <i>Environmental Health Perspectives</i> , 2004 , 112, 1217-24	8.4	28
33	Exocrine pancreatic pathology in female Harlan Sprague-Dawley rats after chronic treatment with 2,3,7,8-tetrachlorodibenzo-p-dioxin and dioxin-like compounds. <i>Environmental Health Perspectives</i> , 2004 , 112, 903-9	8.4	22
32	Subchronic exposure to TCDD, PeCDF, PCB126, and PCB153: effect on hepatic gene expression. <i>Environmental Health Perspectives</i> , 2004 , 112, 1636-44	8.4	81
31	Characterization of bronchiolar metaplasia of the alveolar epithelium in female Sprague-Dawley rats exposed to 3,3',4,4'-pentachlorobiphenyl (PCB126). <i>Toxicologic Pathology</i> , 2004 , 32, 333-7	2.1	15
30	Follicular epithelial cell hypertrophy induced by chronic oral administration of 2,3,7,8-tetrachlorodibenzo-p-dioxin in female Harlan Sprague-Dawley rats. <i>Toxicologic Pathology</i> , 2004 , 32, 41-9	2.1	12
29	Oral and dermal exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) induces cutaneous papillomas and squamous cell carcinomas in female hemizygous Tg.AC transgenic mice. <i>Toxicological Sciences</i> , 2004 , 82, 34-45	4.4	9
28	EGR1 is a novel target for AhR agonists in human lung epithelial cells. <i>Toxicological Sciences</i> , 2004 , 82, 429-35	4.4	19
27	Evaluation of toxic equivalency factors for induction of cytochromes P450 CYP1A1 and CYP1A2 enzyme activity by dioxin-like compounds. <i>Toxicology and Applied Pharmacology</i> , 2004 , 194, 156-68	4.6	58
26	Subchronic Exposure to TCDD, PeCDF, PCB126, and PCB153: Effect on Hepatic Gene Expression. <i>Environmental Health Perspectives</i> , 2004 , 112, 1636-1644	8.4	95

25	Increase in cardiovascular pathology in female Sprague-Dawley rats following chronic treatment with 2,3,7,8-tetrachlorodibenzo-p-dioxin and 3,3',4,4'-pentachlorobiphenyl. <i>Cardiovascular Toxicology</i> , 2003 , 3, 299-310	3.4	53
24	Area under the curve as a dose metric for promotional responses following 2,3,7,8-tetrachlorodibenzo-p-dioxin exposure. <i>Toxicology and Applied Pharmacology</i> , 2003 , 191, 12-21	4.6	6
23	Differential toxicogenomic responses to 2,3,7,8-tetrachlorodibenzo-p-dioxin in malignant and nonmalignant human airway epithelial cells. <i>Toxicological Sciences</i> , 2002 , 69, 409-23	4.4	79
22	Promotion of altered hepatic foci by 2,3,7,8-tetrachlorodibenzo-p-dioxin and 17beta-estradiol in male Sprague-Dawley rats. <i>Toxicological Sciences</i> , 2002 , 68, 295-303	4.4	8
21	Impact of physiologically based pharmacokinetic modeling on benchmark dose calculations for TCDD-induced biochemical responses. <i>Regulatory Toxicology and Pharmacology</i> , 2002 , 36, 287-96	3.4	10
20	Tech.Sight. A technique whose time has come. <i>Science</i> , 2002 , 296, 557-9	3.3	257
19	Effects of TCDD upon IkappaB and IKK subunits localized in microsomes by proteomics. <i>Archives of Biochemistry and Biophysics</i> , 2002 , 406, 153-64	4.1	14
18	Physiological modeling of a proposed mechanism of enzyme induction by TCDD. <i>Toxicology</i> , 2001 , 162, 193-208	4.4	21
17	Real-time and quantitative PCR: applications to mechanism-based toxicology. <i>Journal of Biochemical and Molecular Toxicology</i> , 2001 , 15, 121-7	3.4	85
16	Regulation of 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced tumor promotion by 17 beta-estradiol in female Sprague-Dawley rats. <i>Toxicology and Applied Pharmacology</i> , 2001 , 173, 7-17	4.6	18
15	Induction of hepatic 8-oxo-deoxyguanosine adducts by 2,3,7,8-tetrachlorodibenzo-p-dioxin in Sprague-Dawley rats is female-specific and estrogen-dependent. <i>Chemical Research in Toxicology</i> , 2001 , 14, 849-55	4	46
14	Hepatocarcinogenesis in female Sprague-Dawley rats following discontinuous treatment with 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>Toxicological Sciences</i> , 2000 , 54, 330-7	4.4	10
13	Toxicity of chronic exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin in diethylnitrosamine-initiated ovariectomized rats implanted with subcutaneous 17 beta-estradiol pellets. <i>Toxicological Sciences</i> , 2000 , 54, 493-9	4.4	9
12	Induction of lung lesions in female rats following chronic exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>Toxicologic Pathology</i> , 2000 , 28, 761-9	2.1	20
11	Endotoxin (lipopolysaccharide)-induced nitric oxide production in 2,3,7,8-tetrachlorodibenzo-p-dioxin-treated Fischer rats: detection of nitrosyl hemoproteins by EPR spectroscopy. <i>Chemical Research in Toxicology</i> , 2000 , 13, 1051-5	4	8
10	Dose-dependent localization of TCDD in isolated centrilobular and periportal hepatocytes. <i>Toxicological Sciences</i> , 1999 , 52, 9-19	4.4	27
9	Characterization of the dose-response of CYP1B1, CYP1A1, and CYP1A2 in the liver of female Sprague-Dawley rats following chronic exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin. <i>Toxicology and Applied Pharmacology</i> , 1999 , 154, 279-86	4.6	82
8	Animal Models of Human Response to Dioxins. <i>Environmental Health Perspectives</i> , 1998 , 106, 761	8.4	16

7	Induction and localization of cytochrome P450 1B1 (CYP1B1) protein in the livers of TCDD-treated rats: detection using polyclonal antibodies raised to histidine-tagged fusion proteins produced and purified from bacteria. <i>Carcinogenesis</i> , 1998 , 19, 395-402	4.6	33
6	Metabolism of benzo[a]pyrene and benzo[a]pyrene-7,8-diol by human cytochrome P450 1B1. <i>Carcinogenesis</i> , 1998 , 19, 1847-53	4.6	204
5	Differences in kinetics of induction and reversibility of TCDD-induced changes in cell proliferation and CYP1A1 expression in female Sprague-Dawley rat liver. <i>Carcinogenesis</i> , 1998 , 19, 1427-35	4.6	13
4	Isolation and characterization of a novel gene induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin in rat liver. <i>Carcinogenesis</i> , 1996 , 17, 2609-15	4.6	111
3	17 beta-estradiol hydroxylation catalyzed by human cytochrome P450 1B1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 9776-81	11.5	504
2	Rat CYP1B1: an adrenal cytochrome P450 that exhibits sex-dependent expression in livers and kidneys of TCDD-treated animals. <i>Carcinogenesis</i> , 1995 , 16, 1319-27	4.6	89
1	Receptor Mediated Toxicity: The Dioxin Receptor as an Example of Biological Complexity and Experimental Approaches 1995 , 21-35		1