## Jee-Young Lee

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6759627/publications.pdf

Version: 2024-02-01

156536 214428 3,400 128 32 50 citations h-index g-index papers 129 129 129 4562 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Multimodal brain and retinal imaging of dopaminergic degeneration in Parkinson disease. Nature Reviews Neurology, 2022, 18, 203-220.	4.9	44
2	Peripapillary retinal nerve fiber layer thinning in patients with progressive supranuclear palsy. Journal of Neurology, 2022, 269, 3216-3225.	1.8	6
3	Brain Metabolism Related to Mild Cognitive Impairment and Phenoconversion in Patients With Isolated REM Sleep Behavior Disorder. Neurology, 2022, 98, .	1.5	14
4	Characteristics of very late-onset dentatorubro-pallidoluysian atrophy: the oldest onset case and review of literature. Neurological Sciences, 2021, 42, 377-380.	0.9	1
5	Eye movements and association with regional brain atrophy in clinical subtypes of progressive supranuclear palsy. Journal of Neurology, 2021, 268, 967-977.	1.8	7
6	Parafoveal Change and Dopamine Loss in the Retina with Parkinson's Disease. Annals of Neurology, 2021, 89, 421-422.	2.8	7
7	Clinical, Imaging, and Laboratory Markers of Premanifest Spinocerebellar Ataxia 1, 2, 3, and 6: A		

#	Article	IF	CITATIONS
19	Sex differences in smoking, alcohol consumption, and risk of Parkinson's disease: A nationwide cohort study. Parkinsonism and Related Disorders, 2020, 71, 60-65.	1.1	21
20	Cognitive signature of brain FDG PET based on deep learning: domain transfer from Alzheimer's disease to Parkinson's disease. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 403-412.	3.3	49
21	Serum TNF- $\hat{l}\pm$ and neurodegeneration in isolated REM sleep behavior disorder. Parkinsonism and Related Disorders, 2020, 81, 1-7.	1.1	7
22	Longitudinal change in dopamine transporter availability in idiopathic REM sleep behavior disorder. Neurology, 2020, 95, e3081-e3092.	1.5	32
23	Doubleâ∈Blind , Randomized, Placeboâ∈Controlled Trial of DA â∈9701 in Parkinson's Disease: PASS â∈•Gl Study. Movement Disorders, 2020, 35, 1966-1976.	2.2	7
24	Late-life falling and depressive symptoms associated with the risk of Parkinson's disease: a nationwide cohort data analysis. BMC Geriatrics, 2020, 20, 284.	1.1	3
25	Screening Patients with Early Stage Parkinson's Disease Using a Machine Learning Technique: Measuring the Amount of Iron in the Basal Ganglia. Applied Sciences (Switzerland), 2020, 10, 8732.	1.3	0
26	Delivering patient-centered care in Parkinson's disease: Challenges and consensus from an international panel. Parkinsonism and Related Disorders, 2020, 72, 82-87.	1.1	25
27	GCH-1 genetic variant may cause Parkinsonism by unmasking the subclinical nigral pathology. Journal of Neurology, 2020, 267, 1952-1959.	1.8	3
28	Contrast sensitivity impairment in drug-naÃ-ve Parkinson's disease patients associates with early cognitive decline. Neurological Sciences, 2020, 41, 1837-1842.	0.9	3
29	Serum gamma-glutamyltransferase activity and Parkinson's disease risk in men and women. Scientific Reports, 2020, 10, 1258.	1.6	8
30	Detection and Assessment of α-Synuclein Oligomers in the Urine of Parkinson's Disease Patients. Journal of Parkinson's Disease, 2020, 10, 981-991.	1.5	22
31	Subtypes of Sleep Disturbance in Parkinson's Disease Based on the Cross-Culturally Validated Korean		

#	Article	IF	CITATIONS
37	Long-term effects of bilateral subthalamic nucleus stimulation on sleep in patients with Parkinson's disease. PLoS ONE, 2019, 14, e0221219.	1.1	20
38	Residual signs of dopa-responsive dystonia with GCH1 mutation following levodopa treatment are uncommon in Korean patients. Parkinsonism and Related Disorders, 2019, 65, 248-251.	1.1	4
39	Cognitive decline in association with hyposmia in idiopathic rapid eye movement sleep behavior disorder: a prospective 2â€year followâ€up study. European Journal of Neurology, 2019, 26, 1417-1420.	1.7	10
40	Parkinson's Disease as Risk Factor in Osteoporosis and Osteoporotic Vertebral Fracture : Prevalence Study Using National Inpatient Sample Database in Korea. Journal of Korean Neurosurgical Society, 2019, 62, 71-82.	0.5	9
41	A New Metabolic Network Correlated with Olfactory and Executive Dysfunctions in Idiopathic Rapid		

#	Article	IF	CITATIONS
55	Retinal thinning associates with nigral dopaminergic loss in de novo Parkinson disease. Neurology, 2018, 91, e1003-e1012.	1.5	85
56	Visual Hallucination and Pattern of Brain Degeneration in Parkinson's Disease. Neurodegenerative Diseases, 2017, 17, 63-72.	0.8	22
57	Precuneus degeneration and isolated apathy in patients with Parkinson's disease. Neuroscience Letters, 2017, 653, 250-257.	1.0	25
58	Dental and skeletal maturation in female adolescents with temporomandibular joint osteoarthritis. Journal of Oral Rehabilitation, 2017, 44, 879-888.	1.3	17
59	Validation of the Korean Version of the Scale for Outcomes in Parkinson's Disease-Autonomic. Journal of Movement Disorders, 2017, 10, 29-34.	0.7	32
60	Levodopa dose maintenance or reduction in patients with Parkinson's disease transitioning to levodopa/carbidopa/entacapone. Neurology India, 2017, 65, 746.	0.2	9
61	The KMDS-NATION Study: Korean Movement Disorders Society Multicenter Assessment of Non-Motor Symptoms and Quality of Life in Parkinson's Disease NATION Study Group. Journal of Clinical		

#	Article	IF	CITATIONS
73	Putaminal serotonergic innervation. Neurology, 2015, 85, 853-860.	1.5	51
74	Comparative Assessment of Parametric Neuroreceptor Mapping Approaches Based on the Simplified Reference Tissue Model Using [ <sup>11</sup> C]ABP688 PET. Journal of Cerebral Blood Flow and Metabolism, 2015, 35, 2098-2108.	2.4	8
75	Dural Arteriovenous Fistula-Associated Reversible Parkinsonism with Presynaptic Dopaminergic Loss. Journal of Movement Disorders, 2015, 8, 141-143.	0.7	6
76	Maladaptive Reward-Learning and Impulse Control Disorders in Patients with Parkinson's Disease: A Clinical Overview and Pathophysiology Update. Journal of Movement Disorders, 2014, 7, 67-76.	0.7	10
77	Parkin mutation and deep brain stimulation outcome. Journal of Clinical Neuroscience, 2014, 21, 107-110.	0.8	18
78	REM sleep behavior disorder in Parkinson disease: Association with abnormal ocular motor findings. Parkinsonism and Related Disorders, 2014, 20, 444-446.	1.1	14
79	Long-term cognitive outcome of bilateral subthalamic deep brain stimulation in Parkinson's disease. Journal of Neurology, 2014, 261, 1090-1096.	1.8	38
80	Optical Coherence Tomography in Parkinson's Disease: Is the Retina a Biomarker?. Journal of Parkinson's Disease, 2014, 4, 197-204.	1.5	55
81	Extrastriatal dopaminergic changes in Parkinson's disease patients with impulse control disorders. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, 23-30.	0.9	42
82	Retinal nerve fiber layer thickness and visual hallucinations in Parkinson's Disease. Movement Disorders, 2014, 29, 61-67.	2.2	103
83	Risk Factors for Levodopa-Induced Dyskinesia. , 2014, , 51-68.		1
84	Impulse control and related behaviors after bilateral subthalamic stimulation in patients with Parkinson's disease. Journal of Clinical Neuroscience, 2013, 20, 964-969.	0.8	40
85	Comparison of once-daily versus twice-daily combination of Ropinirole prolonged release in Parkinson's disease. BMC Neurology, 2013, 13, 113.	0.8	11
86	Ondine's curse in Anti-Ri antibody associated paraneoplastic brainstem syndrome. Sleep Medicine, 2013, 14, 382.	0.8	20
87	Clinical and imaging characteristics of dementia in multiple system atrophy. Parkinsonism and Related Disorders, 2013, 19, 617-621.	1.1	54
88	Novel GCH-1 mutations and unusual long-lasting dyskinesias inÂKorean families with dopa-responsive dystonia. Parkinsonism and Related Disorders, 2013, 19, 1156-1159.	1.1	12
89	The Benefit of Subthalamic Deep Brain Stimulation for Pain in Parkinson Disease. Neurosurgery, 2012, 70, 18-24.	0.6	56
90	Genetic variant of HTR2A associates with risk of impulse control and repetitive behaviors in Parkinson's disease. Parkinsonism and Related Disorders, 2012, 18, 76-78.	1.1	69

#	Article	IF	CITATIONS
91	Adjuvant interferon- $\hat{l}^3$ treatment in two cases of refractory tuberculosis of the brain. Clinical Neurology and Neurosurgery, 2012, 114, 732-734.	0.6	13
92	Young-onset multiple system atrophy. Journal of the Neurological Sciences, 2012, 319, 168-170.	0.3	24
93	Characteristics of neurological Wilson's disease without Kayser–Fleischer ring. Journal of the Neurological Sciences, 2012, 323, 183-186.	0.3	20
94	Vasomotor reactivity in middle cerebral artery stenosis. Journal of the Neurological Sciences, 2011, 301, 35-37.	0.3	16
95	SNPs in axon guidance pathway genes and susceptibility for Parkinson's disease in the Korean population. Journal of Human Genetics, 2011, 56, 125-129.	1.1	14
96	SCA in Korea and its regional distribution: A multicenter analysis. Parkinsonism and Related Disorders, 2011, 17, 72-75.	1.1	16
97	Serum urate levels are not associated with survival in multiple system atrophy. Parkinsonism and Related Disorders, 2011, 17, 400-401.	1.1	4
98	Electrode Position and the Clinical Outcome after Bilateral Subthalamic Nucleus Stimulation. Journal of Korean Medical Science, 2011, 26, 1344.	1.1	21
99	OFF-Rebound Dyskinesia in Subthalamic Nucleus Stimulation in Parkinson Disease. Canadian Journal of Neurological Sciences, 2011, 38, 768-771.	0.3	1
100	Taste function in patients with Parkinson disease. Journal of Neurology, 2011, 258, 1076-1079.	1.8	37
101	Phenotype analysis in patients with early onset Parkinson's disease with and without parkin mutations. Journal of Neurology, 2011, 258, 2260-2267.	1.8	29
102	Differential genetic susceptibility in diphasic and peakâ€dose dyskinesias in Parkinson's disease. Movement Disorders, 2011, 26, 73-79.	2.2	79
103	Survival of Korean patients with multiple system atrophy. Movement Disorders, 2011, 26, 909-912.	2.2	62
104	Is pathological gambling in Parkinson's disease reduced by amantadine?. Annals of Neurology, 2011, 69, 213-214.	2.8	19
105	Bilateral Subthalamic Deep Brain Stimulation in Parkinson Disease Patients With Severe Tremor. Neurosurgery, 2010, 67, 626-632.	0.6	30
106	Putaminal abnormality on 3-T magnetic resonance imaging in early parkinsonism-predominant multiple system atrophy. Journal of Neurology, 2010, 257, 2065-2070.	1.8	33
107	Is MRI a reliable tool to locate the electrode after deep brain stimulation surgery? Comparison study of CT and MRI for the localization of electrodes after DBS. Acta Neurochirurgica, 2010, 152, 2029-2036.	0.9	51
108	<i>SNCA</i> variants and multiple system atrophy. Annals of Neurology, 2010, 67, 554-555.	2.8	27

#	Article	lF	Citations
109	Predicted pathogenic missense mutation of <i>PGRN</i> found in a normal control. Annals of Neurology, 2010, 67, 415-416.	2.8	6
110	The wide clinical spectrum and nigrostriatal dopaminergic damage in spinocerebellar ataxia type 6. Journal of Neurology, Neurosurgery and Psychiatry, 2010, 81, 529-532.	0.9	39
111	A novel splicing mutation (c.870+3A>G) in SPG4 in a Korean family with hereditary spastic paraplegia. Journal of the Neurological Sciences, 2010, 290, 186-189.	0.3	5
112	Reprogramming guided by the fused images of MRI and CT in subthalamic nucleus stimulation in Parkinson disease. Clinical Neurology and Neurosurgery, 2010, 112, 47-53.	0.6	41
113	The LRRK2 G2385R variant is a risk factor for sporadic Parkinson's disease in the Korean population. Parkinsonism and Related Disorders, 2010, 16, 85-88.	1.1	56
114	Association between the dose of dopaminergic medication and the behavioral disturbances in Parkinson disease. Parkinsonism and Related Disorders, 2010, 16, 202-207.	1,1	161
115	Screening for MAPT and PGRN mutations in Korean patients with PSP/CBS/FTD. Parkinsonism and Related Disorders, 2010, 16, 305-306.	1.1	12
116	Twoâ€year followâ€up on the effect of unilateral subthalamic deep brain stimulation in highly asymmetric Parkinson's disease. Movement Disorders, 2009, 24, 329-335.	2.2	33
117	Perverted headâ€shaking and positional downbeat nystagmus in patients with multiple system atrophy. Movement Disorders, 2009, 24, 1290-1295.	2.2	33
118	Association of <i>DRD3</i> and <i>GRIN2B</i> with impulse control and related behaviors in Parkinson's disease. Movement Disorders, 2009, 24, 1803-1810.	2.2	148
119	Chronic subthalamic deep brain stimulation improves pain in Parkinson disease. Journal of Neurology, 2008, 255, 1889-1894.	1.8	112
120	The effects of bilateral Subthalamic Nucleus Deep Brain Stimulation (STN DBS) on cognition in Parkinson disease. Journal of the Neurological Sciences, 2008, 273, 19-24.	0.3	98
121	Effect of bilateral subthalamic deep brain stimulation on diphasic dyskinesia. Clinical Neurology and Neurosurgery, 2008, 110, 328-332.	0.6	4
122	ELECTRODE POSITION DETERMINED BY FUSED IMAGES OF PREOPERATIVE AND POSTOPERATIVE MAGNETIC RESONANCE IMAGING AND SURGICAL OUTCOME AFTER SUBTHALAMIC NUCLEUS DEEP BRAIN STIMULATION. Neurosurgery, 2008, 63, 925-937.	0.6	54
123	Autosomal Dominant Centronuclear Myopathy with Unique Clinical Presentations. Journal of Korean Medical Science, 2007, 22, 1098.	1.1	1
124	ATP1A3 mutation in the first asian case of rapid-onset dystonia-parkinsonism. Movement Disorders, 2007, 22, 1808-1809.	2.2	30
125	Comparison of the composition of oral mucosal residual saliva with whole saliva. Oral Diseases, 2007, 13, 550-554.	1.5	39
126	MuSK antibody-positive, seronegative myasthenia gravis in Korea. Journal of Clinical Neuroscience, 2006, 13, 353-355.	0.8	35

# ARTICLE IF CITATIONS

Cerebral Venous Thrombosis and Livedo Reticularis in a Case with MTHFR 677TT Homozygote. Journal