## Clarisse Ribeiro

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6759768/clarisse-ribeiro-publications-by-year.pdf

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58 3,593 33 93 h-index g-index citations papers 5.6 101 4,317 5.59 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
93	Immunomodulatory and regenerative effects of the full and fractioned adipose tissue derived stem cells secretome in spinal cord injury <i>Experimental Neurology</i> , <b>2022</b> , 113989	5.7	1
92	Electroactive poly(vinylidene fluoride) electrospun fiber mats coated with polyaniline and polypyrrole for tissue regeneration applications. <i>Reactive and Functional Polymers</i> , <b>2022</b> , 170, 105118	4.6	3
91	Printed multifunctional magnetically activated energy harvester with sensing capabilities. <i>Nano Energy</i> , <b>2022</b> , 94, 106885	17.1	4
90	Greener Solvent-Based Processing of Magnetoelectric Nanocomposites. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2022</b> , 10, 4122-4132	8.3	0
89	Ionic liquid modified electroactive polymer-based microenvironments for tissue engineering. <i>Polymer</i> , <b>2022</b> , 246, 124731	3.9	O
88	Poly(lactic-co-glycolide) based biodegradable electrically and magnetically active microenvironments for tissue regeneration applications. <i>European Polymer Journal</i> , <b>2022</b> , 111197	5.2	2
87	Natural based reusable materials for microfluidic substrates: The silk road towards sustainable portable analytical systems. <i>Applied Materials Today</i> , <b>2022</b> , 28, 101507	6.6	1
86	Electroactive functional microenvironments from bioactive polymers: A new strategy to address cancer <b>2022</b> , 212849		0
85	Ionic Liquid-Based Materials for Biomedical Applications. <i>Nanomaterials</i> , <b>2021</b> , 11,	5.4	13
84	Fractionating stem cells secretome for Parkinson's disease modeling: Is it the whole better than the sum of its parts?. <i>Biochimie</i> , <b>2021</b> , 189, 87-98	4.6	1
83	Magnetically Activated Electroactive Microenvironments for Skeletal Muscle Tissue Regeneration <i>ACS Applied Bio Materials</i> , <b>2020</b> , 3, 4239-4252	4.1	12
82	Magnetic Bioreactor for Magneto-, Mechano- and Electroactive Tissue Engineering Strategies. <i>Sensors</i> , <b>2020</b> , 20,	3.8	9
81	Silk fibroin magnetoactive nanocomposite films and membranes for dynamic bone tissue engineering strategies. <i>Materialia</i> , <b>2020</b> , 12, 100709	3.2	17
80	Electroactive poly(vinylidene fluoride)-based materials: recent progress, challenges, and opportunities <b>2020</b> , 1-43		2
79	Silica nanoparticles surface charge modulation of the electroactive phase content and physical-chemical properties of poly(vinylidene fluoride) nanocomposites. <i>Composites Part B: Engineering</i> , <b>2020</b> , 185, 107786	10	7
78	Morphology Dependence Degradation of Electro- and Magnetoactive Poly(3-hydroxybutyrate-co-hydroxyvalerate) for Tissue Engineering Applications. <i>Polymers</i> , <b>2020</b> , 12,	4.5	9
77	Reconfigurable 3D-printable magnets with improved maximum energy product. <i>Journal of Materials Chemistry C</i> , <b>2020</b> , 8, 952-958	7.1	13

### (2018-2020)

76	Surface Charge-Mediated Cell-Surface Interaction on Piezoelectric Materials. <i>ACS Applied Materials &amp; Amp; Interfaces</i> , <b>2020</b> , 12, 191-199	9.5	12
75	Tailoring Electrospun Poly(l-lactic acid) Nanofibers as Substrates for Microfluidic Applications. <i>ACS Applied Materials &amp; Descriptions (Materials &amp; Description (Materials</i>	9.5	9
74	Patterned Piezoelectric Scaffolds for Osteogenic Differentiation. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	3
73	Physically Active Bioreactors for Tissue Engineering Applications. <i>Advanced Biology</i> , <b>2020</b> , 4, e2000125	3.5	15
72	Biodegradable Hydrogels Loaded with Magnetically Responsive Microspheres as 2D and 3D Scaffolds. <i>Nanomaterials</i> , <b>2020</b> , 10,	5.4	3
71	Ionic-Liquid-Based Electroactive Polymer Composites for Muscle Tissue Engineering. <i>ACS Applied Polymer Materials</i> , <b>2019</b> , 1, 2649-2658	4.3	24
70	Development of bio-hybrid piezoresistive nanocomposites using silk-elastin protein copolymers. <i>Composites Science and Technology</i> , <b>2019</b> , 172, 134-142	8.6	8
69	Hydrogel-based magnetoelectric microenvironments for tissue stimulation. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2019</b> , 181, 1041-1047	6	30
68	All-printed multilayer materials with improved magnetoelectric response. <i>Journal of Materials Chemistry C</i> , <b>2019</b> , 7, 5394-5400	7.1	25
67	Tuning Myoblast and Preosteoblast Cell Adhesion Site, Orientation, and Elongation through Electroactive Micropatterned Scaffolds <i>ACS Applied Bio Materials</i> , <b>2019</b> , 2, 1591-1602	4.1	10
66	Tailoring Bacteria Response by Piezoelectric Stimulation. <i>ACS Applied Materials &amp; Discourse States</i> , 2019, 11, 27297-27305	9.5	23
65	Multidimensional Biomechanics Approaches Though Electrically and Magnetically Active Microenvironments <b>2019</b> , 253-267		2
64	Micro- and nanostructured piezoelectric polymers. Frontiers of Nanoscience, 2019, 35-65	0.7	3
63	Bioinspired Three-Dimensional Magnetoactive Scaffolds for Bone Tissue Engineering. <i>ACS Applied Materials &amp; Discourt &amp; Discourt Materials &amp; Discourt &amp; D</i>	9.5	56
62	Polymeric Electrospun Fibrous Dressings for Topical Co-delivery of Acyclovir and Omega-3 Fatty Acids. <i>Frontiers in Bioengineering and Biotechnology</i> , <b>2019</b> , 7, 390	5.8	10
61	Improved response of ionic liquid-based bending actuators by tailored interaction with the polar fluorinated polymer matrix. <i>Electrochimica Acta</i> , <b>2019</b> , 296, 598-607	6.7	38
60	Piezo- and Magnetoelectric Polymers as Biomaterials for Novel Tissue Engineering Strategies. <i>MRS Advances</i> , <b>2018</b> , 3, 1671-1676	0.7	17
59	Advances in Magnetic Nanoparticles for Biomedical Applications. <i>Advanced Healthcare Materials</i> , <b>2018</b> , 7, 1700845	10.1	277

58	Silk fibroin-magnetic hybrid composite electrospun fibers for tissue engineering applications. <i>Composites Part B: Engineering</i> , <b>2018</b> , 141, 70-75	10	68
57	Electroactive poly(vinylidene fluoride)-based structures for advanced applications. <i>Nature Protocols</i> , <b>2018</b> , 13, 681-704	18.8	320
56	Electroactive biomaterial surface engineering effects on muscle cells differentiation. <i>Materials Science and Engineering C</i> , <b>2018</b> , 92, 868-874	8.3	30
55	Improving Magnetoelectric Contactless Sensing and Actuation through Anisotropic Nanostructures. <i>Journal of Physical Chemistry C</i> , <b>2018</b> , 122, 19189-19196	3.8	12
54	Tailored Biodegradable and Electroactive Poly(Hydroxybutyrate-Co-Hydroxyvalerate) Based Morphologies for Tissue Engineering Applications. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	15
53	Fluorinated Polymers as Smart Materials for Advanced Biomedical Applications. <i>Polymers</i> , <b>2018</b> , 10,	4.5	133
52	Relation between fiber orientation and mechanical properties of nano-engineered poly(vinylidene fluoride) electrospun composite fiber mats. <i>Composites Part B: Engineering</i> , <b>2018</b> , 139, 146-154	10	42
51	Multifunctional Platform Based on Electroactive Polymers and Silica Nanoparticles for Tissue Engineering Applications. <i>Nanomaterials</i> , <b>2018</b> , 8,	5.4	13
50	Piezoelectric Polymers and Polymer Composites for Sensors and Actuators 2018,		
49	Chitosan patterning on titanium implants. <i>Progress in Organic Coatings</i> , <b>2017</b> , 111, 23-28	4.8	19
48	Magnetoelectric response on Terfenol-D/ P(VDF-TrFE) two-phase composites. <i>Composites Part B: Engineering</i> , <b>2017</b> , 120, 97-102	10	32
47	Nanodiamonds/poly(vinylidene fluoride) composites for tissue engineering applications. <i>Composites Part B: Engineering</i> , <b>2017</b> , 111, 37-44	10	33
46	In vivo demonstration of the suitability of piezoelectric stimuli for bone reparation. <i>Materials Letters</i> , <b>2017</b> , 209, 118-121	3.3	48
45	Electroactive Polymers as Actuators <b>2017</b> , 319-352		17
44	Electrospun Polymeric Smart Materials for Tissue Engineering Applications <b>2017</b> , 251-282		2
43	Metamorphic biomaterials <b>2017</b> , 69-99		5
42	Human Mesenchymal Stem Cells Growth and Osteogenic Differentiation on Piezoelectric Poly(vinylidene fluoride) Microsphere Substrates. <i>International Journal of Molecular Sciences</i> , <b>2017</b> , 18,	6.3	20
41	Design and validation of a biomechanical bioreactor for cartilage tissue culture. <i>Biomechanics and Modeling in Mechanobiology</i> , <b>2016</b> , 15, 471-8	3.8	11

#### (2014-2016)

40	Electromechanical actuators based on poly(vinylidene fluoride) with [N1 1 1 2(OH)][NTf2] and [C2mim] [C2SO4]. <i>Journal of Materials Science</i> , <b>2016</b> , 51, 9490-9503	4.3	34
39	Magnetically Controlled Drug Release System through Magnetomechanical Actuation. <i>Advanced Healthcare Materials</i> , <b>2016</b> , 5, 3027-3034	10.1	19
38	Processing and size range separation of pristine and magnetic poly(l-lactic acid) based microspheres for biomedical applications. <i>Journal of Colloid and Interface Science</i> , <b>2016</b> , 476, 79-86	9.3	20
37	Development of poly(vinylidene fluoride)/ionic liquid electrospun fibers for tissue engineering applications. <i>Journal of Materials Science</i> , <b>2016</b> , 51, 4442-4450	4.3	40
36	Superhydrophilic poly(l-lactic acid) electrospun membranes for biomedical applications obtained by argon and oxygen plasma treatment. <i>Applied Surface Science</i> , <b>2016</b> , 371, 74-82	6.7	31
35	Strategies for the development of three dimensional scaffolds from piezoelectric poly(vinylidene fluoride). <i>Materials and Design</i> , <b>2016</b> , 92, 674-681	8.1	46
34	Proving the suitability of magnetoelectric stimuli for tissue engineering applications. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2016</b> , 140, 430-436	6	99
33	Mechanical fatigue performance of PCL-chondroprogenitor constructs after cell culture under bioreactor mechanical stimulus. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2016</b> , 104, 330-8	3.5	5
32	Surface roughness dependent osteoblast and fibroblast response on poly(L-lactide) films and electrospun membranes. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2015</b> , 103, 2260-8	5.4	43
31	Influence of oxygen plasma treatment parameters on poly(vinylidene fluoride) electrospun fiber mats wettability. <i>Progress in Organic Coatings</i> , <b>2015</b> , 85, 151-158	4.8	59
30	Piezoelectric polymers as biomaterials for tissue engineering applications. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2015</b> , 136, 46-55	6	274
29	Connecting free volume with shape memory properties in noncytotoxic gamma-irradiated polycyclooctene. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>2015</b> , 53, 1080-1088	2.6	9
28	Poly(vinylidene fluoride) and copolymers as porous membranes for tissue engineering applications. <i>Polymer Testing</i> , <b>2015</b> , 44, 234-241	4.5	76
27	Dynamic piezoelectric stimulation enhances osteogenic differentiation of human adipose stem cells. <i>Journal of Biomedical Materials Research - Part A</i> , <b>2015</b> , 103, 2172-5	5.4	107
26	Piezoelectric poly(vinylidene fluoride) microstructure and poling state in active tissue engineering. <i>Engineering in Life Sciences</i> , <b>2015</b> , 15, 351-356	3.4	70
25	Enhancement of adhesion and promotion of osteogenic differentiation of human adipose stem cells by poled electroactive poly(vinylidene fluoride). <i>Journal of Biomedical Materials Research - Part A</i> , <b>2015</b> , 103, 919-28	5.4	50
24	Effect of filler content on morphology and physical@hemical characteristics of poly(vinylidene fluoride)/NaY zeolite-filled membranes. <i>Journal of Materials Science</i> , <b>2014</b> , 49, 3361-3370	4.3	26
23	Electrosprayed poly(vinylidene fluoride) microparticles for tissue engineering applications. <i>RSC Advances</i> , <b>2014</b> , 4, 33013-33021	3.7	61

22	Electrospun styrene <b>B</b> utadiene <b>B</b> tyrene elastomer copolymers for tissue engineering applications: Effect of butadiene/styrene ratio, block structure, hydrogenation and carbon nanotube loading on physical properties and cytotoxicity. <i>Composites Part B: Engineering</i> , <b>2014</b> , 67, 30-38	10	44
21	PHB-PEO electrospun fiber membranes containing chlorhexidine for drug delivery applications. <i>Polymer Testing</i> , <b>2014</b> , 34, 64-71	4.5	76
20	Influence of electrospinning parameters on poly(hydroxybutyrate) electrospun membranes fiber size and distribution. <i>Polymer Engineering and Science</i> , <b>2014</b> , 54, 1608-1617	2.3	30
19	Effect of poling state and morphology of piezoelectric poly(vinylidene fluoride) membranes for skeletal muscle tissue engineering. <i>RSC Advances</i> , <b>2013</b> , 3, 17938	3.7	103
18	Osteoblast, fibroblast and in vivo biological response to poly(vinylidene fluoride) based composite materials. <i>Journal of Materials Science: Materials in Medicine</i> , <b>2013</b> , 24, 395-403	4.5	34
17	Piezoresistive sensors for force mapping of hip-prostheses. <i>Sensors and Actuators A: Physical</i> , <b>2013</b> , 195, 133-138	3.9	9
16	Bioactive albumin functionalized polylactic acid membranes for improved biocompatibility. <i>Reactive and Functional Polymers</i> , <b>2013</b> , 73, 1399-1404	4.6	26
15	Influence of fiber diameter and crystallinity on the stability of electrospun poly(l-lactic acid) membranes to hydrolytic degradation. <i>Polymer Testing</i> , <b>2012</b> , 31, 770-776	4.5	21
14	Local piezoelectric activity of single poly(L-lactic acid) (PLLA) microfibers. <i>Applied Physics A: Materials Science and Processing</i> , <b>2012</b> , 109, 51-55	2.6	48
13	Fiber average size and distribution dependence on the electrospinning parameters of poly(vinylidene fluoride <b>l</b> rifluoroethylene) membranes for biomedical applications. <i>Applied Physics A: Materials Science and Processing</i> , <b>2012</b> , 109, 685-691	2.6	32
12	Local piezoelectric response of single poly(vinylidene fluoride) electrospun fibers. <i>Physica Status Solidi (A) Applications and Materials Science</i> , <b>2012</b> , 209, 2605-2609	1.6	38
11	Thermal Properties of Electrospun Poly(Lactic Acid) Membranes. <i>Journal of Macromolecular Science - Physics</i> , <b>2012</b> , 51, 411-424	1.4	20
10	Fibronectin adsorption and cell response on electroactive poly(vinylidene fluoride) films. <i>Biomedical Materials (Bristol)</i> , <b>2012</b> , 7, 035004	3.5	69
9	Physical-chemical properties of cross-linked chitosan electrospun fiber mats. <i>Polymer Testing</i> , <b>2012</b> , 31, 1062-1069	4.5	40
8	Influence of crystallinity and fiber orientation on hydrophobicity and biological response of poly(L-lactide) electrospun mats. <i>Soft Matter</i> , <b>2012</b> , 8, 5818	3.6	54
7	Enhanced proliferation of pre-osteoblastic cells by dynamic piezoelectric stimulation. <i>RSC Advances</i> , <b>2012</b> , 2, 11504	3.7	82
6	Fabrication of poly(lactic acid)-poly(ethylene oxide) electrospun membranes with controlled micro to nanofiber sizes. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2012</b> , 12, 6746-53	1.3	7
5	Tailoring the morphology and crystallinity of poly(L-lactide acid) electrospun membranes. <i>Science and Technology of Advanced Materials</i> , <b>2011</b> , 12, 015001	7.1	93

#### LIST OF PUBLICATIONS

4	Tailoring the morphology and crystallinity of poly(L-lactide acid) electrospun membranes. <i>Science and Technology of Advanced Materials</i> , <b>2011</b> , 12, 015001	7.1	13
3	Influence of Processing Conditions on Polymorphism and Nanofiber Morphology of Electroactive Poly(vinylidene fluoride) Electrospun Membranes. <i>Soft Materials</i> , <b>2010</b> , 8, 274-287	1.7	201
2	Tuning magnetic response and ionic conductivity of electrospun hybrid membranes for tissue regeneration strategies. <i>Polymers for Advanced Technologies</i> ,	3.2	1
1	Environmentally Friendly Conductive Screen-Printable Inks Based on N-Doped Graphene and Polyvinylpyrrolidone. <i>Advanced Engineering Materials</i> ,2101258	3.5	2