

Cristina Munoz-Pinedo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6759863/cristina-munoz-pinedo-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

52
papers

10,653
citations

30
h-index

63
g-index

63
ext. papers

12,824
ext. citations

10
avg, IF

5.7
L-index

#	Paper	IF	Citations
52	The anti-cancer drug ABTL0812 induces ER stress-mediated cytotoxic autophagy by increasing dihydroceramide levels in cancer cells. <i>Autophagy</i> , 2021 , 17, 1349-1366	10.2	30
51	Efficacy of CDK4/6 inhibitors in preclinical models of malignant pleural mesothelioma. <i>British Journal of Cancer</i> , 2021 , 125, 1365-1376	8.7	2
50	Gene Expression Profiling as a Potential Tool for Precision Oncology in Non-Small Cell Lung Cancer. <i>Cancers</i> , 2021 , 13,	6.6	1
49	Hematopoietic versus Solid Cancers and T Cell Dysfunction: Looking for Similarities and Distinctions. <i>Cancers</i> , 2021 , 13,	6.6	5
48	Tumors defective in homologous recombination rely on oxidative metabolism: relevance to treatments with PARP inhibitors. <i>EMBO Molecular Medicine</i> , 2020 , 12, e11217	12	13
47	Chemokine C-C motif ligand 2 overexpression drives tissue-specific metabolic responses in the liver and muscle of mice. <i>Scientific Reports</i> , 2020 , 10, 11954	4.9	6
46	Exploiting metabolic vulnerabilities of Non small cell lung carcinoma. <i>Seminars in Cell and Developmental Biology</i> , 2020 , 98, 54-62	7.5	13
45	Starvation and antimetabolic therapy promote cytokine release and recruitment of immune cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 9932-9941	11.5	29
44	Endoplasmic reticulum stress signalling - from basic mechanisms to clinical applications. <i>FEBS Journal</i> , 2019 , 286, 241-278	5.7	309
43	Extracellular NK histones promote immune cell anti-tumor activity by inducing cell clusters through binding to CD138 receptor 2019 , 7, 259		6
42	MA23.02 CDK4/6 Inhibitors Show Antitumor Effects in Preclinical Models of Malignant Pleural Mesothelioma. <i>Journal of Thoracic Oncology</i> , 2019 , 14, S343	8.9	2
41	Measuring the Activation of Cell Death Pathways upon Inhibition of Metabolism. <i>Methods in Molecular Biology</i> , 2019 , 1862, 163-172	1.4	1
40	Molecular mechanisms of cell death: recommendations of the Nomenclature Committee on Cell Death 2018. <i>Cell Death and Differentiation</i> , 2018 , 25, 486-541	12.7	2160
39	A role for caspase-8 and TRAIL-R2/DR5 in ER-stress-induced apoptosis. <i>Cell Death and Differentiation</i> , 2018 , 25, 226	12.7	19
38	Glucose Deprivation Induces ATF4-Mediated Apoptosis through TRAIL Death Receptors. <i>Molecular and Cellular Biology</i> , 2017 , 37,	4.8	64
37	In the Hunger Games, the Winner Takes Everything. <i>Trends in Biochemical Sciences</i> , 2017 , 42, 763-764	10.3	2
36	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838

35	Cell death induced by endoplasmic reticulum stress. <i>FEBS Journal</i> , 2016 , 283, 2640-52	5.7	497
34	Combining 2-deoxy-D-glucose with fenofibrate leads to tumor cell death mediated by simultaneous induction of energy and ER stress. <i>Oncotarget</i> , 2016 , 7, 36461-36473	3.3	14
33	"(Not) all (dead) things share the same breath": identification of cell death mechanisms in anticancer therapy. <i>Cancer Research</i> , 2015 , 75, 913-7	10.1	24
32	Transmissible cytotoxicity of multiple myeloma cells by cord blood-derived NK cells is mediated by vesicle trafficking. <i>Cell Death and Differentiation</i> , 2015 , 22, 96-107	12.7	13
31	Essential versus accessory aspects of cell death: recommendations of the NCCD 2015. <i>Cell Death and Differentiation</i> , 2015 , 22, 58-73	12.7	643
30	ATF4 mediates necrosis induced by glucose deprivation and apoptosis induced by 2-deoxyglucose in the same cells. <i>FEBS Journal</i> , 2015 , 282, 3647-58	5.7	23
29	The importance of being dead: cell death mechanisms assessment in anti-sarcoma therapy. <i>Frontiers in Oncology</i> , 2015 , 5, 82	5.3	7
28	Regulation of cancer metabolism by oncogenes and tumor suppressors. <i>Methods in Enzymology</i> , 2014 , 542, 59-80	1.7	67
27	Apolipoprotein L2 contains a BH3-like domain but it does not behave as a BH3-only protein. <i>Cell Death and Disease</i> , 2014 , 5, e1275	9.8	16
26	Analysis of BH3-only proteins upregulated in response to oxygen/glucose deprivation in cortical neurons identifies Bmf but not Noxa as potential mediator of neuronal injury. <i>Cell Death and Disease</i> , 2014 , 5, e1456	9.8	11
25	Stalling the engine of resistance: targeting cancer metabolism to overcome therapeutic resistance. <i>Cancer Research</i> , 2013 , 73, 2709-17	10.1	95
24	Glucose-starved cells do not engage in prosurvival autophagy. <i>Journal of Biological Chemistry</i> , 2013 , 288, 30387-30398	5.4	47
23	Cancer metabolism: current perspectives and future directions. <i>Cell Death and Disease</i> , 2012 , 3, e248	9.8	282
22	Signaling pathways that regulate life and cell death: evolution of apoptosis in the context of self-defense. <i>Advances in Experimental Medicine and Biology</i> , 2012 , 738, 124-43	3.6	71
21	Oxidative stress modulates mitochondrial failure and cyclophilin D function in X-linked adrenoleukodystrophy. <i>Brain</i> , 2012 , 135, 3584-98	11.2	62
20	Sugar-free approaches to cancer cell killing. <i>Oncogene</i> , 2011 , 30, 253-64	9.2	146
19	2-deoxyglucose induces Noxa-dependent apoptosis in alveolar rhabdomyosarcoma. <i>Cancer Research</i> , 2011 , 71, 6796-806	10.1	71
18	Glycolysis inhibition sensitizes tumor cells to death receptors-induced apoptosis by AMP kinase activation leading to Mcl-1 block in translation. <i>Oncogene</i> , 2010 , 29, 1641-52	9.2	110

17	Glucose deprivation induces an atypical form of apoptosis mediated by caspase-8 in Bax-, Bak-deficient cells. <i>Cell Death and Differentiation</i> , 2010 , 17, 1335-44	12.7	53
16	Resistance to caspase-independent cell death requires persistence of intact mitochondria. <i>Developmental Cell</i> , 2010 , 18, 802-13	10.2	137
15	Disruption of the M80-Fe ligation stimulates the translocation of cytochrome c to the cytoplasm and nucleus in nonapoptotic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 2653-8	11.5	81
14	Measuring apoptosis at the single cell level. <i>Methods</i> , 2008 , 44, 222-8	4.6	55
13	Correlated three-dimensional light and electron microscopy reveals transformation of mitochondria during apoptosis. <i>Nature Cell Biology</i> , 2007 , 9, 1057-65	23.4	192
12	Different mitochondrial intermembrane space proteins are released during apoptosis in a manner that is coordinately initiated but can vary in duration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 11573-8	11.5	183
11	Confocal restricted-height imaging of suspension cells (CRISC) in a PDMS microdevice during apoptosis. <i>Lab on A Chip</i> , 2005 , 5, 628-33	7.2	28
10	Cytochrome c is released in a single step during apoptosis. <i>Cell Death and Differentiation</i> , 2005 , 12, 453-62.7	62.7	184
9	Disruption of mitochondrial function during apoptosis is mediated by caspase cleavage of the p75 subunit of complex I of the electron transport chain. <i>Cell</i> , 2004 , 117, 773-86	56.2	486
8	Thymidylate synthase inhibition triggers glucose-dependent apoptosis in p53-negative leukemic cells. <i>FEBS Letters</i> , 2004 , 570, 205-10	3.8	6
7	Spanish scientists working abroad. <i>Science</i> , 2003 , 300, 51	33.3	2
6	Inhibition of glucose metabolism sensitizes tumor cells to death receptor-triggered apoptosis through enhancement of death-inducing signaling complex formation and apical procaspase-8 processing. <i>Journal of Biological Chemistry</i> , 2003 , 278, 12759-68	5.4	83
5	Apoptosis of haematopoietic cells upon thymidylate synthase inhibition is independent of p53 accumulation and CD95/CD95 ligand interaction. <i>Biochemical Journal</i> , 2001 , 353, 101-108	3.8	10
4	The differential sensitivity of Bcl-2-overexpressing human breast tumor cells to TRAIL or doxorubicin-induced apoptosis is dependent on Bcl-2 protein levels. <i>Oncogene</i> , 2001 , 20, 7128-33	9.2	46
3	Interferon-gamma sensitizes human myeloid leukemia cells to death receptor-mediated apoptosis by a pleiotropic mechanism. <i>Journal of Biological Chemistry</i> , 2001 , 276, 17779-87	5.4	48
2	Bid acts on the permeability transition pore complex to induce apoptosis. <i>Oncogene</i> , 2000 , 19, 6342-50	9.2	174
1	Interferon-gamma treatment elevates caspase-8 expression and sensitizes human breast tumor cells to a death receptor-induced mitochondria-operated apoptotic program. <i>Cancer Research</i> , 2000 , 60, 5673-80	10.1	96