

Fei Du

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/675991/publications.pdf>

Version: 2024-02-01

123
papers

6,655
citations

43973

48
h-index

66788

78
g-index

123
all docs

123
docs citations

123
times ranked

7159
citing authors

#	ARTICLE	IF	CITATIONS
1	In-situ electrochemical induced artificial solid electrolyte interphase for MnO@C nanocomposite enabling long-lived aqueous zinc-ion batteries. <i>Chemical Engineering Journal</i> , 2022, 430, 132673.	6.6	26
2	Constructing durable ultra-high loading and areal capacity lithium/sodium-selenium batteries via a robust aqueous network binder. <i>Chemical Engineering Journal</i> , 2022, 431, 133703.	6.6	5
3	Recent Advances in Aqueous Batteries with Nonmetal Cations as Charge Carriers. <i>Advanced Energy and Sustainability Research</i> , 2022, 3, .	2.8	5
4	Electrospun Ti ₃ C ₂ T _x MXene and silicon embedded in carbon nanofibers for lithium-ion batteries. <i>Journal Physics D: Applied Physics</i> , 2022, 55, 204002.	1.3	6
5	In Situ Fabrication of Cuprous Selenide Electrode via Selenization of Copper Current Collector for High-Efficiency Potassium-ion and Sodium-ion Storage. <i>Advanced Science</i> , 2022, 9, e2104630.	5.6	19
6	Lithium incorporation enhanced resistive switching behaviors in lithium lanthanum titanium oxide-based heterostructure. <i>Journal of Materials Science and Technology</i> , 2022, 128, 142-147.	5.6	3
7	Aqueous nickel-ion battery with Na ₂ V ₆ O ₁₆ ·2H ₂ O nanowire as high-capacity and zero-strain host material. <i>Chemical Engineering Journal</i> , 2021, 413, 127441.	6.6	13
8	Self-Assembled FeSe ₂ Microspheres with High-Rate Capability and Long-Term Stability as Anode Material for Sodium- and Potassium-ion Batteries. <i>Chemistry - A European Journal</i> , 2021, 27, 3745-3752.	1.7	24
9	Co ₉ S ₈ @carbon nanofiber as the high-performance anode for potassium-ion storage. <i>RSC Advances</i> , 2021, 11, 15416-15421.	1.7	5
10	Ultralong Life Symmetric Potassium Ion Batteries Using a Bipolar Cr/Ti Based Layered Material. <i>Chemical Research in Chinese Universities</i> , 2021, 37, 739-744.	1.3	0
11	A Polymer-Assisted Spinodal Decomposition Strategy toward Interconnected Porous Sodium Super Ionic Conductor-Structured Polyanion-Type Materials and Their Application as a High-Power Sodium-ion Battery Cathode. <i>Advanced Science</i> , 2021, 8, e2004943.	5.6	29
12	Polymer Stabilized Droplet Templating towards Tunable Hierarchical Porosity in Single Crystalline Na ₃ V ₂ (PO ₄) ₃ for Enhanced Sodium-ion Storage. <i>Angewandte Chemie</i> , 2021, 133, 10422-10429.	1.6	54
13	Polymer Stabilized Droplet Templating towards Tunable Hierarchical Porosity in Single Crystalline Na ₃ V ₂ (PO ₄) ₃ for Enhanced Sodium-ion Storage. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 10334-10341.	7.2	89
14	Polymorph Engineering for Boosted Volumetric Na-ion and Li-ion Storage. <i>Advanced Materials</i> , 2021, 33, e2100210.	11.1	32
15	Layered P3-Type K _{0.4} Fe _{0.1} Mn _{0.8} Ti _{0.1} O ₂ as a Low-Cost and Zero-Strain Electrode Material for both Potassium and Sodium Storage. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 18897-18904.	4.0	28
16	Electrochemical Behavior of Vanadium Carbide in Neutral Aqueous Electrolytes. <i>Chinese Physics Letters</i> , 2021, 38, 058201.	1.3	5
17	Hybrid and Aqueous Li ⁺ Ni Metal Batteries. <i>CCS Chemistry</i> , 2021, 3, 2498-2508.	4.6	23
18	Boosting Zn ²⁺ and NH ₄ ⁺ Storage in Aqueous Media via In-Situ Electrochemical Induced VS ₂ /VO _x Heterostructures. <i>Advanced Functional Materials</i> , 2021, 31, 2008743.	7.8	92

#	ARTICLE	IF	CITATIONS
19	Joint Enhancement in the Electrochemical Reversibility and Cycle Lives for Copper Sulfide for Sodium- and Potassium-Ion Storage via Selenium Substitution. ACS Applied Materials & Interfaces, 2021, , .	4.0	8
20	Entropy Stabilization Effect and Oxygen Vacancies Enabling Spinel Oxide Highly Reversible Lithium-Ion Storage. ACS Applied Materials & Interfaces, 2021, 13, 58674-58681.	4.0	42
21	Use of a water-in-salt electrolyte to avoid organic material dissolution and enhance the kinetics of aqueous potassium ion batteries. Sustainable Energy and Fuels, 2020, 4, 128-131.	2.5	55
22	Lithium lanthanum titanate perovskite as an anode for lithium ion batteries. Nature Communications, 2020, 11, 3490.	5.8	121
23	Boosting potassium-storage performance <i>via</i> the functional design of a heterostructured Bi ₂ S ₃ @RGO composite. Nanoscale, 2020, 12, 24394-24402.	2.8	31
24	Layered Oxide Cathode for Potassium-Ion Battery: Recent Progress and Prospective. Small, 2020, 16, e2002700.	5.2	52
25	MXene-Derived Defect-Rich TiO ₂ @rGO as High-Rate Anodes for Full Na Ion Batteries and Capacitors. Nano-Micro Letters, 2020, 12, 128.	14.4	93
26	Solvent-Free Self-Assembly for Scalable Preparation of Highly Crystalline Mesoporous Metal Oxides. Angewandte Chemie - International Edition, 2020, 59, 11053-11060.	7.2	68
27	Solvent-Free Self-Assembly for Scalable Preparation of Highly Crystalline Mesoporous Metal Oxides. Angewandte Chemie, 2020, 132, 11146-11153.	1.6	8
28	Graphene/Amorphous Carbon Restriction Structure for Stable and Long-Lifespan Antimony Anode in Potassium-Ion Batteries. Chemistry - A European Journal, 2020, 26, 5818-5823.	1.7	13
29	Quasi-1D TiS ₃ : A potential anode for high-performance sodium-ion storage. Chemical Engineering Journal, 2020, 388, 124305.	6.6	14
30	In Situ Electrochemical Coating Mechanism of NASICON-Structured AgTi ₂ (PO ₄) ₃ for Sodium-Ion Batteries. ACS Applied Materials & Interfaces, 2020, 12, 5932-5938.	4.0	8
31	Flexible Nb ₄ C ₃ T _x Film with Large Interlayer Spacing for High-Performance Supercapacitors. Advanced Functional Materials, 2020, 30, 2000815.	7.8	92
32	Computational Screening of 2D Ordered Double Transition-Metal Carbides (MXenes) as Electrocatalysts for Hydrogen Evolution Reaction. Journal of Physical Chemistry C, 2020, 124, 10584-10592.	1.5	62
33	Reversible intercalation of methyl viologen as a dicationic charge carrier in aqueous batteries. Nature Communications, 2019, 10, 3227.	5.8	46
34	Intercalation pseudocapacitance in a NASICON-structured Na ₂ CrTi(PO ₄) ₃ @carbon nanocomposite: towards high-rate and long-lifespan sodium-ion-based energy storage. Journal of Materials Chemistry A, 2019, 7, 20604-20613.	5.2	18
35	Layered P ₂ -Type K _{0.44} Ni _{0.22} Mn _{0.78} O ₂ as a High-Performance Cathode for Potassium-Ion Batteries. Advanced Functional Materials, 2019, 29, 1905679.	7.8	78
36	Utilization of biomass pectin polymer to build high efficiency electrode architectures with sturdy construction and fast charge transfer structure to boost sodium storage performance for NASICON-type cathode. Journal of Materials Chemistry A, 2019, 7, 1548-1555.	5.2	20

#	ARTICLE	IF	CITATIONS
37	Revealing the Pseudo-Intercalation Charge Storage Mechanism of MXenes in Acidic Electrolyte. <i>Advanced Functional Materials</i> , 2019, 29, 1902953.	7.8	176
38	Ultrafine Co ₂ P nanorods wrapped by graphene enable a long cycle life performance for a hybrid potassium-ion capacitor. <i>Nanoscale Horizons</i> , 2019, 4, 1394-1401.	4.1	96
39	Anode Materials: Nanosheets-Assembled CuSe Crystal Pillar as a Stable and High-Power Anode for Sodium-Ion and Potassium-Ion Batteries (<i>Adv. Energy Mater.</i> 20/2019). <i>Advanced Energy Materials</i> , 2019, 9, 1970073.	10.2	3
40	Palladium structure engineering induced by electrochemical H intercalation boosts hydrogen evolution catalysis. <i>Journal of Materials Chemistry A</i> , 2019, 7, 14876-14881.	5.2	36
41	Carbon-Dots-Derived 3D Highly Nitrogen-Doped Porous Carbon Framework for High-Performance Lithium Ion Storage. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 9848-9856.	3.2	42
42	Nanotube-assembled pine-needle-like CuS as an effective energy booster for sodium-ion storage. <i>Journal of Materials Chemistry A</i> , 2019, 7, 10619-10628.	5.2	70
43	Nanosheets-Assembled CuSe Crystal Pillar as a Stable and High-Power Anode for Sodium-Ion and Potassium-Ion Batteries. <i>Advanced Energy Materials</i> , 2019, 9, 1900323.	10.2	187
44	An Aqueous Dual-Ion Battery Cathode of Mn ₃ O ₄ via Reversible Insertion of Nitrate. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 5286-5291.	7.2	92
45	An Aqueous Dual-Ion Battery Cathode of Mn ₃ O ₄ via Reversible Insertion of Nitrate. <i>Angewandte Chemie</i> , 2019, 131, 5340-5345.	1.6	16
46	A kinetics study on intercalation pseudocapacitance of layered TiS ₂ in K-ion batteries. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 25940-25944.	1.3	11
47	Graphene oxide wrapped Cu ₃ V ₂ O ₇ (OH) ₂ · 2H ₂ O nanocomposite with enhanced electrochemical performance for lithium-ion storage. <i>Nanotechnology</i> , 2019, 30, 184003.	1.3	3
48	Ti ₃ C ₂ T _x MXene decorated with Sb nanoparticles as anodes material for sodium-ion batteries. <i>Nanotechnology</i> , 2019, 30, 134001.	1.3	42
49	Pressure-Tailored Band Gap Engineering and Structure Evolution of Cubic Cesium Lead Iodide Perovskite Nanocrystals. <i>Journal of Physical Chemistry C</i> , 2018, 122, 9332-9338.	1.5	67
50	A K ₂ Fe ₄ O ₇ superionic conductor for all-solid-state potassium metal batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 8413-8418.	5.2	75
51	Assembly of Na ₃ V ₂ (PO ₄) ₂ F ₃ @C nanoparticles in reduced graphene oxide enabling superior Na ⁺ storage for symmetric sodium batteries. <i>RSC Advances</i> , 2018, 8, 2958-2962.	1.7	44
52	Moving to Aqueous Binder: A Valid Approach to Achieving High-Rate Capability and Long-Term Durability for Sodium-Ion Battery. <i>Advanced Science</i> , 2018, 5, 1700768.	5.6	82
53	High Rate Capability and Enhanced Cyclability of Na ₃ V ₂ (PO ₄) ₂ F ₃ Cathode by In-Situ Coating of Carbon Nanofibers for Sodium-Ion Battery Applications. <i>Chemistry - A European Journal</i> , 2018, 24, 2913-2919.	1.7	34
54	Water-in-Salt Electrolyte for Potassium-Ion Batteries. <i>ACS Energy Letters</i> , 2018, 3, 373-374.	8.8	233

#	ARTICLE	IF	CITATIONS
55	Hierarchical flower-like VS ₂ nanosheets – A high rate-capacity and stable anode material for sodium-ion battery. <i>Energy Storage Materials</i> , 2018, 11, 1-7.	9.5	185
56	Phosphine-free engineering toward the synthesis of metal telluride nanocrystals: the role of a Te precursor coordinated at room temperature. <i>Nanoscale</i> , 2018, 10, 21928-21935.	2.8	6
57	Two-dimensional vanadium carbide (V ₂ C) MXene as electrode for supercapacitors with aqueous electrolytes. <i>Electrochemistry Communications</i> , 2018, 96, 103-107.	2.3	191
58	NH ₄ ⁺ Topotactic Insertion in Berlin Green: An Exceptionally Long-Cycling Cathode in Aqueous Ammonium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2018, 1, 3077-3083.	2.5	111
59	From Crystalline to Amorphous: An Effective Avenue to Engineer High-Performance Electrode Materials for Sodium-Ion Batteries. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800639.	1.9	111
60	Fast Potassium Storage in Hierarchical Ca _{0.5} Ti ₂ (PO ₄) ₃ @C Microspheres Enabling High-Performance Potassium-Ion Capacitors. <i>Advanced Functional Materials</i> , 2018, 28, 1802684.	7.8	153
61	Fabrication of Hierarchical Potassium Titanium Phosphate Spheroids: A Host Material for Sodium-Ion and Potassium-Ion Storage. <i>Advanced Energy Materials</i> , 2018, 8, 1801102.	10.2	104
62	Amorphous Tin-Based Composite Oxide: A High-Rate and Ultralong-Life Sodium-Ion Storage Material. <i>Advanced Energy Materials</i> , 2018, 8, 1701827.	10.2	113
63	NASICON-Type Mg _{0.5} Ti ₂ (PO ₄) ₃ Negative Electrode Material Exhibits Different Electrochemical Energy Storage Mechanisms in Na-Ion and Li-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 4709-4718.	4.0	47
64	Hybrid graphene@MoS ₂ @TiO ₂ microspheres for use as a high performance negative electrode material for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 3667-3674.	5.2	66
65	Competition between insertion of Li ⁺ and Mg ²⁺ : An example of TiO ₂ -B nanowires for Mg rechargeable batteries and Li ⁺ /Mg ²⁺ hybrid-ion batteries. <i>Journal of Power Sources</i> , 2017, 346, 134-142.	4.0	70
66	Electrochemical Performance and Storage Mechanism of Ag ₂ Mo ₂ O ₇ Micro-rods as the Anode Material for Lithium-Ion Batteries. <i>Chemistry - A European Journal</i> , 2017, 23, 5148-5153.	1.7	8
67	Li-ion uptake and increase in interlayer spacing of Nb ₄ C ₃ MXene. <i>Energy Storage Materials</i> , 2017, 8, 42-48.	9.5	192
68	Exploration of Spinel LiCrTiO ₄ as Cathode Material for Rechargeable Mg-Li Hybrid Batteries. <i>Chemistry - A European Journal</i> , 2017, 23, 17935-17939.	1.7	22
69	Improved Lithium-Ion and Sodium-Ion Storage Properties from Few-Layered WS ₂ Nanosheets Embedded in a Mesoporous CMK-3 Matrix. <i>Chemistry - A European Journal</i> , 2017, 23, 7074-7080.	1.7	75
70	Self-Assembled CoS Nanoflowers Wrapped in Reduced Graphene Oxides as the High-Performance Anode Materials for Sodium-Ion Batteries. <i>Chemistry - A European Journal</i> , 2017, 23, 13150-13157.	1.7	43
71	Ultrathin TiO ₂ -B nanowires as an anode material for Mg-ion batteries based on a surface Mg storage mechanism. <i>Nanoscale</i> , 2017, 9, 12934-12940.	2.8	42
72	One-pot synthesis of uniform Cu ₂ O@Cu@TiO ₂ hollow nanocages with highly stable lithium storage properties. <i>Journal of Materials Chemistry A</i> , 2017, 5, 18577-18584.	5.2	41

#	ARTICLE	IF	CITATIONS
73	Sodium vanadium titanium phosphate electrode for symmetric sodium-ion batteries with high power and long lifespan. <i>Nature Communications</i> , 2017, 8, 15888.	5.8	188
74	A long cycle-life and high safety Na ⁺ /Mg ²⁺ hybrid-ion battery built by using a Ti ₂ S ₂ derived titanium sulfide cathode. <i>Journal of Materials Chemistry A</i> , 2017, 5, 600-608.	5.2	57
75	First-Principles Calculations of Ti ₂ N and Ti ₂ NT ₂ (T = O, F, OH) Monolayers as Potential Anode Materials for Lithium-Ion Batteries and Beyond. <i>Journal of Physical Chemistry C</i> , 2017, 121, 13025-13034.	1.5	151
76	Lithium-Rich Layered Oxide Li _{1.18} Ni _{0.15} Co _{0.15} Mn _{0.52} O ₂ as the Cathode Material for Hybrid Sodium-Ion Batteries. <i>Chemistry - A European Journal</i> , 2016, 22, 11610-11616.	1.7	14
77	Electrochemical Properties and Sodium-Storage Mechanism of Ag ₂ Mo ₂ O ₇ as the Anode Material for Sodium-Ion Batteries. <i>Chemistry - A European Journal</i> , 2016, 22, 7248-7254.	1.7	28
78	Assembly of SnSe Nanoparticles Confined in Graphene for Enhanced Sodium-Ion Storage Performance. <i>Chemistry - A European Journal</i> , 2016, 22, 1445-1451.	1.7	77
79	Exploration of Ca _{0.5} Ti ₂ (PO ₄) ₃ @carbon Nanocomposite as the High-Rate Negative Electrode for Na-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 35336-35341.	4.0	30
80	Li ⁺ /Mg ²⁺ Hybrid-Ion Batteries with Long Cycle Life and High Rate Capability Employing MoS ₂ Nano Flowers as the Cathode Material. <i>Chemistry - A European Journal</i> , 2016, 22, 18073-18079.	1.7	40
81	Frontispiece: Lithium-Rich Layered Oxide Li _{1.18} Ni _{0.15} Co _{0.15} Mn _{0.52} O ₂ as the Cathode Material for Hybrid Sodium-Ion Batteries. <i>Chemistry - A European Journal</i> , 2016, 22, .	1.7	0
82	Cu ₃ V ₂ O ₈ Nanoparticles as Intercalation-Type Anode Material for Lithium-Ion Batteries. <i>Chemistry - A European Journal</i> , 2016, 22, 11405-11412.	1.7	51
83	Core/Double-Shell Structured Na ₃ V ₂ (PO ₄) ₂ F ₃ @C Nanocomposite as the High Power and Long Lifespan Cathode for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 31709-31715.	4.0	147
84	Multi-Functional Surface Engineering for Li-Excess Layered Cathode Material Targeting Excellent Electrochemical and Thermal Safety Properties. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 3308-3318.	4.0	46
85	Copper-Doped Titanium Dioxide Bronze Nanowires with Superior High Rate Capability for Lithium Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 7957-7965.	4.0	47
86	NASICON-Structured NaTi ₂ (PO ₄) ₃ @C Nanocomposite as the Low Operation-Voltage Anode Material for High-Performance Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 2238-2246.	4.0	159
87	First-principles study of multiferroic material PbVO ₃ under uniaxial pressure. <i>European Physical Journal B</i> , 2015, 88, 1.	0.6	5
88	P ₂ NaCo _{0.5} Mn _{0.5} O ₂ as a Positive Electrode Material for Sodium-Ion Batteries. <i>ChemPhysChem</i> , 2015, 16, 3408-3412.	1.0	28
89	Preparation and Electrochemical Properties of Tin-Iron-Carbon Nanocomposite as the Anode of Lithium-Ion Batteries. <i>Chemistry - an Asian Journal</i> , 2015, 10, 2460-2466.	1.7	5
90	Electrochemical performance of LiMn ₂ O ₄ /LiFePO ₄ blend cathodes for lithium ion batteries. <i>Chemical Research in Chinese Universities</i> , 2015, 31, 270-275.	1.3	23

#	ARTICLE	IF	CITATIONS
91	Synthesis of graphene-wrapped ZnMn ₂ O ₄ hollow microspheres as high performance anode materials for lithium ion batteries. RSC Advances, 2015, 5, 99107-99114.	1.7	37
92	Effect of nonmagnetic impurity doped on the structural and magnetic properties of quasi-one-dimensional antiferromagnet LiCuVO ₄ . Chemical Research in Chinese Universities, 2015, 31, 457-460.	1.3	1
93	Proteasome inhibition and cytostatic effects on human cancer cells by pyrazolone-enamines: a combined crystallographic, structural and computational study. New Journal of Chemistry, 2015, 39, 2168-2180.	1.4	10
94	Facile synthesis of mesoporous Si-containing γ -Al ₂ O ₃ nanofiber with enhanced thermal stability. Chemical Research in Chinese Universities, 2015, 31, 156-159.	1.3	1
95	High-Performance Li(Li _{0.18} Ni _{0.15} Co _{0.15} Mn _{0.52})O ₂ @Li ₄ M ₅ Heterostructured Cathode Material Coated with a Lithium Borate Oxide Glass Layer. Chemistry of Materials, 2015, 27, 5745-5754.	3.2	76
96	Brannerite-Type Vanadium-Molybdenum Oxide LiVMoO ₆ as a Promising Anode Material for Lithium-Ion Batteries with High Capacity and Rate Capability. ACS Applied Materials & Interfaces, 2015, 7, 16117-16123.	4.0	31
97	Ultrafast lithium storage in TiO ₂ "bronze nanowires/N-doped graphene nanocomposites. Journal of Materials Chemistry A, 2015, 3, 4180-4187.	5.2	82
98	Na ₃ V ₂ (PO ₄) ₃ /C composite as the intercalation-type anode material for sodium-ion batteries with superior rate capability and long-cycle life. Journal of Materials Chemistry A, 2015, 3, 8636-8642.	5.2	100
99	Synthesis and electrochemical properties of highly crystallized CuV ₂ O ₆ nanowires. Chemical Research in Chinese Universities, 2015, 31, 708-711.	1.3	3
100	High capacity and rate capability of a layered Li ₂ RuO ₃ cathode utilized in hybrid Na ⁺ /Li ⁺ -batteries. Journal of Materials Chemistry A, 2015, 3, 18273-18278.	5.2	11
101	Carbon-coated Na ₃ V ₂ (PO ₄) ₂ F ₃ nanoparticles embedded in a mesoporous carbon matrix as a potential cathode material for sodium-ion batteries with superior rate capability and long-term cycle life. Journal of Materials Chemistry A, 2015, 3, 21478-21485.	5.2	183
102	L-Ornithine Schiff base-copper and -cadmium complexes as new proteasome inhibitors and apoptosis inducers in human cancer cells. Journal of Biological Inorganic Chemistry, 2015, 20, 109-121.	1.1	21
103	Electrochemical properties and lithium-ion storage mechanism of LiCuVO ₄ as an intercalation anode material for lithium-ion batteries. Journal of Materials Chemistry A, 2015, 3, 586-592.	5.2	40
104	Synthesis, Crystal Structure, and Theoretical Calculation of the Cd(II) Complex with 2-Aminobenzothiazole. Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry, 2014, 44, 603-610.	0.6	2
105	Uniaxial pressure induced phase transitions in multiferroic materials BiCoO ₃ . RSC Advances, 2014, 4, 64601-64607.	1.7	8
106	Synthesis of H ₂ V ₃ O ₈ /Reduced Graphene Oxide Composite as a Promising Cathode Material for Lithium-Ion Batteries. ChemPlusChem, 2014, 79, 447-453.	1.3	52
107	Synthesis and optimizable electrochemical performance of reduced graphene oxide wrapped mesoporous TiO ₂ microspheres. Nanoscale, 2014, 6, 4108-4116.	2.8	78
108	Studies of the electrochemical properties and thermal stability of LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ /LiFePO ₄ composite cathodes for lithium ion batteries. Ionics, 2014, 20, 1087-1093.	1.2	16

#	ARTICLE	IF	CITATIONS
109	Electrochemical performance and thermal stability of $\text{Li}_{1.18}\text{Co}_{0.15}\text{Ni}_{0.15}\text{Mn}_{0.52}\text{O}_2$ surface coated with the ionic conductor Li_3VO_4 . <i>Journal of Materials Chemistry A</i> , 2014, 2, 7555.	5.2	125
110	Improvements in the Electrochemical Kinetic Properties and Rate Capability of Anatase Titanium Dioxide Nanoparticles by Nitrogen Doping. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 4458-4465.	4.0	81
111	$\text{LiFe}(\text{MoO}_4)_2$ as a Novel Anode Material for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 10661-10666.	4.0	58
112	Crystal structure of 2-aminobenzothiazolinium nitrate and theoretical study of the amino-imino tautomerism of 2-aminobenzothiazole. <i>Heterocyclic Communications</i> , 2014, 20, 167-174.	0.6	3
113	Preparation, structure and magnetic properties of lithium substituted NiO by molten salt method. <i>Chemical Research in Chinese Universities</i> , 2013, 29, 210-213.	1.3	9
114	Relationships between Structural Changes and Electrochemical Kinetics of Li-Excess $\text{Li}_{1.13}\text{Ni}_{0.3}\text{Mn}_{0.57}\text{O}_2$ during the First Charge. <i>Journal of Physical Chemistry C</i> , 2013, 117, 3279-3286.	1.5	30
115	Unusual intermediate spin Fe^{3+} ion in antiferromagnetic $\text{Li}_3\text{Fe}_2\text{O}_7$. <i>Journal of Applied Physics</i> , 2012, 111, 063704.	1.1	4
116	Revisiting the layered $\text{LiNi}_{0.4}\text{Mn}_{0.4}\text{Co}_{0.2}\text{O}_2$: a magnetic approach. <i>RSC Advances</i> , 2012, 2, 9986.	1.7	12
117	Unusual Magnetism Due to a Random Distribution of Cations in LiFeO_2 . <i>Journal of the Physical Society of Japan</i> , 2011, 80, 094705.	0.7	5
118	Alternating current susceptibility study on the cluster glass behavior in disordered LiFeO_2 . <i>Journal of Applied Physics</i> , 2011, 110, .	1.1	3
119	Pressure effects on the charge carrier transportation of polycrystalline $\text{LiCr}_{0.35}\text{Mn}_{0.65}\text{O}_2$. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2011, 8, 1672-1675.	0.8	0
120	Preparation and electrochemical properties of nano $\text{Al}_{0.2}\text{V}_2\text{O}_5 \cdot 3\text{H}_2\text{O}$ cathode materials for rechargeable lithium batteries. <i>Ionics</i> , 2010, 16, 209-213.	1.2	4
121	Electrochemical Kinetics of the $\text{Li}[\text{Li}_{0.23}\text{Co}_{0.3}\text{Mn}_{0.47}\text{O}_2]$ Cathode Material Studied by GITT and EIS. <i>Journal of Physical Chemistry C</i> , 2010, 114, 22751-22757.	1.5	285
122	Cluster-spin-glass behavior in layered $\text{LiNi}_{0.4}\text{Mn}_{0.4}\text{Co}_{0.2}\text{O}_2$. <i>Journal of Applied Physics</i> , 2009, 106, 053904.	1.1	10
123	In-situ electrochemical synthesis of high-performance S/VO_x composite for aqueous zinc ion battery. <i>Journal Physics D: Applied Physics</i> , 0, , .	1.3	2