

Patricio Lopez-Jaramillo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6760940/patricio-lopez-jaramillo-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

269
papers

21,859
citations

61
h-index

144
g-index

296
ext. papers

28,308
ext. citations

9.7
avg, IF

6.05
L-index

#	Paper	IF	Citations
269	Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE study): a case-control study. <i>Lancet, The</i> , 2010 , 376, 112-23	40	1971
268	Rivaroxaban with or without Aspirin in Stable Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2017 , 377, 1319-1330	59.2	1122
267	Prevalence, awareness, treatment, and control of hypertension in rural and urban communities in high-, middle-, and low-income countries. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 959-68	27.4	992
266	Dulaglutide and cardiovascular outcomes in type 2 diabetes (REWIND): a double-blind, randomised placebo-controlled trial. <i>Lancet, The</i> , 2019 , 394, 121-130	40	917
265	Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. <i>Lancet, The</i> , 2016 , 388, 761-75	40	903
264	Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>Lancet, The</i> , 2015 , 386, 266-73	40	871
263	Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. <i>Lancet, The</i> , 2011 , 378, 1231-43	40	627
262	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017 , 390, 2050-2062	40	583
261	Urinary sodium and potassium excretion, mortality, and cardiovascular events. <i>New England Journal of Medicine</i> , 2014 , 371, 612-23	59.2	553
260	Cardiovascular risk and events in 17 low-, middle-, and high-income countries. <i>New England Journal of Medicine</i> , 2014 , 371, 818-27	59.2	499
259	Association of urinary sodium and potassium excretion with blood pressure. <i>New England Journal of Medicine</i> , 2014 , 371, 601-11	59.2	494
258	The effect of physical activity on mortality and cardiovascular disease in 130 000 people from 17 high-income, middle-income, and low-income countries: the PURE study. <i>Lancet, The</i> , 2017 , 390, 2643-2654	40	492
257	Cholesterol Lowering in Intermediate-Risk Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016 , 374, 2021-31	59.2	440
256	Rivaroxaban with or without aspirin in patients with stable peripheral or carotid artery disease: an international, randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2018 , 391, 219-229	40	414
255	A call to action and a lifecourse strategy to address the global burden of raised blood pressure on current and future generations: the Lancet Commission on hypertension. <i>Lancet, The</i> , 2016 , 388, 2665-2712	40	413
254	Blood-Pressure Lowering in Intermediate-Risk Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016 , 374, 2009-20	59.2	382
253	Modifiable risk factors, cardiovascular disease, and mortality in 155 722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020 , 395, 795-808	40	342

252	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017 , 390, 2037-2049	40	285
251	Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. <i>Lancet, The</i> , 2016 , 388, 465-75	40	284
250	Dulaglutide and renal outcomes in type 2 diabetes: an exploratory analysis of the REWIND randomised, placebo-controlled trial. <i>Lancet, The</i> , 2019 , 394, 131-138	40	228
249	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020 , 395, 785-794	40	218
248	Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet, The</i> , 2016 , 387, 61-9	40	211
247	The role of leptin/adiponectin ratio in metabolic syndrome and diabetes. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2014 , 18, 37-45	1.3	207
246	Is C-reactive protein an independent risk factor for essential hypertension?. <i>Journal of Hypertension</i> , 2001 , 19, 857-61	1.9	203
245	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>The Lancet Global Health</i> , 2016 , 4, e695-703	13.6	199
244	Blood-Pressure and Cholesterol Lowering in Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016 , 374, 2032-43	59.2	199
243	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2018 , 392, 2288-2297	40	191
242	Prevalence of a healthy lifestyle among individuals with cardiovascular disease in high-, middle- and low-income countries: The Prospective Urban Rural Epidemiology (PURE) study. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 309, 1613-21	27.4	190
241	Safety of Proton Pump Inhibitors Based on a Large, Multi-Year, Randomized Trial of Patients Receiving Rivaroxaban or Aspirin. <i>Gastroenterology</i> , 2019 , 157, 682-691.e2	13.3	181
240	May Measurement Month 2017: an analysis of blood pressure screening results worldwide. <i>The Lancet Global Health</i> , 2018 , 6, e736-e743	13.6	166
239	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. <i>Lancet, The</i> , 2018 , 392, 496-506	40	159
238	Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. <i>The Lancet Global Health</i> , 2019 , 7, e748-e760	13.6	153
237	Validation and comparison of three formulae to estimate sodium and potassium excretion from a single morning fasting urine compared to 24-h measures in 11 countries. <i>Journal of Hypertension</i> , 2014 , 32, 1005-14; discussion 1015	1.9	150
236	Global mortality variations in patients with heart failure: results from the International Congestive Heart Failure (INTER-CHF) prospective cohort study. <i>The Lancet Global Health</i> , 2017 , 5, e665-e672	13.6	148
235	May Measurement Month 2018: a pragmatic global screening campaign to raise awareness of blood pressure by the International Society of Hypertension. <i>European Heart Journal</i> , 2019 , 40, 2006-2017	9.5	145

234	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016 , 7, 535-546	10.3	129
233	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 774-787	18.1	125
232	Elevated C-reactive protein and pro-inflammatory cytokines in Andean women with pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2001 , 75, 243-9	4	123
231	Design and baseline characteristics of participants in the Researching cardiovascular Events with a Weekly INcretin in Diabetes (REWIND) trial on the cardiovascular effects of dulaglutide. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 42-49	6.7	121
230	Effects of alirocumab on cardiovascular and metabolic outcomes after acute coronary syndrome in patients with or without diabetes: a prespecified analysis of the ODYSSEY OUTCOMES randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 618-628	18.1	120
229	Alcohol consumption and cardiovascular disease, cancer, injury, admission to hospital, and mortality: a prospective cohort study. <i>Lancet, The</i> , 2015 , 386, 1945-1954	40	116
228	Calcium supplementation reduces the risk of pregnancy-induced hypertension in an Andes population. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1989 , 96, 648-655	3.7	114
227	Endothelial NO synthase genotype and risk of preeclampsia: a multicenter case-control study. <i>Hypertension</i> , 2004 , 44, 702-7	8.5	112
226	Angiotensin II-induced MMP-2 release from endothelial cells is mediated by TNF-alpha. <i>American Journal of Physiology - Cell Physiology</i> , 2004 , 286, C779-84	5.4	105
225	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. <i>Diabetes Care</i> , 2016 , 39, 780-7	14.6	104
224	Rationale, Design and Baseline Characteristics of Participants in the Cardiovascular Outcomes for People Using Anticoagulation Strategies (COMPASS) Trial. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 1027-1035	3.8	97
223	The crucial role of physiological Ca ²⁺ concentrations in the production of endothelial nitric oxide and the control of vascular tone. <i>British Journal of Pharmacology</i> , 1990 , 101, 489-93	8.6	95
222	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet Public Health</i> , 2017 , 2, e411-e419	22.4	90
221	Low muscle strength is associated with metabolic risk factors in Colombian children: the ACFIES study. <i>PLoS ONE</i> , 2014 , 9, e93150	3.7	84
220	Association of estimated sleep duration and naps with mortality and cardiovascular events: a study of 116 632 people from 21 countries. <i>European Heart Journal</i> , 2019 , 40, 1620-1629	9.5	82
219	A community-based comprehensive intervention to reduce cardiovascular risk in hypertension (HOPE 4): a cluster-randomised controlled trial. <i>Lancet, The</i> , 2019 , 394, 1231-1242	40	79
218	Dietary calcium supplementation and prevention of pregnancy hypertension. <i>Lancet, The</i> , 1990 , 335, 293	40	75
217	Is infection a major risk factor for preeclampsia?. <i>Medical Hypotheses</i> , 2001 , 57, 393-7	3.8	73

216	Heart Failure in Africa, Asia, the Middle East and South America: The INTER-CHF study. <i>International Journal of Cardiology</i> , 2016 , 204, 133-41	3.2	72
215	Calcium supplementation and the risk of preeclampsia in Ecuadorian pregnant teenagers. <i>Obstetrics and Gynecology</i> , 1997 , 90, 162-7	4.9	71
214	The l-Arginine. <i>Journal of Cardiovascular Pharmacology</i> , 1991 , 17, S1-S9	3.1	69
213	Raised C-reactive protein and impaired flow-mediated vasodilation precede the development of preeclampsia. <i>American Journal of Hypertension</i> , 2007 , 20, 98-103	2.3	67
212	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 798-808	18.1	66
211	Treatment of cutaneous leishmaniasis with nitric-oxide donor. <i>Lancet, The</i> , 1998 , 351, 1176-7	4.0	66
210	Association of handgrip strength to cardiovascular mortality in pre-diabetic and diabetic patients: a subanalysis of the ORIGIN trial. <i>International Journal of Cardiology</i> , 2014 , 174, 458-61	3.2	64
209	Pantoprazole to Prevent Gastroduodenal Events in Patients Receiving Rivaroxaban and/or Aspirin in a Randomized, Double-Blind, Placebo-Controlled Trial. <i>Gastroenterology</i> , 2019 , 157, 403-412.e5	13.3	62
208	Health Effects of Household Solid Fuel Use: Findings from 11 Countries within the Prospective Urban and Rural Epidemiology Study. <i>Environmental Health Perspectives</i> , 2019 , 127, 57003	8.4	60
207	Environmental Profile of a Community Health (EPOCH): an instrument to measure environmental determinants of cardiovascular health in five countries. <i>PLoS ONE</i> , 2010 , 5, e14294	3.7	60
206	Rationale and design of INTERSTROKE: a global case-control study of risk factors for stroke. <i>Neuroepidemiology</i> , 2010 , 35, 36-44	5.4	60
205	Preeclampsia: from epidemiological observations to molecular mechanisms. <i>Brazilian Journal of Medical and Biological Research</i> , 2001 , 34, 1227-35	2.8	58
204	Polypill with or without Aspirin in Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2021 , 384, 216-228	59.2	58
203	Cyclic guanosine 3',5'-monophosphate concentrations in pre-eclampsia: effects of hydralazine. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1996 , 103, 33-8	3.7	57
202	The role of the L-arginine-nitric oxide pathway in preeclampsia. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2008 , 2, 261-75	3.4	56
201	Practice patterns and outcomes after stroke across countries at different economic levels (INTERSTROKE): an international observational study. <i>Lancet, The</i> , 2018 , 391, 2019-2027	4.0	55
200	Effect of A Very Low-Calorie Ketogenic Diet on Food and Alcohol Cravings, Physical and Sexual Activity, Sleep Disturbances, and Quality of Life in Obese Patients. <i>Nutrients</i> , 2018 , 10,	6.7	54
199	Role of Combination Antiplatelet and Anticoagulation Therapy in Diabetes Mellitus and Cardiovascular Disease: Insights From the COMPASS Trial. <i>Circulation</i> , 2020 , 141, 1841-1854	16.7	53

198	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. <i>BMJ, The</i> , 2019 , 364, l772	5.9	50
197	Obesity and Preeclampsia: Common Pathophysiological Mechanisms. <i>Frontiers in Physiology</i> , 2018 , 9, 1838	4.6	50
196	Effect of dulaglutide on cognitive impairment in type 2 diabetes: an exploratory analysis of the REWIND trial. <i>Lancet Neurology, The</i> , 2020 , 19, 582-590	24.1	48
195	Patients' knowledge, attitudes, behaviour and health care experiences on the prevention, detection, management and control of hypertension in Colombia: a qualitative study. <i>PLoS ONE</i> , 2015 , 10, e0122112	3.7	48
194	Preventing pregnancy-induced hypertension: are there regional differences for this global problem?. <i>Journal of Hypertension</i> , 2005 , 23, 1121-9	1.9	48
193	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV (PURE): an international, community-based cohort study. <i>The Lancet Global Health</i> , 2019 , 7, e613-e623	13.6	47
192	Influence of regular aerobic exercise on endothelium-dependent vasodilation and cardiorespiratory fitness in pregnant women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 1601-8	1.9	47
191	Global differences in lung function by region (PURE): an international, community-based prospective study. <i>Lancet Respiratory Medicine, the</i> , 2013 , 1, 599-609	35.1	46
190	Latin American consensus on hypertension in patients with diabetes type 2 and metabolic syndrome. <i>Journal of Hypertension</i> , 2013 , 31, 223-38	1.9	46
189	Lancet Commission on Hypertension group position statement on the global improvement of accuracy standards for devices that measure blood pressure. <i>Journal of Hypertension</i> , 2020 , 38, 21-29	1.9	46
188	Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. <i>International Journal for Equity in Health</i> , 2016 , 15, 199	4.6	45
187	Determination of insulin resistance using the homeostatic model assessment (HOMA) and its relation with the risk of developing pregnancy-induced hypertension. <i>American Journal of Hypertension</i> , 2007 , 20, 437-42	2.3	45
186	Inequalities in the use of secondary prevention of cardiovascular disease by socioeconomic status: evidence from the PURE observational study. <i>The Lancet Global Health</i> , 2018 , 6, e292-e301	13.6	44
185	Plasma concentrations of asymmetric dimethylarginine (ADMA) in Colombian women with pre-eclampsia. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 823-4	27.4	43
184	Calcium, nitric oxide, and preeclampsia. <i>Seminars in Perinatology</i> , 2000 , 24, 33-6	3.3	43
183	The effect of dulaglutide on stroke: an exploratory analysis of the REWIND trial. <i>Lancet Diabetes and Endocrinology, the</i> , 2020 , 8, 106-114	18.1	42
182	Periodontal disease severity is related to high levels of C-reactive protein in pre-eclampsia. <i>Journal of Hypertension</i> , 2007 , 25, 1459-64	1.9	41
181	Colombian study to assess the use of noninvasive determination of endothelium-mediated vasodilatation (CANDEV). Normal values and factors associated. <i>Endothelium: Journal of Endothelial Cell Research</i> , 2001 , 8, 157-66		41

180	Innovative Approaches to Hypertension Control in Low- and Middle-Income Countries. <i>Cardiology Clinics</i> , 2017 , 35, 99-115	2.5	40
179	Aged garlic extract improves adiponectin levels in subjects with metabolic syndrome: a double-blind, placebo-controlled, randomized, crossover study. <i>Mediators of Inflammation</i> , 2013 , 2013, 285795	4.3	40
178	Inter-relationships between body mass index, C-reactive protein and blood pressure in a Hispanic pediatric population. <i>American Journal of Hypertension</i> , 2008 , 21, 527-32	2.3	40
177	Associations of outdoor fine particulate air pollution and cardiovascular disease in 157 436 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet Planetary Health, The</i> , 2020 , 4, e235-e245	9.8	40
176	Plasma concentrations of asymmetric dimethylarginine (ADMA) in metabolic syndrome. <i>International Journal of Cardiology</i> , 2007 , 122, 176-8	3.2	39
175	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality. <i>New England Journal of Medicine</i> , 2021 , 384, 1312-1322	59.2	39
174	Matrix metalloproteinases 2 and 9 as diagnostic markers in the progression to Chagas cardiomyopathy. <i>American Heart Journal</i> , 2013 , 165, 558-66	4.9	37
173	A controlled, randomized-blinded clinical trial to assess the efficacy of a nitric oxide releasing patch in the treatment of cutaneous leishmaniasis by <i>Leishmania (V.) panamensis</i> . <i>American Journal of Tropical Medicine and Hygiene</i> , 2010 , 83, 97-101	3.2	37
172	Epidemic of overweight and obesity in Latin America and the Caribbean. <i>International Journal of Cardiology</i> , 2008 , 125, 111-2	3.2	37
171	Calcium and conjugated linoleic acid reduces pregnancy-induced hypertension and decreases intracellular calcium in lymphocytes. <i>American Journal of Hypertension</i> , 2006 , 19, 381-7	2.3	37
170	Using waist circumference as a screening tool to identify Colombian subjects at cardiovascular risk. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003 , 10, 328-35		37
169	Household and personal air pollution exposure measurements from 120 communities in eight countries: results from the PURE-AIR study. <i>Lancet Planetary Health, The</i> , 2020 , 4, e451-e462	9.8	37
168	The presence of abdominal obesity is associated with changes in vascular function independently of other cardiovascular risk factors. <i>International Journal of Cardiology</i> , 2010 , 139, 32-41	3.2	36
167	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 795-803	7	35
166	Effect of insulin glargine and n-3FA on carotid intima-media thickness in people with dysglycemia at high risk for cardiovascular events: the glucose reduction and atherosclerosis continuing evaluation study (ORIGIN-GRACE). <i>Diabetes Care</i> , 2013 , 36, 2466-74	14.6	35
165	Are nutrition-induced epigenetic changes the link between socioeconomic pathology and cardiovascular diseases?. <i>American Journal of Therapeutics</i> , 2008 , 15, 362-72	1	35
164	The household economic burden of non-communicable diseases in 18 countries. <i>BMJ Global Health</i> , 2020 , 5, e002040	6.6	33
163	The Role of Adiponectin in Cardiometabolic Diseases: Effects of Nutritional Interventions. <i>Journal of Nutrition</i> , 2016 , 146, 422S-426S	4.1	33

162	Evaluation of the Finnish Diabetes Risk Score to predict type 2 diabetes mellitus in a Colombian population: A longitudinal observational study. <i>World Journal of Diabetes</i> , 2015 , 6, 1337-44	4.7	33
161	Salt and cardiovascular disease: insufficient evidence to recommend low sodium intake. <i>European Heart Journal</i> , 2020 , 41, 3363-3373	9.5	33
160	Epidemic of cardiometabolic diseases: a Latin American point of view. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2011 , 5, 119-31	3.4	32
159	Olive, soybean and palm oils intake have a similar acute detrimental effect over the endothelial function in healthy young subjects. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007 , 17, 50-7	4.5	32
158	Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. <i>BMJ Open</i> , 2017 , 7, e013817	3	31
157	Calcium plus linoleic acid therapy for pregnancy-induced hypertension. <i>International Journal of Gynecology and Obstetrics</i> , 2005 , 91, 221-7	4	31
156	Improvement in functions of the central nervous system by estrogen replacement therapy might be related with an increased nitric oxide production. <i>Endothelium: Journal of Endothelial Cell Research</i> , 1999 , 6, 263-6		31
155	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. <i>Heart</i> , 2018 , 104, 581-587	5.1	31
154	Defining the research priorities to fight the burden of cardiovascular diseases in Latin America. <i>Journal of Hypertension</i> , 2008 , 26, 1886-9	1.9	30
153	Association of Symptoms of Depression With Cardiovascular Disease and Mortality in Low-, Middle-, and High-Income Countries. <i>JAMA Psychiatry</i> , 2020 , 77, 1052-1063	14.5	29
152	A proposal for an appropriate central obesity diagnosis in Latin American population. <i>International Journal of Cardiology</i> , 2006 , 110, 263-4	3.2	29
151	Flow-mediated dilatation of the brachial artery in pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2006 , 93, 60-1	4	29
150	Atherogenic Dyslipidemia in Latin America: Prevalence, causes and treatment: Expert position paper made by The Latin American Academy for the Study of Lipids (ALALIP) Endorsed by the Inter-American Society of Cardiology (IASC), the South American Society of Cardiology (SSC), the Pan-American College of Endothelium (PACE), and the International Atherosclerosis Society (IAS).	3.2	28
149	Plasma nitrate levels and flow-mediated vasodilation in untreated major depression. <i>Psychosomatic Medicine</i> , 2011 , 73, 344-9	3.7	28
148	An integrated proposal to explain the epidemic of cardiovascular disease in a developing country. From socioeconomic factors to free radicals. <i>Cardiology</i> , 2001 , 96, 1-6	1.6	28
147	Association of dairy consumption with metabolic syndrome, hypertension and diabetes in 147 812 individuals from 21 countries. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	25
146	Subclinical infection as a cause of inflammation in preeclampsia. <i>American Journal of Therapeutics</i> , 2008 , 15, 373-6	1	25
145	Risk Categorization Using New American College of Cardiology/American Heart Association Guidelines for Cholesterol Management and Its Relation to Alirocumab Treatment Following Acute Coronary Syndromes. <i>Circulation</i> , 2019 , 140, 1578-1589	16.7	24

144	Peripheral Blood MCEMP1 Gene Expression as a Biomarker for Stroke Prognosis. <i>Stroke</i> , 2016 , 47, 652-86.7	24	
143	Acid-base safety during the course of a very low-calorie-ketogenic diet. <i>Endocrine</i> , 2017 , 58, 81-90	4	24
142	Patologí socioeconóica como causa de las diferencias regionales en las prevalencias de síndrome metabóico e hipertensió inducida por el embarazo. <i>Revista Espanola De Cardiologia</i> , 2007 , 60, 168-178	1.5	24
141	Double blind, randomized, placebo controlled clinical trial for the treatment of diabetic foot ulcers, using a nitric oxide releasing patch: PATHON. <i>Trials</i> , 2007 , 8, 26	2.8	24
140	The environmental profile of a community's health: a cross-sectional study on tobacco marketing in 16 countries. <i>Bulletin of the World Health Organization</i> , 2015 , 93, 851-61G	8.2	24
139	Neck circumference as a predictor of metabolic syndrome, insulin resistance and low-grade systemic inflammation in children: the ACFIES study. <i>BMC Pediatrics</i> , 2016 , 16, 31	2.6	24
138	Prevalence, awareness, treatment and control of hypertension in rural and urban communities in Latin American countries. <i>Journal of Hypertension</i> , 2019 , 37, 1813-1821	1.9	23
137	Secondary CV Prevention in South America in a Community Setting: The PURE Study. <i>Global Heart</i> , 2017 , 12, 305-313	2.9	23
136	Mechanism of vascular dysfunction due to circulating factors in women with pre-eclampsia. <i>Clinical Science</i> , 2016 , 130, 539-49	6.5	22
135	Risk factors for preeclampsia in women from Colombia: a case-control study. <i>PLoS ONE</i> , 2012 , 7, e41622	3.7	22
134	Fixed-dose combination pharmacologic therapy to improve hypertension control worldwide: Clinical perspective and policy implications. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 4-15	2.3	22
133	Novel Approaches in Primary Cardiovascular Disease Prevention: The HOPE-3 Trial Rationale, Design, and Participants' Baseline Characteristics. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 311-8	3.8	21
132	Psychosocial factors and obesity in 17 high-, middle- and low-income countries: the Prospective Urban Rural Epidemiologic study. <i>International Journal of Obesity</i> , 2015 , 39, 1217-23	5.5	21
131	Association of Urinary Sodium Excretion With Blood Pressure and Cardiovascular Clinical Events in 17,033 Latin Americans. <i>American Journal of Hypertension</i> , 2016 , 29, 796-805	2.3	21
130	Fixed-dose combination antihypertensive medications. <i>Lancet, The</i> , 2019 , 394, 637-638	4.0	21
129	Hyperinsulinemia is a predictor of new cardiovascular events in Colombian patients with a first myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 148, 85-90	3.2	21
128	Enfermedades cardiometabóicas en Iberoaméica: papel de la programació fetal en respuesta a la desnutrició materna. <i>Revista Espanola De Cardiologia</i> , 2009 , 62, 670-676	1.5	21
127	Social disparities explain differences in hypertension prevalence, detection and control in Colombia. <i>Journal of Hypertension</i> , 2016 , 34, 2344-2352	1.9	21

126	Assessing global risk factors for non-fatal injuries from road traffic accidents and falls in adults aged 35-70 years in 17 countries: a cross-sectional analysis of the Prospective Urban Rural Epidemiological (PURE) study. <i>Injury Prevention</i> , 2016 , 22, 92-8	3.2	20
125	The Link between Fetal Programming, Inflammation, Muscular Strength, and Blood Pressure. <i>Mediators of Inflammation</i> , 2015 , 2015, 710613	4.3	20
124	Nonalcoholic fatty liver disease is associated with insulin resistance in a young Hispanic population. <i>Preventive Medicine</i> , 2011 , 52, 174-7	4.3	20
123	Association of ultra-processed food intake with risk of inflammatory bowel disease: prospective cohort study. <i>BMJ, The</i> , 2021 , 374, n1554	5.9	20
122	Is myopia another clinical manifestation of insulin resistance?. <i>Medical Hypotheses</i> , 2016 , 90, 32-40	3.8	19
121	Muscle strength is associated with lower diastolic blood pressure in schoolchildren. <i>Preventive Medicine</i> , 2017 , 95, 1-6	4.3	19
120	Sex differences in cardiac autonomic function of depressed young adults. <i>Biological Psychology</i> , 2012 , 90, 179-85	3.2	19
119	Inflammation but not endothelial dysfunction is associated with the severity of coronary artery disease in dyslipidemic subjects. <i>Mediators of Inflammation</i> , 2009 , 2009, 469169	4.3	19
118	Double blind, randomized controlled trial, to evaluate the effectiveness of a controlled nitric oxide releasing patch versus meglumine antimoniate in the treatment of cutaneous leishmaniasis [NCT00317629]. <i>Trials</i> , 2006 , 7, 14	2.8	19
117	White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. <i>Diabetes Care</i> , 2020 , 43, 2643-2650	14.6	19
116	Long-term exposure to outdoor and household air pollution and blood pressure in the Prospective Urban and Rural Epidemiological (PURE) study. <i>Environmental Pollution</i> , 2020 , 262, 114197	9.3	18
115	Environmental Profile of a Community Health (EPOCH): an ecometric assessment of measures of the community environment based on individual perception. <i>PLoS ONE</i> , 2012 , 7, e44410	3.7	18
114	The goal of blood pressure in the hypertensive patient with diabetes is defined: now the challenge is go from recommendations to practice. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 31	5.6	17
113	Clinical trial to assess the effect of physical exercise on endothelial function and insulin resistance in pregnant women. <i>Trials</i> , 2009 , 10, 104	2.8	17
112	The utility of different definitions of metabolic syndrome in Andean population. <i>International Journal of Cardiology</i> , 2007 , 116, 421-2	3.2	17
111	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. <i>JAMA Internal Medicine</i> , 2021 , 181, 631-649	11.5	17
110	Latin American Consensus on the management of hypertension in the patient with diabetes and the metabolic syndrome. <i>Journal of Hypertension</i> , 2019 , 37, 1126-1147	1.9	17
109	Household, Community, Sub-National and Country-level Predictors of Primary Cooking Fuel Switching in Nine Countries from the PURE Study. <i>Environmental Research Letters</i> , 2019 , 14,	6.2	16

108	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 1049-1058	7	16
107	Fixed-dose combination therapies with and without aspirin for primary prevention of cardiovascular disease: an individual participant data meta-analysis. <i>Lancet, The</i> , 2021 , 398, 1133-1146	40	16
106	Increased plasma levels of total homocysteine but not asymmetric dimethylarginine in Hispanic subjects with ischemic stroke FREC-VI sub-study. <i>European Journal of Neurology</i> , 2012 , 19, 417-25	6	15
105	Nutritional status among women with pre-eclampsia and healthy pregnant and non-pregnant women in a Latin American country. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 498-504	1.9	15
104	Hypertension Guidelines: Is It Time to Reappraise Blood Pressure Thresholds and Targets? Position Statement of the Latin American Society of Hypertension. <i>Hypertension</i> , 2016 , 68, 257-62	8.5	14
103	Sociodemographic factors related to handgrip strength in children and adolescents in a middle income country: The SALUS study. <i>American Journal of Human Biology</i> , 2017 , 29, e22896	2.7	14
102	Inflammation and hypertension: are there regional differences?. <i>International Journal of Hypertension</i> , 2013 , 2013, 492094	2.4	14
101	Standardized treatment to improve hypertension control in primary health care: The HEARTS in the Americas Initiative. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 2285-2295	2.3	14
100	Health-Related Quality of Life and Mortality in Heart Failure: The Global Congestive Heart Failure Study of 23 000 Patients From 40 Countries. <i>Circulation</i> , 2021 , 143, 2129-2142	16.7	14
99	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. <i>BMJ, The</i> , 2021 , 372, m4948	5.9	14
98	Clinical Perspective on Antihypertensive Drug Treatment in Adults With Grade 1 Hypertension and Low-to-Moderate Cardiovascular Risk: An International Expert Consultation. <i>Current Problems in Cardiology</i> , 2017 , 42, 198-225	17.1	13
97	A novel method to evaluate the community built environment using photographs--Environmental Profile of a Community Health (EPOCH) photo neighbourhood evaluation tool. <i>PLoS ONE</i> , 2014 , 9, e110042	3.7	13
96	Position statement of the Interamerican Society of Cardiology (IASC) on the current guidelines for the prevention, diagnosis and treatment of arterial hypertension 2017-2020. <i>International Journal of Cardiology: Hypertension</i> , 2020 , 6, 100041	1.6	13
95	Maternal undernutrition and cardiometabolic disease: a Latin American perspective. <i>BMC Medicine</i> , 2015 , 13, 41	11.4	12
94	The International Polycap Study-3 (TIPS-3): Design, baseline characteristics and challenges in conduct. <i>American Heart Journal</i> , 2018 , 206, 72-79	4.9	12
93	Angiogenic imbalance and plasma lipid alterations in women with preeclampsia from a developing country. <i>Growth Factors</i> , 2012 , 30, 158-66	1.6	12
92	Calcium supplementation prevents pregnancy-induced hypertension by increasing the production of vascular nitric oxide. <i>Medical Hypotheses</i> , 1995 , 45, 68-72	3.8	12
91	Association of nut intake with risk factors, cardiovascular disease, and mortality in 16 countries from 5 continents: analysis from the Prospective Urban and Rural Epidemiology (PURE) study. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 208-219	7	11

90	Higher household income and the availability of electronic devices and transport at home are associated with higher waist circumference in Colombian children: the ACFIES study. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 1834-43	4.6	11
89	Colombian study to assess the use of noninvasive determination of the endothelium-mediated vasodilation (CANDEV) II: does location of the occlusion device affects the accuracy of the diagnosis?. <i>Endothelium: Journal of Endothelial Cell Research</i> , 2005 , 12, 107-11		11
88	The spectrum of the dyslipidemia in Colombia: The PURE study. <i>International Journal of Cardiology</i> , 2019 , 284, 111-117	3.2	11
87	Development, Testing, and Implementation of a Training Curriculum for Nonphysician Health Workers to Reduce Cardiovascular Disease. <i>Global Heart</i> , 2018 , 13, 93-100.e1	2.9	11
86	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153 152 middle-aged individuals. <i>Cardiovascular Research</i> , 2021 , 117, 1523-1531	9.9	11
85	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. <i>BMJ Global Health</i> , 2021 , 6,	6.6	11
84	Polypill: an affordable strategy for cardiovascular disease prevention in low-medium-income countries. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2018 , 12, 169-174	3.4	10
83	Cardiometabolic disease in latin america: the role of fetal programming in response to maternal malnutrition. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009 , 62, 670-6	0.7	10
82	Hypertension Pharmacological Treatment in Adults: A World Health Organization Guideline Executive Summary. <i>Hypertension</i> , 2022 , 79, 293-301	8.5	10
81	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. <i>Diabetes Care</i> , 2020 , 43, 3094-3101	14.6	10
80	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. <i>BMJ Global Health</i> , 2020 , 5,	6.6	10
79	Skeletonized vs Pedicled Internal Mammary Artery Graft Harvesting in Coronary Artery Bypass Surgery: A Post Hoc Analysis From the COMPASS Trial. <i>JAMA Cardiology</i> , 2021 ,	16.2	10
78	Rationale, design, and baseline participant characteristics in the MRI and cognitive substudy of the cardiovascular outcomes for people using anticoagulation strategies trial. <i>International Journal of Stroke</i> , 2019 , 14, 270-281	6.3	9
77	Mendelian Genes and Risk of Intracerebral Hemorrhage and Small-Vessel Ischemic Stroke in Sporadic Cases. <i>Stroke</i> , 2017 , 48, 2263-2265	6.7	9
76	Is the present cut-point to define type 2 diabetes appropriate in Latin-Americans?. <i>World Journal of Diabetes</i> , 2014 , 5, 747-55	4.7	9
75	May measurement month 2017: Latin America. <i>Journal of Hypertension</i> , 2020 , 38, 1183-1188	1.9	8
74	Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. <i>Heart</i> , 2020 ,	5.1	8
73	Sodium Intake Recommendations: A Subject that Needs to be Reconsidered. <i>Current Hypertension Reviews</i> , 2015 , 11, 8-13	2.3	7

72	Similar cardiovascular outcomes in patients with diabetes and established or high risk for coronary vascular disease treated with dulaglutide with and without baseline metformin. <i>European Heart Journal</i> , 2021 , 42, 2565-2573	9.5	7
71	The 2020 Latin American Society of Hypertension target. <i>Journal of Hypertension</i> , 2015 , 33, 189-90	1.9	6
70	Cardiovascular prevention in high-risk patients with type 2 diabetes mellitus: when to start it?. <i>European Heart Journal</i> , 2008 , 29, 2058; author reply 2058-9	9.5	6
69	Rationale and design of a cluster randomized trial of a multifaceted intervention in people with hypertension: The Heart Outcomes Prevention and Evaluation 4 (HOPE-4) Study. <i>American Heart Journal</i> , 2018 , 203, 57-66	4.9	6
68	Reevaluating nutrition as a risk factor for cardio-metabolic diseases. <i>Colombia Medica</i> , 2018 , 49, 175-181	1.5	5
67	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. <i>BMJ Global Health</i> , 2017 , 2, e000443	6.6	5
66	Self-Reported Prevalence of Chronic Non-Communicable Diseases in Relation to Socioeconomic and Educational Factors in Colombia: A Community-Based Study in 11 Departments. <i>Global Heart</i> , 2020 , 15, 35	2.9	5
65	Rivaroxaban for Prevention of Covert Brain Infarcts and Cognitive Decline: The COMPASS MRI Substudy. <i>Stroke</i> , 2020 , 51, 2901-2909	6.7	5
64	Mapping stages, barriers and facilitators to the implementation of HEARTS in the Americas initiative in 12 countries: A qualitative study. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 755-765	2.3	5
63	Best antihypertensive strategies to improve blood pressure control in Latin America: position of the Latin American Society of Hypertension. <i>Journal of Hypertension</i> , 2018 , 36, 208-220	1.9	5
62	Periodontal disease and hypertension: the pre-eclampsia model in Hispanic population. <i>Journal of Hypertension</i> , 2011 , 29, 1020-1	1.9	4
61	Fixed-dose combination therapy to improve hypertension treatment and control in Latin America. <i>Archivos De Cardiologia De Mexico</i> , 2018 , 88, 129-135	0.2	4
60	Challenges and Opportunities to Scale Up Cardiovascular Disease Secondary Prevention in Latin America and the Caribbean. <i>Global Heart</i> , 2018 , 13, 83-91	2.9	4
59	Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Case-Control Study. <i>American Journal of Hypertension</i> , 2021 , 34, 414-425	2.3	4
58	May Measurement Month 2017: an analysis of blood pressure screening results in Colombia-Americas. <i>European Heart Journal Supplements</i> , 2019 , 21, D40-D43	1.5	3
57	Combatir la epidemia de diabetes mellitus tipo 2 en Latinoam�rica: caracter�sticas especiales que demandan acciones innovadoras. <i>C�nica E Investigaci�n En Arteriosclerosis</i> , 2011 , 23, 90-99	1.4	3
56	Tratamiento de la hipertensi� arterial en el paciente con s�ndrome metab�lico. <i>Revista Colombiana De Cardiologia</i> , 2010 , 17, 22-27	0.1	3
55	Socioeconomic Pathology As a Cause of Regional Differences in the Prevalence of Metabolic Syndrome and Pregnancy-Induced Hypertension. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2007 , 60, 168-178	0.7	3

54	A randomized, double blind, cross-over, placebo-controlled clinical trial to assess the effects of Candesartan on the insulin sensitivity on non diabetic, non hypertense subjects with dysglycemia and abdominal obesity. "ARAMIA". <i>Trials</i> , 2006 , 7, 28	2.8	3
53	Prevention of toxemia of pregnancy in Ecuadorian Andean women: experience with dietary calcium supplementation. <i>Bulletin of the Pan American Health Organization</i> , 1991 , 25, 109-17		3
52	Epidemiology of Hypertension and Diabetes Mellitus in Latin America. <i>Current Hypertension Reviews</i> , 2021 , 17, 112-120	2.3	3
51	Identification and management of prediabetes: results of the Latin America Strategic Prediabetes Meeting. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2017 , 41, e172	4.1	3
50	Anger or emotional upset and heavy physical exertion as triggers of stroke: the INTERSTROKE study. <i>European Heart Journal</i> , 2021 ,	9.5	3
49	Total cardiovascular or fatal events in people with type 2 diabetes and cardiovascular risk factors treated with dulaglutide in the REWIND trial: a post hoc analysis. <i>Cardiovascular Diabetology</i> , 2020 , 19, 199	8.7	3
48	The prediction of Metabolic Syndrome alterations is improved by combining waist circumference and handgrip strength measurements compared to either alone. <i>Cardiovascular Diabetology</i> , 2021 , 20, 68	8.7	3
47	Association of bedtime with mortality and major cardiovascular events: an analysis of 112,198 individuals from 21 countries in the PURE study. <i>Sleep Medicine</i> , 2021 , 80, 265-272	4.6	3
46	Lowering cholesterol, blood pressure, or both to prevent cardiovascular events: results of 8.7 years of follow-up of Heart Outcomes Evaluation Prevention (HOPE)-3 study participants. <i>European Heart Journal</i> , 2021 , 42, 2995-3007	9.5	3
45	Survey of knowledge for diagnosing and managing prediabetes in Latin-America: cross-sectional study. <i>Diabetology and Metabolic Syndrome</i> , 2019 , 11, 102	5.6	3
44	Rivaroxaban Plus Aspirin in Obese and Overweight Patients With Vascular Disease in the COMPASS Trial. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 511-525	15.1	3
43	C-reactive protein and cardiovascular diseases in Andean population. <i>Circulation</i> , 2002 , 105, E10	16.7	3
42	Diffusion weighted imaging and time in acute ischemic stroke, is there any relation?. <i>Journal of Neuroradiology</i> , 2017 , 44, 353-360	3.1	2
41	Fetal programming and cardiometabolic diseases: the role of angiotensin II and inflammation. <i>Cliica E Investigaci3n En Arteriosclerosis</i> , 2010 , 22, 21-24	1.4	2
40	Vascular prostacyclin production in Andean women with pregnancy-induced hypertension. <i>Brazilian Journal of Medical and Biological Research</i> , 1991 , 24, 59-62	2.8	2
39	Prediabetes in Colombia: Expert Consensus. <i>Colombia Medica</i> , 2017 , 48, 191-203	1.5	2
38	Low levels of awareness, treatment, and control of hypertension in Andean communities of Ecuador. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1530-1537	2.3	2
37	La realidad del riesgo cardiovascular en Iberoam3rica. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 799-801	1.5	2

36	Registro Latinoamericano de monitorizaci3n ambulatoria de la presi3n arterial (MAPA-LATAM): una necesidad urgente. <i>Revista Clinica Espanola</i> , 2021 ,	0.7	2
35	The SIMAC study: A randomized controlled trial to compare the effects of resistance training and aerobic training on the fitness and body composition of Colombian adolescents. <i>PLoS ONE</i> , 2021 , 16, e0248110	3.7	2
34	The association of basal insulin treatment versus standard care with outcomes in anti-GAD positive and negative subjects: A post-hoc analysis of the ORIGIN trial. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 429-433	6.7	2
33	Erectile function in men with type 2 diabetes treated with dulaglutide: an exploratory analysis of the REWIND placebo-controlled randomised trial. <i>Lancet Diabetes and Endocrinology</i> , 2021 , 9, 484-490	18.1	2
32	Facing cardiovascular risk in Ibero-America. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 799-801	7	1
31	Effects of Lipid-Lowering and Antihypertensive Treatments in Addition to Healthy Lifestyles in Primary Prevention: An Analysis of the HOPE-3 Trial. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	1
30	[PP.11.30] ETHNIC DIFFERENCES IN AWARENESS, TREATMENT AND CONTROL OF HYPERTENSION IN COLOMBIA. <i>Journal of Hypertension</i> , 2017 , 35, e187	1.9	1
29	An3logos de incretina e inhibidores de la DPP-4: ¿qu3 papel desempeñan en la prevenci3n primaria de las enfermedades cardiovasculares?. <i>Revista Colombiana De Cardiologia</i> , 2013 , 20, 287-299	0.1	1
28	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179 000 participants from 63 countries.. <i>The Lancet Global Health</i> , 2022 , 10, e216-e226	13.6	1
27	Variations in the financial impact of the COVID-19 pandemic across 5 continents: A cross-sectional, individual level analysis.. <i>EClinicalMedicine</i> , 2022 , 44, 101284	11.3	1
26	Pharmacological Treatment of Hypertension: Effects in Endothelial Function. <i>Current Hypertension Reviews</i> , 2018 , 14, 123-127	2.3	1
25	May Measurement Month 2018: an analysis of blood pressure screening results from Colombia. <i>European Heart Journal Supplements</i> , 2020 , 22, H43-H46	1.5	1
24	Considerations and Guidance for the Structure, Organisation, and Operation of Cardiometabolic Prevention Units: A Consensus Statement of the Inter-American Society of Cardiology. <i>Global Heart</i> , 2021 , 16, 27	2.9	1
23	Timing and Length of Nocturnal Sleep and Daytime Napping and Associations With Obesity Types in High-, Middle-, and Low-Income Countries. <i>JAMA Network Open</i> , 2021 , 4, e2113775	10.4	1
22	Latin American Consensus on management of residual cardiometabolic risk. A consensus paper prepared by the Latin American Academy for the Study of Lipids and Cardiometabolic Risk (ALALIP) endorsed by the Inter-American Society of Cardiology (IASC), the International Atherosclerosis Society (IAS), and the Pan-American College of Endothelium (PACE). <i>Archivos De Cardiologia De</i>	0.2	1
21	¿Existe un espacio para los an3logos de la incretina como terapia para el sobrepeso, la obesidad y la prevenci3n de la enfermedad cardio-metab3lica?. <i>Revista Colombiana De Cardiologia</i> , 2016 , 23, 200-209	0.1	1
20	The simultaneous assessment of glycosylated hemoglobin, fasting plasma glucose and oral glucose tolerance test does not improve the detection of type 2 diabetes mellitus in Colombian adults. <i>PLoS ONE</i> , 2018 , 13, e0194446	3.7	1
19	Prevalence of metabolic syndrome and diabetes mellitus type-2 and their association with intake of dairy and legume in Andean communities of Ecuador. <i>PLoS ONE</i> , 2021 , 16, e0254812	3.7	1

18	Antihypertensives and Statin Therapy for Primary Stroke Prevention: A Secondary Analysis of the HOPE-3 Trial. <i>Stroke</i> , 2021 , 52, 2494-2501	6.7	1
17	Latin-American Ambulatory Blood Pressure Registry (MAPA-LATAM): An urgent need. <i>Revista Colombiana De Cardiología</i> , 2021 , 221, 547-552	0.5	1
16	Global, regional, and national consumption of animal-source foods between 1990 and 2018: findings from the Global Dietary Database.. <i>Lancet Planetary Health</i> , 2022 , 6, e243-e256	9.8	1
15	Psychosocial Risk Factors and Cardiovascular Disease and Death in a Population-Based Cohort From 21 Low-, Middle-, and High-Income Countries.. <i>JAMA Network Open</i> , 2021 , 4, e2138920	10.4	1
14	Control y tratamiento de la hipertensión arterial: Programa 20-20. <i>Revista Colombiana De Cardiología</i> , 2019 , 26, 99-106	0.1	0
13	Measuring and predicting personal and household Black Carbon levels from 88 communities in eight countries. <i>Science of the Total Environment</i> , 2021 , 818, 151849	10.2	0
12	Fitness Changes in Adolescent Girls Following In-School Combined Aerobic and Resistance Exercise: Interaction With Birthweight. <i>Pediatric Exercise Science</i> , 2021 , 1-8	2	0
11	Multinational prediction of household and personal exposure to fine particulate matter (PM) in the PURE cohort study.. <i>Environment International</i> , 2021 , 159, 107021	12.9	0
10	The Global Ambulatory Blood Pressure Monitoring (ABPM) in Heart Failure with Preserved Ejection Fraction (HFpEF) Registry. Rationale, design and objectives. <i>Journal of Human Hypertension</i> , 2021 , 35, 1029-1037	2.6	0
9	May Measurement Month 2019: an analysis of blood pressure screening results from Colombia. <i>European Heart Journal Supplements</i> , 2021 , 23, B46-B48	1.5	0
8	Personal and household PM and black carbon exposure measures and respiratory symptoms in 8 low- and middle-income countries.. <i>Environmental Research</i> , 2022 , 212, 113430	7.9	0
7	Prediabetes and Diabetes Prevention Initiatives in Latin America (LA) 2014 , 449-477		
6	La importancia de las evaluaciones económicas de los medicamentos: el caso del metoprolol. <i>Revista Colombiana De Cardiología</i> , 2012 , 19, 169-171	0.1	
5	Monitoreo ambulatorio de la presión arterial versus medicación en el consultorio ¿cuáles mejor: lo ideal o lo posible, bien hecho?. <i>Revista Colombiana De Cardiología</i> , 2013 , 20, 198-200	0.1	
4	El ejercicio físico aeróbico incrementa la vasodilatación dependiente del endotelio y el consumo de oxígeno de mujeres primigestantes saludables. Ensayo clínico controlado, aleatorizado. NCT00741312. <i>Revista Colombiana De Cardiología</i> , 2010 , 17, 273-281	0.1	
3	Evaluation of cardiometabolic profile in Health Professionals of Latin America. <i>Clínica E Investigación En Arteriosclerosis</i> , 2021 , 33, 175-183	1.4	
2	Patrones de prescripción de medicamentos para la diabetes mellitus tipo 2 en cinco departamentos de Colombia, en 2014. <i>Revista Facultad Nacional De Salud Pública</i> , 2018 , 36, 58-65	1	
1	Evaluation of cardiometabolic profile in Health Professionals of Latin America. <i>Clínica E Investigación En Arteriosclerosis (English Edition)</i> , 2021 , 33, 175-183	0.3	

