

Patricio Lopez-Jaramillo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6760940/patricio-lopez-jaramillo-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

269
papers

21,859
citations

61
h-index

144
g-index

296
ext. papers

28,308
ext. citations

9.7
avg, IF

6.05
L-index

#	Paper	IF	Citations
269	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179 000 participants from 63 countries.. <i>The Lancet Global Health</i> , 2022 , 10, e216-e226 ¹	13.6	226 ¹
268	Variations in the financial impact of the COVID-19 pandemic across 5 continents: A cross-sectional, individual level analysis.. <i>EclinicalMedicine</i> , 2022 , 44, 101284	11.3	1
267	Hypertension Pharmacological Treatment in Adults: A World Health Organization Guideline Executive Summary. <i>Hypertension</i> , 2022 , 79, 293-301	8.5	10
266	Global, regional, and national consumption of animal-source foods between 1990 and 2018: findings from the Global Dietary Database.. <i>Lancet Planetary Health</i> , 2022 , 6, e243-e256	9.8	1
265	Personal and household PM and black carbon exposure measures and respiratory symptoms in 8 low- and middle-income countries.. <i>Environmental Research</i> , 2022 , 212, 113430	7.9	0
264	Measuring and predicting personal and household Black Carbon levels from 88 communities in eight countries. <i>Science of the Total Environment</i> , 2021 , 818, 151849	10.2	0
263	Fitness Changes in Adolescent Girls Following In-School Combined Aerobic and Resistance Exercise: Interaction With Birthweight. <i>Pediatric Exercise Science</i> , 2021 , 1-8	2	0
262	Multinational prediction of household and personal exposure to fine particulate matter (PM) in the PURE cohort study.. <i>Environment International</i> , 2021 , 159, 107021	12.9	0
261	Epidemiology of Hypertension and Diabetes Mellitus in Latin America. <i>Current Hypertension Reviews</i> , 2021 , 17, 112-120	2.3	3
260	Anger or emotional upset and heavy physical exertion as triggers of stroke: the INTERSTROKE study. <i>European Heart Journal</i> , 2021 ,	9.5	3
259	Similar cardiovascular outcomes in patients with diabetes and established or high risk for coronary vascular disease treated with dulaglutide with and without baseline metformin. <i>European Heart Journal</i> , 2021 , 42, 2565-2573	9.5	7
258	The Global Ambulatory Blood Pressure Monitoring (ABPM) in Heart Failure with Preserved Ejection Fraction (HFpEF) Registry. Rationale, design and objectives. <i>Journal of Human Hypertension</i> , 2021 , 35, 1029-1037	2.6	0
257	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 1049-1058	7	16
256	The prediction of Metabolic Syndrome alterations is improved by combining waist circumference and handgrip strength measurements compared to either alone. <i>Cardiovascular Diabetology</i> , 2021 , 20, 68	8.7	3
255	Mapping stages, barriers and facilitators to the implementation of HEARTS in the Americas initiative in 12 countries: A qualitative study. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 755-765	2.3	5
254	Considerations and Guidance for the Structure, Organisation, and Operation of Cardiometabolic Prevention Units: A Consensus Statement of the Inter-American Society of Cardiology. <i>Global Heart</i> , 2021 , 16, 27	2.9	1
253	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality. <i>New England Journal of Medicine</i> , 2021 , 384, 1312-1322	59.2	39

252	Registro Latinoamericano de monitorizaci3n ambulatoria de la presi3n arterial (MAPA-LATAM): una necesidad urgente. <i>Revista Clinica Espanola</i> , 2021 ,	0.7	2
251	The SIMAC study: A randomized controlled trial to compare the effects of resistance training and aerobic training on the fitness and body composition of Colombian adolescents. <i>PLoS ONE</i> , 2021 , 16, e0248110	3.7	2
250	Association of bedtime with mortality and major cardiovascular events: an analysis of 112,198 individuals from 21 countries in the PURE study. <i>Sleep Medicine</i> , 2021 , 80, 265-272	4.6	3
249	May Measurement Month 2019: an analysis of blood pressure screening results from Colombia. <i>European Heart Journal Supplements</i> , 2021 , 23, B46-B48	1.5	0
248	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. <i>JAMA Internal Medicine</i> , 2021 , 181, 631-649	11.5	17
247	Lowering cholesterol, blood pressure, or both to prevent cardiovascular events: results of 8.7 years of follow-up of Heart Outcomes Evaluation Prevention (HOPE)-3 study participants. <i>European Heart Journal</i> , 2021 , 42, 2995-3007	9.5	3
246	Health-Related Quality of Life and Mortality in Heart Failure: The Global Congestive Heart Failure Study of 23 000 Patients From 40 Countries. <i>Circulation</i> , 2021 , 143, 2129-2142	16.7	14
245	Timing and Length of Nocturnal Sleep and Daytime Napping and Associations With Obesity Types in High-, Middle-, and Low-Income Countries. <i>JAMA Network Open</i> , 2021 , 4, e2113775	10.4	1
244	Association of ultra-processed food intake with risk of inflammatory bowel disease: prospective cohort study. <i>BMJ, The</i> , 2021 , 374, n1554	5.9	20
243	Evaluation of cardiometabolic profile in Health Professionals of Latin America. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2021 , 33, 175-183	1.4	
242	Latin American Consensus on management of residual cardiometabolic risk. A consensus paper prepared by the Latin American Academy for the Study of Lipids and Cardiometabolic Risk (ALALIP) endorsed by the Inter-American Society of Cardiology (IASC), the International Atherosclerosis Society (IAS), and the Pan-American College of Endothelium (PACE). <i>Archivos De Cardiologia De</i>	0.2	1
241	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153 152 middle-aged individuals. <i>Cardiovascular Research</i> , 2021 , 117, 1523-1531	9.9	11
240	Rivaroxaban Plus Aspirin in Obese and Overweight Patients With Vascular Disease in the COMPASS Trial. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 511-525	15.1	3
239	Polypill with or without Aspirin in Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2021 , 384, 216-228	59.2	58
238	Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Case-Control Study. <i>American Journal of Hypertension</i> , 2021 , 34, 414-425	2.3	4
237	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. <i>BMJ, The</i> , 2021 , 372, m4948	5.9	14
236	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. <i>BMJ Global Health</i> , 2021 , 6,	6.6	11
235	Evaluation of cardiometabolic profile in Health Professionals of Latin America. <i>Clinica E Investigaci3n En Arteriosclerosis (English Edition)</i> , 2021 , 33, 175-183	0.3	

234	Prevalence of metabolic syndrome and diabetes mellitus type-2 and their association with intake of dairy and legume in Andean communities of Ecuador. <i>PLoS ONE</i> , 2021 , 16, e0254812	3.7	1
233	Erectile function in men with type 2 diabetes treated with dulaglutide: an exploratory analysis of the REWIND placebo-controlled randomised trial. <i>Lancet Diabetes and Endocrinology</i> , 2021 , 9, 484-490	18.1	2
232	Antihypertensives and Statin Therapy for Primary Stroke Prevention: A Secondary Analysis of the HOPE-3 Trial. <i>Stroke</i> , 2021 , 52, 2494-2501	6.7	1
231	Skeletonized vs Pedicled Internal Mammary Artery Graft Harvesting in Coronary Artery Bypass Surgery: A Post Hoc Analysis From the COMPASS Trial. <i>JAMA Cardiology</i> , 2021 ,	16.2	10
230	Fixed-dose combination therapies with and without aspirin for primary prevention of cardiovascular disease: an individual participant data meta-analysis. <i>Lancet</i> , 2021 , 398, 1133-1146	40	16
229	Latin-American Ambulatory Blood Pressure Registry (MAPA-LATAM): An urgent need. <i>Revista Colombiana de Cardiología</i> , 2021 , 221, 547-552	0.5	1
228	Psychosocial Risk Factors and Cardiovascular Disease and Death in a Population-Based Cohort From 21 Low-, Middle-, and High-Income Countries. <i>JAMA Network Open</i> , 2021 , 4, e2138920	10.4	1
227	Association of dairy consumption with metabolic syndrome, hypertension and diabetes in 147 812 individuals from 21 countries. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	25
226	Association of nut intake with risk factors, cardiovascular disease, and mortality in 16 countries from 5 continents: analysis from the Prospective Urban and Rural Epidemiology (PURE) study. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 208-219	7	11
225	May measurement month 2017: Latin America. <i>Journal of Hypertension</i> , 2020 , 38, 1183-1188	1.9	8
224	Effect of dulaglutide on cognitive impairment in type 2 diabetes: an exploratory analysis of the REWIND trial. <i>Lancet Neurology</i> , 2020 , 19, 582-590	24.1	48
223	Facing cardiovascular risk in Ibero-America. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2020 , 73, 799-801	17	1
222	Association of Symptoms of Depression With Cardiovascular Disease and Mortality in Low-, Middle-, and High-Income Countries. <i>JAMA Psychiatry</i> , 2020 , 77, 1052-1063	14.5	29
221	Role of Combination Antiplatelet and Anticoagulation Therapy in Diabetes Mellitus and Cardiovascular Disease: Insights From the COMPASS Trial. <i>Circulation</i> , 2020 , 141, 1841-1854	16.7	53
220	Long-term exposure to outdoor and household air pollution and blood pressure in the Prospective Urban and Rural Epidemiological (PURE) study. <i>Environmental Pollution</i> , 2020 , 262, 114197	9.3	18
219	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 795-803	7	35
218	The household economic burden of non-communicable diseases in 18 countries. <i>BMJ Global Health</i> , 2020 , 5, e002040	6.6	33
217	Self-Reported Prevalence of Chronic Non-Communicable Diseases in Relation to Socioeconomic and Educational Factors in Colombia: A Community-Based Study in 11 Departments. <i>Global Heart</i> , 2020 , 15, 35	2.9	5

216	Lancet Commission on Hypertension group position statement on the global improvement of accuracy standards for devices that measure blood pressure. <i>Journal of Hypertension</i> , 2020 , 38, 21-29	1.9	46
215	The effect of dulaglutide on stroke: an exploratory analysis of the REWIND trial. <i>Lancet Diabetes and Endocrinology</i> , 2020 , 8, 106-114	18.1	42
214	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. <i>Diabetes Care</i> , 2020 , 43, 3094-3101	14.6	10
213	Low levels of awareness, treatment, and control of hypertension in Andean communities of Ecuador. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1530-1537	2.3	2
212	La realidad del riesgo cardiovascular en Iberoamérica. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 799-801	1.5	2
211	Standardized treatment to improve hypertension control in primary health care: The HEARTS in the Americas Initiative. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 2285-2295	2.3	14
210	Salt and cardiovascular disease: insufficient evidence to recommend low sodium intake. <i>European Heart Journal</i> , 2020 , 41, 3363-3373	9.5	33
209	Position statement of the Interamerican Society of Cardiology (IASC) on the current guidelines for the prevention, diagnosis and treatment of arterial hypertension 2017-2020. <i>International Journal of Cardiology: Hypertension</i> , 2020 , 6, 100041	1.6	13
208	Total cardiovascular or fatal events in people with type 2 diabetes and cardiovascular risk factors treated with dulaglutide in the REWIND trial: a post hoc analysis. <i>Cardiovascular Diabetology</i> , 2020 , 19, 199	8.7	3
207	Household and personal air pollution exposure measurements from 120 communities in eight countries: results from the PURE-AIR study. <i>Lancet Planetary Health</i> , 2020 , 4, e451-e462	9.8	37
206	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. <i>BMJ Global Health</i> , 2020 , 5,	6.6	10
205	Associations of outdoor fine particulate air pollution and cardiovascular disease in 157 436 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet Planetary Health</i> , 2020 , 4, e235-e245	9.8	40
204	White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. <i>Diabetes Care</i> , 2020 , 43, 2643-2650	14.6	19
203	Rivaroxaban for Prevention of Covert Brain Infarcts and Cognitive Decline: The COMPASS MRI Substudy. <i>Stroke</i> , 2020 , 51, 2901-2909	6.7	5
202	May Measurement Month 2018: an analysis of blood pressure screening results from Colombia. <i>European Heart Journal Supplements</i> , 2020 , 22, H43-H46	1.5	1
201	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet</i> , 2020 , 395, 785-794	40	218
200	Modifiable risk factors, cardiovascular disease, and mortality in 155 722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet</i> , 2020 , 395, 795-808	40	342
199	Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. <i>Heart</i> , 2020 ,	5.1	8

198	Household, Community, Sub-National and Country-level Predictors of Primary Cooking Fuel Switching in Nine Countries from the PURE Study. <i>Environmental Research Letters</i> , 2019 , 14,	6.2	16
197	A community-based comprehensive intervention to reduce cardiovascular risk in hypertension (HOPE 4): a cluster-randomised controlled trial. <i>Lancet, The</i> , 2019 , 394, 1231-1242	40	79
196	Risk Categorization Using New American College of Cardiology/American Heart Association Guidelines for Cholesterol Management and Its Relation to Alirocumab Treatment Following Acute Coronary Syndromes. <i>Circulation</i> , 2019 , 140, 1578-1589	16.7	24
195	Dulaglutide and cardiovascular outcomes in type 2 diabetes (REWIND): a double-blind, randomised placebo-controlled trial. <i>Lancet, The</i> , 2019 , 394, 121-130	40	917
194	Dulaglutide and renal outcomes in type 2 diabetes: an exploratory analysis of the REWIND randomised, placebo-controlled trial. <i>Lancet, The</i> , 2019 , 394, 131-138	40	228
193	Health Effects of Household Solid Fuel Use: Findings from 11 Countries within the Prospective Urban and Rural Epidemiology Study. <i>Environmental Health Perspectives</i> , 2019 , 127, 57003	8.4	60
192	May Measurement Month 2017: an analysis of blood pressure screening results in Colombia-Americas. <i>European Heart Journal Supplements</i> , 2019 , 21, D40-D43	1.5	3
191	May Measurement Month 2018: a pragmatic global screening campaign to raise awareness of blood pressure by the International Society of Hypertension. <i>European Heart Journal</i> , 2019 , 40, 2006-2017	9.5	145
190	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV (PURE): an international, community-based cohort study. <i>The Lancet Global Health</i> , 2019 , 7, e613-e623	13.6	47
189	Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. <i>The Lancet Global Health</i> , 2019 , 7, e748-e760	13.6	153
188	Control y tratamiento de la hipertensi3n arterial: Programa 20-20. <i>Revista Colombiana De Cardiologia</i> , 2019 , 26, 99-106	0.1	0
187	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. <i>BMJ, The</i> , 2019 , 364, l772	5.9	50
186	Rationale, design, and baseline participant characteristics in the MRI and cognitive substudy of the cardiovascular outcomes for people using anticoagulation strategies trial. <i>International Journal of Stroke</i> , 2019 , 14, 270-281	6.3	9
185	Fixed-dose combination antihypertensive medications. <i>Lancet, The</i> , 2019 , 394, 637-638	40	21
184	Safety of Proton Pump Inhibitors Based on a Large, Multi-Year, Randomized Trial of Patients Receiving Rivaroxaban or Aspirin. <i>Gastroenterology</i> , 2019 , 157, 682-691.e2	13.3	181
183	Effects of alirocumab on cardiovascular and metabolic outcomes after acute coronary syndrome in patients with or without diabetes: a prespecified analysis of the ODYSSEY OUTCOMES randomised controlled trial. <i>Lancet Diabetes and Endocrinology,the</i> , 2019 , 7, 618-628	18.1	120
182	Pantoprazole to Prevent Gastroduodenal Events in Patients Receiving Rivaroxaban and/or Aspirin in a Randomized, Double-Blind, Placebo-Controlled Trial. <i>Gastroenterology</i> , 2019 , 157, 403-412.e5	13.3	62
181	Prevalence, awareness, treatment and control of hypertension in rural and urban communities in Latin American countries. <i>Journal of Hypertension</i> , 2019 , 37, 1813-1821	1.9	23

180	Survey of knowledge for diagnosing and managing prediabetes in Latin-America: cross-sectional study. <i>Diabetology and Metabolic Syndrome</i> , 2019 , 11, 102	5.6	3
179	Latin American Consensus on the management of hypertension in the patient with diabetes and the metabolic syndrome. <i>Journal of Hypertension</i> , 2019 , 37, 1126-1147	1.9	17
178	The association of basal insulin treatment versus standard care with outcomes in anti-GAD positive and negative subjects: A post-hoc analysis of the ORIGIN trial. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 429-433	6.7	2
177	The spectrum of the dyslipidemia in Colombia: The PURE study. <i>International Journal of Cardiology</i> , 2019 , 284, 111-117	3.2	11
176	Association of estimated sleep duration and naps with mortality and cardiovascular events: a study of 116 632 people from 21 countries. <i>European Heart Journal</i> , 2019 , 40, 1620-1629	9.5	82
175	Fixed-dose combination pharmacologic therapy to improve hypertension control worldwide: Clinical perspective and policy implications. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 4-15	2.3	22
174	Inequalities in the use of secondary prevention of cardiovascular disease by socioeconomic status: evidence from the PURE observational study. <i>The Lancet Global Health</i> , 2018 , 6, e292-e301	13.6	44
173	Polypill: an affordable strategy for cardiovascular disease prevention in low-medium-income countries. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2018 , 12, 169-174	3.4	10
172	Effects of Lipid-Lowering and Antihypertensive Treatments in Addition to Healthy Lifestyles in Primary Prevention: An Analysis of the HOPE-3 Trial. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	1
171	Reevaluating nutrition as a risk factor for cardio-metabolic diseases. <i>Colombia Medica</i> , 2018 , 49, 175-181	1.5	5
170	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 798-808	18.1	66
169	The International Polycap Study-3 (TIPS-3): Design, baseline characteristics and challenges in conduct. <i>American Heart Journal</i> , 2018 , 206, 72-79	4.9	12
168	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. <i>Lancet, The</i> , 2018 , 392, 496-506	4.0	159
167	Design and baseline characteristics of participants in the Researching cardiovascular Events with a Weekly INcretin in Diabetes (REWIND) trial on the cardiovascular effects of dulaglutide. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 42-49	6.7	121
166	Pharmacological Treatment of Hypertension: Effects in Endothelial Function. <i>Current Hypertension Reviews</i> , 2018 , 14, 123-127	2.3	1
165	Fixed-dose combination therapy to improve hypertension treatment and control in Latin America. <i>Archivos De Cardiologia De Mexico</i> , 2018 , 88, 129-135	0.2	4
164	Challenges and Opportunities to Scale Up Cardiovascular Disease Secondary Prevention in Latin America and the Caribbean. <i>Global Heart</i> , 2018 , 13, 83-91	2.9	4
163	Development, Testing, and Implementation of a Training Curriculum for Nonphysician Health Workers to Reduce Cardiovascular Disease. <i>Global Heart</i> , 2018 , 13, 93-100.e1	2.9	11

162	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. <i>Heart</i> , 2018 , 104, 581-587	5.1	31
161	Best antihypertensive strategies to improve blood pressure control in Latin America: position of the Latin American Society of Hypertension. <i>Journal of Hypertension</i> , 2018 , 36, 208-220	1.9	5
160	Rivaroxaban with or without aspirin in patients with stable peripheral or carotid artery disease: an international, randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2018 , 391, 219-229	4.0	414
159	Patrones de prescripción de medicamentos para la diabetes mellitus tipo 2 en cinco departamentos de Colombia, en 2014. <i>Revista Facultad Nacional De Salud Publica</i> , 2018 , 36, 58-65	1	
158	Obesity and Preeclampsia: Common Pathophysiological Mechanisms. <i>Frontiers in Physiology</i> , 2018 , 9, 1838	4.6	50
157	Effect of A Very Low-Calorie Ketogenic Diet on Food and Alcohol Cravings, Physical and Sexual Activity, Sleep Disturbances, and Quality of Life in Obese Patients. <i>Nutrients</i> , 2018 , 10,	6.7	54
156	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2018 , 392, 2288-2297	4.0	191
155	Practice patterns and outcomes after stroke across countries at different economic levels (INTERSTROKE): an international observational study. <i>Lancet, The</i> , 2018 , 391, 2019-2027	4.0	55
154	May Measurement Month 2017: an analysis of blood pressure screening results worldwide. <i>The Lancet Global Health</i> , 2018 , 6, e736-e743	13.6	166
153	Rationale and design of a cluster randomized trial of a multifaceted intervention in people with hypertension: The Heart Outcomes Prevention and Evaluation 4 (HOPE-4) Study. <i>American Heart Journal</i> , 2018 , 203, 57-66	4.9	6
152	The simultaneous assessment of glycosylated hemoglobin, fasting plasma glucose and oral glucose tolerance test does not improve the detection of type 2 diabetes mellitus in Colombian adults. <i>PLoS ONE</i> , 2018 , 13, e0194446	3.7	1
151	Clinical Perspective on Antihypertensive Drug Treatment in Adults With Grade 1 Hypertension and Low-to-Moderate Cardiovascular Risk: An International Expert Consultation. <i>Current Problems in Cardiology</i> , 2017 , 42, 198-225	17.1	13
150	Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. <i>BMJ Open</i> , 2017 , 7, e013817	3	31
149	Global mortality variations in patients with heart failure: results from the International Congestive Heart Failure (INTER-CHF) prospective cohort study. <i>The Lancet Global Health</i> , 2017 , 5, e665-e672	13.6	148
148	Diffusion weighted imaging and time in acute ischemic stroke, is there any relation?. <i>Journal of Neuroradiology</i> , 2017 , 44, 353-360	3.1	2
147	Rationale, Design and Baseline Characteristics of Participants in the Cardiovascular Outcomes for People Using Anticoagulation Strategies (COMPASS) Trial. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 1027-1035 ⁹⁷	3.8	
146	Atherogenic Dyslipidemia in Latin America: Prevalence, causes and treatment: Expert position paper made by The Latin American Academy for the Study of Lipids (ALALIP) Endorsed by the Inter-American Society of Cardiology (IASC), the South American Society of Cardiology (SSC), the Pan-American College of Endothelium (PACE), and the International Atherosclerosis Society (IAS).	3.2	28
145	The effect of physical activity on mortality and cardiovascular disease in 130 000 people from 17 high-income, middle-income, and low-income countries: the PURE study. <i>Lancet, The</i> , 2017 , 390, 2643-2654	4.0	492

144	Rivaroxaban with or without Aspirin in Stable Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2017 , 377, 1319-1330	59.2	1122
143	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017 , 390, 2050-2062	40	583
142	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017 , 390, 2037-2049	40	285
141	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. <i>Lancet Diabetes and Endocrinology, the</i> , 2017 , 5, 774-787	18.1	125
140	Acid-base safety during the course of a very low-calorie-ketogenic diet. <i>Endocrine</i> , 2017 , 58, 81-90	4	24
139	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet Public Health, The</i> , 2017 , 2, e411-e419	22.4	90
138	[PP.11.30] ETHNIC DIFFERENCES IN AWARENESS, TREATMENT AND CONTROL OF HYPERTENSION IN COLOMBIA. <i>Journal of Hypertension</i> , 2017 , 35, e187	1.9	1
137	Mendelian Genes and Risk of Intracerebral Hemorrhage and Small-Vessel Ischemic Stroke in Sporadic Cases. <i>Stroke</i> , 2017 , 48, 2263-2265	6.7	9
136	Muscle strength is associated with lower diastolic blood pressure in schoolchildren. <i>Preventive Medicine</i> , 2017 , 95, 1-6	4.3	19
135	Sociodemographic factors related to handgrip strength in children and adolescents in a middle income country: The SALUS study. <i>American Journal of Human Biology</i> , 2017 , 29, e22896	2.7	14
134	Innovative Approaches to Hypertension Control in Low- and Middle-Income Countries. <i>Cardiology Clinics</i> , 2017 , 35, 99-115	2.5	40
133	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. <i>BMJ Global Health</i> , 2017 , 2, e000443	6.6	5
132	Prediabetes in Colombia: Expert Consensus. <i>Colombia Medica</i> , 2017 , 48, 191-203	1.5	2
131	Identification and management of prediabetes: results of the Latin America Strategic Prediabetes Meeting. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2017 , 41, e172	4.1	3
130	Secondary CV Prevention in South America in a Community Setting: The PURE Study. <i>Global Heart</i> , 2017 , 12, 305-313	2.9	23
129	Novel Approaches in Primary Cardiovascular Disease Prevention: The HOPE-3 Trial Rationale, Design, and Participants PBaseline Characteristics. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 311-8	3.8	21
128	Mechanism of vascular dysfunction due to circulating factors in women with pre-eclampsia. <i>Clinical Science</i> , 2016 , 130, 539-49	6.5	22
127	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>The Lancet Global Health</i> , 2016 , 4, e695-703	13.6	199

126	Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. <i>Lancet, The</i> , 2016 , 388, 761-75	40	903
125	Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. <i>International Journal for Equity in Health</i> , 2016 , 15, 199	4.6	45
124	Hypertension Guidelines: Is It Time to Reappraise Blood Pressure Thresholds and Targets? Position Statement of the Latin American Society of Hypertension. <i>Hypertension</i> , 2016 , 68, 257-62	8.5	14
123	The Role of Adiponectin in Cardiometabolic Diseases: Effects of Nutritional Interventions. <i>Journal of Nutrition</i> , 2016 , 146, 422S-426S	4.1	33
122	Association of Urinary Sodium Excretion With Blood Pressure and Cardiovascular Clinical Events in 17,033 Latin Americans. <i>American Journal of Hypertension</i> , 2016 , 29, 796-805	2.3	21
121	Heart Failure in Africa, Asia, the Middle East and South America: The INTER-CHF study. <i>International Journal of Cardiology</i> , 2016 , 204, 133-41	3.2	72
120	Peripheral Blood MCEMP1 Gene Expression as a Biomarker for Stroke Prognosis. <i>Stroke</i> , 2016 , 47, 652-86.7		24
119	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. <i>Diabetes Care</i> , 2016 , 39, 780-7	14.6	104
118	Is myopia another clinical manifestation of insulin resistance?. <i>Medical Hypotheses</i> , 2016 , 90, 32-40	3.8	19
117	Assessing global risk factors for non-fatal injuries from road traffic accidents and falls in adults aged 35-70 years in 17 countries: a cross-sectional analysis of the Prospective Urban Rural Epidemiological (PURE) study. <i>Injury Prevention</i> , 2016 , 22, 92-8	3.2	20
116	Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet, The</i> , 2016 , 387, 61-9	40	211
115	Social disparities explain differences in hypertension prevalence, detection and control in Colombia. <i>Journal of Hypertension</i> , 2016 , 34, 2344-2352	1.9	21
114	Blood-Pressure Lowering in Intermediate-Risk Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016 , 374, 2009-20	59.2	382
113	Cholesterol Lowering in Intermediate-Risk Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016 , 374, 2021-31	59.2	440
112	Blood-Pressure and Cholesterol Lowering in Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2016 , 374, 2032-43	59.2	199
111	Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. <i>Lancet, The</i> , 2016 , 388, 465-75	40	284
110	¿Existe un espacio para los análogos de la incretina como terapia para el sobrepeso, la obesidad y la prevención de la enfermedad cardio-metabólica?. <i>Revista Colombiana De Cardiología</i> , 2016 , 23, 200-209	0.1	1
109	Neck circumference as a predictor of metabolic syndrome, insulin resistance and low-grade systemic inflammation in children: the ACFIES study. <i>BMC Pediatrics</i> , 2016 , 16, 31	2.6	24

108	A call to action and a lifecourse strategy to address the global burden of raised blood pressure on current and future generations: the Lancet Commission on hypertension. <i>Lancet, The</i> , 2016 , 388, 2665-2712	40	413
107	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016 , 7, 535-546	10.3	129
106	Maternal undernutrition and cardiometabolic disease: a Latin American perspective. <i>BMC Medicine</i> , 2015 , 13, 41	11.4	12
105	Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>Lancet, The</i> , 2015 , 386, 266-73	40	871
104	Alcohol consumption and cardiovascular disease, cancer, injury, admission to hospital, and mortality: a prospective cohort study. <i>Lancet, The</i> , 2015 , 386, 1945-1954	40	116
103	Psychosocial factors and obesity in 17 high-, middle- and low-income countries: the Prospective Urban Rural Epidemiologic study. <i>International Journal of Obesity</i> , 2015 , 39, 1217-23	5.5	21
102	The 2012 Latin American Society of Hypertension target. <i>Journal of Hypertension</i> , 2015 , 33, 189-90	1.9	6
101	Evaluation of the Finnish Diabetes Risk Score to predict type 2 diabetes mellitus in a Colombian population: A longitudinal observational study. <i>World Journal of Diabetes</i> , 2015 , 6, 1337-44	4.7	33
100	Patients' knowledge, attitudes, behaviour and health care experiences on the prevention, detection, management and control of hypertension in Colombia: a qualitative study. <i>PLoS ONE</i> , 2015 , 10, e0122112	3.7	48
99	Sodium Intake Recommendations: A Subject that Needs to be Reconsidered. <i>Current Hypertension Reviews</i> , 2015 , 11, 8-13	2.3	7
98	The Link between Fetal Programming, Inflammation, Muscular Strength, and Blood Pressure. <i>Mediators of Inflammation</i> , 2015 , 2015, 710613	4.3	20
97	The environmental profile of a community's health: a cross-sectional study on tobacco marketing in 16 countries. <i>Bulletin of the World Health Organization</i> , 2015 , 93, 851-61G	8.2	24
96	Urinary sodium and potassium excretion, mortality, and cardiovascular events. <i>New England Journal of Medicine</i> , 2014 , 371, 612-23	59.2	553
95	Association of urinary sodium and potassium excretion with blood pressure. <i>New England Journal of Medicine</i> , 2014 , 371, 601-11	59.2	494
94	Cardiovascular risk and events in 17 low-, middle-, and high-income countries. <i>New England Journal of Medicine</i> , 2014 , 371, 818-27	59.2	499
93	The goal of blood pressure in the hypertensive patient with diabetes is defined: now the challenge is go from recommendations to practice. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 31	5.6	17
92	Association of handgrip strength to cardiovascular mortality in pre-diabetic and diabetic patients: a subanalysis of the ORIGIN trial. <i>International Journal of Cardiology</i> , 2014 , 174, 458-61	3.2	64
91	Prediabetes and Diabetes Prevention Initiatives in Latin America (LA) 2014 , 449-477		

90	Higher household income and the availability of electronic devices and transport at home are associated with higher waist circumference in Colombian children: the ACFIES study. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 1834-43	4.6	11
89	Validation and comparison of three formulae to estimate sodium and potassium excretion from a single morning fasting urine compared to 24-h measures in 11 countries. <i>Journal of Hypertension</i> , 2014 , 32, 1005-14; discussion 1015	1.9	150
88	The role of leptin/adiponectin ratio in metabolic syndrome and diabetes. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2014 , 18, 37-45	1.3	207
87	Low muscle strength is associated with metabolic risk factors in Colombian children: the ACFIES study. <i>PLoS ONE</i> , 2014 , 9, e93150	3.7	84
86	A novel method to evaluate the community built environment using photographs--Environmental Profile of a Community Health (EPOCH) photo neighbourhood evaluation tool. <i>PLoS ONE</i> , 2014 , 9, e111004	3.7	13
85	Is the present cut-point to define type 2 diabetes appropriate in Latin-Americans?. <i>World Journal of Diabetes</i> , 2014 , 5, 747-55	4.7	9
84	Prevalence, awareness, treatment, and control of hypertension in rural and urban communities in high-, middle-, and low-income countries. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 959-68	27.4	992
83	Matrix metalloproteinases 2 and 9 as diagnostic markers in the progression to Chagas cardiomyopathy. <i>American Heart Journal</i> , 2013 , 165, 558-66	4.9	37
82	Global differences in lung function by region (PURE): an international, community-based prospective study. <i>Lancet Respiratory Medicine</i> , 2013 , 1, 599-609	35.1	46
81	Análogos de incretina e inhibidores de la DPP-4: ¿qué papel desempeñan en la prevención primaria de las enfermedades cardiovasculares?. <i>Revista Colombiana De Cardiología</i> , 2013 , 20, 287-299	0.1	1
80	Monitoreo ambulatorio de la presión arterial versus medicación en el consultorio ¿cuáles mejor: lo ideal o lo posible, bien hecho?. <i>Revista Colombiana De Cardiología</i> , 2013 , 20, 198-200	0.1	
79	Prevalence of a healthy lifestyle among individuals with cardiovascular disease in high-, middle- and low-income countries: The Prospective Urban Rural Epidemiology (PURE) study. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 309, 1613-21	27.4	190
78	Inflammation and hypertension: are there regional differences?. <i>International Journal of Hypertension</i> , 2013 , 2013, 492094	2.4	14
77	Aged garlic extract improves adiponectin levels in subjects with metabolic syndrome: a double-blind, placebo-controlled, randomized, crossover study. <i>Mediators of Inflammation</i> , 2013 , 2013, 285795	4.3	40
76	Effect of insulin glargine and n-3FA on carotid intima-media thickness in people with dysglycemia at high risk for cardiovascular events: the glucose reduction and atherosclerosis continuing evaluation study (ORIGIN-GRACE). <i>Diabetes Care</i> , 2013 , 36, 2466-74	14.6	35
75	Latin American consensus on hypertension in patients with diabetes type 2 and metabolic syndrome. <i>Journal of Hypertension</i> , 2013 , 31, 223-38	1.9	46
74	Increased plasma levels of total homocysteine but not asymmetric dimethylarginine in Hispanic subjects with ischemic stroke FREC-VI sub-study. <i>European Journal of Neurology</i> , 2012 , 19, 417-25	6	15
73	Nutritional status among women with pre-eclampsia and healthy pregnant and non-pregnant women in a Latin American country. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 498-504	1.9	15

72	La importancia de las evaluaciones económicas de los medicamentos: el caso del metoprolol. <i>Revista Colombiana De Cardiología</i> , 2012 , 19, 169-171	0.1	
71	Sex differences in cardiac autonomic function of depressed young adults. <i>Biological Psychology</i> , 2012 , 90, 179-85	3.2	19
70	Environmental Profile of a Community Health (EPOCH): an econometric assessment of measures of the community environment based on individual perception. <i>PLoS ONE</i> , 2012 , 7, e44410	3.7	18
69	Angiogenic imbalance and plasma lipid alterations in women with preeclampsia from a developing country. <i>Growth Factors</i> , 2012 , 30, 158-66	1.6	12
68	Risk factors for preeclampsia in women from Colombia: a case-control study. <i>PLoS ONE</i> , 2012 , 7, e41622	3.7	22
67	Combatir la epidemia de diabetes mellitus tipo 2 en Latinoamérica: características especiales que demandan acciones innovadoras. <i>Clínica E Investigación En Arteriosclerosis</i> , 2011 , 23, 90-99	1.4	3
66	Hyperinsulinemia is a predictor of new cardiovascular events in Colombian patients with a first myocardial infarction. <i>International Journal of Cardiology</i> , 2011 , 148, 85-90	3.2	21
65	Nonalcoholic fatty liver disease is associated with insulin resistance in a young Hispanic population. <i>Preventive Medicine</i> , 2011 , 52, 174-7	4.3	20
64	Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. <i>Lancet, The</i> , 2011 , 378, 1231-43	4.0	627
63	Plasma nitrate levels and flow-mediated vasodilation in untreated major depression. <i>Psychosomatic Medicine</i> , 2011 , 73, 344-9	3.7	28
62	Periodontal disease and hypertension: the pre-eclampsia model in Hispanic population. <i>Journal of Hypertension</i> , 2011 , 29, 1020-1	1.9	4
61	Influence of regular aerobic exercise on endothelium-dependent vasodilation and cardiorespiratory fitness in pregnant women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011 , 37, 1601-8	1.9	47
60	Epidemic of cardiometabolic diseases: a Latin American point of view. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2011 , 5, 119-31	3.4	32
59	Environmental Profile of a Community Health (EPOCH): an instrument to measure environmental determinants of cardiovascular health in five countries. <i>PLoS ONE</i> , 2010 , 5, e14294	3.7	60
58	A controlled, randomized-blinded clinical trial to assess the efficacy of a nitric oxide releasing patch in the treatment of cutaneous leishmaniasis by <i>Leishmania (V.) panamensis</i> . <i>American Journal of Tropical Medicine and Hygiene</i> , 2010 , 83, 97-101	3.2	37
57	Rationale and design of INTERSTROKE: a global case-control study of risk factors for stroke. <i>Neuroepidemiology</i> , 2010 , 35, 36-44	5.4	60
56	El ejercicio físico aeróbico incrementa la vasodilatación dependiente del endotelio y el consumo de oxígeno de mujeres primigestantes saludables. Ensayo clínico controlado, aleatorizado. NCT00741312. <i>Revista Colombiana De Cardiología</i> , 2010 , 17, 273-281	0.1	
55	Tratamiento de la hipertensión arterial en el paciente con síndrome metabólico. <i>Revista Colombiana De Cardiología</i> , 2010 , 17, 22-27	0.1	3

54	The presence of abdominal obesity is associated with changes in vascular function independently of other cardiovascular risk factors. <i>International Journal of Cardiology</i> , 2010 , 139, 32-41	3.2	36
53	Fetal programming and cardiometabolic diseases: the role of angiotensin II and inflammation. <i>Clinica E Investigaci3n En Arteriosclerosis</i> , 2010 , 22, 21-24	1.4	2
52	Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE study): a case-control study. <i>Lancet, The</i> , 2010 , 376, 112-23	4.0	1971
51	Inflammation but not endothelial dysfunction is associated with the severity of coronary artery disease in dyslipidemic subjects. <i>Mediators of Inflammation</i> , 2009 , 2009, 469169	4.3	19
50	Clinical trial to assess the effect of physical exercise on endothelial function and insulin resistance in pregnant women. <i>Trials</i> , 2009 , 10, 104	2.8	17
49	Cardiometabolic disease in latin america: the role of fetal programming in response to maternal malnutrition. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2009 , 62, 670-6	0.7	10
48	Enfermedades cardiometab3licas en Iberoam3rica: papel de la programaci3n fetal en respuesta a la desnutrici3n materna. <i>Revista Espanola De Cardiologia</i> , 2009 , 62, 670-676	1.5	21
47	Inter-relationships between body mass index, C-reactive protein and blood pressure in a Hispanic pediatric population. <i>American Journal of Hypertension</i> , 2008 , 21, 527-32	2.3	40
46	The role of the L-arginine-nitric oxide pathway in preeclampsia. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2008 , 2, 261-75	3.4	56
45	Epidemic of overweight and obesity in Latin America and the Caribbean. <i>International Journal of Cardiology</i> , 2008 , 125, 111-2	3.2	37
44	Cardiovascular prevention in high-risk patients with type 2 diabetes mellitus: when to start it?. <i>European Heart Journal</i> , 2008 , 29, 2058; author reply 2058-9	9.5	6
43	Defining the research priorities to fight the burden of cardiovascular diseases in Latin America. <i>Journal of Hypertension</i> , 2008 , 26, 1886-9	1.9	30
42	Are nutrition-induced epigenetic changes the link between socioeconomic pathology and cardiovascular diseases?. <i>American Journal of Therapeutics</i> , 2008 , 15, 362-72	1	35
41	Subclinical infection as a cause of inflammation in preeclampsia. <i>American Journal of Therapeutics</i> , 2008 , 15, 373-6	1	25
40	Patolog3a socioecon3mica como causa de las diferencias regionales en las prevalencias de s3ndrome metab3lico e hipertensi3n inducida por el embarazo. <i>Revista Espanola De Cardiologia</i> , 2007 , 60, 168-178	1.5	24
39	Socioeconomic Pathology As a Cause of Regional Differences in the Prevalence of Metabolic Syndrome and Pregnancy-Induced Hypertension. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2007 , 60, 168-178	0.7	3
38	Double blind, randomized, placebo controlled clinical trial for the treatment of diabetic foot ulcers, using a nitric oxide releasing patch: PATHON. <i>Trials</i> , 2007 , 8, 26	2.8	24
37	Periodontal disease severity is related to high levels of C-reactive protein in pre-eclampsia. <i>Journal of Hypertension</i> , 2007 , 25, 1459-64	1.9	41

36	Olive, soybean and palm oils intake have a similar acute detrimental effect over the endothelial function in healthy young subjects. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007 , 17, 50-7	4.5	32
35	Raised C-reactive protein and impaired flow-mediated vasodilation precede the development of preeclampsia. <i>American Journal of Hypertension</i> , 2007 , 20, 98-103	2.3	67
34	Determination of insulin resistance using the homeostatic model assessment (HOMA) and its relation with the risk of developing pregnancy-induced hypertension. <i>American Journal of Hypertension</i> , 2007 , 20, 437-42	2.3	45
33	The utility of different definitions of metabolic syndrome in Andean population. <i>International Journal of Cardiology</i> , 2007 , 116, 421-2	3.2	17
32	Plasma concentrations of asymmetric dimethylarginine (ADMA) in metabolic syndrome. <i>International Journal of Cardiology</i> , 2007 , 122, 176-8	3.2	39
31	Calcium and conjugated linoleic acid reduces pregnancy-induced hypertension and decreases intracellular calcium in lymphocytes. <i>American Journal of Hypertension</i> , 2006 , 19, 381-7	2.3	37
30	A proposal for an appropriate central obesity diagnosis in Latin American population. <i>International Journal of Cardiology</i> , 2006 , 110, 263-4	3.2	29
29	Flow-mediated dilatation of the brachial artery in pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2006 , 93, 60-1	4	29
28	Double blind, randomized controlled trial, to evaluate the effectiveness of a controlled nitric oxide releasing patch versus meglumine antimoniate in the treatment of cutaneous leishmaniasis [NCT00317629]. <i>Trials</i> , 2006 , 7, 14	2.8	19
27	A randomized, double blind, cross-over, placebo-controlled clinical trial to assess the effects of Candesartan on the insulin sensitivity on non diabetic, non hypertense subjects with dysglycemia and abdominal obesity. "ARAMIA". <i>Trials</i> , 2006 , 7, 28	2.8	3
26	Calcium plus linoleic acid therapy for pregnancy-induced hypertension. <i>International Journal of Gynecology and Obstetrics</i> , 2005 , 91, 221-7	4	31
25	Preventing pregnancy-induced hypertension: are there regional differences for this global problem?. <i>Journal of Hypertension</i> , 2005 , 23, 1121-9	1.9	48
24	Colombian study to assess the use of noninvasive determination of the endothelium-mediated vasodilation (CANDEV) II: does location of the occlusion device affects the accuracy of the diagnosis?. <i>Endothelium: Journal of Endothelial Cell Research</i> , 2005 , 12, 107-11		11
23	Plasma concentrations of asymmetric dimethylarginine (ADMA) in Colombian women with pre-eclampsia. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 291, 823-4	27.4	43
22	Endothelial NO synthase genotype and risk of preeclampsia: a multicenter case-control study. <i>Hypertension</i> , 2004 , 44, 702-7	8.5	112
21	Angiotensin II-induced MMP-2 release from endothelial cells is mediated by TNF-alpha. <i>American Journal of Physiology - Cell Physiology</i> , 2004 , 286, C779-84	5.4	105
20	Using waist circumference as a screening tool to identify Colombian subjects at cardiovascular risk. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003 , 10, 328-35		37
19	C-reactive protein and cardiovascular diseases in Andean population. <i>Circulation</i> , 2002 , 105, E10	16.7	3

18	An integrated proposal to explain the epidemic of cardiovascular disease in a developing country. From socioeconomic factors to free radicals. <i>Cardiology</i> , 2001 , 96, 1-6	1.6	28
17	Is infection a major risk factor for preeclampsia?. <i>Medical Hypotheses</i> , 2001 , 57, 393-7	3.8	73
16	Elevated C-reactive protein and pro-inflammatory cytokines in Andean women with pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2001 , 75, 243-9	4	123
15	Preeclampsia: from epidemiological observations to molecular mechanisms. <i>Brazilian Journal of Medical and Biological Research</i> , 2001 , 34, 1227-35	2.8	58
14	Is C-reactive protein an independent risk factor for essential hypertension?. <i>Journal of Hypertension</i> , 2001 , 19, 857-61	1.9	203
13	Colombian study to assess the use of noninvasive determination of endothelium-mediated vasodilatation (CANDEV). Normal values and factors associated. <i>Endothelium: Journal of Endothelial Cell Research</i> , 2001 , 8, 157-66		41
12	Calcium, nitric oxide, and preeclampsia. <i>Seminars in Perinatology</i> , 2000 , 24, 33-6	3.3	43
11	Improvement in functions of the central nervous system by estrogen replacement therapy might be related with an increased nitric oxide production. <i>Endothelium: Journal of Endothelial Cell Research</i> , 1999 , 6, 263-6		31
10	Treatment of cutaneous leishmaniasis with nitric-oxide donor. <i>Lancet, The</i> , 1998 , 351, 1176-7	4.0	66
9	Calcium supplementation and the risk of preeclampsia in Ecuadorian pregnant teenagers. <i>Obstetrics and Gynecology</i> , 1997 , 90, 162-7	4.9	71
8	Cyclic guanosine 3',5'-phosphonophosphate concentrations in pre-eclampsia: effects of hydralazine. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1996 , 103, 33-8	3.7	57
7	Calcium supplementation prevents pregnancy-induced hypertension by increasing the production of vascular nitric oxide. <i>Medical Hypotheses</i> , 1995 , 45, 68-72	3.8	12
6	The l-Arginine. <i>Journal of Cardiovascular Pharmacology</i> , 1991 , 17, S1-S9	3.1	69
5	Vascular prostacyclin production in Andean women with pregnancy-induced hypertension. <i>Brazilian Journal of Medical and Biological Research</i> , 1991 , 24, 59-62	2.8	2
4	Prevention of toxemia of pregnancy in Ecuadorian Andean women: experience with dietary calcium supplementation. <i>Bulletin of the Pan American Health Organization</i> , 1991 , 25, 109-17		3
3	Dietary calcium supplementation and prevention of pregnancy hypertension. <i>Lancet, The</i> , 1990 , 335, 293	4.0	75
2	The crucial role of physiological Ca ²⁺ concentrations in the production of endothelial nitric oxide and the control of vascular tone. <i>British Journal of Pharmacology</i> , 1990 , 101, 489-93	8.6	95
1	Calcium supplementation reduces the risk of pregnancy-induced hypertension in an Andes population. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1989 , 96, 648-655	3.7	114

