

Ichiro Yoshii

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6761224/publications.pdf>

Version: 2024-02-01

24
papers

365
citations

1162367

8
h-index

794141

19
g-index

24
all docs

24
docs citations

24
times ranked

315
citing authors

#	ARTICLE	IF	CITATIONS
1	Influence of prosthetic joint line position on knee kinematics and patellar position. <i>Journal of Arthroplasty</i> , 1991, 6, 169-177.	1.5	104
2	The Effect of Patellar Button Placement and Femoral Component Design on Patellar Tracking in Total Knee Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 1992, &NA;, 211-219.	0.7	98
3	The effect of central stem and stem length on micromovement of the tibial tray. <i>Journal of Arthroplasty</i> , 1992, 7, 433-438.	1.5	61
4	Rheumatoid arthritis in tight disease control is no longer risk of bone mineral density loss. <i>Osteoporosis and Sarcopenia</i> , 2020, 6, 75-81.	0.7	16
5	Relationship between dementia degree and gait ability after surgery of proximal femoral fracture. <i>Journal of Orthopaedic Science</i> , 2016, 21, 481-486.	0.5	13
6	Influence of pain score measured by a visual analog scale (VAS) on the Health Assessment Questionnaire Disability Index and 28-joint Disease Activity Index with C-reactive protein in rheumatoid arthritis patients. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1955-1961.	0.9	11
7	CLINICAL CHARACTERISTICS OF FRAILTY IN JAPANESE RHEUMATOID ARTHRITIS PATIENTS. <i>Journal of Frailty & Aging</i> , 2020, 9, 1-6.	0.8	11
8	Cortical thickness relative to the transverse diameter of third metacarpal bone reflects bone mineral density in patients with rheumatoid arthritis. <i>Bone</i> , 2020, 137, 115405.	1.4	9
9	Impact of sustaining SDAI remission for preventing incident of bone fragility fracture in patient with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2021, , annrheumdis-2021-221093.	0.5	8
10	Clinical characteristics and variants that predict prognosis of difficult-to-treat rheumatoid arthritis. <i>Rheumatology International</i> , 2022, 42, 1947-1954.	1.5	7
11	Validity of adopting a Health Assessment Questionnaire Disability Index less than 0.5 as a target in elderly rheumatoid arthritis patients. <i>Clinical Rheumatology</i> , 2019, 38, 3351-3360.	1.0	6
12	Screening osteoporotic femoral neck without measuring bone mineral density with the use of tartrate resistant acid phosphatase-5b and serum-creatinine-to-cystatin C ratio in Japanese postmenopausal women. <i>Journal of Orthopaedic Science</i> , 2020, 25, 671-676.	0.5	6
13	Clinical characteristics of osteoporotic second hip fracture: From the data of Clinical Pathway with Regional Alliance in rural region in Japan. <i>Journal of Orthopaedic Science</i> , 2019, 24, 836-841.	0.5	5
14	The impact of shrunken pore syndrome in patient with rheumatic diseases on bone mineral metabolism. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021, 81, 72-81.	0.6	3
15	Usefulness of cortical thickness ratio of the third metacarpal bone for prediction of major osteoporotic fractures. <i>Bone Reports</i> , 2022, 16, 101162.	0.2	2
16	Efficacy and safety of intra-articular injection with triamcinolone acetonide for patients with rheumatoid arthritis. <i>Drugs and Therapy Perspectives</i> , 2020, 36, 404-412.	0.3	1
17	Effectiveness of duloxetine for remnant pain relief in patients with rheumatoid arthritis despite remission. <i>Drugs and Therapy Perspectives</i> , 2020, 36, 288-292.	0.3	1
18	Attaining CDAI remission is the first gateway to attain Boolean remission. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 624-626.	1.6	1

#	ARTICLE	IF	CITATIONS
19	Musculoskeletal ambulation disability symptom complex as a risk factor of incident bone fragility fracture. <i>Osteoporosis and Sarcopenia</i> , 2021, 7, 115-120.	0.7	1
20	Validity and risk of adopting PGA as a remission criteria of Boolean in clinical practice in patient with rheumatoid arthritis. <i>Scientific Reports</i> , 2022, 12, 2978.	1.6	1
21	Serum cystatin C level can be an early predictor in community-living people? A clinical question to the conclusion. <i>Modern Rheumatology</i> , 2020, 30, 211-212.	0.9	0
22	Efficacy and Safety of Targeted Strategy for Treating Rheumatoid Arthritis Patients Aged 75 Years or Older. <i>Tohoku Journal of Experimental Medicine</i> , 2020, 250, 13-23.	0.5	0
23	Associations between mean simplified disease activity index score and bone mineral density of patient with rheumatoid arthritis in Asian cohort. <i>Seminars in Arthritis and Rheumatism</i> , 2022, , 152001.	1.6	0
24	Clinical Advantage of Attaining Index-Based Remission Prior to Composite Remission in Treating Rheumatoid Arthritis. <i>Reumatología Clínica</i> , 2021, , .	0.2	0