

Jean-Marie Bard

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6761401/jean-marie-bard-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

3,756
citations

24
h-index

61
g-index

76
ext. papers

4,102
ext. citations

4.5
avg, IF

4.26
L-index

#	Paper	IF	Citations
72	Deletion polymorphism in the gene for angiotensin-converting enzyme is a potent risk factor for myocardial infarction. <i>Nature</i> , 1992 , 359, 641-4	50.4	1670
71	C-reactive protein, interleukin-6, and fibrinogen as predictors of coronary heart disease: the PRIME Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2003 , 23, 1255-61	9.4	296
70	Lipoprotein (a) as a predictor of coronary heart disease: the PRIME Study. <i>Atherosclerosis</i> , 2002 , 163, 377-84	3.1	170
69	The Gln/Arg polymorphism of human paraoxonase (PON 192) is not related to myocardial infarction in the ECTIM Study. <i>Atherosclerosis</i> , 1996 , 126, 299-303	3.1	146
68	Value of HDL cholesterol, apolipoprotein A-I, lipoprotein A-I, and lipoprotein A-I/A-II in prediction of coronary heart disease: the PRIME Study. Prospective Epidemiological Study of Myocardial Infarction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 1155-61	9.4	144
67	Circulating soluble adhesion molecules ICAM-1 and VCAM-1 and incident coronary heart disease: the PRIME Study. <i>Atherosclerosis</i> , 2003 , 170, 169-76	3.1	127
66	Plasma cystatin-C and development of coronary heart disease: The PRIME Study. <i>Atherosclerosis</i> , 2006 , 185, 375-80	3.1	86
65	A multicenter comparison of the effects of simvastatin and fenofibrate therapy in severe primary hypercholesterolemia, with particular emphasis on lipoproteins defined by their apolipoprotein composition. <i>Metabolism: Clinical and Experimental</i> , 1992 , 41, 498-503	12.7	73
64	Intestinal Proportion of <i>Blautia</i> sp. is Associated with Clinical Stage and Histoprognostic Grade in Patients with Early-Stage Breast Cancer. <i>Nutrition and Cancer</i> , 2017 , 69, 267-275	2.8	66
63	LXR agonists and ABCG1-dependent cholesterol efflux in MCF-7 breast cancer cells: relation to proliferation and apoptosis. <i>Anticancer Research</i> , 2012 , 32, 3007-13	2.3	60
62	Altered lipid, apolipoprotein, and lipoprotein profiles in inflammatory bowel disease: consequences on the cholesterol efflux capacity of serum using Fu5AH cell system. <i>Metabolism: Clinical and Experimental</i> , 2006 , 55, 980-8	12.7	57
61	Sex hormone-binding globulin is a major determinant of the lipid profile: the PRIME study. <i>Atherosclerosis</i> , 2005 , 179, 369-73	3.1	55
60	Lipoprotein composition changes induced by fenofibrate in dysbetalipoproteinemia type III. <i>Atherosclerosis</i> , 1989 , 78, 167-82	3.1	55
59	Relative contribution of lipids and apolipoproteins to incident coronary heart disease and ischemic stroke: the PRIME Study. <i>Cerebrovascular Diseases</i> , 2010 , 30, 252-9	3.2	45
58	Treatment with metformin of non-diabetic men with hypertension, hypertriglyceridaemia and central fat distribution: the BIGPRO 1.2 trial. <i>Diabetes/Metabolism Research and Reviews</i> , 2000 , 16, 2-7	7.5	44
57	Lithocholic bile acid inhibits lipogenesis and induces apoptosis in breast cancer cells. <i>Cellular Oncology (Dordrecht)</i> , 2018 , 41, 13-24	7.2	40
56	Cholesterol lowering effect of a soy drink enriched with plant sterols in a French population with moderate hypercholesterolemia. <i>Lipids in Health and Disease</i> , 2008 , 7, 35	4.4	28

55	Effect of fenofibrate treatment on type III hyperlipoproteinemia. <i>American Journal of Medicine</i> , 1987 , 83, 71-4	2.4	28
54	Plasma cholesterol and endogenous cholesterol synthesis during refeeding in anorexia nervosa. <i>Clinica Chimica Acta</i> , 2000 , 294, 45-56	6.2	27
53	Isolation and characterization of two sub-species of Lp(a), one containing apo E and one free of apo E. <i>Lipids and Lipid Metabolism</i> , 1992 , 1127, 124-30		27
52	A combined natural supplement lowers LDL cholesterol in subjects with moderate untreated hypercholesterolemia: a randomized placebo-controlled trial. <i>International Journal of Food Sciences and Nutrition</i> , 2013 , 64, 882-9	3.7	26
51	Metabolic syndrome in French HIV-infected patients: prevalence and predictive factors after 3 years of antiretroviral therapy. <i>AIDS Research and Human Retroviruses</i> , 2012 , 28, 1672-8	1.6	26
50	Identification of apoB-containing lipoprotein families in NIDDM. <i>Diabetes</i> , 1992 , 41 Suppl 2, 18-25	0.9	24
49	Quantification of human apolipoprotein E in plasma and lipoprotein subfractions by a non-competitive enzyme immunoassay. <i>Clinica Chimica Acta</i> , 1987 , 163, 245-56	6.2	24
48	Effect on LDL-cholesterol of a large dose of a dietary supplement with plant extracts in subjects with untreated moderate hypercholesterolaemia: a randomised, double-blind, placebo-controlled study. <i>European Journal of Nutrition</i> , 2013 , 52, 1843-52	5.2	23
47	Kinetics of plasma apolipoprotein E isoforms by LC-MS/MS: a pilot study. <i>Journal of Lipid Research</i> , 2018 , 59, 892-900	6.3	21
46	Seaweeds in Human Health 2016 , 319-367		21
45	Paraoxonase 1 (PON1) as a marker of short term death in breast cancer recurrence. <i>Clinical Biochemistry</i> , 2012 , 45, 1503-5	3.5	21
44	The relationship between apolipoprotein AI-containing lipoprotein fractions and environmental factors: the prospective epidemiological study of myocardial infarction (PRIME study). <i>Atherosclerosis</i> , 2000 , 152, 399-405	3.1	18
43	Comparison of lipid-lowering effects of low-dose fluvastatin and conventional-dose gemfibrozil in patients with primary hypercholesterolemia. <i>American Journal of Medicine</i> , 1994 , 96, 45S-54S	2.4	18
42	A new, validated wipe-sampling procedure coupled to LC-MS analysis for the simultaneous determination of 5-fluorouracil, doxorubicin and cyclophosphamide in surface contamination. <i>Journal of Analytical Toxicology</i> , 2013 , 37, 433-9	2.9	16
41	Distribution of apolipoprotein E between apo B- and non apo B-containing lipoproteins according to apo E phenotype. <i>Atherosclerosis</i> , 1997 , 131, 257-62	3.1	16
40	Macrophage apolipoprotein E and proliferation of MCF-7 breast cancer cells: role of LXR. <i>Anticancer Research</i> , 2013 , 33, 3783-9	2.3	16
39	An innovative, high quality and search window independent motion estimation algorithm and architecture for MPEG-2 encoding. <i>IEEE Transactions on Consumer Electronics</i> , 2000 , 46, 697-705	4.8	15
38	Interindividual variability in the cholesterol-lowering effect of supplementation with plant sterols or stanols. <i>Nutrition Reviews</i> , 2017 , 75, 134-145	6.4	14

37	Effect of phytosterols/stanols on LDL concentration and other surrogate markers of cardiovascular risk. <i>Diabetes and Metabolism</i> , 2015 , 41, 69-75	5.4	13
36	Paired measurement of serum amyloid A (SAA) and paraoxonase 1 (PON1) as useful markers in breast cancer recurrence. <i>Clinical Biochemistry</i> , 2015 , 48, 1181-3	3.5	13
35	Targeting bioactive compounds in natural extracts - Development of a comprehensive workflow combining chemical and biological data. <i>Analytica Chimica Acta</i> , 2019 , 1070, 29-42	6.6	12
34	Diabetes and dyslipidaemia are associated with oxidative stress independently of inflammation in long-term antiretroviral-treated HIV-infected patients. <i>Diabetes and Metabolism</i> , 2019 , 45, 573-581	5.4	12
33	A new rapid and sensitive LC-MS assay for the determination of sorafenib in plasma: application to a patient undergoing hemodialysis. <i>Therapeutic Drug Monitoring</i> , 2011 , 33, 705-10	3.2	12
32	Fluvastatin reduces levels of plasma apo B-containing particles and increases those of LpA-I. European Fluvastatin Study Group. <i>American Journal of Medicine</i> , 1994 , 96, 32S-36S	2.4	12
31	apoB-containing lipoprotein particles as risk factors for coronary artery disease. <i>Advances in Experimental Medicine and Biology</i> , 1991 , 285, 299-309	3.6	12
30	Association of hypertensive status and its drug treatment with lipid and haemostatic factors in middle-aged men: the PRIME study. <i>Journal of Human Hypertension</i> , 2000 , 14, 511-8	2.6	11
29	Evaluation of digestive tolerance of a soluble corn fibre. <i>Journal of Human Nutrition and Dietetics</i> , 2012 , 25, 488-96	3.1	9
28	Influence of cholesteryl ester transfer protein, peroxisome proliferator-activated receptor alpha, apolipoprotein E, and apolipoprotein A-I polymorphisms on high-density lipoprotein cholesterol, apolipoprotein A-I, lipoprotein A-I, and lipoprotein A-I:A-II concentrations: the Prospective Epidemiological Study of Myocardial Infarction study. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 102-11	12.7	8
27	LXR Activation Down-regulates Lipid Raft Markers FLOT2 and DHH5 in MCF-7 Breast Cancer Cells. <i>Anticancer Research</i> , 2017 , 37, 4067-4073	2.3	8
26	HDL particle measurements: impact for diagnosis and therapy. <i>Clinical Biochemistry</i> , 1993 , 26, 65-8	3.5	7
25	Association of Apolipoproteins C3 and E with Metabolic Changes in HIV-Infected Adults Treated with a Protease-Inhibitor-Containing Antiretroviral Therapy. <i>Antiviral Therapy</i> , 2006 , 11, 361-370	1.6	7
24	Unusual sterolic mixture, and 24-isopropylcholesterol, from the sponge <i>Ciocalypa</i> sp. reduce cholesterol uptake and basolateral secretion in Caco-2 cells. <i>Journal of Cellular Biochemistry</i> , 2009 , 106, 659-65	4.7	6
23	Peroxisome proliferator activating receptor alpha and gamma polymorphisms and metabolic abnormalities in HIV-infected patients receiving highly active antiretroviral therapy: the ANRS CO8 APROCO-COPILOTE study. <i>AIDS Research and Human Retroviruses</i> , 2012 , 28, 393-9	1.6	6
22	Quantitative Measurement of Lipoprotein Particles Containing Both Apolipoprotein AIV and Apolipoprotein B in Human Plasma by a Noncompetitive ELISA. <i>Clinical Chemistry</i> , 2002 , 48, 884-890	5.5	6
21	Changes in plasma apolipoprotein B-containing lipoparticle levels following therapy with fluvastatin and cholestyramine. European Fluvastatin Study Group. <i>American Journal of Cardiology</i> , 1995 , 76, 65A-70A	3	5
20	Apolipoprotein B immunochemical heterogeneity in dialysed patients with chronic renal failure and patients with coronary artery stenosis. <i>American Journal of Nephrology</i> , 1989 , 9, 110-4	4.6	5

19	Liver X Receptor (LXR)-regulated Genes of Cholesterol Trafficking and Breast Cancer Severity. <i>Anticancer Research</i> , 2017 , 37, 5495-5498	2.3	5
18	Centre de Ressources Biologiques-Tumorothèque: Bioresources and Associated Clinical Data Dedicated to Translational Research in Oncology at the Institut de Cancérologie de l'Ouest, France. <i>Open Journal of Bioresources</i> , 2020 , 7,	0.9	5
17	Faecal Microbiota Composition Varies between Patients with Breast Cancer and Healthy Women: A Comparative Case-Control Study. <i>Nutrients</i> , 2021 , 13,	6.7	5
16	Leptin and adiponectin as new markers of undernutrition in cancer. <i>Clinical Biochemistry</i> , 2017 , 50, 525-533	3.8	4
15	Microalgae in Human Health: Interest as a Functional Food 2018 , 211-226		4
14	Location of probucol in lipoproteins inferred from compositional analysis of lipoprotein particles. An in-vitro study. <i>Journal of Pharmacy and Pharmacology</i> , 1994 , 46, 797-800	4.8	4
13	Lipoprotein particles in homozygous familial hypercholesterolemic patients treated with portacaval shunt and LDL apheresis. <i>Clinica Chimica Acta</i> , 1990 , 193, 165-79	6.2	4
12	Effect of milk fat on LDL cholesterol and other cardiovascular risk markers in healthy humans: the INNOVALAIT project. <i>European Journal of Clinical Nutrition</i> , 2020 , 74, 285-296	5.2	4
11	Association of apolipoproteins C3 and E with metabolic changes in HIV-infected adults treated with a protease-inhibitor-containing antiretroviral therapy. <i>Antiviral Therapy</i> , 2006 , 11, 361-70	1.6	3
10	Phytostérols : un point sur les recommandations de l'ANSES. <i>Cahiers De Nutrition Et De Diétiétique</i> , 2015 , 50, 209-214	0.2	2
9	Relationship between low-density lipoprotein size and apolipoprotein A-I-containing particles: the ECTIM study. <i>European Journal of Clinical Investigation</i> , 1997 , 27, 242-7	4.6	2
8	Phytostérols : un point sur les recommandations de l'ANSES. <i>OCL - Oilseeds and Fats, Crops and Lipids</i> , 2015 , 22, D205	1.5	1
7	Apolipoproteins in human amniotic fluid: concentrations, isoforms and polymorphism. <i>Gynecologic and Obstetric Investigation</i> , 1989 , 28, 127-31	2.5	1
6	848-P: Totum-63 Lowers Fasting Glycemia in Subjects with Prediabetes: A Phase 2A Clinical Trial. <i>Diabetes</i> , 2020 , 69, 848-P	0.9	1
5	Les aliments fonctionnels contenant des phytostérols ou des phytostanols : quels bénéfices, quels risques?. <i>Pratiques En Nutrition</i> , 2016 , 12, 32-35	0	1
4	The intratumoral microbiome: Characterization methods and functional impact. <i>Cancer Letters</i> , 2021 , 522, 63-79	9.9	1
3	New UPLC-MS/MS assay for the determination of tamoxifen and its metabolites in human plasma, application to patients. <i>Future Science OA</i> , 2019 , 5, FSO374	2.7	0
2	Alimentation glucidolipidique et maladies cardio-vasculaires. <i>Actualites Pharmaceutiques</i> , 2021 , 60, 28-33		

- 1 Risques comparés des stérols végétaux et du cholestérol alimentaire. *Pratiques En Nutrition*, 2017, 13, 21-24

o