

Yoshihisa Fujino

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6762574/publications.pdf>

Version: 2024-02-01

352
papers

7,180
citations

108046

37
h-index

107981

68
g-index

429
all docs

429
docs citations

429
times ranked

9141
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between COVID-19 infection rates by region and implementation of non-pharmaceutical interventions: a cross-sectional study in Japan. <i>Journal of Public Health</i> , 2023, 45, 229-236.	1.0	4
2	Analysis of the risk factors of mortality in elderly patients with hip fracture using a combined database of medical and long-term care insurance claims data. <i>Journal of Orthopaedic Science</i> , 2023, 28, 627-630.	0.5	4
3	Usefulness of ultrasound as a predictor of elderly-onset rheumatoid arthritis with polymyalgia rheumatica-like onset. <i>Modern Rheumatology</i> , 2023, 33, 318-322.	0.9	5
4	Near-miss incidents owing to fatigue and irregular lifestyles in ambulance personnel. <i>Archives of Environmental and Occupational Health</i> , 2022, 77, 46-50.	0.7	6
5	Prospective cohort study of bedroom heating and risk of common cold in children. <i>Pediatrics International</i> , 2022, 64, .	0.2	1
6	Scoring model to predict low image quality of drug-eluting stent evaluated by computed tomography coronary angiography. <i>Heart and Vessels</i> , 2022, 37, 229-238.	0.5	0
7	A Cross-Sectional Study of Psychosocial Factors and Sickness Presenteeism in Japanese Workers During the COVID-19 Pandemic. <i>Journal of Occupational and Environmental Medicine</i> , 2022, 64, e1-e7.	0.9	11
8	Correlation Between Voluntary HIV Testing and Public Awareness of HIV Using Google Trends in Japan. <i>Asia-Pacific Journal of Public Health</i> , 2022, 34, 113-117.	0.4	4
9	Relationship Between Support for Workers With Illness and Work Functioning Impairment in Japan During the COVID-19 Pandemic. <i>Journal of Occupational and Environmental Medicine</i> , 2022, 64, e279-e283.	0.9	2
10	Selection of treatment regimens based on shared decision-making in patients with rheumatoid arthritis on remission in the FREE-J study. <i>Rheumatology</i> , 2022, 61, 4273-4285.	0.9	3
11	Treatment interruption is a risk factor for sickness presenteeism: A large-scale cross-sectional study during the COVID-19 pandemic. <i>Journal of Occupational Health</i> , 2022, 64, e12313.	1.0	6
12	Prospective cohort study of workers diagnosed with COVID-19 and subsequent unemployment. <i>Journal of Occupational Health</i> , 2022, 64, e12317.	1.0	2
13	A new scoring system for predicting in-hospital death after lung cancer surgery (the Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2013, 870-875.	0.8	3
14	Low back pain and telecommuting in Japan: Influence of work environment quality. <i>Journal of Occupational Health</i> , 2022, 64, e12329.	1.0	6
15	The new practice of interviews focusing on presenteeism provides additional opportunities to find occupational health issues. <i>Environmental and Occupational Health Practice</i> , 2022, 4, n/a.	0.3	1
16	Telecommuting Frequency and Preference among Japanese Workers According to Regional Cumulative COVID-19 Incidence: A Cross-Sectional Study. <i>SAGE Open</i> , 2022, 12, 215824402210821.	0.8	2
17	Relationship among work-treatment balance, job stress, and work engagement in Japan: a cross-sectional study. <i>Industrial Health</i> , 2022, 61, 56-67.	0.4	2
18	Association between willingness to receive the COVID-19 vaccine and sources of health information among Japanese workers: a cohort study. <i>Environmental Health and Preventive Medicine</i> , 2022, 27, 2-2.	1.4	4

#	ARTICLE	IF	CITATIONS
19	Relationship between device displacement distance toward the caudal side during standing and pocket position laterality. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2022, 45, 297-301.	0.5	1
20	A Cross-Sectional Study of the Relationship Between Exercise, Physical Activity, and Health-Related Quality of Life Among Japanese Workers. <i>Frontiers in Sports and Active Living</i> , 2022, 4, 809465.	0.9	3
21	Association between Long Working Hours and Psychological Distress: The Effect Modification by Request to Stay Home When Sick in the Workplace during the COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3907.	1.2	1
22	Job stress among workers who telecommute during the coronavirus disease (COVID-19) pandemic in Japan: a cross-sectional study. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2022, .	0.6	5
23	Epidemiologic evaluation of pleurisy diagnosed by surgical pleural biopsy using data from a nationwide administrative database. <i>Thoracic Cancer</i> , 2022, 13, 1136-1142.	0.8	2
24	Effects of additive corticosteroid therapy on 90-day survival in patients with community-onset pneumonia. <i>Journal of Infection and Chemotherapy</i> , 2022, 28, 496-503.	0.8	1
25	Relationship Between Employment Status and Unstable Periods in Outpatients with Bipolar Disorder: A Multicenter Treatment Survey for Bipolar Disorder in Psychiatric Outpatient Clinics (MUSUBI) Study. <i>Neuropsychiatric Disease and Treatment</i> , 2022, Volume 18, 801-809.	1.0	5
26	Risk factors for in-hospital mortality in patients with advanced lung cancer with interstitial pneumonia undergoing systemic chemotherapy: A retrospective and observational study using a nationwide administrative database in Japan. <i>Thoracic Cancer</i> , 2022, 13, 236-246.	0.8	4
27	Influence of antidepressants on plasma levels of nitric oxide metabolites in patients with major depressive disorder. <i>BJPsych Open</i> , 2022, 8, e14.	0.3	3
28	Association Between Work Attendance When Experiencing Fever or Cold Symptoms and Company Characteristics and Socioeconomic Status in the COVID-19 Pandemic in Japanese Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2022, 64, e109-e113.	0.9	4
29	Effectiveness of Infection Preventive Behaviors on COVID-19-Like Illness Symptoms During the Winter Third Wave of the Epidemic in Japan: A 2-Month Follow-up Nationwide Cohort Study. <i>Asia-Pacific Journal of Public Health</i> , 2022, 34, 191-198.	0.4	4
30	Evaluation of cholecystectomy in older individuals using real-world data: a multilevel analysis based on a nationwide administrative database in Japan. <i>Journal of Gastroenterology</i> , 2022, 57, 433-440.	2.3	1
31	Association Between Loneliness and Sleep-Related Problems Among Japanese Workers During the COVID-19 Pandemic. <i>Frontiers in Public Health</i> , 2022, 10, 828650.	1.3	2
32	Average lifespan shortened due to Hodgkin lymphoma, non-Hodgkin lymphoma, multiple myeloma, and leukemia in Japan, 1990–2015. <i>Leukemia and Lymphoma</i> , 2022, 63, 2084-2093.	0.6	2
33	Relationship between alcohol consumption and telecommuting preference-practice mismatch during the COVID-19 pandemic. <i>Journal of Occupational Health</i> , 2022, 64, e12331.	1.0	3
34	Association between Indoor Temperature in Winter and Serum Cholesterol: A Cross-Sectional Analysis of the Smart Wellness Housing Survey in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, .	0.9	5
35	Association of Preference and Frequency of Teleworking with Work Functioning Impairment. <i>Journal of Occupational and Environmental Medicine</i> , 2022, 64, e363-e368.	0.9	5
36	Effect of Working from Home on the Association between Job Demands and Psychological Distress. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6287.	1.2	2

#	ARTICLE	IF	CITATIONS
37	Sociodemographic factors and self-restraint from social behaviors during the COVID-19 pandemic in Japan: A cross-sectional study. <i>Preventive Medicine Reports</i> , 2022, 28, 101834.	0.8	1
38	Influence of the right ventricular septum/free-wall boundary (hinge) on differentiation of the ventricular lead implantation site. <i>Journal of Cardiology</i> , 2022, , .	0.8	0
39	Association between early diagnosis of and inpatient mortality from invasive pulmonary aspergillosis among patients without immunocompromised host factors: a nationwide observational study. <i>International Journal of Infectious Diseases</i> , 2022, 122, 279-284.	1.5	2
40	Relationship between Effective Refractory Period and Inducibility of Atrial Fibrillation from the Superior Vena Cava after Pulmonary Vein Isolation. <i>International Heart Journal</i> , 2022, 63, 498-503.	0.5	1
41	Prospective Cohort Study of Sociodemographic and Work-Related Factors and Subsequent Unemployment under COVID-19 Pandemic. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6924.	1.2	4
42	Mortality changes for patients with pneumococcal pneumonia from 2012 to 2017 in Japan. <i>Journal of Infection and Chemotherapy</i> , 2022, , .	0.8	0
43	A prospective cohort study of presenteeism and poverty among Japanese workers during the COVID-19 pandemic. <i>Journal of Occupational Health</i> , 2022, 64, .	1.0	2
44	Gender differences in housework and childcare among Japanese workers during the COVID-19 pandemic. <i>Journal of Occupational Health</i> , 2022, 64, .	1.0	9
45	Associations between job and workplace factors, health and physical factors, personal factors, and presenteeism among general employees in Japan: A longitudinal study. <i>Journal of Occupational Health</i> , 2022, 64, .	1.0	0
46	COVID-19 vaccination coverage by company size and the effects of workplace vaccination program in Japan: a cohort study. <i>Environmental Health and Preventive Medicine</i> , 2022, 27, 29-29.	1.4	1
47	Clinical aspects in patients with rheumatoid arthritis complicated with lymphoproliferative disorders without regression after methotrexate withdrawal and treatment for arthritis after regression of lymphoproliferative disorders. <i>Modern Rheumatology</i> , 2021, 31, 94-100.	0.9	8
48	A Prospective Cohort Study of Bedroom Warming With a Heating System and Its Association With Common Infectious Diseases in Children During Winter in Japan. <i>Journal of Epidemiology</i> , 2021, 31, 165-171.	1.1	4
49	Factors associated with mortality among patients with necrotizing soft tissue infections: An analysis of 4597 cases using the Diagnosis Procedure Combination Database. <i>International Journal of Infectious Diseases</i> , 2021, 102, 73-78.	1.5	9
50	The role of heparin bridging in lung cancer surgery: a nationwide database analysis. <i>Surgery Today</i> , 2021, 51, 923-930.	0.7	0
51	Response to tocilizumab and work productivity in patients with rheumatoid arthritis: 2-year follow-up of FIRST ACT-SC study. <i>Modern Rheumatology</i> , 2021, 31, 42-52.	0.9	6
52	A cross-sectional study of socioeconomic status and treatment interruption among Japanese workers during the COVID-19 pandemic. <i>Journal of Occupational Health</i> , 2021, 63, e12232.	1.0	9
53	Effectiveness of fitness for work interventions for workers with low back pain: A systematic review. <i>Journal of Occupational Health</i> , 2021, 63, e12261.	1.0	3
54	Association between work style and presenteeism in the Japanese service sector. <i>Journal of Occupational Health</i> , 2021, 63, e12211.	1.0	12

#	ARTICLE	IF	CITATIONS
55	Relationship between impaired work function and coping behaviors in workers with low back pain. <i>Journal of Occupational Health</i> , 2021, 63, e12272.	1.0	2
56	Impact of Corticosteroid Administration within 7 Days of the Hospitalization for Influenza Pneumonia with Respiratory Failure: A Propensity Score Analysis Using a Nationwide Administrative Database. <i>Journal of Clinical Medicine</i> , 2021, 10, 494.	1.0	8
57	Estimation of the Number of Patients With Mitochondrial Diseases: A Descriptive Study Using a Nationwide Database in Japan. <i>Journal of Epidemiology</i> , 2021, , .	1.1	3
58	A cross-sectional study of the association between frequency of telecommuting and unhealthy dietary habits among Japanese workers during the COVID-19 pandemic. <i>Journal of Occupational Health</i> , 2021, 63, e12281.	1.0	15
59	A cross-sectional study of infection control measures against COVID-19 and psychological distress among Japanese workers. <i>Journal of Occupational Health</i> , 2021, 63, e12259.	1.0	13
60	Circulating miR-21, miR-29a, and miR-126 are associated with premature death risk due to cancer and cardiovascular disease: the JACC Study. <i>Scientific Reports</i> , 2021, 11, 5298.	1.6	19
61	Exposure to PM2.5 is a risk factor for acute exacerbation of surgically diagnosed idiopathic pulmonary fibrosis: a case-control study. <i>Respiratory Research</i> , 2021, 22, 80.	1.4	23
62	Effect of housing condition on quality of life. <i>Indoor Air</i> , 2021, 31, 1029-1037.	2.0	12
63	Estimation of treatment and prognostic factors of pneumocystis pneumonia in patients with connective tissue diseases. <i>RMD Open</i> , 2021, 7, e001508.	1.8	17
64	Efficacy and safety of tofacitinib versus baricitinib in patients with rheumatoid arthritis in real clinical practice: analyses with propensity score-based inverse probability of treatment weighting. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1130-1136.	0.5	33
65	POS0221...COMPARISON OF TOFACITINIB AND BARICITINIB BY INVERSE PROBABILITY OF TREATMENT WEIGHTING ANALYSES BASED ON PROPENSITY SCORE IN PATIENTS WITH RHEUMATOID ARTHRITIS IN REAL CLINICAL PRACTICE. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 329.1-329.	0.5	1
66	RR interval variability in the evaluation of ventricular tachycardia and effects of implantable cardioverter defibrillator therapy. <i>Journal of Arrhythmia</i> , 2021, 37, 1052-1060.	0.5	1
67	Protocol for a Nationwide Internet-based Health Survey of Workers During the COVID-19 Pandemic in 2020. <i>Journal of UOEH</i> , 2021, 43, 217-225.	0.3	101
68	Worries About COVID-19 Infection and Psychological Distress at Work and While Commuting. <i>Journal of Occupational and Environmental Medicine</i> , 2021, 63, e631-e635.	0.9	6
69	Association Between the Physical Work Environment and Work Functioning Impairment While Working From Home Under the COVID-19 Pandemic in Japanese Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2021, 63, e565-e570.	0.9	9
70	Impact of indoor temperature instability on diurnal and day-by-day variability of home blood pressure in winter: a nationwide Smart Wellness Housing survey in Japan. <i>Hypertension Research</i> , 2021, 44, 1406-1416.	1.5	21
71	Gender differences in the determinants of willingness to get the COVID-19 vaccine among the working-age population in Japan. <i>Human Vaccines and Immunotherapeutics</i> , 2021, 17, 3975-3981.	1.4	50
72	Intensity of Home-Based Telework and Work Engagement During the COVID-19 Pandemic. <i>Journal of Occupational and Environmental Medicine</i> , 2021, 63, 907-912.	0.9	21

#	ARTICLE	IF	CITATIONS
73	Industry and workplace characteristics associated with the downloading of a COVID-19 contact tracing app in Japan: a nation-wide cross-sectional study. <i>Environmental Health and Preventive Medicine</i> , 2021, 26, 94.	1.4	6
74	Relationship Between Mood Episode and Employment Status of Outpatients with Bipolar Disorder: Retrospective Cohort Study from the Multicenter Treatment Survey for Bipolar Disorder in Psychiatric Clinics (MUSUBI) Project. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 2867-2876.	1.0	6
75	A Cross-Sectional Study of the Mismatch Between Telecommuting Preference and Frequency Associated With Psychological Distress Among Japanese Workers in the COVID-19 Pandemic. <i>Journal of Occupational and Environmental Medicine</i> , 2021, 63, e636-e640.	0.9	15
76	Effect of Psychological Distress on the Association of Workplace Social Capital with Presenteeism and Sickness Absence. <i>Journal of UOEH</i> , 2021, 43, 293-303.	0.3	0
77	Right ventricular branch compromise after percutaneous coronary intervention and baseline chronic kidney disease: A high-risk combination associated with long-term prognoses in acute inferior myocardial infarction. <i>Journal of Cardiology</i> , 2021, 78, 463-470.	0.8	0
78	Anticipated health effects and proposed countermeasures following the immediate introduction of telework in response to the spread of COVID-19: The findings of a rapid health impact assessment in Japan. <i>Journal of Occupational Health</i> , 2021, 63, e12198.	1.0	21
79	Workplace measures against COVID-19 during the winter third wave in Japan: Company size-based differences. <i>Journal of Occupational Health</i> , 2021, 63, e12224.	1.0	33
80	Electrocardiogram abnormalities in residents in cold homes: a cross-sectional analysis of the nationwide Smart Wellness Housing survey in Japan. <i>Environmental Health and Preventive Medicine</i> , 2021, 26, 104.	1.4	6
81	Association between loneliness and psychological distress: A cross-sectional study among Japanese workers during the COVID-19 pandemic. <i>Preventive Medicine Reports</i> , 2021, 24, 101621.	0.8	14
82	Association between work-related changes caused by the COVID-19 pandemic and severe psychological distress among Japanese workers. <i>Industrial Health</i> , 2021, 60, 216-223.	0.4	5
83	Diabetes severity measured by treatment control status and number of anti-diabetic drugs affects presenteeism among workers with type 2 diabetes. <i>BMC Public Health</i> , 2021, 21, 1865.	1.2	8
84	Association Between Telecommuting Environment and Low Back Pain Among Japanese Telecommuting Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2021, 63, e944-e948.	0.9	11
85	Effect of Anxiety About COVID-19 Infection in the Workplace on the Association Between Job Demands and Psychological Distress. <i>Frontiers in Public Health</i> , 2021, 9, 722071.	1.3	17
86	Association between preventive measures against workplace infection and preventive behavior against personal infection. <i>Industrial Health</i> , 2021, 60, 420-428.	0.4	11
87	A cross-sectional study on perceived workplace health support and health-related quality of life. <i>Journal of Occupational Health</i> , 2021, 63, e12302.	1.0	7
88	Association between perceived organizational support and COVID-19 vaccination intention: A cross-sectional study. <i>Journal of Occupational Health</i> , 2021, 63, e12308.	1.0	7
89	Changes in Presenteeism Six Months After Returning from Sick Leave Due to Mental Illness. <i>Journal of UOEH</i> , 2021, 43, 385-395.	0.3	0
90	Effect of commuting on the risk of COVID-19 and COVID-19-induced anxiety in Japan, December 2020. <i>Archives of Public Health</i> , 2021, 79, 222.	1.0	8

#	ARTICLE	IF	CITATIONS
91	Association Between Time Spent With Family and Loneliness Among Japanese Workers During the COVID-19 Pandemic: A Cross-Sectional Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 786400.	1.3	11
92	Disrupted care during the COVID-19 state of emergency and productivity loss attributed to presenteeism in workers: a nationwide cross-sectional study. <i>BMJ Open</i> , 2021, 11, e050068.	0.8	6
93	Relationship Between Psychosocial Work Environment Factors and Presenteeism Among Workers With Diarrhea/Constipation Symptoms. <i>Journal of Occupational and Environmental Medicine</i> , 2021, Publish Ahead of Print, e197-e201.	0.9	0
94	Incidence of out-of-hospital cardiac arrests and survival rates after 1 month among the Japanese working population: a cohort study. <i>BMJ Open</i> , 2021, 11, e047932.	0.8	1
95	Perception of feeling cold in the bedroom and sleep quality.. <i>Nagoya Journal of Medical Science</i> , 2021, 83, 705-714.	0.6	3
96	Incidence and Age Distribution of Hospitalized Presumptive and Possible Abusive Head Trauma of Children Under 12 Months Old in Japan. <i>Journal of Epidemiology</i> , 2020, 30, 91-97.	1.1	21
97	Effectiveness of regional clinical pathways on postoperative length of stay for hip fracture patients: A retrospective observational study using the Japanese Diagnosis Procedure Combination database. <i>Journal of Orthopaedic Science</i> , 2020, 25, 127-131.	0.5	15
98	Comparison of once-weekly teriparatide and alendronate against new osteoporotic vertebral fractures at week 12. <i>Journal of Bone and Mineral Metabolism</i> , 2020, 38, 44-53.	1.3	5
99	Poor oral hygiene is associated with the detection of obligate anaerobes in pneumonia. <i>Journal of Periodontology</i> , 2020, 91, 65-73.	1.7	27
100	Validity and responsiveness of the Work Functioning Impairment Scale (WFun) in rheumatoid arthritis patients: A multicenter prospective study. <i>Modern Rheumatology</i> , 2020, 30, 821-827.	0.9	7
101	Relationship between the depressive state of emergency life-saving technicians and near-misses. <i>Acute Medicine & Surgery</i> , 2020, 7, e463.	0.5	4
102	Pain, unhealthy days and poor perceived health among Japanese workers. <i>Journal of Occupational Health</i> , 2020, 62, e12092.	1.0	7
103	Response to the Letter to Editor: "Do Inter-Country Differences in the Frequency of Abusive Head Trauma Reflect Different Proportions of Overdiagnosis of Abuse or True Differences in Abuse?" <i>Journal of Epidemiology</i> , 2020, 30, 278-279.	1.1	1
104	Association of job category and occupational activity with breast cancer incidence in Japanese female workers: the JACC study. <i>BMC Public Health</i> , 2020, 20, 1106.	1.2	6
105	Novel noninvasive estimation of mixed venous oxygen saturation by echocardiography and expired gas analysis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 319, H1078-H1086.	1.5	3
106	Presenteeism among workers: health-related factors, work-related factors and health literacy. <i>Occupational Medicine</i> , 2020, 70, 564-569.	0.8	13
107	Clinical Outcomes of Laparoscopic Versus Laparotomic Distal Gastrectomy in Gastric Cancer Patients: A Multilevel Analysis Based on a Nationwide Administrative Database in Japan. <i>World Journal of Surgery</i> , 2020, 44, 3852-3861.	0.8	6
108	The Interaction Between Pain Intensity and Pain Self-Efficacy in Work Functioning Impairment. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, e149-e153.	0.9	3

#	ARTICLE	IF	CITATIONS
109	Impact of Cold Indoor Temperatures on Overactive Bladder: A Nationwide Epidemiological Study in Japan. <i>Urology</i> , 2020, 145, 60-65.	0.5	3
110	Changes in endothelial function during educational hospitalization and the contributor to improvement of endothelial function in type 2 diabetes mellitus. <i>Scientific Reports</i> , 2020, 10, 15384.	1.6	5
111	Work functioning impairment in the course of pharmacotherapy treatment for depression. <i>Scientific Reports</i> , 2020, 10, 15712.	1.6	7
112	Cardiovascular and cerebrovascular diseases risk associated with the incidence of presenteeism and the costs of presenteeism. <i>Journal of Occupational Health</i> , 2020, 62, e12167.	1.0	6
113	The Impact of Diabetes Status on Presenteeism in Japan. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, 654-661.	0.9	3
114	Factors that influence occupational physicians's™ decision to issue an employer warning in Japan. <i>Journal of Occupational Health</i> , 2020, 62, e12147.	1.0	2
115	Validation of self-reported medication use for hypertension, diabetes, and dyslipidemia among employees of large-sized companies in Japan. <i>Journal of Occupational Health</i> , 2020, 62, e12138.	1.0	4
116	Validation of the Japanese version of the CDC HRQOL-4 in workers. <i>Journal of Occupational Health</i> , 2020, 62, e12152.	1.0	8
117	Effects of toner-handling work on respiratory function, chest X-ray findings, and biomarkers of inflammation, allergy, and oxidative stress: a 10-year prospective Japanese cohort study. <i>BMC Pulmonary Medicine</i> , 2020, 20, 280.	0.8	1
118	Disparities of indoor temperature in winter: A cross-sectional analysis of the Nationwide Smart Wellness Housing Survey in Japan. <i>Indoor Air</i> , 2020, 30, 1317-1328.	2.0	25
119	Premature mortality due to stomach cancer in Japan: a nationwide analysis from 1980 to 2015. <i>Annals of Epidemiology</i> , 2020, 47, 19-24.	0.9	12
120	Two definitions of presenteeism: sickness presenteeism and impaired work function. <i>Occupational Medicine</i> , 2020, 70, 95-100.	0.8	30
121	The Relationship Between Fear-avoidance Beliefs in Employees with Chronic Musculoskeletal Pain and Work Productivity: A Longitudinal Study. <i>Journal of UOEH</i> , 2020, 42, 13-26.	0.3	4
122	Assessing the effect of mandatory progress reporting on treatment requirements identified during health examinations at the Fukushima Daiichi Nuclear Power Plant: A time series analysis. <i>Journal of Occupational Health</i> , 2020, 62, e12111.	1.0	3
123	Open colectomy vs. laparoscopic colectomy in Japan: a retrospective study using real-world data from the diagnosis procedure combination database. <i>Surgery Today</i> , 2020, 50, 1255-1261.	0.7	7
124	Intervention study of the effect of insulation retrofitting on home blood pressure in winter: a nationwide Smart Wellness Housing survey. <i>Journal of Hypertension</i> , 2020, 38, 2510-2518.	0.3	11
125	Association between the course of hypnotics treatment for insomnia and work functioning impairment in Japanese workers. <i>PLoS ONE</i> , 2020, 15, e0243635.	1.1	5
126	Measures of Health Disparities and Health Impact Assessment. <i>Springer Series on Epidemiology and Public Health</i> , 2020, , 207-213.	0.5	0

#	ARTICLE	IF	CITATIONS
127	Survey of the necessary competencies and proficiency of safety officers in Thailand. <i>Industrial Health</i> , 2020, 58, 403-413.	0.4	2
128	Comparison between minimum lumen cross-sectional area and intraluminal ultrasonic intensity analysis using integrated backscatter intravascular ultrasound for prediction of functionally significant coronary artery stenosis. <i>Heart and Vessels</i> , 2019, 34, 208-217.	0.5	4
129	Harmonizing work with diseases treatment and prevention. <i>Industrial Health</i> , 2019, 57, 1-2.	0.4	1
130	Cross-cultural validation of the work functioning impairment scale (WFun) among Japanese, English, and Chinese versions using Rasch analysis. <i>Journal of Occupational Health</i> , 2019, 61, 464-470.	1.0	5
131	Prevention of serious air embolism during cryoballoon ablation; risk assessment of air intrusion into the sheath by catheter selection and change in intrathoracic pressure: An ex vivo study. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2944-2949.	0.8	6
132	Cross-Sectional Analysis of the Relationship Between Home Blood Pressure and Indoor Temperature in Winter. <i>Hypertension</i> , 2019, 74, 756-766.	1.3	63
133	Near misses and presenteeism among paramedics. <i>Occupational Medicine</i> , 2019, 69, 593-597.	0.8	6
134	Prognostic factors of advanced or postoperative recurrent non-small cell lung cancer targeted with immune check point inhibitors. <i>Journal of Thoracic Disease</i> , 2019, 11, 1117-1123.	0.6	46
135	The microbiological characteristics of lower respiratory tract infection in patients with neuromuscular disorders: An investigation based on a multiplex polymerase chain reaction to detect viruses and a clone library analysis of the bacterial 16S rRNA gene sequence in sputum samples. <i>Journal of Microbiology, Immunology and Infection</i> , 2019, 52, 827-830.	1.5	8
136	Equality of Treatment for Hip Fracture Irrespective of Regional Differences in Socioeconomic Status: Analysis of Nationwide Hospital Claims Data in Japan. <i>Tohoku Journal of Experimental Medicine</i> , 2019, 247, 161-171.	0.5	11
137	Insights into the mechanism of paradoxical low-flow, low-pressure gradient severe aortic stenosis: association with reduced O2 consumption by the whole body. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019, 316, H840-H848.	1.5	2
138	ABO412â€¦FACTORS THAT AFFECT THE RESPONSE TO TOCILIZUMAB WITH REGARD TO WORK PRODUCTIVITY IN PATIENTS WITH RHEUMATOID ARTHRITIS: A 2-YEAR FOLLOW-UP OF THE FIRST ACT-SC STUDY. , 2019, , .		0
139	Occupational Health Services Improve Effective Coverage for Hypertension and Diabetes Mellitus at Japanese Companies. <i>Journal of UOEH</i> , 2019, 41, 271-282.	0.3	5
140	The effect of environmental factors in childcare facilities and individual lifestyle on obesity among Japanese preschool children; a multivariate multilevel analysis. <i>Medicine (United States)</i> , 2019, 98, e17490.	0.4	5
141	Dynamics of microbiota during mechanical ventilation in aspiration pneumonia. <i>BMC Pulmonary Medicine</i> , 2019, 19, 260.	0.8	16
142	Validity and Responsiveness of the Work Functioning Impairment Scale in Workers With Depression. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, e523-e527.	0.9	4
143	Potential Work Time Lost Due to Sickness Absence and Presence Among Japanese Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, 682-688.	0.9	10
144	Prognostic value of preoperative exercise capacity in patients undergoing thoracoscopic lobectomy for non-small cell lung cancer. <i>Lung Cancer</i> , 2019, 128, 47-52.	0.9	14

#	ARTICLE	IF	CITATIONS
145	Premature Mortality Due to Malignancies of the Kidney and Bladder in Japan, 1980–2010. <i>Journal of Epidemiology</i> , 2019, 29, 464-470.	1.1	10
146	Seasonality in clinical courses of Kawasaki disease. <i>Archives of Disease in Childhood</i> , 2019, 104, 694-696.	1.0	6
147	Sleep duration and risk of breast cancer: The JACC Study. <i>Breast Cancer Research and Treatment</i> , 2019, 174, 219-225.	1.1	20
148	Evaluation of laparoscopic-guided rectus sheath block in gynecologic laparoscopy: A prospective, double-blind randomized trial. <i>International Journal of Surgery</i> , 2019, 62, 47-53.	1.1	8
149	Characteristics of self-reported daily life note (LN) users in return-to-work judgment for workers on sick leave due to mental health conditions, and usefulness of the tool. <i>Industrial Health</i> , 2019, 57, 70-78.	0.4	0
150	Associations of Daily Walking Time With Pneumonia Mortality Among Elderly Individuals With or Without a Medical History of Myocardial Infarction or Stroke: Findings From the Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2019, 29, 233-237.	1.1	13
151	Musculoskeletal pain in Japanese workers and the relationship between labor productivity by presenteeism and chronic musculoskeletal pain: a cross-sectional study. <i>Environmental and Occupational Health Practice</i> , 2019, 1, 21-30.	0.3	3
152	Relationship between treatment and period of absence among employees on sick leave due to mental disease. <i>Industrial Health</i> , 2019, 57, 79-83.	0.4	7
153	Total Health-Related Costs Due to Absenteeism, Presenteeism, and Medical and Pharmaceutical Expenses in Japanese Employers. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, e273-e280.	0.9	126
154	Intracranial vessel wall lesions in patients with systematic lupus erythematosus. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1237-1246.	1.9	12
155	Association between average daily television viewing time and the incidence of ovarian cancer: findings from the Japan Collaborative Cohort Study. <i>Cancer Causes and Control</i> , 2018, 29, 213-219.	0.8	10
156	Inhibition of WNT/ β -catenin signaling under serum starvation and hypoxia induces adipocytic transdifferentiation in human leiomyoma cells. <i>Laboratory Investigation</i> , 2018, 98, 439-448.	1.7	9
157	Respiratory comorbidities and risk of mortality in hospitalized patients with idiopathic pulmonary fibrosis. <i>Respiratory Investigation</i> , 2018, 56, 64-71.	0.9	24
158	Validity and responsiveness of the work functioning impairment scale (WFun) in workers with pain due to musculoskeletal disorders. <i>Journal of Occupational Health</i> , 2018, 60, 156-162.	1.0	17
159	Prognostic impact of programmed death-ligand 1 expression in correlation with human leukocyte antigen class I expression status in stage I adenocarcinoma of the lung. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 155, 382-392.e1.	0.4	28
160	Predictive factors of postoperative survival among patients with pulmonary neuroendocrine tumor. <i>Journal of Thoracic Disease</i> , 2018, 10, 6912-6920.	0.6	13
161	Health Management of Workers with Presenteeism is a New Challenge in Occupational Health. <i>Journal of UOEH</i> , 2018, 40, 225-230.	0.3	3
162	Inability of infants to push up in the prone position and subsequent development. <i>Pediatrics International</i> , 2018, 60, 811-819.	0.2	12

#	ARTICLE	IF	CITATIONS
163	Effect of subcutaneous tocilizumab treatment on work/housework status in biologic-naïve rheumatoid arthritis patients using inverse probability of treatment weighting: FIRST ACT-SC study. <i>Arthritis Research and Therapy</i> , 2018, 20, 151.	1.6	12
164	The relationship between high-dose corticosteroid treatment and mortality in acute respiratory distress syndrome: a retrospective and observational study using a nationwide administrative database in Japan. <i>BMC Pulmonary Medicine</i> , 2018, 18, 28.	0.8	27
165	Efficacy of Antimicrobial Catheters for Prevention of Catheter-Associated Urinary Tract Infection in Acute Cerebral Infarction. <i>Journal of Epidemiology</i> , 2018, 28, 54-58.	1.1	15
166	Early chest tube removal after thoracoscopic lobectomy with the aid of an additional thin tube: a prospective multi-institutional study. <i>General Thoracic and Cardiovascular Surgery</i> , 2018, 66, 723-730.	0.4	12
167	Diagnostic Accuracy of the Work Functioning Impairment Scale (WFun). <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, 557-562.	0.9	35
168	Pneumonia Severity Assessment Tools for Predicting Mortality in Patients with Healthcare-Associated Pneumonia: A Systematic Review and Meta-Analysis. <i>Respiration</i> , 2017, 93, 441-450.	1.2	11
169	Coexisting infectious diseases on admission as a risk factor for mechanical ventilation in patients with Guillain-Barré syndrome. <i>Journal of Epidemiology</i> , 2017, 27, 311-316.	1.1	15
170	Efficacy of early sivelestat administration on acute lung injury and acute respiratory distress syndrome. <i>Respirology</i> , 2017, 22, 708-713.	1.3	41
171	Alcohol consumption and mortality from aortic disease among Japanese men: The Japan Collaborative Cohort study. <i>Atherosclerosis</i> , 2017, 266, 64-68.	0.4	11
172	Pituitary Macroadenoma and Visual Impairment: Postoperative Outcome Prediction with Contrast-Enhanced FIESTA. <i>American Journal of Neuroradiology</i> , 2017, 38, 2067-2072.	1.2	14
173	Superior Rhythm Discrimination With the SmartShock Technology Algorithm—Results of the Implantable Defibrillator With Enhanced Features and Settings for Reduction of Inaccurate Detection (DEFENSE) Trial. <i>Circulation Journal</i> , 2017, 81, 1272-1277.	0.7	4
174	Impact of the number of aspiration risk factors on mortality and recurrence in community-onset pneumonia. <i>Clinical Interventions in Aging</i> , 2017, Volume 12, 2087-2094.	1.3	24
175	Effect of menopause on hormonal receptors in ampullae of the fallopian tube with a special reference to the p53 signature. <i>International Journal of Women's Health</i> , 2017, Volume 9, 163-169.	1.1	4
176	Association between Social Relationship and Glycemic Control among Older Japanese: JAGES Cross-Sectional Study. <i>PLoS ONE</i> , 2017, 12, e0169904.	1.1	14
177	Evaluation and simplification of the occupational slip, trip and fall risk-assessment test. <i>Industrial Health</i> , 2016, 54, 354-360.	0.4	6
178	Efficacy of concurrent treatments in idiopathic pulmonary fibrosis patients with a rapid progression of respiratory failure: an analysis of a national administrative database in Japan. <i>BMC Pulmonary Medicine</i> , 2016, 16, 91.	0.8	37
179	Serum Albumin Levels and Economic Status in Japanese Older Adults. <i>PLoS ONE</i> , 2016, 11, e0155022.	1.1	21
180	Prospective study of seaweed consumption and thyroid cancer incidence in women. <i>European Journal of Cancer Prevention</i> , 2016, 25, 239-245.	0.6	20

#	ARTICLE	IF	CITATIONS
181	Mechanism of Residual Lumen Stenosis at the Side Branch Ostium After Final Kissing Balloon Inflation: A Volumetric Intracoronary Ultrasound Study of Coronary Bifurcation Lesions. <i>Journal of Interventional Cardiology</i> , 2016, 29, 188-196.	0.5	7
182	Risk factors for short-term outcomes after thoracoscopic lobectomy for lung cancer. <i>European Respiratory Journal</i> , 2016, 48, 495-503.	3.1	31
183	Interictal epileptiform discharges in new-onset epilepsy among older adults. <i>Neurology and Clinical Neuroscience</i> , 2016, 4, 3-9.	0.2	1
184	Relationship Between Depressive State and Treatment Characteristics of Acute Cervical Spinal Cord Injury in Japan. <i>Journal of Epidemiology</i> , 2016, 26, 30-35.	1.1	3
185	Salty Food Preference and Intake and Risk of Gastric Cancer: The JACC Study. <i>Journal of Epidemiology</i> , 2016, 26, 92-97.	1.1	25
186	Pacing From the Right Ventricular Septum and Development of New Atrial Fibrillation in Paced Patients With Atrioventricular Block and Preserved Left Ventricular Function. <i>Circulation Journal</i> , 2016, 80, 2302-2309.	0.7	7
187	The opinions of occupational physicians about maintaining healthy workers by means of medical examinations in Japan using the Delphi method. <i>Journal of Occupational Health</i> , 2016, 58, 72-80.	1.0	4
188	Prospective Cohort Study of Work Functioning Impairment and Subsequent Absenteeism Among Japanese Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, e264-e267.	0.9	22
189	Efficacy of kissing balloon inflation after provisional stenting in bifurcation lesions guided by intravascular ultrasound: short and midterm results of the J-REVERSE registry. <i>EuroIntervention</i> , 2016, 11, e1237-e1248.	1.4	16
190	Weight Gain and Alcohol Drinking Associations with Breast Cancer Risk in Japanese Postmenopausal Women - Results from the Japan Collaborative Cohort (JACC) Study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2016, 17, 1437-1443.	0.5	20
191	Expression of p53 in endometrial polyps with special reference to the p53 signature. <i>Histology and Histopathology</i> , 2016, 31, 751-8.	0.5	4
192	Epidemiology, Population Health, and Health Impact Assessment. <i>Journal of Epidemiology</i> , 2015, 25, 179-180.	1.1	15
193	Television Viewing Time and Mortality From Stroke and Coronary Artery Disease Among Japanese Men and Women—The Japan Collaborative Cohort Study. <i>Circulation Journal</i> , 2015, 79, 2389-2395.	0.7	18
194	Association of Body Mass Index and Mortality in Japanese Diabetic Men and Women Based on Self-Reports: The Japan Collaborative Cohort (JACC) Study. <i>Journal of Epidemiology</i> , 2015, 25, 553-558.	1.1	17
195	Development and validity of a work functioning impairment scale based on the Rasch model among Japanese workers. <i>Journal of Occupational Health</i> , 2015, 57, 521-531.	1.0	70
196	Helicobacter Pylori Infection and Risk of Death From Cardiovascular Disease Among the Japanese Population: a Nested Case-Control Study within the JACC Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 1207-1213.	0.9	14
197	Employment situation and risk of death among middle-aged Japanese women. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 1012-1017.	2.0	10
198	Association between shift work and the risk of death from biliary tract cancer in Japanese men. <i>BMC Cancer</i> , 2015, 15, 757.	1.1	10

#	ARTICLE	IF	CITATIONS
199	Influence of hospital volume on outcomes of laparoscopic gastrectomy for gastric cancer in patients with comorbidity in Japan. <i>Asian Journal of Surgery</i> , 2015, 38, 33-39.	0.2	16
200	Coronary plaque progression of non-culprit lesions after culprit percutaneous coronary intervention in patients with moderate to advanced chronic kidney disease: intravascular ultrasound and integrated backscatter intravascular ultrasound study. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 935-945.	0.7	19
201	Overexpression of p53 in the endometrial gland in postmenopausal women. <i>Menopause</i> , 2015, 22, 104-107.	0.8	7
202	Social Participation and the Prevention of Functional Disability in Older Japanese: The JAGES Cohort Study. <i>PLoS ONE</i> , 2014, 9, e99638.	1.1	231
203	Importance of psychiatric disorders as comorbidities and complications among the acute in-patient cases in Japan. <i>Asian Pacific Journal of Disease Management</i> , 2014, 7, 13-18.	0.3	0
204	Plasma Levels of Nitric Oxide Metabolites Are Markedly Reduced in Normotensive Men With Electrocardiographically Determined Left Ventricular Hypertrophy. <i>Hypertension</i> , 2014, 64, 516-522.	1.3	8
205	Endoscopic submucosal dissection for gastric cancer in elderly Japanese patients: An observational study of financial costs of treatment based on a national administrative database. <i>Journal of Digestive Diseases</i> , 2014, 15, 62-70.	0.7	28
206	Impact of Regional Clinical Pathways on the Length of Stay in Hospital Among Stroke Patients in Japan. <i>Medical Care</i> , 2014, 52, 634-640.	1.1	18
207	Influence of Municipal- and Individual-level Socioeconomic Conditions on Mortality in Japan. <i>International Journal of Behavioral Medicine</i> , 2014, 21, 737-749.	0.8	13
208	Prediction of Hearing Outcomes by Multiple Regression Analysis in Patients With Idiopathic Sudden Sensorineural Hearing Loss. <i>Annals of Otology, Rhinology and Laryngology</i> , 2014, 123, 821-825.	0.6	29
209	Thoracoscopic Anatomic Pulmonary Resection for Locally Advanced Non-Small Cell Lung Cancer. <i>Annals of Thoracic Surgery</i> , 2014, 97, 980-985.	0.7	36
210	Effects of additional laparoscopic cholecystectomy on outcomes of laparoscopic gastrectomy in patients with gastric cancer based on a national administrative database. <i>Journal of Surgical Research</i> , 2014, 186, 157-163.	0.8	20
211	Low Intake of Vegetables and Fruits and Risk of Colorectal Cancer: The Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2014, 24, 353-360.	1.1	19
212	Pacing and Sensing Interference by Air Bubble Surrounding the Non-Extended Helix of Intact Active Fixation Lead. <i>Circulation Journal</i> , 2014, 78, 2862-2866.	0.7	1
213	Coffee Consumption and Risk of Colorectal Cancer: The Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2014, 24, 370-378.	1.1	33
214	Disease Burden of MSD for the Japanese Society Fit for Work Scheme as a Solution for This Problem. <i>Asian Pacific Journal of Disease Management</i> , 2014, 6, 37-44.	0.3	0
215	A Pilot Study of Developing the Health Data Analysis System in the Japanese Occupational Setting. <i>Asian Pacific Journal of Disease Management</i> , 2014, 6, 51-54.	0.3	0
216	Association between hospital volume and outcomes of elderly and non-elderly patients with acute biliary diseases: A national administrative database analysis. <i>Geriatrics and Gerontology International</i> , 2013, 13, 731-740.	0.7	14

#	ARTICLE	IF	CITATIONS
217	A cross-sectional study of workplace social capital and blood pressure: a multilevel analysis at Japanese manufacturing companies. <i>BMJ Open</i> , 2013, 3, e002215.	0.8	10
218	Multiple roles and all-cause mortality: the Japan Collaborative Cohort Study. <i>European Journal of Public Health</i> , 2013, 23, 158-164.	0.1	2
219	Obesity/Weight Gain and Breast Cancer Risk: Findings From the Japan Collaborative Cohort Study for the Evaluation of Cancer Risk. <i>Journal of Epidemiology</i> , 2013, 23, 139-145.	1.1	45
220	Taxation Categories for Long-term Care Insurance Premiums and Mortality Among Elderly Japanese: A Cohort Study. <i>Journal of Epidemiology</i> , 2013, 23, 41-46.	1.1	2
221	Cohort Profile of the Japan Collaborative Cohort Study at Final Follow-up. <i>Journal of Epidemiology</i> , 2013, 23, 227-232.	1.1	134
222	Body Mass Index and Weight Change During Adulthood Are Associated With Increased Mortality From Liver Cancer: The JACC Study. <i>Journal of Epidemiology</i> , 2013, 23, 219-226.	1.1	13
223	An Industry-Based Cohort Study of the Association Between Weight Gain and Hypertension Risk Among Rotating Shift Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 1041-1045.	0.9	35
224	Ovarian cancer mortality among women aged 40-79 years in relation to reproductive factors and body mass index: latest evidence from the Japan Collaborative Cohort study. <i>Journal of Gynecologic Oncology</i> , 2013, 24, 249.	1.0	11
225	Multivariate Analysis of Factors Influencing Length of Hospitalization and Medical Costs of Cholecystectomy for Acute Cholecystitis in Japan: A National Database Analysis. <i>Keio Journal of Medicine</i> , 2013, 62, 83-94.	0.5	11
226	Connexin Gene Transfer Preserves Conduction Velocity and Prevents Atrial Fibrillation. <i>Circulation</i> , 2012, 125, 216-225.	1.6	187
227	Evidence of a Vicious Cycle in Mitral Regurgitation With Prolapse: Secondary Tethering Attributed to Primary Prolapse Demonstrated by Three-Dimensional Echocardiography Exacerbates Regurgitation. <i>Circulation</i> , 2012, 126, S214-S221.	1.6	26
228	Trends in cause specific mortality across occupations in Japanese men of working age during period of economic stagnation, 1980-2005: retrospective cohort study. <i>BMJ: British Medical Journal</i> , 2012, 344, e1191-e1191.	2.4	97
229	The Care Processes for Acute Cholecystitis According to Clinical Practice Guidelines Based on the Japanese Administrative Database. <i>Tohoku Journal of Experimental Medicine</i> , 2012, 227, 237-244.	0.5	12
230	Age-Period-Cohort Analysis of Chronic Obstructive Pulmonary Disease Mortality in Japan, 1950-2004. <i>Journal of Epidemiology</i> , 2012, 22, 302-307.	1.1	16
231	Parental History and Lifestyle Behaviors in Relation to Mortality From Stroke Among Japanese Men and Women: The Japan Collaborative Cohort Study. <i>Journal of Epidemiology</i> , 2012, 22, 331-339.	1.1	13
232	Reproductive factors in relation to ovarian cancer: a case-control study in Northern Vietnam. <i>Contraception</i> , 2012, 86, 494-499.	0.8	17
233	Multivariate analysis of factors influencing medical costs of acute pancreatitis hospitalizations based on a national administrative database. <i>Digestive and Liver Disease</i> , 2012, 44, 143-148.	0.4	49
234	Industrial Injury Insurance System in the UK. <i>Asian Pacific Journal of Disease Management</i> , 2012, 6, 7-10.	0.3	0

#	ARTICLE	IF	CITATIONS
235	The Influence of Diabetes Mellitus on Short-Term Outcomes of Patients with Bleeding Peptic Ulcers. <i>Yonsei Medical Journal</i> , 2012, 53, 701.	0.9	6
236	Retrospective cohort study of the risk of impaired glucose tolerance among shift workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 337-342.	1.7	22
237	Occupational Physicians' System in the United Kingdom and Fit Note to Promote Access to Occupational Health Services. <i>Asian Pacific Journal of Disease Management</i> , 2012, 6, 29-32.	0.3	0
238	Employment-Related Benefit System in the UK. <i>Asian Pacific Journal of Disease Management</i> , 2012, 6, 1-6.	0.3	0
239	General Background and Practical Implementation of Fitness for Work Statement in the UK. <i>Asian Pacific Journal of Disease Management</i> , 2012, 6, 23-27.	0.3	2
240	Health impact assessment in Japan. , 2012, , 251-257.		0
241	Interest in health screening as a predictor of long-term overall mortality: Multilevel analysis of a Japanese national cohort study. <i>Preventive Medicine</i> , 2011, 52, 78-83.	1.6	3
242	What has made the population of Japan healthy?. <i>Lancet, The</i> , 2011, 378, 1094-1105.	6.3	381
243	Effect of Hospital Volume on Clinical Outcome in Patients With Acute Pancreatitis, Based on a National Administrative Database. <i>Pancreas</i> , 2011, 40, 1018-1023.	0.5	61
244	An Observational Study Using a National Administrative Database to Determine the Impact of Hospital Volume on Compliance With Clinical Practice Guidelines. <i>Medical Care</i> , 2011, 49, 313-320.	1.1	32
245	Disability-Adjusted Life Years (DALY) for Cancer in Japan in 2000. <i>Journal of Epidemiology</i> , 2011, 21, 309-312.	1.1	12
246	Profiling of the Care Processes for Laryngeal Cancer with the Japanese Administrative Database. <i>Tohoku Journal of Experimental Medicine</i> , 2011, 223, 61-66.	0.5	3
247	Equivalent Clinical Outcomes of Bleeding Peptic Ulcers in Teaching and Non-Teaching Hospitals: Evidence for Standardization of Medical Care in Japan. <i>Tohoku Journal of Experimental Medicine</i> , 2011, 223, 1-7.	0.5	14
248	Prevalence of Type 2 Diabetes among Acute Inpatients and Its Impact on Length of Hospital Stay in Japan. <i>Internal Medicine</i> , 2011, 50, 405-411.	0.3	22
249	Industry-based retrospective cohort study of the risk of prostate cancer among rotating shift workers. <i>International Journal of Urology</i> , 2011, 18, 206-211.	0.5	60
250	Response to Counter-clockwise shiftwork and prostate cancer: Putting pieces in the puzzle (Author's) Tj ETQq0,0 rgBT1/Overlock	0,5	1
251	Evaluation of compliance with the Tokyo Guidelines for the management of acute cholangitis based on the Japanese administrative database associated with the Diagnosis Procedure Combination system. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2011, 18, 53-59.	1.4	23
252	A descriptive study evaluating the circumstances of medical treatment for acute pancreatitis before publication of the new JPN guidelines based on the Japanese administrative database associated with the Diagnosis Procedure Combination system. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2011, 18, 678-683.	1.4	24

#	ARTICLE	IF	CITATIONS
253	A prospective cohort study of neighborhood stress and ischemic heart disease in Japan: a multilevel analysis using the JACC study data. <i>BMC Public Health</i> , 2011, 11, 398.	1.2	9
254	Estimation of premature mortality from oral cancer in Japan, 1995 and 2005. <i>Cancer Epidemiology</i> , 2011, 35, 342-344.	0.8	10
255	Premature mortality due to stroke and trend in stroke mortality in Japan (1980-2005). <i>European Journal of Public Health</i> , 2011, 21, 609-612.	0.1	8
256	Retrospective cohort study of the risk of obesity among shift workers: findings from the Industry-based Shift Workers' Health study, Japan. <i>Occupational and Environmental Medicine</i> , 2011, 68, 327-331.	1.3	59
257	Do the Japanese Cancer Patients Receive an Appropriate Psychiatric Support at the Acute Care Hospitals?. <i>Asian Pacific Journal of Disease Management</i> , 2011, 5, 13-17.	0.3	2
258	How Does the Accuracy of ICD Coding Influence for Resource Consumption Under the Casemix Based Evaluation. <i>Asian Pacific Journal of Disease Management</i> , 2011, 5, 19-22.	0.3	1
259	DPC Based Situation Analysis of Generic Antibiotics Use among the Japanese Acute Care Hospitals. <i>Asian Pacific Journal of Disease Management</i> , 2011, 5, 1-4.	0.3	0
260	Analysis of Relationship between Socio-Economic Factors and Subjective Health Condition among the Community Inhabitants of Japan. <i>Asian Pacific Journal of Disease Management</i> , 2011, 5, 35-41.	0.3	0
261	Description of Treatment of Uterus Cancer Based on the Japanese DPC Database. <i>Asian Pacific Journal of Disease Management</i> , 2011, 5, 101-105.	0.3	0
262	The Decrease in Average Years of Life Lost Due to Breast Cancer in Japan during the Period from 1995 to 2006. <i>Tohoku Journal of Experimental Medicine</i> , 2010, 221, 187-190.	0.5	1
263	Relationship between serum levels of insulin-like growth factors and subsequent risk of cancer mortality: Findings from a nested case-control study within the Japan Collaborative Cohort Study. <i>Cancer Epidemiology</i> , 2010, 34, 279-284.	0.8	7
264	Video-assisted thoracic surgery involving major pulmonary resection for central tumors. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010, 24, 161-169.	1.3	19
265	Impact of hospital volume on clinical outcomes of endoscopic biliary drainage for acute cholangitis based on the Japanese administrative database associated with the diagnosis procedure combination system. <i>Journal of Gastroenterology</i> , 2010, 45, 1090-1096.	2.3	23
266	Premature mortality due to cancer in Japan, 1995 and 2005. <i>International Journal of Cancer</i> , 2010, 127, 190-194.	2.3	14
267	Health Care System in Vietnam: Current Situation and Challenges. <i>Asian Pacific Journal of Disease Management</i> , 2010, 4, 23-30.	0.3	29
268	Dietary Fiber Intake Is Associated with Reduced Risk of Mortality from Cardiovascular Disease among Japanese Men and Women , ,. <i>Journal of Nutrition</i> , 2010, 140, 1445-1453.	1.3	119
269	Dietary Patterns and Risk of Stomach Cancer Mortality: The Japan Collaborative Cohort Study. <i>Annals of Epidemiology</i> , 2010, 20, 356-363.	0.9	28
270	Evaluation of Clinical Process by the National Case-mix Database in Japan. <i>Asian Pacific Journal of Disease Management</i> , 2010, 4, 71-76.	0.3	0

#	ARTICLE	IF	CITATIONS
271	Factors Associated with the Degradation of Dependency Level among the Slightly Frail Aged in a Japanese Community. <i>Asian Pacific Journal of Disease Management</i> , 2010, 4, 89-93.	0.3	1
272	Years of life lost due to cancer in a cohort study in Japan. <i>European Journal of Public Health</i> , 2009, 19, 189-192.	0.1	20
273	Fish intake and the risk of fatal prostate cancer: findings from a cohort study in Japan. <i>Public Health Nutrition</i> , 2009, 12, 609-613.	1.1	35
274	A prospective study of the association between drainage volume within 24 hours after thoracoscopic lobectomy and postoperative morbidity. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2009, 137, 1394-1399.	0.4	25
275	Prospective study of living arrangement by the ability to receive informal care and survival among Japanese elderly. <i>Preventive Medicine</i> , 2009, 48, 79-85.	1.6	17
276	Reproductive and Menstrual Factors and Thyroid Cancer among Japanese Women: The Japan Collaborative Cohort Study. <i>Journal of Women's Health</i> , 2009, 18, 331-335.	1.5	26
277	Factors Associated with Length of Stay of the Elderly Patient in the Japanese Long Term Care Wards. <i>Asian Pacific Journal of Disease Management</i> , 2009, 3, 75-81.	0.3	1
278	Study on Influence of Diabetes Mellitus for the Charged Cost and Length of Stay among the Angina Pectoris Patient in Japan. <i>Asian Pacific Journal of Disease Management</i> , 2009, 3, 83-90.	0.3	0
279	A prospective study of educational background and breast cancer among Japanese women. <i>Cancer Causes and Control</i> , 2008, 19, 931-937.	0.8	12
280	Cigarette smoking, alcohol drinking, and oral and pharyngeal cancer mortality in Japan. <i>Oral Diseases</i> , 2008, 14, 314-319.	1.5	47
281	Oral Symptoms Predict Mortality: a Prospective Study in Japan. <i>Journal of Dental Research</i> , 2008, 87, 485-489.	2.5	12
282	Effect of Physical Activity on Breast Cancer Risk: Findings of the Japan Collaborative Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 3396-3401.	1.1	38
283	Intervention Study of Exercise Program for Oral Function in Healthy Elderly People. <i>Tohoku Journal of Experimental Medicine</i> , 2008, 215, 237-245.	0.5	51
284	The Joint Effect of Diabetes and Blood Transfusion on Ischemic Heart Disease Mortality in a Cohort Study in Japan. <i>Asian Pacific Journal of Disease Management</i> , 2008, 2, 17-22.	0.3	0
285	Analysis of the Relationship between Depression and Changes in ADL Status among the Japanese Aged. <i>Asian Pacific Journal of Disease Management</i> , 2008, 2, 83-91.	0.3	4
286	Development of Clinic Based Health Promotion Program in Kitakyushu, Japan. <i>Asian Pacific Journal of Disease Management</i> , 2008, 2, 1-5.	0.3	3
287	Healthy Housing as an Infrastructure of Health Support System. <i>Asian Pacific Journal of Disease Management</i> , 2008, 2, 55-61.	0.3	4
288	The Association of Needlestick Injury with Depressive Symptoms among First-year Medical Residents in Japan. <i>Industrial Health</i> , 2007, 45, 750-755.	0.4	18

#	ARTICLE	IF	CITATIONS
289	A Prospective Cohort Study of Perceived Noise Exposure at Work and Cerebrovascular Diseases among Male Workers in Japan. <i>Journal of Occupational Health</i> , 2007, 49, 382-388.	1.0	17
290	Chronic Nasal Obstruction Causes Daytime Sleepiness and Decreased Quality of Life Even in the Absence of Snoring. <i>American Journal of Rhinology & Allergy</i> , 2007, 21, 564-569.	2.3	23
291	Mortality and risk factors for stroke and its subtypes in a cohort study in Japan. <i>Preventive Medicine</i> , 2007, 44, 526-530.	1.6	22
292	Relationships between nasal obstruction, observed apnea, and daytime sleepiness. <i>Otolaryngology - Head and Neck Surgery</i> , 2007, 137, 669-673.	1.1	11
293	A Prospective Study of Green Tea Consumption and Oral Cancer Incidence in Japan. <i>Annals of Epidemiology</i> , 2007, 17, 821-826.	0.9	67
294	A nested case-control study of stomach cancer and serum insulin-like growth factor (IGF)-1, IGF-2 and IGF-binding protein (IGFBP)-3. <i>European Journal of Cancer</i> , 2007, 43, 1611-1616.	1.3	22
295	Dietary Habits and Risk of Ovarian Cancer Death in a Large-Scale Cohort Study (JACC Study) in Japan. <i>Nutrition and Cancer</i> , 2007, 57, 138-145.	0.9	46
296	Marital status and mortality among Japanese men and women: the Japan Collaborative Cohort Study. <i>BMC Public Health</i> , 2007, 7, 73.	1.2	151
297	A nested case-control study of stomach cancer incidence and serum superoxide dismutase activity in the Japan Collaborative Cohort study in Japan. <i>Cancer Detection and Prevention</i> , 2007, 31, 431-435.	2.1	2
298	Mortality attributable to cigarette smoking in a cohort study in Japan. <i>European Journal of Epidemiology</i> , 2007, 22, 599-605.	2.5	15
299	Evaluation of the mechanical strength and patency of functional end-to-end anastomoses. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2007, 21, 1508-1511.	1.3	30
300	Structural Analysis of the Factors Associated with Increase in Health Expenditures for the Aged in Japan. <i>Asian Pacific Journal of Disease Management</i> , 2007, 1, 117-121.	0.3	5
301	Development of IT Based Management System for Health Support Program in Japan. <i>Asian Pacific Journal of Disease Management</i> , 2007, 1, 83-89.	0.3	4
302	Analysis of Causes of Dependency Under the Long Term Care Insurance Scheme in Japan. <i>Asian Pacific Journal of Disease Management</i> , 2007, 1, 91-96.	0.3	5
303	Analysis of Chronological Fluctuation of Individual Health Check-up Data. <i>Asian Pacific Journal of Disease Management</i> , 2007, 1, 103-106.	0.3	0
304	Effect of Obesity on the Development of Life-Style Related Diseases in an Occupational Setting of Japan. <i>Asian Pacific Journal of Disease Management</i> , 2007, 1, 123-128.	0.3	0
305	A Cross-Sectional Study of Frailty Status Among the Elderly in a Japanese City. <i>Asian Pacific Journal of Disease Management</i> , 2007, 1, 65-75.	0.3	2
306	Occupational factors and mortality in the Japan Collaborative Cohort Study for Evaluation of Cancer (JACC). <i>Asian Pacific Journal of Cancer Prevention</i> , 2007, 8 Suppl, 97-104.	0.5	21

#	ARTICLE	IF	CITATIONS
307	Anthropometry, development history and mortality in the Japan Collaborative Cohort Study for Evaluation of Cancer (JACC). <i>Asian Pacific Journal of Cancer Prevention</i> , 2007, 8 Suppl, 105-12.	0.5	24
308	Overtime Work, Cigarette Consumption, and Addiction to Cigarette among Workers Subject to Mild Smoking Restrictions. <i>Industrial Health</i> , 2006, 44, 244-249.	0.4	5
309	Association between Multi-level Inorganic Arsenic Exposure from Drinking Water and Skin Lesions in China. <i>International Journal of Environmental Research and Public Health</i> , 2006, 3, 262-267.	1.2	19
310	Arsenic in Drinking Water and Peripheral Nerve Conduction Velocity among Residents of a Chronically Arsenic-affected Area in Inner Mongolia. <i>Journal of Epidemiology</i> , 2006, 16, 207-213.	1.1	19
311	Visual Display Terminal Work and Sick Building Syndrome—The Role of Psychosocial Distress in the Relationship. <i>Journal of Occupational Health</i> , 2006, 48, 107-112.	1.0	20
312	Association between multi-level inorganic arsenic exposure from drinking water and skin lesions in Inner Mongolia, China. <i>Diqu Huaxue</i> , 2006, 25, 73-73.	0.5	0
313	Prospective study of vegetable consumption and liver cancer in Japan. <i>International Journal of Cancer</i> , 2006, 119, 2408-2411.	2.3	15
314	A Prospective Cohort Study of Shift Work and Risk of Ischemic Heart Disease in Japanese Male Workers. <i>American Journal of Epidemiology</i> , 2006, 164, 128-135.	1.6	168
315	Effectiveness of Cervical Cancer Screening Over Cervical Cancer Mortality Among Japanese Women. <i>Japanese Journal of Clinical Oncology</i> , 2006, 36, 511-518.	0.6	25
316	Prospective Cohort Study of the Risk of Prostate Cancer among Rotating-Shift Workers: Findings from the Japan Collaborative Cohort Study. <i>American Journal of Epidemiology</i> , 2006, 164, 549-555.	1.6	348
317	Mortality and Incidence Rates of Stomach Cancer in the JACC Study. <i>Journal of Epidemiology</i> , 2005, 15, S89-S97.	1.1	7
318	Cigarette Smoking and Mortality due to Stomach Cancer: Findings from the JACC Study.. <i>Journal of Epidemiology</i> , 2005, 15, S113-S119.	1.1	23
319	Serum Levels of Insulin-like Growth Factor I, II, and Binding Protein 3, Transforming Growth Factor β -1, Soluble Fas Ligand and Superoxide Dismutase Activity in Stomach Cancer Cases and Their Controls in the JACC Study. <i>Journal of Epidemiology</i> , 2005, 15, S120-S125.	1.1	12
320	Serum Pepsinogen Values and Helicobacter pylori Status among Control Subjects of a Nested Case-Control Study in the JACC study. <i>Journal of Epidemiology</i> , 2005, 15, S126-S133.	1.1	21
321	Dietary Habits and Stomach Cancer Risk in the JACC Study. <i>Journal of Epidemiology</i> , 2005, 15, S98-S108.	1.1	51
322	Prospective Cohort Study of Stress, Life Satisfaction, Self-Rated Health, Insomnia, and Suicide Death in Japan. <i>Suicide and Life-Threatening Behavior</i> , 2005, 35, 227-237.	0.9	123
323	Chronic arsenic exposure and urinary 8-Hydroxy-2'-deoxyguanosine in an arsenic-affected area in Inner Mongolia, China. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2005, 15, 147-152.	1.8	53
324	A Prospective Cohort Study of Employment Status and Mortality from Circulatory Disorders among Japanese Workers. <i>Journal of Occupational Health</i> , 2005, 47, 510-517.	1.0	17

#	ARTICLE	IF	CITATIONS
325	A nationwide cohort study of educational background and major causes of death among the elderly population in Japan. <i>Preventive Medicine</i> , 2005, 40, 444-451.	1.6	54
326	The relationships between interest for and participation in health screening and risk of mortality: The Japan Collaborative Cohort Study. <i>Preventive Medicine</i> , 2005, 41, 767-771.	1.6	21
327	A lack of prognostic significance regarding ^{125}I Np63 immunoreactivity in lung cancer. <i>Lung Cancer</i> , 2005, 50, 67-73.	0.9	19
328	Mental health burden amongst inhabitants of an arsenic-affected area in Inner Mongolia, China. <i>Social Science and Medicine</i> , 2004, 59, 1969-1973.	1.8	38
329	Prospective study of transfusion history and thyroid cancer incidence among females in Japan. <i>International Journal of Cancer</i> , 2004, 112, 722-725.	2.3	13
330	Prospective study of screening for stomach cancer in Japan. <i>International Journal of Cancer</i> , 2003, 106, 103-107.	2.3	113
331	Two Types of New Ferritin cDNA Sequences from <i>Xenopus laevis</i> Germinal Vesicle Oocytes. <i>DNA Sequence</i> , 2003, 14, 211-214.	0.7	8
332	The Prevalence of Subjective Symptoms after Exposure to Arsenic in Drinking Water in Inner Mongolia, China. <i>Journal of Epidemiology</i> , 2003, 13, 211-215.	1.1	39
333	Dietary factors and stomach cancer mortality. <i>British Journal of Cancer</i> , 2002, 87, 37-42.	2.9	134
334	Walking Exercise and Its Relationship to Serum Lipids in Japanese.. <i>Journal of Epidemiology</i> , 2002, 12, 64-69.	1.1	4
335	Prospective Study of Educational Background and Stomach Cancer in Japan. <i>Preventive Medicine</i> , 2002, 35, 121-127.	1.6	54
336	A prospective study of blood transfusion history and liver cancer in a high-endemic area of Japan. <i>Transfusion Medicine</i> , 2002, 12, 297-302.	0.5	6
337	Evaluation of endoscopic ultrasonography as an indicator for surgical treatment of gastric cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2002, 14, 540-546.	1.4	7
338	Repetitive high-pressure recruitment maneuvers required to maximally recruit lung in a sheep model of acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2001, 29, 1579-1586.	0.4	114
339	Job Stress and Mental Health among Permanent Night Workers. <i>Journal of Occupational Health</i> , 2001, 43, 301-306.	1.0	19
340	Prospective study of diabetes mellitus and liver cancer in Japan. <i>Diabetes/Metabolism Research and Reviews</i> , 2001, 17, 374-379.	1.7	64
341	Title is missing!. <i>Molecular and Cellular Biochemistry</i> , 2001, 222, 137-140.	1.4	101
342	Prediction of pulmonary complications after a lobectomy in patients with non-small cell lung cancer. <i>Thorax</i> , 2001, 56, 59-61.	2.7	51

#	ARTICLE	IF	CITATIONS
343	Arsenic contamination of groundwater and prevalence of arsenical dermatosis in the Hetao plain area, Inner Mongolia, China. <i>Molecular and Cellular Biochemistry</i> , 2001, 222, 137-40.	1.4	23
344	Ampullary carcinoma developing after androgenic steroid therapy for aplastic anemia: Report of a case. <i>Surgery</i> , 2001, 129, 501-3.	1.0	2
345	Control of Major Hemorrhage from the Spleno-Mesenteric Vein Junction during Pancreaticoduodenectomy: Successful Use of an Occlusion Balloon Catheter. <i>Digestive Surgery</i> , 2000, 17, 527-528.	0.6	0
346	Nitric oxide delivery during high-frequency oscillatory ventilation. <i>Respiratory Care</i> , 2000, 45, 1097-104.	0.8	3
347	Cyclosporin Microemulsion Preconcentrate Treatment of Patients With Behçet's Disease. <i>Japanese Journal of Ophthalmology</i> , 1999, 43, 318-326.	0.9	21
348	Genomic instability of microsatellite repeats and its association with the evolution of chronic myelogenous leukemia [see comments]. <i>Blood</i> , 1994, 83, 3449-3456.	0.6	114
349	Genomic instability of microsatellite repeats and its association with the evolution of chronic myelogenous leukemia [see comments]. <i>Blood</i> , 1994, 83, 3449-3456.	0.6	7
350	Actin in wound-healing of rabbit corneal endothelium. I. Study by immunoperoxidase method. <i>Japanese Journal of Ophthalmology</i> , 1987, 31, 384-92.	0.9	3
351	Actin in wound-healing of rabbit corneal endothelium. II. Study by nitrobenzoxadiazole-phalloidin method. <i>Japanese Journal of Ophthalmology</i> , 1987, 31, 393-404.	0.9	3
352	High-frequency HbA1c testing among older patients with diabetes in Japan: a longitudinal analysis using medical claims data. <i>Diabetology International</i> , 0, , 1.	0.7	1