Kiyoshi Hirahara

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6763899/kiyoshi-hirahara-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

4,579
citations

84
ext. papers

4,579
citations

35
h-index

67
g-index

5.39
ext. citations

avg, IF

5.39
L-index

#	Paper	IF	Citations
71	Nematode ascarosides attenuate mammalian type 2 inflammatory responses <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119,	11.5	2
70	The Role of CD4 Resident Memory T Cells in Local Immunity in the Mucosal Tissue - Protection Versus Pathology. <i>Frontiers in Immunology</i> , 2021 , 12, 616309	8.4	3
69	Pathogenic helper T cells. <i>Allergology International</i> , 2021 , 70, 169-173	4.4	1
68	Eosinophils: Cells known for over 140 years with broad and new functions. <i>Allergology International</i> , 2021 , 70, 3-8	4.4	7
67	Orally desensitized mast cells form a regulatory network with Treg cells for the control of food allergy. <i>Mucosal Immunology</i> , 2021 , 14, 640-651	9.2	9
66	CD4+ T cells in inflammatory diseases: pathogenic T-helper cells and the CD69-Myl9 system. <i>International Immunology</i> , 2021 , 33, 699-704	4.9	0
65	The Cxxc1 subunit of the Trithorax complex directs epigenetic licensing of CD4+ T cell differentiation. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	4
64	Activated invariant natural killer T cells directly recognize leukemia cells in a CD1d-independent manner. <i>Cancer Science</i> , 2020 , 111, 2223-2233	6.9	5
63	Induction and Regulation of Mucosal Memory T Cell Responses 2020 , 133-142		
62	Histone deacetylase 1 (HDAC1): A key player of T cell-mediated arthritis. <i>Journal of Autoimmunity</i> , 2020 , 108, 102379	15.5	12
61	Rapid Enhancer Remodeling and Transcription Factor Repurposing Enable High Magnitude Gene Induction upon Acute Activation of NK Cells. <i>Immunity</i> , 2020 , 53, 745-758.e4	32.3	20
60	Essential Role for CD30-Transglutaminase 2 Axis in Memory Th1 and Th17 Cell Generation. <i>Frontiers in Immunology</i> , 2020 , 11, 1536	8.4	1
59	CD103 T cells constrain lung fibrosis induced by CD103 tissue-resident pathogenic CD4 T cells. Nature Immunology, 2019 , 20, 1469-1480	19.1	36
58	Immune Cell-Epithelial/Mesenchymal Interaction Contributing to Allergic Airway Inflammation Associated Pathology. <i>Frontiers in Immunology</i> , 2019 , 10, 570	8.4	11
57	Ezh2 controls development of natural killer T cells, which cause spontaneous asthma-like pathology. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 144, 549-560.e10	11.5	13
56	The immunopathology of lung fibrosis: amphiregulin-producing pathogenic memory T helper-2 cells control the airway fibrotic responses by inducing eosinophils to secrete osteopontin. <i>Seminars in Immunopathology</i> , 2019 , 41, 339-348	12	13
55	Invariant NKT Cells Recognize Leukemia Cells with T-Cell and NK Receptors in a CD1d-Independent Manner. <i>Blood</i> , 2019 , 134, 3225-3225	2.2	

(2016-2019)

54	An optimized protocol for the analysis of house dust mite (Dermatophagoides farinae)-induced neutrophil-dominant airway inflammation. <i>Journal of Immunological Methods</i> , 2019 , 465, 53-60	2.5	O
53	The pathogenicity of IL-33 on steroid-resistant eosinophilic inflammation via the activation of memory-type ST2 CD4 T cells. <i>Journal of Leukocyte Biology</i> , 2018 , 104, 895-901	6.5	12
52	A T cell-specific deletion of HDAC1 protects against experimental autoimmune encephalomyelitis. Journal of Autoimmunity, 2018 , 86, 51-61	15.5	26
51	Maintenance of memory-type pathogenic Th2 cells in the pathophysiology of chronic airway inflammation. <i>Inflammation and Regeneration</i> , 2018 , 38, 10	10.9	3
50	CXCR6ST2 memory T helper 2 cells induced the expression of major basic protein in eosinophils to reduce the fecundity of helminth. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E9849-E9858	11.5	16
49	DUSP10 constrains innate IL-33-mediated cytokine production in ST2 memory-type pathogenic Th2 cells. <i>Nature Communications</i> , 2018 , 9, 4231	17.4	16
48	Amphiregulin-Producing Pathogenic Memory T Helper 2 Cells Instruct Eosinophils to Secrete Osteopontin and Facilitate Airway Fibrosis. <i>Immunity</i> , 2018 , 49, 134-150.e6	32.3	78
47	Maintenance of pathogenic Th2 cells in allergic disorders. <i>Allergology International</i> , 2017 , 66, 369-376	4.4	20
46	Th2 Cells in Health and Disease. Annual Review of Immunology, 2017, 35, 53-84	34.7	168
45	The Transcription Factor T-bet Limits Amplification of Type I IFN Transcriptome and Circuitry in T Helper 1 Cells. <i>Immunity</i> , 2017 , 46, 983-991.e4	32.3	48
44	Nutritional control of IL-23/Th17-mediated autoimmune disease through HO-1/STAT3 activation. <i>Scientific Reports</i> , 2017 , 7, 44482	4.9	22
43	Memory-type ST2CD4 T cells participate in the steroid-resistant pathology of eosinophilic pneumonia. <i>Scientific Reports</i> , 2017 , 7, 6805	4.9	12
42	Epigenetic regulation of T-helper cell differentiation, memory, and plasticity in allergic asthma. <i>Immunological Reviews</i> , 2017 , 278, 8-19	11.3	48
41	Menin Controls the Memory Th2 Cell Function by Maintaining the Epigenetic Integrity of Th2 Cells. <i>Journal of Immunology</i> , 2017 , 199, 1153-1162	5.3	8
40	Anti-tumor immunity via the superoxide-eosinophil axis induced by a lipophilic component of Mycobacterium lipomannan. <i>International Immunology</i> , 2017 , 29, 411-421	4.9	6
39	Targeting cytokine signaling in autoimmunity: back to the future and beyond. <i>Current Opinion in Immunology</i> , 2016 , 43, 89-97	7.8	35
38	Myosin light chains 9 and 12 are functional ligands for CD69 that regulate airway inflammation. <i>Science Immunology</i> , 2016 , 1, eaaf9154	28	30
37	Pathogenic Memory Th2 Cells in Airway Inflammation. <i>Cornea</i> , 2016 , 35, S8	3.1	

36	Interleukin-23-Induced Transcription Factor Blimp-1 Promotes Pathogenicity of T Helper 17 Cells. <i>Immunity</i> , 2016 , 44, 131-142	32.3	98
35	Abatacept (CTLA-4Ig) treatment reduces T cell apoptosis and regulatory T cell suppression in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2016 , 55, 710-20	3.9	37
34	Human and Mouse Memory-Type Pathogenic Th2 (Tpath2) Cells in Airway Inflammation 2016 , 401-415		
33	Recent advances in understanding psoriasis. <i>F1000Research</i> , 2016 , 5,	3.6	82
32	CD4+ T-cell subsets in inflammatory diseases: beyond the Th1/Th2 paradigm. <i>International Immunology</i> , 2016 , 28, 163-71	4.9	239
31	Thy1+IL-7+ lymphatic endothelial cells in iBALT provide a survival niche for memory T-helper cells in allergic airway inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E2842-51	11.5	74
30	Interleukin-25 and mucosal T cells in noneosinophilic and eosinophilic chronic rhinosinusitis. <i>Annals of Allergy, Asthma and Immunology</i> , 2015 , 114, 289-98	3.2	39
29	Asymmetric Action of STAT Transcription Factors Drives Transcriptional Outputs and Cytokine Specificity. <i>Immunity</i> , 2015 , 42, 877-89	32.3	87
28	Obesity Drives Th17 Cell Differentiation by Inducing the Lipid Metabolic Kinase, ACC1. <i>Cell Reports</i> , 2015 , 12, 1042-55	10.6	115
27	Spatial Interplay between Polycomb and Trithorax Complexes Controls Transcriptional Activity in T Lymphocytes. <i>Molecular and Cellular Biology</i> , 2015 , 35, 3841-53	4.8	15
26	EZH2 is crucial for both differentiation of regulatory T cells and T effector cell expansion. <i>Scientific Reports</i> , 2015 , 5, 10643	4.9	89
25	The interleukin-33-p38 kinase axis confers memory T helper 2 cell pathogenicity in the airway. <i>Immunity</i> , 2015 , 42, 294-308	32.3	138
24	Helper T cell plasticity: impact of extrinsic and intrinsic signals on transcriptomes and epigenomes. <i>Current Topics in Microbiology and Immunology</i> , 2014 , 381, 279-326	3.3	36
23	Pathogenic memory type Th2 cells in allergic inflammation. <i>Trends in Immunology</i> , 2014 , 35, 69-78	14.4	89
22	Type I IFN induces binding of STAT1 to Bcl6: divergent roles of STAT family transcription factors in the T follicular helper cell genetic program. <i>Journal of Immunology</i> , 2014 , 192, 2156-66	5.3	71
21	Transcriptional and epigenetic networks of helper T and innate lymphoid cells. <i>Immunological Reviews</i> , 2014 , 261, 23-49	11.3	65
20	A mouse model of HIES reveals pro- and anti-inflammatory functions of STAT3. <i>Blood</i> , 2014 , 123, 2978-	87.2	56
19	Trithorax complex component Menin controls differentiation and maintenance of T helper 17 cells. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 12829-34	11.5	14

(2006-2013)

18	BACH2 represses effector programs to stabilize T(reg)-mediated immune homeostasis. <i>Nature</i> , 2013 , 498, 506-10	50.4	264
17	Helper T-cell identity and evolution of differential transcriptomes and epigenomes. <i>Immunological Reviews</i> , 2013 , 252, 24-40	11.3	76
16	Mechanisms underlying helper T-cell plasticity: implications for immune-mediated disease. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, 1276-87	11.5	121
15	Gata3/Ruvbl2 complex regulates T helper 2 cell proliferation via repression of Cdkn2c expression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 18626-31	11.5	22
14	Distinct requirements for T-bet in gut innate lymphoid cells. <i>Journal of Experimental Medicine</i> , 2012 , 209, 2331-8	16.6	140
13	TGF-Iand retinoic acid induce the microRNA miR-10a, which targets Bcl-6 and constrains the plasticity of helper T cells. <i>Nature Immunology</i> , 2012 , 13, 587-95	19.1	229
12	Interleukin-27 priming of T cells controls IL-17 production in trans via induction of the ligand PD-L1. <i>Immunity</i> , 2012 , 36, 1017-30	32.3	195
11	Function of JAKs and STATs in Lymphocytes: Bench to Bedside 2012 , 205-237		
10	Transcriptional and epigenetic control of T helper cell specification: molecular mechanisms underlying commitment and plasticity. <i>Annual Review of Immunology</i> , 2012 , 30, 707-31	34.7	256
9	T helper 17 cell heterogeneity and pathogenicity in autoimmune disease. <i>Trends in Immunology</i> , 2011 , 32, 395-401	14.4	162
8	Helper T-cell differentiation and plasticity: insights from epigenetics. <i>Immunology</i> , 2011 , 134, 235-45	7.8	77
7	Opposing regulation of the locus encoding IL-17 through direct, reciprocal actions of STAT3 and STAT5. <i>Nature Immunology</i> , 2011 , 12, 247-54	19.1	451
6	Signal transduction pathways and transcriptional regulation in Th17 cell differentiation. <i>Cytokine and Growth Factor Reviews</i> , 2010 , 21, 425-34	17.9	167
5	Repressor of GATA regulates TH2-driven allergic airway inflammation and airway hyperresponsiveness. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 122, 512-20.e11	11.5	43
4	Bmi1 regulates memory CD4 T cell survival via repression of the Noxa gene. <i>Journal of Experimental Medicine</i> , 2008 , 205, 1109-20	16.6	87
3	Bmi1 regulates memory CD4 T cell survival via repression of theNoxagene. <i>Journal of Cell Biology</i> , 2008 , 181, i5-i5	7.3	
2	Regulation of allergic airway inflammation through Toll-like receptor 4-mediated modification of mast cell function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 2286-91	11.5	129
1	Crucial role of MLL for the maintenance of memory T helper type 2 cell responses. <i>Immunity</i> , 2006 , 24, 611-22	32.3	123