

Tsunenori Kondo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6764453/publications.pdf>

Version: 2024-02-01

126
papers

2,526
citations

236925

25
h-index

254184

43
g-index

127
all docs

127
docs citations

127
times ranked

2701
citing authors

#	ARTICLE	IF	CITATIONS
1	Prognostic Impact of Trial-Eligibility Criteria in Patients with Metastatic Renal Cell Carcinoma. <i>Urologia Internationalis</i> , 2022, 106, 368-375.	1.3	6
2	Efficacy and feasibility of robot-assisted partial nephrectomy for octogenarians: comparison with younger counterparts. <i>Journal of Robotic Surgery</i> , 2022, 16, 1165-1173.	1.8	4
3	Surgical outcomes for older patients with renal cell carcinoma and inferior vena cava thrombus. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2022, 40, 110.e11-110.e18.	1.6	2
4	Temporal study of renal volume losses in patients with robotic partial nephrectomies. <i>Journal of Endourology</i> , 2022, , .	2.1	0
5	C-reactive protein kinetics to predict recurrence of high-risk renal cell carcinoma after radical surgery. <i>International Journal of Clinical Oncology</i> , 2022, 27, 969-976.	2.2	2
6	Immune Checkpoint Inhibitor Combination Therapy for Renal Cell Carcinomas With Concomitant Inferior Vena Cava Thrombi. <i>In Vivo</i> , 2022, 36, 1030-1034.	1.3	11
7	“Thrombus-first” or “thrombus-last” approach for surgical management of renal cell carcinoma with inferior vena cava thrombus. <i>International Journal of Urology</i> , 2022, , .	1.0	0
8	Outcomes of nivolumab monotherapy for previously treated metastatic renal cell carcinoma: a real-world multi-institution data with a minimum of 2 years of follow-up. <i>Japanese Journal of Clinical Oncology</i> , 2022, , .	1.3	0
9	Is tailored systemic therapy in renal cell carcinoma realistic?. <i>Lancet Oncology</i> , The, 2022, 23, 555-557.	10.7	1
10	New Longitudinal Component of the RENAL Nephrometry Score for Predicting the Operative Complexity in Transperitoneal Robot-Assisted Partial Nephrectomy. <i>Journal of Endourology</i> , 2022, 36, 762-769.	2.1	5
11	Association Between Anesthetic Technique and Survival After Radical Nephroureterectomy: A Propensity Score-matching Study. <i>In Vivo</i> , 2022, 36, 458-464.	1.3	2
12	Changes in Real-World Outcomes in Patients with Metastatic Renal Cell Carcinoma from the Molecular-Targeted Therapy Era to the Immune Checkpoint Inhibitor Era. <i>Targeted Oncology</i> , 2022, 17, 307-319.	3.6	4
13	Editorial Comment from Dr Ishihara <i>et al.</i> to Nomogram for predicting survival of renal cell carcinoma with tumor thrombus based on perioperative clinicopathological factors from a Chinese high-volume center. <i>International Journal of Urology</i> , 2022, 29, 993-994.	1.0	0
14	Comparisons of surgical outcomes between transperitoneal and retroperitoneal approaches in robot-assisted laparoscopic partial nephrectomy for lateral renal tumors: a propensity score-matched comparative analysis. <i>Journal of Robotic Surgery</i> , 2021, 15, 99-104.	1.8	20
15	Prognostic impact of systemic therapy change in metastatic renal cell carcinoma treated with cytoreductive nephrectomy. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 296-304.	1.3	4
16	Modest efficacy of nivolumab plus ipilimumab in patients with papillary renal cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 646-653.	1.3	22
17	Predictive role of $\hat{\gamma}$ -glutamyltransferase in patients receiving nivolumab therapy for metastatic renal cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2021, 26, 552-561.	2.2	7
18	Efficacy of nivolumab versus molecular-targeted therapy as second-line therapy for metastatic renal cell carcinoma: Real-world data from two Japanese institutions. <i>International Journal of Urology</i> , 2021, 28, 99-106.	1.0	4

#	ARTICLE	IF	CITATIONS
19	Assessing improvements in metastatic renal cell carcinoma systemic treatments from the pre-cytokine to the immune checkpoint inhibitor eras: a retrospective analysis of real-world data. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 793-801.	1.3	7
20	Prognostic impact of metastasectomy in renal cell carcinoma in the postcytokine therapy era. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 77.e17-77.e25.	1.6	16
21	Editorial Comment to "Evaluating the Oncological Outcomes of Pure Laparoscopic Radical Nephroureterectomy Performed for Upper Tract Urothelial Carcinoma Patients: A Multicenter Cohort Study Adjusted by Propensity Score Matching". <i>Annals of Surgical Oncology</i> , 2021, 28, 27-28.	1.5	0
22	Albumin-to-Alkaline Phosphatase Ratio as a Novel Prognostic Marker of Nivolumab Monotherapy for Previously Treated Metastatic Renal Cell Carcinoma. <i>In Vivo</i> , 2021, 35, 2855-2862.	1.3	6
23	The Controlling Nutritional Status CONUT Score in Patients With Advanced Bladder Cancer After Radical Cystectomy. <i>In Vivo</i> , 2021, 35, 999-1006.	1.3	11
24	Therapeutic benefit of lymphadenectomy for older patients with urothelial carcinoma of the upper urinary tract: a propensity score matching study. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 802-809.	1.3	3
25	Outcome of advanced renal cell carcinoma arising in end-stage renal disease: comparison with sporadic renal cell carcinoma. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 674-682.	1.6	2
26	Impact of sarcopenia on post-operative outcomes following nephrectomy and tumor thrombectomy for renal cell carcinoma with inferior vena cava thrombus. <i>Japanese Journal of Clinical Oncology</i> , 2021, 51, 819-825.	1.3	11
27	Prognostic Impact of Early Treatment Interruption of Nivolumab Plus Ipilimumab Due to Immune-Related Adverse Events as First-Line Therapy for Metastatic Renal Cell Carcinoma: A Multi-Institution Retrospective Study. <i>Targeted Oncology</i> , 2021, 16, 493-502.	3.6	6
28	Limited impact of warm ischemic threshold for partial nephrectomy in the robotic surgery era: A propensity score matching study. <i>International Journal of Urology</i> , 2021, 28, 1219-1225.	1.0	4
29	Comparable survival outcome between acquired cystic disease associated renal cell carcinoma and clear cell carcinoma in patients with end-stage renal disease: a multi-institutional central pathology study. <i>Pathology</i> , 2021, 53, 720-727.	0.6	8
30	Three Cases of Nivolumab Plus Ipilimumab Therapy in Haemodialysis Patients With Metastatic Renal Cell Carcinoma. <i>In Vivo</i> , 2021, 35, 3585-3589.	1.3	4
31	Editorial Comment to Trends and safety of robot-assisted partial nephrectomy during the initial 2-year period after government approval in Japan: A nationwide database study from 2016 to 2018. <i>International Journal of Urology</i> , 2021, 28, 1272-1273.	1.0	0
32	Comparable efficacy and safety between second-line and later-line nivolumab therapy for metastatic renal cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2020, 25, 705-712.	2.2	3
33	The De Ritis (Aspartate Transaminase/Alanine Transaminase) Ratio as a Prognosticator in Patients With End-stage Renal Disease-associated Renal Cell Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2020, 18, 236-240.e1.	1.9	12
34	Predictive impact of an early change in serum C-reactive protein levels in nivolumab therapy for metastatic renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 526-532.	1.6	18
35	Genetic and epigenetic profiling indicates the proximal tubule origin of renal cancers in end-stage renal disease. <i>Cancer Science</i> , 2020, 111, 4276-4287.	3.9	11
36	Efficacy of Axitinib After Nivolumab Failure in Metastatic Renal Cell Carcinoma. <i>In Vivo</i> , 2020, 34, 1541-1546.	1.3	10

#	ARTICLE	IF	CITATIONS
37	Lower Incidence of Postoperative Acute Kidney Injury in Robot-Assisted Partial Nephrectomy Than in Open Partial Nephrectomy: A Propensity Score-Matched Study. <i>Journal of Endourology</i> , 2020, 34, 754-762.	2.1	13
38	Predictive factors for recurrence after complete metastasectomy in patients with metastatic renal cell carcinoma in the targeted therapy era. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 515-520.	1.6	15
39	Clinical outcomes of repeat partial nephrectomy compared to initial partial nephrectomy of a solitary kidney. <i>International Journal of Clinical Oncology</i> , 2020, 25, 1155-1162.	2.2	10
40	Prognostic impact of sarcopenia in patients with metastatic hormone-sensitive prostate cancer. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 933-939.	1.3	21
41	Mid-term outcome of transarterial embolization of renal artery pseudoaneurysm and arteriovenous fistula after partial nephrectomy screened by early postoperative contrast-enhanced CT. <i>CVIR Endovascular</i> , 2020, 3, 68.	1.1	4
42	Predictive Impact of Peripheral Blood Markers and C-Reactive Protein in Nivolumab Therapy for Metastatic Renal Cell Carcinoma. <i>Targeted Oncology</i> , 2019, 14, 453-463.	3.6	53
43	Negative Effect of Immediate Sunitinib Interruption on Survival in Patients With Metastatic Renal Cell Carcinoma. <i>In Vivo</i> , 2019, 33, 2153-2160.	1.3	6
44	Safety and Efficacy of Nivolumab in Patients With Metastatic Renal Cell Carcinoma and End-stage Renal Disease at 2 Centers. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e772-e778.	1.9	15
45	Spatial and temporal responses of metastatic renal cell carcinoma lesions to sequential treatments over a 10-year period. <i>IJU Case Reports</i> , 2019, 2, 37-42.	0.3	0
46	Correlation between the magnitude of best tumor response and patient survival in nivolumab therapy for metastatic renal cell carcinoma. <i>Medical Oncology</i> , 2019, 36, 35.	2.5	4
47	<i>RBM10</i> and <i>TFE3</i> renal cell carcinoma characterised by paracentric inversion with consistent closely split signals in break-apart fluorescence <i>in situ</i> hybridisation: study of 10 cases and a literature review. <i>Histopathology</i> , 2019, 75, 254-265.	2.9	29
48	Association between immune-related adverse events and prognosis in patients with metastatic renal cell carcinoma treated with nivolumab. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 355.e21-355.e29.	1.6	64
49	Robot-assisted laparoscopic partial nephrectomy versus laparoscopic partial nephrectomy: A propensity score-matched comparative analysis of surgical outcomes and preserved renal parenchymal volume. <i>International Journal of Urology</i> , 2018, 25, 359-364.	1.0	21
50	Efficacy and safety of third-line molecular-targeted therapy in metastatic renal cell carcinoma resistant to first-line vascular endothelial growth factor receptor tyrosine kinase inhibitor and second-line therapy. <i>International Journal of Clinical Oncology</i> , 2018, 23, 559-567.	2.2	11
51	Evaluation of relative dose intensity during the early phase of first-line sunitinib treatment using a 2-week-on/1-week-off regimen for metastatic renal cell carcinoma. <i>Medical Oncology</i> , 2018, 35, 78.	2.5	15
52	Comparison of Kidney Function in the Early Postoperative Period in Transperitoneal Robot-Assisted Laparoscopic Partial Nephrectomy Between Anterior and Posterior Renal Tumors: A Propensity Score-Matched Study. <i>Journal of Endourology</i> , 2018, 32, 111-115.	2.1	10
53	Immediate Progressive Disease in Patients with Metastatic Renal Cell Carcinoma Treated with Nivolumab: a Multi-Institution Retrospective Study. <i>Targeted Oncology</i> , 2018, 13, 611-619.	3.6	3
54	Comparative study of lymph node dissection, and oncological outcomes of laparoscopic and open radical nephroureterectomy for patients with urothelial carcinoma of the upper urinary tract undergoing regional lymph node dissection. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 1001-1011.	1.3	17

#	ARTICLE	IF	CITATIONS
55	Effect of Changes in Skeletal Muscle Mass on Oncological Outcomes During First-Line Sunitinib Therapy for Metastatic Renal Cell Carcinoma. <i>Targeted Oncology</i> , 2018, 13, 745-755.	3.6	14
56	Acquired cystic disease-associated renal cell carcinoma is the most common subtype in long-term dialyzed patients: Central pathology results according to the 2016 WHO classification in a multi-institutional study. <i>Pathology International</i> , 2018, 68, 543-549.	1.3	37
57	Comparison of perioperative outcomes with or without renorrhaphy during open partial nephrectomy: A propensity score-matched analysis. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2018, 44, 467-474.	1.5	15
58	Prognostic Impact of the Components of Progressive Disease on Survival After First-Line Tyrosine Kinase Inhibitor Therapy for Metastatic Renal Cell Carcinoma. <i>Targeted Oncology</i> , 2018, 13, 379-387.	3.6	4
59	Durable response after discontinuation of nivolumab therapy in patients with metastatic renal cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 860-863.	1.3	14
60	Decreased relative dose intensity during the early phase of treatment impacts the therapeutic efficacy of sunitinib in metastatic renal cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 667-672.	1.3	12
61	Impact of the Mayo Adhesive Probability Score on the Complexity of Robot-Assisted Partial Nephrectomy. <i>Journal of Endourology</i> , 2018, 32, 928-933.	2.1	23
62	Predictive value of inflammation-based prognostic scores in patients with metastatic renal cell carcinoma treated with cytoreductive nephrectomy. <i>Oncotarget</i> , 2018, 9, 14296-14305.	1.8	42
63	Update of the ICDU-SIU consultation on upper tract urothelial carcinoma 2016: treatment of localized high-risk disease. <i>World Journal of Urology</i> , 2017, 35, 327-335.	2.2	26
64	Evaluation of tumor burden after sequential molecular-targeted therapy in patients with metastatic renal cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 226-232.	1.3	8
65	Preoperative controlling nutritional status (CONUT) score as a novel predictive biomarker of survival in patients with localized urothelial carcinoma of the upper urinary tract treated with radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 539.e9-539.e16.	1.6	41
66	Robot-assisted laparoscopic versus open partial nephrectomy in patients with chronic kidney disease: A propensity score-matched comparative analysis of surgical outcomes. <i>International Journal of Urology</i> , 2017, 24, 505-510.	1.0	24
67	Effect of ABO blood type on the outcomes of patients with metastatic renal cell carcinoma treated with first-line tyrosine kinase inhibitors. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 540.e7-540.e12.	1.6	1
68	Evaluation of Preoperative Aspartate Transaminase/Alanine Transaminase Ratio as an Independent Predictive Biomarker in Patients With Metastatic Renal Cell Carcinoma Undergoing Cytoreductive Nephrectomy: A Propensity Score Matching Study. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 598-604.	1.9	27
69	Evaluation of First-Line Sorafenib Treatment for Metastatic Renal Cell Carcinoma in Kidney Transplant Patients: A Single-Center Experience With Four Cases. <i>Therapeutic Apheresis and Dialysis</i> , 2017, 21, 414-416.	0.9	0
70	Comparison of Surgical Outcomes Between Resection and Enucleation in Robot-Assisted Laparoscopic Partial Nephrectomy for Renal Tumors According to the Surface-Intermediate-Base Margin Score: A Propensity Score-Matched Study. <i>Journal of Endourology</i> , 2017, 31, 756-761.	2.1	20
71	Effect of Systemic Inflammation on Survival in Patients With Metastatic Renal Cell Carcinoma Receiving Second-line Molecular-targeted Therapy. <i>Clinical Genitourinary Cancer</i> , 2017, 15, 495-501.	1.9	22
72	Limited benefit of targeted molecular therapy for inferior vena cava thrombus associated with renal cell carcinoma. <i>International Journal of Clinical Oncology</i> , 2017, 22, 767-773.	2.2	11

#	ARTICLE	IF	CITATIONS
73	Molecular diagnosis of lymph node metastasis in patients with upper urinary tract cancer who underwent lymphadenectomy. <i>International Journal of Urology</i> , 2017, 24, 799-806.	1.0	3
74	Time to progression after first-line tyrosine kinase inhibitor predicts survival in patients with metastatic renal cell carcinoma receiving second-line molecular-targeted therapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 542.e1-542.e9.	1.6	21
75	Template-based lymphadenectomy reduces the risk of regional lymph node recurrence among patients with upper/middle ureteral cancer. <i>International Journal of Clinical Oncology</i> , 2017, 22, 145-152.	2.2	13
76	Sarcopenia predicts survival outcomes among patients with urothelial carcinoma of the upper urinary tract undergoing radical nephroureterectomy: a retrospective multi-institution study. <i>International Journal of Clinical Oncology</i> , 2017, 22, 136-144.	2.2	42
77	Effect of the timing of best tumor shrinkage on survival of patients with metastatic renal cell carcinoma who received first-line tyrosine kinase inhibitor therapy. <i>International Journal of Clinical Oncology</i> , 2017, 22, 126-135.	2.2	5
78	Evaluation of renal function change during first-line tyrosine kinase inhibitor therapy for metastatic renal cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2017, 47, 1175-1181.	1.3	17
79	Treatment Overview. , 2017, , 177-207.		2
80	Rapid Progressive Disease After Nivolumab Therapy in Three Patients with Metastatic Renal Cell Carcinoma. <i>In Vivo</i> , 2017, 31, 769-771.	1.3	17
81	Treatment-related deterioration of renal function is associated with the antitumor efficacy of sunitinib in patients with metastatic renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 338.e1-338.e9.	1.6	9
82	Sarcopenia and the Modified Glasgow Prognostic Score are Significant Predictors of Survival Among Patients with Metastatic Renal Cell Carcinoma Who are Receiving First-Line Sunitinib Treatment. <i>Targeted Oncology</i> , 2016, 11, 605-617.	3.6	66
83	A propensity score-matched comparison of surgical precision obtained by using volumetric analysis between robot-assisted laparoscopic and open partial nephrectomy for T1 renal cell carcinoma: a retrospective non-randomized observational study of initial outcomes. <i>International Urology and Nephrology</i> , 2016, 48, 1585-1591.	1.4	17
84	The magnitude of best tumor shrinkage during second-line targeted therapy affects progression-free survival but not overall survival in patients with metastatic renal cell carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2016, 46, 568-574.	1.3	8
85	The safety and validity of surgical resection for hemodialysis-dependent patients with renal cell carcinomas involving the inferior vena cava. <i>International Cancer Conference Journal</i> , 2016, 5, 136-139.	0.5	0
86	Efficacy and safety of sorafenib for treatment of Japanese metastatic renal cell carcinoma patients undergoing hemodialysis. <i>International Journal of Clinical Oncology</i> , 2016, 21, 126-132.	2.2	18
87	Early unclamping might reduce the risk of renal artery pseudoaneurysm after robot-assisted laparoscopic partial nephrectomy. <i>International Journal of Urology</i> , 2015, 22, 1096-1102.	1.0	54
88	Editorial Comment to Impact of smoking on the age at diagnosis of upper tract urothelial carcinoma: Subanalysis of the Japanese Urological Association multi-institutional national database. <i>International Journal of Urology</i> , 2015, 22, 1027-1028.	1.0	0
89	Solid-type RCC originating from native kidneys in renal transplant recipients should be monitored cautiously. <i>Transplant International</i> , 2015, 28, 813-819.	1.6	8
90	Comparison of prognosis between patients with renal cell carcinoma on hemodialysis and those with renal cell carcinoma in the general population. <i>International Journal of Clinical Oncology</i> , 2015, 20, 1035-1041.	2.2	18

#	ARTICLE	IF	CITATIONS
91	Fat-poor angiomyolipoma with cyst-like changes mimicking a cystic renal cell carcinoma: a case report. <i>World Journal of Surgical Oncology</i> , 2015, 13, 251.	1.9	5
92	Clinical efficacy and prognostic factors of tumor progression in Japanese patients with advanced renal cell carcinoma treated with sorafenib. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 274-280.	1.3	5
93	Early Postoperative Screening by Contrast-Enhanced CT and Prophylactic Embolization of Detected Pseudoaneurysms Prevents Delayed Hemorrhage after Partial Nephrectomy. <i>Journal of Vascular and Interventional Radiology</i> , 2015, 26, 950-957.	0.5	16
94	High preoperative C-reactive protein values predict poor survival in patients on chronic hemodialysis undergoing nephrectomy for renal cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 67.e9-67.e13.	1.6	22
95	Renal sinus exposure as an independent factor predicting asymptomatic unruptured pseudoaneurysm formation detected in the early postoperative period after minimally invasive partial nephrectomy. <i>International Journal of Urology</i> , 2015, 22, 356-361.	1.0	33
96	Therapeutic role of template-based lymphadenectomy in urothelial carcinoma of the upper urinary tract. <i>World Journal of Clinical Oncology</i> , 2015, 6, 237.	2.3	18
97	The Role of Lymphadenectomy in the Management of Urothelial Carcinoma of the Upper Urinary Tract. , 2015, , 153-178.		0
98	Possible Role of Template-based Lymphadenectomy in Reducing the Risk of Regional Node Recurrence after Nephroureterectomy in Patients with Renal Pelvic Cancer. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 1233-1238.	1.3	21
99	<sc>IJU</sc> this issue. <i>International Journal of Urology</i> , 2014, 21, 441-441.	1.0	24
100	Editorial Comment to Partial and radical nephrectomy provide comparable long-term cancer control for <sc>T</sc>1b renal cell carcinoma. <i>International Journal of Urology</i> , 2014, 21, 128-129.	1.0	1
101	Better recovery of kidney function in patients with de novo chronic kidney disease after partial nephrectomy compared with those with pre-existing chronic kidney disease. <i>International Journal of Urology</i> , 2014, 21, 613-616.	1.0	8
102	Template-based lymphadenectomy in urothelial carcinoma of the renal pelvis: A prospective study. <i>International Journal of Urology</i> , 2014, 21, 453-459.	1.0	48
103	Enhanced computed tomography after partial nephrectomy in early postoperative period to detect asymptomatic renal artery pseudoaneurysm. <i>International Journal of Urology</i> , 2014, 21, 880-885.	1.0	49
104	Superior Tolerability of Altered Dosing Schedule of Sunitinib with 2-Weeks-on and 1-Week-off in Patients with Metastatic Renal Cell Carcinoma--Comparison to Standard Dosing Schedule of 4-Weeks-on and 2-Weeks-off. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 270-277.	1.3	83
105	Negative impact of papillary histological subtype in patients with renal cell carcinoma extending into the inferior vena cava: Single-center experience. <i>International Journal of Urology</i> , 2013, 20, 1072-1077.	1.0	19
106	Role of lymphadenectomy in the management of urothelial carcinoma of the bladder and the upper urinary tract. <i>International Journal of Urology</i> , 2012, 19, 710-721.	1.0	50
107	Similar functional outcomes after partial nephrectomy for clinical T1b and T1a renal cell carcinoma. <i>International Journal of Urology</i> , 2012, 19, 980-986.	1.0	16
108	Decompressive surgery in combination with preoperative transcatheter arterial embolization: Successful improvement of ambulatory function in renal cell carcinoma patients with metastatic extradural spinal cord compression. <i>International Journal of Urology</i> , 2011, 18, 718-722.	1.0	8

#	ARTICLE	IF	CITATIONS
109	Prognosis and characteristics of renal cell carcinoma in hemodialysis patients: Bilateral occurrence does not influence cancer-specific survival. <i>International Journal of Urology</i> , 2011, 18, 806-812.	1.0	8
110	The role of lymph node dissection in the management of urothelial carcinoma of the upper urinary tract. <i>International Journal of Clinical Oncology</i> , 2011, 16, 170-178.	2.2	24
111	Clinical Results and Pharmacokinetics of Sorafenib in Chronic Hemodialysis Patients with Metastatic Renal Cell Carcinoma in a Single Center. <i>Japanese Journal of Clinical Oncology</i> , 2011, 41, 647-655.	1.3	40
112	Contralateral metachronous tumor occurrence is more frequently associated with distant metastases or postoperative intrarenal recurrence in renal cell carcinoma patients. <i>International Journal of Urology</i> , 2010, 17, 615-622.	1.0	8
113	Template-based lymphadenectomy in urothelial carcinoma of the upper urinary tract: Impact on patient survival. <i>International Journal of Urology</i> , 2010, 17, 848-854.	1.0	98
114	Presurgical Targeted Therapy with Tyrosine Kinase Inhibitors for Advanced Renal Cell Carcinoma: Clinical Results and Histopathological Therapeutic Effects. <i>Japanese Journal of Clinical Oncology</i> , 2010, 40, 1173-1179.	1.3	34
115	Minimal Effect of Cold Ischemia Time on Progression to Late-Stage Chronic Kidney Disease Observed Long Term After Partial Nephrectomy. <i>Urology</i> , 2008, 72, 1083-1088.	1.0	20
116	Primary Site and Incidence of Lymph Node Metastases in Urothelial Carcinoma of Upper Urinary Tract. <i>Urology</i> , 2007, 69, 265-269.	1.0	128
117	Impact of the Extent of Regional Lymphadenectomy on the Survival of Patients With Urothelial Carcinoma of the Upper Urinary Tract. <i>Journal of Urology</i> , 2007, 178, 1212-1217.	0.4	132
118	Successful testis preservation for bilateral testicular tumors with a new chemotherapy-based protocol: Initial results of three cases. <i>International Journal of Urology</i> , 2007, 14, 879-882.	1.0	17
119	Impact of the long-term duration of hemodialysis on the prognosis of dialysis patients with renal cell carcinoma. <i>Nihon Toseki Igakkai Zasshi</i> , 2007, 40, 643-647.	0.1	2
120	A case of granular cell tumor of the bladder successfully managed with extraperitoneal laparoscopic surgery. <i>International Journal of Urology</i> , 2006, 13, 827-828.	1.0	11
121	Favorable prognosis of renal cell carcinoma with increased expression of chemokines associated with a Th1-type immune response. <i>Cancer Science</i> , 2006, 97, 780-786.	3.9	81
122	Spoke-wheel-like enhancement as an important imaging finding of chromophobe cell renal carcinoma: A retrospective analysis on computed tomography and magnetic resonance imaging studies. <i>International Journal of Urology</i> , 2004, 11, 817-824.	1.0	50
123	HIGH EXPRESSION OF CHEMOKINE GENE AS A FAVORABLE PROGNOSTIC FACTOR IN RENAL CELL CARCINOMA. <i>Journal of Urology</i> , 2004, 171, 2171-2175.	0.4	86
124	Impact of arterial occlusion during partial nephrectomy on residual renal function: An evaluation with ^{99m} Tc-dimercaptosuccinic acid scintigraphy. <i>International Journal of Urology</i> , 2002, 9, 435-440.	1.0	19
125	Interferon- γ Inducible Protein (IP-10) Expression Is Mediated by CD8+ T Cells and Is Regulated by CD4+ T Cells During the Elicitation of Contact Hypersensitivity. <i>Journal of Investigative Dermatology</i> , 1996, 107, 360-366.	0.7	55
126	INDUCTION OF CHEMOKINE GENE EXPRESSION DURING ALLOGENEIC SKIN GRAFT REJECTION1. <i>Transplantation</i> , 1996, 61, 1750-1757.	1.0	85