

Hao Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6764902/hao-wang-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

32
papers

630
citations

15
h-index

24
g-index

35
ext. papers

839
ext. citations

5.3
avg, IF

3.37
L-index

#	Paper	IF	Citations
32	Heritability Enrichment of Immunoglobulin G N-Glycosylation in Specific Tissues. <i>Frontiers in Immunology</i> , 2021 , 12, 741705	8.4	0
31	Blood transcriptome profiling as potential biomarkers of suboptimal health status: potential utility of novel biomarkers for predictive, preventive, and personalized medicine strategy. <i>EPMA Journal</i> , 2021 , 12, 103-115	8.8	5
30	Glycosylation of IgG Associates with Hypertension and Type 2 Diabetes Mellitus Comorbidity in the Chinese Muslim Ethnic Minorities and the Han Chinese. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	1
29	Population-based case-control study revealed metabolomic biomarkers of suboptimal health status in Chinese population-potential utility for innovative approach by predictive, preventive, and personalized medicine. <i>EPMA Journal</i> , 2020 , 11, 147-160	8.8	13
28	Modelling biological age based on plasma peptides in Han Chinese adults. <i>Aging</i> , 2020 , 12, 10676-10686	5.6	3
27	Global variability of the human IgG glycome. <i>Aging</i> , 2020 , 12, 15222-15259	5.6	15
26	Association of suboptimal health status with intestinal microbiota in Chinese youths. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 1837-1847	5.6	13
25	Glycomics for Type 2 Diabetes Biomarker Discovery: Promise of Immunoglobulin G Subclass-Specific Fragment Crystallizable N-glycosylation in the Uyghur Population. <i>OMICS A Journal of Integrative Biology</i> , 2019 , 23, 640-648	3.8	12
24	Type 2 Diabetes Mellitus is Associated with the Immunoglobulin G N-Glycome through Putative Proinflammatory Mechanisms in an Australian Population. <i>OMICS A Journal of Integrative Biology</i> , 2019 , 23, 631-639	3.8	11
23	Suboptimal health status as an independent risk factor for type 2 diabetes mellitus in a community-based cohort: the China suboptimal health cohort study. <i>EPMA Journal</i> , 2019 , 10, 65-72	8.8	20
22	No Causal Effect of Telomere Length on Ischemic Stroke and Its Subtypes: A Mendelian Randomization Study. <i>Cells</i> , 2019 , 8,	7.9	13
21	The Urinary Peptidome as a Noninvasive Biomarker Development Strategy for Prenatal Screening of Down Syndrome. <i>OMICS A Journal of Integrative Biology</i> , 2019 , 23, 439-447	3.8	6
20	Systematic Review: Immunoglobulin G -Glycans as Next-Generation Diagnostic Biomarkers for Common Chronic Diseases. <i>OMICS A Journal of Integrative Biology</i> , 2019 , 23, 607-614	3.8	13
19	Next-Generation (Glycomic) Biomarkers for Cardiometabolic Health: A Community-Based Study of Immunoglobulin G -Glycans in a Chinese Han Population. <i>OMICS A Journal of Integrative Biology</i> , 2019 , 23, 649-659	3.8	13
18	The Association Between Normal BMI With Central Adiposity And Proinflammatory Potential Immunoglobulin G -Glycosylation. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019 , 12, 2373-2385	3.4	11
17	Epicardial Fat Volume Improves the Prediction of Obstructive Coronary Artery Disease Above Traditional Risk Factors and Coronary Calcium Score. <i>Circulation: Cardiovascular Imaging</i> , 2019 , 12, e008002	3.9	30
16	Ischemic stroke is associated with the pro-inflammatory potential of N-glycosylated immunoglobulin G. <i>Journal of Neuroinflammation</i> , 2018 , 15, 123	10.1	40

15	Type 2 Diabetes Mellitus: Integrative Analysis of Multiomics Data for Biomarker Discovery. <i>OMICS A Journal of Integrative Biology</i> , 2018 , 22, 514-523	3.8	31
14	The association between subclass-specific IgG Fc N-glycosylation profiles and hypertension in the Uyghur, Kazak, Kirgiz, and Tajik populations. <i>Journal of Human Hypertension</i> , 2018 , 32, 555-563	2.6	29
13	The changes of immunoglobulin G N-glycosylation in blood lipids and dyslipidaemia. <i>Journal of Translational Medicine</i> , 2018 , 16, 235	8.5	36
12	Human CAP10-Like Protein 46 kDa Gene Promotes Malignancy in Colorectal Cancer. <i>OMICS A Journal of Integrative Biology</i> , 2017 , 21, 266-274	3.8	4
11	Serum peptidome profiling for the diagnosis of colorectal cancer: discovery and validation in two independent cohorts. <i>Oncotarget</i> , 2017 , 8, 59376-59386	3.3	17
10	Association between Ideal Cardiovascular Health Metrics and Suboptimal Health Status in Chinese Population. <i>Scientific Reports</i> , 2017 , 7, 14975	4.9	32
9	Immunoglobulin G N-Glycans as Potential Postgenomic Biomarkers for Hypertension in the Kazakh Population. <i>OMICS A Journal of Integrative Biology</i> , 2017 , 21, 380-389	3.8	29
8	Screening for potential serum-based proteomic biomarkers for human type 2 diabetes mellitus using MALDI-TOF MS. <i>Proteomics - Clinical Applications</i> , 2017 , 11, 1600079	3.1	21
7	The Indirect Efficacy Comparison of DNA Methylation in Sputum for Early Screening and Auxiliary Detection of Lung Cancer: A Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	9
6	The Uyghur population and genetic susceptibility to type 2 diabetes: potential role for variants in CAPN10, APM1 and FUT6 genes. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 2138-2147	5.6	18
5	Profiling IgG N-glycans as potential biomarker of chronological and biological ages: A community-based study in a Han Chinese population. <i>Medicine (United States)</i> , 2016 , 95, e4112	1.8	68
4	Association between IGF2BP2 Polymorphisms and Type 2 Diabetes Mellitus: A Case-Control Study and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	25
3	Validation of Type 2 Diabetes Risk Variants Identified by Genome-Wide Association Studies in Northern Han Chinese. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	7
2	China suboptimal health cohort study: rationale, design and baseline characteristics. <i>Journal of Translational Medicine</i> , 2016 , 14, 291	8.5	48
1	Glycan Biomarkers for Rheumatoid Arthritis and Its Remission Status in Han Chinese Patients. <i>OMICS A Journal of Integrative Biology</i> , 2016 , 20, 343-51	3.8	34