

Erik Thunström

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6766467/publications.pdf>

Version: 2024-02-01

43
papers

1,158
citations

516561

16
h-index

395590

33
g-index

44
all docs

44
docs citations

44
times ranked

1388
citing authors

#	ARTICLE	IF	CITATIONS
1	Trends in myocarditis incidence, complications and mortality in Sweden from 2000 to 2014. <i>Scientific Reports</i> , 2022, 12, 1810.	1.6	20
2	Cumulative incidence and predictors of acquired aortic stenosis in a large population of men followed for up to 43 years. <i>BMC Cardiovascular Disorders</i> , 2022, 22, 43.	0.7	4
3	Midlife extrapyramidal symptoms predict cognitive impairment 23 years later. <i>Acta Neurologica Scandinavica</i> , 2022, 145, 305-313.	1.0	0
4	Postoperative Atrial Fibrillation in Adults with Obstructive Sleep Apnea Undergoing Coronary Artery Bypass Grafting in the RICCADSA Cohort. <i>Journal of Clinical Medicine</i> , 2022, 11, 2459.	1.0	3
5	The impact of time-updated resting heart rate on cause-specific mortality in a random middle-aged male population: a lifetime follow-up. <i>Clinical Research in Cardiology</i> , 2021, 110, 822-830.	1.5	3
6	Continuous positive airway pressure treatment and anxiety in adults with coronary artery disease and nonsleepy obstructive sleep apnea in the RICCADSA trial. <i>Sleep Medicine</i> , 2021, 77, 96-103.	0.8	11
7	Guideline-directed medical therapy in real-world heart failure patients with low blood pressure and renal dysfunction. <i>Clinical Research in Cardiology</i> , 2021, 110, 1051-1062.	1.5	10
8	Multi-modality biomarkers in the early prediction of ischaemic heart disease in middle-aged men during a 21-year follow-up. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 65.	0.7	3
9	Sleep architecture, obstructive sleep apnea and functional outcomes in adults with a history of Tick-borne encephalitis. <i>PLoS ONE</i> , 2021, 16, e0246767.	1.1	4
10	Prognosis and outcome determinants after heart failure diagnosis in patients who underwent aortic valvular intervention. <i>ESC Heart Failure</i> , 2021, 8, 3237-3247.	1.4	3
11	Association of TNF- β (-308G/A) Gene Polymorphism with Circulating TNF- β Levels and Excessive Daytime Sleepiness in Adults with Coronary Artery Disease and Concomitant Obstructive Sleep Apnea. <i>Journal of Clinical Medicine</i> , 2021, 10, 3413.	1.0	4
12	Incremental changes in QRS duration as predictor for cardiovascular disease: a 21-year follow-up of a randomly selected general population. <i>Scientific Reports</i> , 2021, 11, 13652.	1.6	4
13	High prevalence of cardiac dysfunction or overt heart failure in 71-year-old men: A 21-year follow-up of "The Study of men born in 1943". <i>European Journal of Preventive Cardiology</i> , 2020, 27, 717-725.	0.8	8
14	Prevalence and risk factors of aortic stenosis and aortic sclerosis: a 21-year follow-up of middle-aged men. <i>Scandinavian Cardiovascular Journal</i> , 2020, 54, 115-123.	0.4	13
15	Impact of CPAP treatment on leptin and adiponectin in adults with coronary artery disease and nonsleepy obstructive sleep apnoea in the RICCADSA trial. <i>Sleep Medicine</i> , 2020, 67, 7-14.	0.8	4
16	Trends in cause-specific readmissions in heart failure with preserved vs. reduced and mid-range ejection fraction. <i>ESC Heart Failure</i> , 2020, 7, 2894-2903.	1.4	13
17	Effect of Obstructive Sleep Apnea and CPAP Treatment on Cardiovascular Outcomes in Acute Coronary Syndrome in the RICCADSA Trial. <i>Journal of Clinical Medicine</i> , 2020, 9, 4051.	1.0	27
18	High-normal blood pressure conferred higher risk of cardiovascular disease in a random population sample of 50-year-old men. <i>Medicine (United States)</i> , 2020, 99, e19895.	0.4	5

#	ARTICLE	IF	CITATIONS
19	Continuous Positive Airway Pressure Treatment and Depression in Adults with Coronary Artery Disease and Nonsleepy Obstructive Sleep Apnea. A Secondary Analysis of the RICCADSA Trial. <i>Annals of the American Thoracic Society</i> , 2019, 16, 62-70.	1.5	21
20	Determinants of depressive mood in coronary artery disease patients with obstructive sleep apnea and response to continuous positive airway pressure treatment in non-sleepy and sleepy phenotypes in the <scp>RICCADSA</scp> cohort. <i>Journal of Sleep Research</i> , 2019, 28, e12818.	1.7	10
21	0581 The Impact of REM-AHI on Revascularized Cardiac Patients. <i>Sleep</i> , 2019, 42, A231-A232.	0.6	0
22	Incidence of Aortic Dissection in Turner Syndrome. <i>Circulation</i> , 2019, 139, 2802-2804.	1.6	34
23	CPAP and Health-Related Quality of Life in Adults With Coronary Artery Disease and Nonsleepy Obstructive Sleep Apnea in the RICCADSA Trial. <i>Journal of Clinical Sleep Medicine</i> , 2019, 15, 1311-1320.	1.4	8
24	Although Coronary Mortality Has Decreased, Rates of Cardiovascular Disease Remain High: 21 Years of Follow-Up Comparing Cohorts of Men Born in 1913 With Men Born in 1943. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	15
25	Association between left atrial enlargement and obstructive sleep apnea in a general population of 71-year-old men. <i>Journal of Sleep Research</i> , 2018, 27, 254-260.	1.7	27
26	The incidence of atrial fibrillation and the added value of thumb ECG for detecting new cases. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 256-261.	0.4	5
27	Obstructive sleep apnea and self-reported functional impairment in revascularized patients with coronary artery disease in the RICCADSA trial. <i>Sleep and Breathing</i> , 2018, 22, 1169-1177.	0.9	4
28	Natriuretic and Inflammatory Biomarkers as Risk Predictors of Heart Failure in Middle-Aged Men From the General Population: A 21-Year Follow-Up. <i>Journal of Cardiac Failure</i> , 2018, 24, 594-600.	0.7	5
29	Heart failure with preserved ejection fraction has a better long-term prognosis than heart failure with reduced ejection fraction in old patients in a 5-year follow-up retrospective study. <i>International Journal of Cardiology</i> , 2017, 232, 86-92.	0.8	22
30	Effect of CPAP on diastolic function in coronary artery disease patients with nonsleepy obstructive sleep apnea: A randomized controlled trial. <i>International Journal of Cardiology</i> , 2017, 241, 12-18.	0.8	18
31	Larger right atrium than left atrium is associated with all-cause mortality in elderly patients with heart failure. <i>Echocardiography</i> , 2017, 34, 662-667.	0.3	8
32	Answer to Dr. Eyuboglu. <i>International Journal of Cardiology</i> , 2017, 235, 188.	0.8	0
33	Outcomes in coronary artery disease patients with sleepy obstructive sleep apnoea on CPAP. <i>European Respiratory Journal</i> , 2017, 50, 1700749.	3.1	15
34	Long-term use of continuous positive airway pressure therapy in coronary artery disease patients with nonsleepy obstructive sleep apnea. <i>Clinical Cardiology</i> , 2017, 40, 1297-1302.	0.7	23
35	CPAP Does Not Reduce Inflammatory Biomarkers in Patients With Coronary Artery Disease and Nonsleepy Obstructive Sleep Apnea: A Randomized Controlled Trial. <i>Sleep</i> , 2017, 40, .	0.6	35
36	Long-term secondary prevention of acute myocardial infarction (SEPAT) - guidelines adherence and outcome. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 226.	0.7	26

#	ARTICLE	IF	CITATIONS
37	Neuroendocrine and Inflammatory Responses to Losartan and Continuous Positive Airway Pressure in Patients with Hypertension and Obstructive Sleep Apnea. A Randomized Controlled Trial. <i>Annals of the American Thoracic Society</i> , 2016, 13, 2002-2011.	1.5	14
38	Optimizing the Management of Heart Failure With Preserved Ejection Fraction in the Elderly by Targeting Comorbidities (OPTIMIZE-HFPEF). <i>Journal of Cardiac Failure</i> , 2016, 22, 539-544.	0.7	25
39	Effect of Positive Airway Pressure on Cardiovascular Outcomes in Coronary Artery Disease Patients with Nonsleepy Obstructive Sleep Apnea. The RICCADSA Randomized Controlled Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016, 194, 613-620.	2.5	512
40	Blood Pressure Response to Losartan and Continuous Positive Airway Pressure in Hypertension and Obstructive Sleep Apnea. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016, 193, 310-320.	2.5	80
41	Increased Inflammatory Activity in Nonobese Patients with Coronary Artery Disease and Obstructive Sleep Apnea. <i>Sleep</i> , 2015, 38, 463-471.	0.6	36
42	Obstructive sleep apnea is independently associated with worse diastolic function in coronary artery disease. <i>Sleep Medicine</i> , 2015, 16, 160-167.	0.8	29
43	Occurrence and Predictors of Obstructive Sleep Apnea in a Revascularized Coronary Artery Disease Cohort. <i>Annals of the American Thoracic Society</i> , 2013, 10, 350-356.	1.5	46