Bernardo Maria Cesare Rocco

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6766842/bernardo-maria-cesare-rocco-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 181
 4,691
 34
 63

 papers
 citations
 h-index
 g-index

 219
 5,624
 4.5
 5.28

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
181	Does quality assured eLearning provide adequate preparation for robotic surgical skills; a prospective, randomized and multi-center study <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2022 , 17, 457	3.9	O
180	Selection of patients for nerve sparing surgery in robot-assisted radical prostatectomy <i>BJUI Compass</i> , 2022 , 3, 6-18	0.9	2
179	Re: Trends in Incidence of Metastatic Prostate Cancer in the US. European Urology, 2022,	10.2	
178	Case report of life-threatening complications following cystectomy in a woman with neurogenic lower urinary tract dysfunction treated with indwelling bladder catheter for about 30 years. <i>Acta Biomedica</i> , 2021 , 92, e2021086	3.2	
177	Robotic-assisted radical prostatectomy in young adults: age-stratified oncological and functional outcomes. <i>Journal of Robotic Surgery</i> , 2021 , 1	2.9	О
176	Diagnostic Performance of Ex Vivo Fluorescence Confocal Microscopy in the Assessment of Diagnostic Biopsies of the Prostate. <i>Cancers</i> , 2021 , 13,	6.6	1
175	The surgical learning curve for salvage robot-assisted radical prostatectomy: a prospective single-surgeon study. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 600-609	2.3	3
174	Confocal Laser Endomicroscopy 2021 , 187-202		
173	Digital Biopsy with Fluorescence Confocal Microscope for Effective Real-time Diagnosis of Prostate Cancer: A Prospective, Comparative Study. <i>European Urology Oncology</i> , 2021 , 4, 784-791	6.7	10
172	A prospective multicenter randomized comparison between Holmium Laser Enucleation of the Prostate (HoLEP) and Thulium Laser Enucleation of the Prostate (ThuLEP). <i>World Journal of Urology</i> , 2021 , 39, 2375-2382	4	8
171	Transperitoneal vs retroperitoneal minimally invasive partial nephrectomy: comparison of perioperative outcomes and functional follow-up in a large multi-institutional cohort (The RECORD 2 Project). Surgical Endoscopy and Other Interventional Techniques, 2021, 35, 4295-4304	5.2	10
170	Ejaculation-sparing thulium laser enucleation of the prostate (ES-ThuLEP): outcomes on a large cohort. <i>World Journal of Urology</i> , 2021 , 39, 2029-2035	4	4
169	Association Between Oncotype DX Genomic Prostate Score and Adverse Tumor Pathology After Radical Prostatectomy. <i>European Urology Focus</i> , 2021 ,	5.1	2
168	Current and future perspectives of digital microscopy with fluorescence confocal microscope for prostate tissue interpretation: a narrative review. <i>Translational Andrology and Urology</i> , 2021 , 10, 1569-1	580	1
167	COVID-19 and slowdown of residents' activity: Feedback from a novel e-learning event and overview of the literature. <i>Urologia</i> , 2021 , 88, 332-336	1.2	2
166	Feasibility study for fluorescence confocal microscopy (FCM) on diagnostic prostate biopsies. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021 , 11, 1322-1332	3.6	2
165	Digital Frozen Sections with Fluorescence Confocal Microscopy During Robot-assisted Radical Prostatectomy: Surgical Technique. <i>European Urology</i> , 2021 , 80, 724-729	10.2	10

164	Risks and Benefits of Live Surgical Broadcast: A Systematic Review. European Urology Focus, 2021,	5.1	1
163	The dramatic COVID 19 outbreak in Italy is responsible of a huge drop of urological surgical activity: a multicenter observational study. <i>BJU International</i> , 2021 , 127, 56-63	5.6	13
162	Posterior reconstruction during robotic-assisted radical cystectomy with intracorporeal orthotopic ileal neobladder: description and outcomes of a simple step. <i>Journal of Robotic Surgery</i> , 2021 , 15, 355-3	61 ⁹	7
161	COVID-19 model-based practice changes in managing a large prostate cancer practice: following the trends during a month-long ordeal. <i>Journal of Robotic Surgery</i> , 2021 , 15, 251-258	2.9	8
160	Management of patients who opt for radical prostatectomy during the coronavirus disease 2019 (COVID-19) pandemic: an international accelerated consensus statement. <i>BJU International</i> , 2021 , 127, 729-741	5.6	5
159	Exceptional response to immunotherapy in association with radiotherapy in patient with breast metastasis from urothelial carcinoma:. <i>Urology Case Reports</i> , 2021 , 34, 101444	0.5	1
158	Is partial nephrectomy safe and effective in the setting of frail comorbid patients affected by renal cell carcinoma? Insights from the RECORD 2 multicentre prospective study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 78.e17-78.e26	2.8	4
157	Managing Patients with Prostate Cancer During COVID-19 Pandemic: The Experience of a High-Volume Robotic Surgery Center. <i>Journal of Endourology</i> , 2021 , 35, 305-311	2.7	4
156	RE: Renal protective effect of N-acetylcysteine with stepwise ramping voltage against extracorporeal shock wave lithotripsy-induced renal injury: a prospective randomized trial from Desoky et al. <i>International Urology and Nephrology</i> , 2021 , 53, 93-94	2.3	
155	Comment on: Thulium laser transurethral vaporesection versus transurethral resection of the prostate for benign prostatic obstruction: the UNBLOCS RCT. <i>World Journal of Urology</i> , 2021 , 1	4	
154	Feasibility of a telementoring approach as a practical training for transurethral enucleation of the benign prostatic hyperplasia using bipolar energy: a pilot study. <i>World Journal of Urology</i> , 2021 , 39, 346	5 ⁴ 347	l ¹
153	Diagnostic bias during the COVID-19 era: COVID-19 or renal abscess?. <i>Urologia</i> , 2021 , 88, 218-222	1.2	1
152	Expression of aquaporins 3 in low grade risk of recurrence primary bladder cancer. <i>Urologia</i> , 2021 , 88, 190-193	1.2	
151	Review of nomograms to counsel patients after oncologic surgery: a support for telemedicine to stratify the risk of relapse and customize the follow-up scheduling. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 402-404	2.3	O
150	Intraoperative Digital Analysis of Ablation Margins (DAAM) by Fluorescent Confocal Microscopy to Improve Partial Prostate Gland Cryoablation Outcomes. <i>Cancers</i> , 2021 , 13,	6.6	3
149	Reply to Eoin Dinneen, Jon Oxley, and Greg Shaw's Letter to the Editor re: Bernardo Rocco, Luca Sarchi, Simone Assumma, et al. Digital Frozen Sections with Fluorescence Confocal Microscopy During Robot-assisted Radical Prostatectomy: Surgical Technique. Eur Urol. In press.	10.2	1
148	A survey-based study on the spread of en-bloc resection of bladder tumors among IEA and ESUT members. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 413-416	2.3	0

146	A Predictive Preoperative and Postoperative Nomogram for Postoperative Potency Recovery after Robot-Assisted Radical Prostatectomy. <i>Journal of Urology</i> , 2021 , 206, 942-951	2.5	2
145	Society of Robotic Surgery review: recommendations regarding the risk of COVID-19 transmission during minimally invasive surgery. <i>BJU International</i> , 2020 , 126, 225-234	5.6	26
144	Digital frozen section of the prostate surface during radical prostatectomy: a novel approach to evaluate surgical margins. <i>BJU International</i> , 2020 , 126, 336-338	5.6	12
143	Urology in the Time of Coronavirus: Reduced Access to Urgent and Emergent Urological Care during the Coronavirus Disease 2019 Outbreak in Italy. <i>Urologia Internationalis</i> , 2020 , 104, 631-636	1.9	20
142	A comparison among PCNL, Miniperc and Ultraminiperc for lower calyceal stones between 1 and 2 cm: a prospective, comparative, multicenter and randomised study. <i>BMC Urology</i> , 2020 , 20, 67	2.2	5
141	7U-Thulium Laser Enucleation of the Prostate (7U-ThuLEP): description of the technique. <i>Urology Video Journal</i> , 2020 , 7, 100036	0.2	O
140	Trends in clinical and oncological outcomes of robot-assisted radical prostatectomy before and after the 2012 US Preventive Services Task Force recommendation against PSA screening: a decade of experience. <i>BJU International</i> , 2020 , 125, 884-892	5.6	11
139	Three-dimensional virtual reconstruction with DocDo, a novel interactive tool to score renal mass complexity. <i>BJU International</i> , 2020 , 125, 761-762	5.6	3
138	Positive surgical margin during radical prostatectomy: overview of sampling methods for frozen sections and techniques for the secondary resection of the neurovascular bundles. <i>BJU International</i> , 2020 , 125, 656-663	5.6	11
137	Reply to Alessia Cimadamore, Marina Scarpelli, Liang Cheng, et al's Letter to the Editor, re: Maria Chiara Sighinolfi, Bernardo Rocco's Words of Wisdom re: EAU Guidelines: Prostate Cancer 2019. Mottet N, van den Bergh RCN, Briers E, et al. https://uroweb.org/guideline/prostate-Cancer/. Eur	10.2	4
136	Real-time assessment of surgical margins during radical prostatectomy: a novel approach that uses fluorescence confocal microscopy for the evaluation of peri-prostatic soft tissue. <i>BJU International</i> , 2020 , 125, 487-489	5.6	16
135	COVID-19: Importance of the Awareness of the Clinical Syndrome by Urologists. <i>European Urology</i> , 2020 , 78, e40-e41	10.2	16
134	COVID-19 and urology: a comprehensive review of the literature. <i>BJU International</i> , 2020 , 125, E7-E14	5.6	110
133	Balancing the Effects of COVID-19 Against Potential Progression and Mortality in High-risk Prostate Cancer. <i>European Urology</i> , 2020 , 78, e14-e15	10.2	10
132	☑apor Tunnel []Advantages of a New Setting Option for Urgent Holmium Laser Lithotripsy with Cyber-Ho. <i>Videourology (New Rochelle, N Y)</i> , 2020 , 34,	0.9	2
131	Effects of D-Mannose, ElliroseTM and Lactobacillus Plantarum in treatment of urinary tract recurrent infections (rUTIs): A survey of urologists knowledge about its clinical application. <i>Acta Biomedica</i> , 2020 , 91, 15-20	3.2	O
130	Second-look TURBT: evaluation of anatomopatological and oncologic results in a single center. <i>Acta Biomedica</i> , 2020 , 91, 322-325	3.2	1
129	A consecutive series of patients undergoing trans-urethral cystolithotripsy with ballistic lithotripsy by a tertiary referral center for neurogenic bladder. <i>Acta Biomedica</i> , 2020 , 91, e2020112	3.2	

128	En-bloc resection of bladder tumors for pathological staging: the value of lateral margins analysis. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 763-769	4.4	2
127	Robot-Assisted Radical Prostatectomy 2020 , 63-91		
126	"Real-time" Assessment of Surgical Margins During Radical Prostatectomy: State-of-the-Art. <i>Clinical Genitourinary Cancer</i> , 2020 , 18, 95-104	3.3	13
125	Ex vivo fluorescence confocal microscopy: prostatic and periprostatic tissues atlas and evaluation of the learning curve. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020 , 476, 511-520	5.1	24
124	Planning of surgical activity in the COVID-19 era: A proposal for a step toward a possible healthcare organization. <i>Urologia</i> , 2020 , 87, 175-177	1.2	4
123	First cases of combined full robotic partial nephrectomy and colorectal resections: Results and new perspectives. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2020 , 16, 1-7	2.9	2
122	Buschke-Lowenstein tumor: Use of dermal matrix for reconstruction of genital area. <i>Dermatologic Therapy</i> , 2020 , 33, e13874	2.2	
121	To defer or not to defer? A German longitudinal multicentric assessment of clinical practice in urology during the COVID-19 pandemic. <i>PLoS ONE</i> , 2020 , 15, e0239027	3.7	2
120	Re: Joaquin Mateo, Karim Fizazi, Silke Gillessen, et al. Managing Nonmetastatic Castration-resistant Prostate Cancer. Eur Urol 2019;75:285-93. <i>European Urology</i> , 2020 , 77, e69	10.2	
119	Retrograde Release of the Neurovascular Bundle with Preservation of Dorsal Venous Complex During Robot-assisted Radical Prostatectomy: Optimizing Functional Outcomes. <i>European Urology</i> , 2020 , 77, 628-635	10.2	34
118	Comparison of outcomes of salvage robot-assisted laparoscopic prostatectomy for post-primary radiation vs focal therapy. <i>BJU International</i> , 2020 , 125, 103-111	5.6	14
117	External validation of a novel side-specific, multiparametric magnetic resonance imaging-based nomogram for the prediction of extracapsular extension of prostate cancer: preliminary outcomes on a series diagnosed with multiparametric magnetic resonance imaging-targeted plus systematic	5.6	6
116	First live case of augmented reality robot-assisted radical prostatectomy from 3D magnetic resonance imaging reconstruction integrated with PRECE model (Predicting Extracapsular extension of prostate cancer). <i>Urology Video Journal</i> , 2019 , 1, 100002	0.2	3
115	Re: A systematic review of contemporary management of oligometastatic prostate cancer: fighting a challenge or tilting at windmills? From Slaoui et al., World J urol 2019. Long-term safety of local radiation therapy of newly diagnosed low burden metastatic prostate cancer: an unaddressed	4	
114	Ex vivo fluorescence confocal microscopy: the first application for real-time pathological examination of prostatic tissue. <i>BJU International</i> , 2019 , 124, 469-476	5.6	43
113	Is Extraprostatic Extension of Cancer Predictable? A Review of Predictive Tools and an External Validation Based on a Large and a Single Center Cohort of Prostate Cancer Patients. <i>Urology</i> , 2019 , 129, 8-20	1.6	14
112	The occurrence of intraoperative complications during partial nephrectomy and their impact on postoperative outcome: results from the RECORd1 project. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 47-54	4.4	18
111	Changing clinical trends in 101000 robot-assisted laparoscopic prostatectomy patients and impact of the 2012 US Preventive Services Task Force's statement against PSA screening. <i>BJU International</i> , 2019 , 124, 1014-1021	5.6	10

110	Re: EAU Guidelines: Prostate Cancer 2019. European Urology, 2019, 76, 871	10.2	13
109	Effect of puboprostatic ligament reconstruction on continence recovery after robot-assisted laparoscopic prostatectomy: our initial experience. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 230-239	4.4	14
108	Technical innovations to optimize continence recovery after robotic assisted radical prostatectomy. Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology, 2019 , 71, 324-338	4.4	15
107	Reliability of the different versions of Partin tables in predicting extraprostatic extension of prostate cancer: a systematic review and meta-analysis. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 457-478	4.4	3
106	Posterior, Anterior, and Periurethral Surgical Reconstruction of Urinary Continence Mechanisms in Robot-assisted Radical Prostatectomy: A Description and Video Compilation of Commonly Performed Surgical Techniques. <i>European Urology</i> , 2019 , 76, 814-822	10.2	21
105	Re: Shock-wave Lithotripsy for Pediatric Patients: Which Nomogram Can Better Predict Postoperative Outcomes? From Yanaral F, Ozgor F, Savun M, Agbas A, Akbulut F, Sarilar O. <i>Urology</i> , 2019 , 123, 299	1.6	
104	Safety of Live Robotic Surgery: Results from a Single Institution. European Urology Focus, 2019, 5, 693-6	5 97 .1	12
103	Re: Lebentrau S, Gilfrich C, Vetterlein MW, Schumacher H, Spachmann PJ, Brookman-May SD, Fritsche HM, Schostak M, Wagenlehner F, Burger M, May M, MR2 study group (2017) Impact of the medical specialty on knowledge regarding multidrug-resistant organisms and strategies toward	2.3	
102	Re: Positron Emission Tomography/Computed Tomography-based Assessments of Androgen Receptor Expression and Glycolytic Activity as a Prognostic Biomarker for Metastatic Castration-resistant Prostate Cancer. <i>European Urology</i> , 2018 , 73, 639-640	10.2	1
101	Can dehydrated human amnion/chorion membrane accelerate the return to potency after a nerve-sparing robotic-assisted radical prostatectomy? Propensity score-matched analysis. <i>Journal of Robotic Surgery</i> , 2018 , 12, 235-243	2.9	26
100	A novel tool for predicting extracapsular extension during graded partial nerve sparing in radical prostatectomy. <i>BJU International</i> , 2018 , 121, 373-382	5.6	28
99	Nerve-sparing in salvage robot-assisted prostatectomy: surgical technique, oncological and functional outcomes at a single high-volume institution. <i>BJU International</i> , 2018 , 122, 837-844	5.6	18
98	Posterior Reconstruction of the Rhabdosphincter 2018 , 363-374		
97	The role of 68Ga-PSMA PET/CT scan in biochemical recurrence after primary treatment for prostate cancer: a systematic review of the literature. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018 , 70, 462-478	4.4	43
96	Non-conservative management of simple renal cysts in adults: a comprehensive review of literature. <i>Minerva Urology and Nephrology</i> , 2018 , 70, 179-192	2.3	12
95	Magnetic Resonance Imaging-Based Prediction of Prostate Cancer Risk. <i>JAMA Oncology</i> , 2018 , 4, 1624-	163.54	
94	Predictive factors and oncological outcomes of persistently elevated prostate-specific antigen in patients following robot-assisted radical prostatectomy. <i>Journal of Robotic Surgery</i> , 2017 , 11, 37-45	2.9	15
93	Robot-assisted Radical Prostatectomy and Extended Pelvic Lymph Node Dissection in Patients with Locally-advanced Prostate Cancer. <i>European Urology</i> , 2017 , 71, 249-256	10.2	50

(2015-2017)

92	Urinary continence recovery after radical prostatectomy - anatomical/reconstructive and nerve-sparing techniques to improve outcomes. <i>BJU International</i> , 2017 , 120, 185-196	5.6	12	
91	Magnetic resonance imaging in prostate cancer detection and management: a systematic review. Minerva Urology and Nephrology, 2017, 69, 567-578	2.3	22	
90	Safety of selective nerve sparing in high risk prostate cancer during robot-assisted radical prostatectomy. <i>Journal of Robotic Surgery</i> , 2017 , 11, 129-138	2.9	15	
89	Decision-making tools in prostate cancer: from risk grouping to nomograms. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 556-566	2.3	8	
88	Tips to Preserve Continence During Robotic Radical Prostatectomy 2017 , 645-655			
87	Salvage robotic prostatectomy for radio recurrent prostate cancer: technical challenges and outcome analysis. <i>Minerva Urology and Nephrology</i> , 2017 , 69, 26-37	2.3	9	
86	Do we need new high-risk criteria for surgically treated renal cancer patients to improve the outcome of future clinical trials in the adjuvant setting? Results of a comprehensive analysis based on the multicenter CORONA database. <i>European Journal of Surgical Oncology</i> , 2016 , 42, 744-50	3.6	28	
85	Partial Nephrectomy in Clinical T1b Renal Tumors: Multicenter Comparative Study of Open, Laparoscopic and Robot-assisted Approach (the RECORd Project). <i>Urology</i> , 2016 , 89, 45-51	1.6	68	
84	Construct, content and face validity of the camera handling trainer (CHT): a new E-BLUS training task for 30°Llaparoscope navigation skills. <i>World Journal of Urology</i> , 2016 , 34, 479-84	4	12	
83	Global minimally invasive pyeloplasty study in children: Results from the Pediatric Urology Expert Group of the European Association of Urology Young Academic Urologists working party. <i>Journal of Pediatric Urology</i> , 2016 , 12, 229.e1-7	1.5	57	
82	Re: Kidney-Failure Risk Projection for the Living Kidney-Donor Candidate. <i>European Urology</i> , 2016 , 70, 401	10.2		
81	Laparoscopic and robotic ureteral stenosis repair: a multi-institutional experience with a long-term follow-up. <i>Journal of Robotic Surgery</i> , 2016 , 10, 323-330	2.9	17	
80	Posterior musculofascial reconstruction after radical prostatectomy: an updated systematic review and a meta-analysis. <i>BJU International</i> , 2016 , 118, 20-34	5.6	54	
79	Robot-Assisted Radical Prostatectomy 2015 , 49-77			
78	Evaluation of the prognostic significance of perirenal fat invasion and tumor size in patients with pT1-pT3a localized renal cell carcinoma in a comprehensive multicenter study of the CORONA project. Can we improve prognostic discrimination for patients with stage pT3a tumors?. European	10.2	37	
77	Dehydrated Human Amnion/Chorion Membrane Allograft Nerve Wrap Around the Prostatic Neurovascular Bundle Accelerates Early Return to Continence and Potency Following Robot-assisted Radical Prostatectomy: Propensity Score-matched Analysis. <i>European Urology</i> , 2015 ,	10.2	68	
76	TriMatch comparison of the efficacy of FloSeal versus TachoSil versus no hemostatic agents for partial nephrectomy: results from a large multicenter dataset. <i>International Journal of Urology</i> , 2015 , 22, 47-52	2.3	24	
75	Age stratified comparative analysis of perioperative, functional and oncologic outcomes in patients after robot assisted radical prostatectomyA propensity score matched study. <i>European Journal of Surgical Oncology</i> , 2015 , 41, 837-43	3.6	28	

74	Salvage robot assisted radical prostatectomy: A propensity matched study of perioperative, oncological and functional outcomes. <i>European Journal of Surgical Oncology</i> , 2015 , 41, 1540-6	3.6	27
73	A prospective, multicenter evaluation of predictive factors for positive surgical margins after nephron-sparing surgery for renal cell carcinoma: the RECORd1 Italian Project. <i>Clinical Genitourinary Cancer</i> , 2015 , 13, 165-70	3.3	26
72	Tumor size, stage and grade alterations of urinary peptidome in RCC. <i>Journal of Translational Medicine</i> , 2015 , 13, 332	8.5	24
71	Continence outcomes of robot-assisted radical prostatectomy in patients with adverse urinary continence risk factors. <i>BJU International</i> , 2015 , 116, 764-70	5.6	20
70	Deregulation of MiR-34b/Sox2 Predicts Prostate Cancer Progression. <i>PLoS ONE</i> , 2015 , 10, e0130060	3.7	18
69	Using Indocyanine Green and Near-Infrared Fluorescence Technology to Identify the Dandmark Artery During Robot-Assisted Radical Prostatectomy. <i>Videourology (New Rochelle, N Y)</i> , 2015 , 29,	0.9	5
68	Impact of Dehydrated Human Amniotic Membrane Allograft (AmnioFix□) on Continence and Potency Following Robot-Assisted Radical Prostatectomy. <i>Videourology (New Rochelle, N Y)</i> , 2015 , 29,	0.9	1
67	Do young patients with renal cell carcinoma feature a distinct outcome after surgery? A comparative analysis of patient age based on the multinational CORONA database. <i>Journal of Urology</i> , 2014 , 191, 310-5	2.5	19
66	Results of a comparative study analyzing octogenarians with renal cell carcinoma in a competing risk analysis with patients in the seventh decade of life. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 1252-8	2.8	7
	3 , , ,		
65	Words of wisdom. Re: Radical prostatectomy or watchful waiting in early prostate cancer. <i>European Urology</i> , 2014 , 66, 596	10.2	
65 64	Words of wisdom. Re: Radical prostatectomy or watchful waiting in early prostate cancer. <i>European Urology</i> , 2014 , 66, 596 Transperineal versus transrectal prostate biopsy for predicting the final laterality of prostate cancer: are they reliable enough to select patients for focal therapy? Results from a multicenter international study. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> ,	10.2	7
	Words of wisdom. Re: Radical prostatectomy or watchful waiting in early prostate cancer. <i>European Urology</i> , 2014 , 66, 596 Transperineal versus transrectal prostate biopsy for predicting the final laterality of prostate cancer: are they reliable enough to select patients for focal therapy? Results from a multicenter		7
64	Words of wisdom. Re: Radical prostatectomy or watchful waiting in early prostate cancer. <i>European Urology</i> , 2014 , 66, 596 Transperineal versus transrectal prostate biopsy for predicting the final laterality of prostate cancer: are they reliable enough to select patients for focal therapy? Results from a multicenter international study. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014 , 40, 16-22 Bladder tumours in children: An interesting case report of TCC with a partial inverted growth	2	
6 ₄	Words of wisdom. Re: Radical prostatectomy or watchful waiting in early prostate cancer. <i>European Urology</i> , 2014 , 66, 596 Transperineal versus transrectal prostate biopsy for predicting the final laterality of prostate cancer: are they reliable enough to select patients for focal therapy? Results from a multicenter international study. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014 , 40, 16-22 Bladder tumours in children: An interesting case report of TCC with a partial inverted growth pattern. <i>Archivio Italiano Di Urologia Andrologia</i> , 2014 , 86, 222-3 Perioperative and early oncological outcomes after robot-assisted radical prostatectomy (RARP) in	1.65.6	2
6 ₄ 6 ₃ 6 ₂	Words of wisdom. Re: Radical prostatectomy or watchful waiting in early prostate cancer. <i>European Urology</i> , 2014 , 66, 596 Transperineal versus transrectal prostate biopsy for predicting the final laterality of prostate cancer: are they reliable enough to select patients for focal therapy? Results from a multicenter international study. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014 , 40, 16-22 Bladder tumours in children: An interesting case report of TCC with a partial inverted growth pattern. <i>Archivio Italiano Di Urologia Andrologia</i> , 2014 , 86, 222-3 Perioperative and early oncological outcomes after robot-assisted radical prostatectomy (RARP) in morbidly obese patients: a propensity score-matched study. <i>BJU International</i> , 2014 , 113, 84-91	1.65.6	13
64 63 62 61	Words of wisdom. Re: Radical prostatectomy or watchful waiting in early prostate cancer. <i>European Urology</i> , 2014 , 66, 596 Transperineal versus transrectal prostate biopsy for predicting the final laterality of prostate cancer: are they reliable enough to select patients for focal therapy? Results from a multicenter international study. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014 , 40, 16-22 Bladder tumours in children: An interesting case report of TCC with a partial inverted growth pattern. <i>Archivio Italiano Di Urologia Andrologia</i> , 2014 , 86, 222-3 Perioperative and early oncological outcomes after robot-assisted radical prostatectomy (RARP) in morbidly obese patients: a propensity score-matched study. <i>BJU International</i> , 2014 , 113, 84-91 Primary large cell neuroendocrine carcinoma of the renal pelvis: a case report. <i>Urologia</i> , 2014 , 81, 57-9 Indication for and extension of pelvic lymph node dissection during robot-assisted radical	2 1.6 5.6	2 13 10
64 63 62 61 60	Words of wisdom. Re: Radical prostatectomy or watchful waiting in early prostate cancer. <i>European Urology</i> , 2014 , 66, 596 Transperineal versus transrectal prostate biopsy for predicting the final laterality of prostate cancer: are they reliable enough to select patients for focal therapy? Results from a multicenter international study. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2014 , 40, 16-22 Bladder tumours in children: An interesting case report of TCC with a partial inverted growth pattern. <i>Archivio Italiano Di Urologia Andrologia</i> , 2014 , 86, 222-3 Perioperative and early oncological outcomes after robot-assisted radical prostatectomy (RARP) in morbidly obese patients: a propensity score-matched study. <i>BJU International</i> , 2014 , 113, 84-91 Primary large cell neuroendocrine carcinoma of the renal pelvis: a case report. <i>Urologia</i> , 2014 , 81, 57-9 Indication for and extension of pelvic lymph node dissection during robot-assisted radical prostatectomy: an analysis of five European institutions. <i>European Urology</i> , 2014 , 66, 635-43 Gender differences in clinicopathological features and survival in surgically treated patients with renal cell carcinoma: an analysis of the multicenter CORONA database. <i>World Journal of Urology</i> ,	2 1.6 5.6	2 13 10 38

(2011-2013)

56	Analysis of radical cystectomy and urinary diversion complications with the Clavien classification system in an Italian real life cohort. <i>European Journal of Surgical Oncology</i> , 2013 , 39, 792-8	3.6	58
55	Posterior Reconstruction of the Rhabdosphincter 2013 , 305-315		
54	Perineural invasion as a predictor of extraprostatic extension of prostate cancer: a systematic review and meta-analysis. <i>Scandinavian Journal of Urology</i> , 2013 , 47, 443-8	1.6	22
53	Assessing the accuracy and generalizability of the preoperative and postoperative Karakiewicz nomograms for renal cell carcinoma: results from a multicentre European and US study. <i>BJU International</i> , 2013 , 112, 578-84	5.6	14
52	Robotic prostatectomy: an update on functional and oncologic outcomes. <i>Ecancermedicalscience</i> , 2013 , 7, 355	2.7	2
51	Robotics in uro-oncologic surgery. <i>Ecancermedicalscience</i> , 2013 , 7, 354	2.7	7
50	The role of the prostatic vasculature as a landmark for nerve sparing during robot-assisted radical prostatectomy. <i>European Urology</i> , 2012 , 61, 571-6	10.2	64
49	Posterior musculofascial reconstruction after radical prostatectomy: a systematic review of the literature. <i>European Urology</i> , 2012 , 62, 779-90	10.2	90
48	Current status of salvage robot-assisted laparoscopic prostatectomy for radiorecurrent prostate cancer. <i>Current Urology Reports</i> , 2012 , 13, 195-201	2.9	33
47	Modified technique of robotic-assisted simple prostatectomy: advantages of a vesico-urethral anastomosis. <i>BJU International</i> , 2012 , 109, 426-33	5.6	45
46	The powerful impact of double-layered posterior rhabdosphincter reconstruction on early recovery of urinary continence after robot-assisted radical prostatectomy. <i>Journal of Endourology</i> , 2012 , 26, 1159	9 ² 6 ⁷ 4	22
45	Does the presence of median lobe affect outcomes of robot-assisted laparoscopic radical prostatectomy?. <i>Journal of Endourology</i> , 2012 , 26, 264-70	2.7	24
44	Acute toxicity of image-guided hypofractionated radiotherapy for prostate cancer: nonrandomized comparison with conventional fractionation. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2011 , 29, 523-32	2.8	25
43	Positive surgical margins after robotic assisted radical prostatectomy: a multi-institutional study. Journal of Urology, 2011 , 186, 511-6	2.5	96
42	Collecting system invasion and Fuhrman grade but not tumor size facilitate prognostic stratification of patients with pT2 renal cell carcinoma. <i>Journal of Urology</i> , 2011 , 186, 2175-81	2.5	14
41	Incidence of lymphoceles after robot-assisted pelvic lymph node dissection. <i>BJU International</i> , 2011 , 108, 1185-90	5.6	78
40	FROM LEONARDO TO DA VINCI: THE HISTORY OF ROBOT-ASSISTED SURGERY IN UROLOGY. <i>BJU International</i> , 2011 , 108, 1714-1714	5.6	
39	Robotic technologies in surgical oncology training and practice. <i>Surgical Oncology</i> , 2011 , 20, 203-9	2.5	15

38	Pentafecta: a new concept for reporting outcomes of robot-assisted laparoscopic radical prostatectomy. <i>European Urology</i> , 2011 , 59, 702-7	10.2	179
37	Preliminary analysis of the feasibility and safety of salvage robot-assisted radical prostatectomy after radiation failure: multi-institutional perioperative and short-term functional outcomes. Journal of Endourology, 2011, 25, 1013-9	2.7	36
36	Experience with robotic lobectomy for lung cancer. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2011 , 6, 355-60	1.5	50
35	Recent advances in the surgical treatment of benign prostatic hyperplasia. <i>Therapeutic Advances in Urology</i> , 2011 , 3, 263-72	3.2	19
34	Continence, potency and oncological outcomes after robotic-assisted radical prostatectomy: early trifecta results of a high-volume surgeon. <i>BJU International</i> , 2010 , 106, 696-702	5.6	84
33	Techniques of nerve-sparing and potency outcomes following robot-assisted laparoscopic prostatectomy. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2010 , 36, 259-72	2	23
32	Posterior rhabdosphincter reconstruction during robot-assisted radical prostatectomy: critical analysis of techniques and outcomes. <i>Urology</i> , 2010 , 76, 734-41	1.6	38
31	Retropubic, laparoscopic, and robot-assisted radical prostatectomy: a critical review of outcomes reported by high-volume centers. <i>Journal of Endourology</i> , 2010 , 24, 2003-15	2.7	189
30	A critical analysis of the current knowledge of surgical anatomy related to optimization of cancer control and preservation of continence and erection in candidates for radical prostatectomy. <i>European Urology</i> , 2010 , 57, 179-92	10.2	328
29	Predictive factors for positive surgical margins and their locations after robot-assisted laparoscopic radical prostatectomy. <i>European Urology</i> , 2010 , 57, 1022-9	10.2	66
28	Early complication rates in a single-surgeon series of 2500 robotic-assisted radical prostatectomies: report applying a standardized grading system. <i>European Urology</i> , 2010 , 57, 945-52	10.2	117
27	Correlation between acute and late toxicity in 973 prostate cancer patients treated with three-dimensional conformal external beam radiotherapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 78, 26-34	4	38
26	Benign splenosis mimicking peritoneal seeding in a bladder cancer patient: a case report. <i>Cases Journal</i> , 2009 , 2, 9294		2
25	Phase II trial of estramustine phosphate and oral etoposide in patients with hormone-refractory prostate cancer. <i>Annals of Oncology</i> , 2009 , 20, 498-502	10.3	8
24	Periurethral suspension stitch during robot-assisted laparoscopic radical prostatectomy: description of the technique and continence outcomes. <i>European Urology</i> , 2009 , 56, 472-8	10.2	232
23	Robotic vs open prostatectomy in a laparoscopically naive centre: a matched-pair analysis. <i>BJU International</i> , 2009 , 104, 991-5	5.6	131
22	Intraoperative radiotherapy during radical prostatectomy for intermediate-risk to locally advanced prostate cancer: treatment technique and evaluation of perioperative and functional outcome vs standard radical prostatectomy, in a matched-pair analysis. <i>BJU International</i> , 2009 , 104, 1624-30	5.6	13
21	Anatomical reconstruction of the rhabdosphincter after radical prostatectomy. <i>BJU International</i> , 2009 , 104, 274-81	5.6	24

20	Robotic-assisted radical prostatectomy: a review of current outcomes. <i>BJU International</i> , 2009 , 104, 1	42& . 85	83
19	Re: Assessment of early continence after reconstruction of the periprostatic tissues in patients undergoing computer assisted (robotic) prostatectomy: results of a 2 group parallel randomized controlled trial: M. Menon, F. Muhletaler, M. Campos and J. O. Peabody J Urol 2008; 180:	2.5	6
18	Benign splenosis mimicking peritoneal seeding in a bladder cancer patient: a case report. <i>Cases Journal</i> , 2009 , 2, 8982		3
17	Benefit on Biochemical Control of Adjuvant Radiation Therapy in Patients with Pathologically Involved Seminal Vesicles after Radical Prostatectomy. <i>Tumori</i> , 2007 , 93, 445-451	1.7	4
16	Locally advanced prostate cancer: biochemical results from a prospective phase II study of intermittent androgen suppression for men with evidence of prostate-specific antigen recurrence after radiotherapy. <i>Cancer</i> , 2007 , 110, 467-8; author reply 468	6.4	3
15	Is the era of prostate-specific antigen over?. <i>BJU International</i> , 2007 , 100 Suppl 2, 8-10	5.6	3
14	European Study of Radical Prostatectomy: time trends in Europe, 1993-2005. <i>BJU International</i> , 2007 , 100 Suppl 2, 22-5	5.6	12
13	Posterior reconstruction of the rhabdosphincter allows a rapid recovery of continence after transperitoneal videolaparoscopic radical prostatectomy. <i>European Urology</i> , 2007 , 51, 996-1003	10.2	207
12	Early continence recovery after open radical prostatectomy with restoration of the posterior aspect of the rhabdosphincter. <i>European Urology</i> , 2007 , 52, 376-83	10.2	160
11	Robotic prostatectomy: facts or fiction?. <i>Lancet, The,</i> 2007 , 369, 723-724		~ •
	Rosodic prostace econiy. Ideas of Medoni. Lancet, The, 200 1, 300, 125 121	40	13
10	Gefitinib combined with endocrine manipulation in patients with hormone-refractory prostate cancer: quality of life and surrogate markers of activity. <i>Anti-Cancer Drugs</i> , 2007 , 18, 949-54	2.4	8
10	Gefitinib combined with endocrine manipulation in patients with hormone-refractory prostate		
	Gefitinib combined with endocrine manipulation in patients with hormone-refractory prostate cancer: quality of life and surrogate markers of activity. <i>Anti-Cancer Drugs</i> , 2007 , 18, 949-54 Editorial comment on: Prostate biopsies guided by three-dimensional real-time (4-D) transrectal ultrasonography on a phantom: comparative study versus two-dimensional transrectal	2.4	
9	Gefitinib combined with endocrine manipulation in patients with hormone-refractory prostate cancer: quality of life and surrogate markers of activity. <i>Anti-Cancer Drugs</i> , 2007 , 18, 949-54 Editorial comment on: Prostate biopsies guided by three-dimensional real-time (4-D) transrectal ultrasonography on a phantom: comparative study versus two-dimensional transrectal ultrasound-guided biopsies. <i>European Urology</i> , 2007 , 52, 1104-5 Intraoperative radiotherapy for locally advanced prostate cancer: treatment technique and	2.4	8
9	Gefitinib combined with endocrine manipulation in patients with hormone-refractory prostate cancer: quality of life and surrogate markers of activity. <i>Anti-Cancer Drugs</i> , 2007 , 18, 949-54 Editorial comment on: Prostate biopsies guided by three-dimensional real-time (4-D) transrectal ultrasonography on a phantom: comparative study versus two-dimensional transrectal ultrasound-guided biopsies. <i>European Urology</i> , 2007 , 52, 1104-5 Intraoperative radiotherapy for locally advanced prostate cancer: treatment technique and ultrasound-based analysis of dose distribution. <i>Anticancer Research</i> , 2007 , 27, 3471-6 Sensitivity and detection rate of a 12-core trans-perineal prostate biopsy: preliminary report.	2.4	13
9 8 7	Gefitinib combined with endocrine manipulation in patients with hormone-refractory prostate cancer: quality of life and surrogate markers of activity. <i>Anti-Cancer Drugs</i> , 2007 , 18, 949-54 Editorial comment on: Prostate biopsies guided by three-dimensional real-time (4-D) transrectal ultrasonography on a phantom: comparative study versus two-dimensional transrectal ultrasound-guided biopsies. <i>European Urology</i> , 2007 , 52, 1104-5 Intraoperative radiotherapy for locally advanced prostate cancer: treatment technique and ultrasound-based analysis of dose distribution. <i>Anticancer Research</i> , 2007 , 27, 3471-6 Sensitivity and detection rate of a 12-core trans-perineal prostate biopsy: preliminary report. <i>European Urology</i> , 2006 , 49, 827-33 Restoration of posterior aspect of rhabdosphincter shortens continence time after radical	2.4 10.2 2.3	13
9 8 7 6	Gefitinib combined with endocrine manipulation in patients with hormone-refractory prostate cancer: quality of life and surrogate markers of activity. <i>Anti-Cancer Drugs</i> , 2007 , 18, 949-54 Editorial comment on: Prostate biopsies guided by three-dimensional real-time (4-D) transrectal ultrasonography on a phantom: comparative study versus two-dimensional transrectal ultrasound-guided biopsies. <i>European Urology</i> , 2007 , 52, 1104-5 Intraoperative radiotherapy for locally advanced prostate cancer: treatment technique and ultrasound-based analysis of dose distribution. <i>Anticancer Research</i> , 2007 , 27, 3471-6 Sensitivity and detection rate of a 12-core trans-perineal prostate biopsy: preliminary report. <i>European Urology</i> , 2006 , 49, 827-33 Restoration of posterior aspect of rhabdosphincter shortens continence time after radical retropubic prostatectomy. <i>Journal of Urology</i> , 2006 , 175, 2201-6 RE: IS TUMOR VOLUME AN INDEPENDENT PROGNOSTIC FACTOR IN CLINICALLY LOCALIZED	2.4 10.2 2.3 10.2	8 13 29 246 2

reply 273

Re: An evaluation of the decreasing incidence of positive surgical margins in a large retropubic prostatectomy series. *Journal of Urology*, **2004**, 172, 776

2.5 1

Magnetic resonance imaging combined with artificial erection for local staging of penile cancer. *Urology*, **2004**, 63, 1158-62

1.6 63