

Nathan A Mara

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6767088/nathan-a-mara-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

5,250
citations

41
h-index

68
g-index

133
ext. papers

5,949
ext. citations

5.9
avg. IF

5.7
L-index

#	Paper	IF	Citations
130	Phase-field modeling of the interactions between an edge dislocation and an array of obstacles. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2022 , 389, 114426	5.7	3
129	High-Throughput Nanoindentation Mapping of Additively Manufactured T91 Steel. <i>Jom</i> , 2022 , 74, 1469-1476		0
128	Nanomechanical testing in drug delivery: theory, applications, and emerging trends.. <i>Advanced Drug Delivery Reviews</i> , 2022 , 114167	18.5	
127	Nano goes the distance. <i>Nature Materials</i> , 2021 , 20, 1456-1458	27	
126	Hierarchical and heterogeneous multiphase metallic nanomaterials and laminates. <i>MRS Bulletin</i> , 2021 , 46, 236-243	3.2	2
125	Quantifying physical parameters to predict brittle/ ductile behavior. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 808, 140899	5.3	1
124	High temperature nanoindentation of Cu ₃ TiN nanolaminates. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 804, 140522	5.3	2
123	Nanomechanical mapping and strain rate sensitivity of microcrystalline cellulose. <i>Journal of Materials Research</i> , 2021 , 36, 2251-2265	2.5	6
122	3D Periodic and Interpenetrating Tungsten-Silicon Oxycarbide Nanocomposites Designed for Mechanical Robustness. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 32126-32135	9.5	1
121	Temperature-dependent mechanical behavior of three-dimensionally ordered macroporous tungsten. <i>Journal of Materials Research</i> , 2020 , 35, 2556-2566	2.5	5
120	Microstructure and texture evolution in Mg/Nb layered materials made by accumulative roll bonding. <i>International Journal of Plasticity</i> , 2020 , 125, 1-26	7.6	26
119	Effects of Phase Purity and Pore Reinforcement on Mechanical Behavior of NU-1000 and Silica-Infiltrated NU-1000 Metal-Organic Frameworks. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 49971-49981	9.5	2
118	A comparison of adiabatic shear bands in wrought and additively manufactured 316L stainless steel using nanoindentation and electron backscatter diffraction. <i>Journal of Materials Science</i> , 2020 , 55, 1738-1752	4.3	9
117	Processing of Dilute Mg ₂ ZnMnCa Alloy/Nb Multilayers by Accumulative Roll Bonding. <i>Advanced Engineering Materials</i> , 2020 , 22, 1900673	3.5	5
116	High-Throughput Nanomechanical Screening of Phase-Specific and Temperature-Dependent Hardness in Al _x FeCrNiMn High-Entropy Alloys. <i>Jom</i> , 2019 , 71, 3368-3377	2.1	10
115	Structure and properties of pseudomorphically transformed bcc Mg in Mg/Nb multilayered nanolaminates studied using synchrotron X-ray diffraction. <i>Journal of Applied Physics</i> , 2019 , 126, 025302	2.5	7
114	Spherical Nanoindentation Stress-Strain Analysis of Ion-Irradiated Tungsten		1

113	Spherical Nanoindentation Stress-Strain Analysis of Ion-Irradiated Tungsten. <i>Minerals, Metals and Materials Series</i> , 2019 , 617-635	0.3	
112	Microstructure and mechanical properties of co-sputtered Al-SiC composites. <i>Materials and Design</i> , 2019 , 168, 107670	8.1	7
111	Interface Facilitated Reorientation of Mg Nanolayers in Mg-Nb Nanolaminates. <i>Jom</i> , 2019 , 71, 1215-1220.	2.1	5
110	Suppression of shear banding in high-strength Cu/Mo nanocomposites with hierarchical bicontinuous intertwined structures. <i>Materials Research Letters</i> , 2018 , 6, 184-190	7.4	32
109	Maintaining nano-lamellar microstructure in friction stir welding (FSW) of accumulative roll bonded (ARB) Cu-Nb nano-lamellar composites (NLC). <i>Journal of Materials Science and Technology</i> , 2018 , 34, 92-101	9.1	7
108	Quantifying the mechanical effects of He, W and He + W ion irradiation on tungsten with spherical nanoindentation. <i>Journal of Materials Science</i> , 2018 , 53, 5296-5316	4.3	25
107	Size Effects in Single-Crystal Metallic Micro- and Nanocubes. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2018 , 47-49	0.3	
106	Mechanical properties of metal-ceramic nanolaminates: Effect of constraint and temperature. <i>Acta Materialia</i> , 2018 , 142, 37-48	8.4	25
105	Mechanical Properties of Anhydrous and Hydrated Uric Acid Crystals. <i>Chemistry of Materials</i> , 2018 , 30, 3798-3805	9.6	33
104	In situ TEM Investigation of Mechanically Induced Phase Transformations in Nanoscale Composites. <i>Microscopy and Microanalysis</i> , 2018 , 24, 1828-1829	0.5	1
103	Tribological performance of monolithic copper thin films during nanowear. <i>Wear</i> , 2018 , 394-395, 50-59	3.5	3
102	Quantifying heterogeneous deformation in grain boundary regions on shock loaded tantalum using spherical and sharp tip nanoindentation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018 , 737, 373-382	5.3	9
101	Room temperature deformation mechanisms of Mg/Nb nanolayered composites. <i>Journal of Materials Research</i> , 2018 , 33, 1311-1332	2.5	23
100	Slip transmission of high angle grain boundaries in body-centered cubic metals: Micropillar compression of pure Ta single and bi-crystals. <i>Acta Materialia</i> , 2018 , 156, 356-368	8.4	19
99	Effects of He radiation on cavity distribution and hardness of bulk nanolayered Cu-Nb composites. <i>Journal of Nuclear Materials</i> , 2017 , 487, 311-316	3.3	19
98	Misfit dislocation patterns of Mg-Nb interfaces. <i>Acta Materialia</i> , 2017 , 126, 552-563	8.4	33
97	Mechanically controlling the reversible phase transformation from zinc blende to wurtzite in AlN. <i>Materials Research Letters</i> , 2017 , 5, 426-432	7.4	11
96	Strain fields induced by kink band propagation in Cu-Nb nanolaminate composites. <i>Acta Materialia</i> , 2017 , 133, 303-315	8.4	49

95	Experimentally quantifying critical stresses associated with basal slip and twinning in magnesium using micropillars. <i>Acta Materialia</i> , 2017 , 135, 411-421	8.4	59
94	Mechanical behavior of rare-earth orthophosphates near the monazite/xenotime boundary characterized by nanoindentation. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 691, 203-210	5.3	4
93	Strong, Ductile, and Thermally Stable bcc-Mg Nanolaminates. <i>Scientific Reports</i> , 2017 , 7, 8264	4.9	37
92	Microstructure Evolution and Mechanical Response of Nanolaminate Composites Irradiated with Helium at Elevated Temperatures. <i>Jom</i> , 2017 , 69, 2206-2213	2.1	12
91	Probing nanoscale damage gradients in ion-irradiated metals using spherical nanoindentation. <i>Scientific Reports</i> , 2017 , 7, 11918	4.9	26
90	In situ frustum indentation of nanoporous copper thin films. <i>International Journal of Plasticity</i> , 2017 , 98, 139-155	7.6	12
89	Deformation response of AgCu interfaces investigated by in situ and ex situ TEM straining and MD simulations. <i>Acta Materialia</i> , 2017 , 138, 212-223	8.4	26
88	Spherical nanoindentation of proton irradiated 304 stainless steel: A comparison of small scale mechanical test techniques for measuring irradiation hardening. <i>Journal of Nuclear Materials</i> , 2017 , 493, 368-379	3.3	28
87	Interface-Driven Plasticity in Metal/Ceramic Nanolayered Composites: Direct Validation of Multiscale Deformation Modeling via In Situ Indentation in TEM. <i>Jom</i> , 2016 , 68, 143-150	2.1	18
86	Local Mechanical Property Evolution During High Strain-Rate Deformation of Tantalum. <i>Journal of Dynamic Behavior of Materials</i> , 2016 , 2, 511-520	1.8	9
85	Identifying Deformation and Strain Hardening Behaviors of Nanoscale Metallic Multilayers Through Nano-wear Testing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2016 , 47, 1083-1095	2.3	8
84	Hardening due to Interfacial He Bubbles in Nanolayered Composites. <i>Materials Research Letters</i> , 2016 , 4, 75-82	7.4	26
83	Investigations of orientation and length scale effects on micromechanical responses in polycrystalline zirconium using spherical nanoindentation. <i>Scripta Materialia</i> , 2016 , 113, 241-245	5.6	21
82	Tensile behavior and flow stress anisotropy of accumulative roll bonded Cu-Nb nanolaminates. <i>Applied Physics Letters</i> , 2016 , 108, 051903	3.4	51
81	Enhanced Plasticity via Kinking in Cubic Metallic Nanolaminates. <i>Advanced Engineering Materials</i> , 2015 , 17, 781-785	3.5	32
80	Spray-Dried Multiscale Nano-biocomposites Containing Living Cells. <i>ACS Nano</i> , 2015 , 9, 6961-77	16.7	22
79	Role of interfaces on the trapping of He in 2D and 3D Cu/Nb nanocomposites. <i>Journal of Nuclear Materials</i> , 2015 , 466, 36-42	3.3	12
78	A study of microstructure-driven strain localizations in two-phase polycrystalline HCP/BCC composites using a multi-scale model. <i>International Journal of Plasticity</i> , 2015 , 74, 35-57	7.6	108

77	Bulk texture evolution of nanolamellar Zr/Nb composites processed via accumulative roll bonding. <i>Acta Materialia</i> , 2015 , 92, 97-108	8.4	64
76	Recrystallization and Grain Growth in Accumulative Roll-Bonded Metal Composites. <i>Jom</i> , 2015 , 67, 2810-2819	9	
75	Micromechanical and in situ shear testing of AlSiC nanolaminate composites in a transmission electron microscope (TEM). <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 621, 229-235	5.3	24
74	Adhesion of voids to bimetal interfaces with non-uniform energies. <i>Scientific Reports</i> , 2015 , 5, 15428	4.9	37
73	Microstructure and local mechanical property evolution during high strain-rate deformation of tantalum. <i>EPJ Web of Conferences</i> , 2015 , 94, 02023	0.3	2
72	Interface-Driven Plasticity: The Presence of an Interface Affected Zone in Metallic Lamellar Composites. <i>Advanced Engineering Materials</i> , 2015 , 17, 109-114	3.5	10
71	Interface-dominant multilayers fabricated by severe plastic deformation: Stability under extreme conditions. <i>Current Opinion in Solid State and Materials Science</i> , 2015 , 19, 265-276	12	35
70	The Suppression of Instabilities via Biphase Interfaces During Bulk Fabrication of Nanograined Zr. <i>Materials Research Letters</i> , 2015 , 3, 50-57	7.4	16
69	Engineering interface structures and thermal stabilities via SPD processing in bulk nanostructured metals. <i>Scientific Reports</i> , 2014 , 4, 4226	4.9	49
68	Texture evolution in two-phase Zr/Nb lamellar composites during accumulative roll bonding. <i>International Journal of Plasticity</i> , 2014 , 57, 16-28	7.6	97
67	Microstructural evolution of nanolayered Cu/Nb composites subjected to high-pressure torsion. <i>Acta Materialia</i> , 2014 , 72, 178-191	8.4	47
66	Emergence of stable interfaces under extreme plastic deformation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 4386-90	11.5	111
65	Deformation and failure of shocked bulk Cu/Nb nanolaminates. <i>Acta Materialia</i> , 2014 , 63, 150-161	8.4	73
64	Plastic instability mechanisms in bimetallic nanolayered composites. <i>Acta Materialia</i> , 2014 , 79, 282-291	8.4	86
63	Review: effect of bimetal interface structure on the mechanical behavior of Cu/Nb fcc/Bcc nanolayered composites. <i>Journal of Materials Science</i> , 2014 , 49, 6497-6516	4.3	82
62	Effects of helium implantation on the tensile properties and microstructure of Ni73P27 metallic glass nanostructures. <i>Nano Letters</i> , 2014 , 14, 5176-83	11.5	50
61	The critical role of grain orientation and applied stress in nanoscale twinning. <i>Nature Communications</i> , 2014 , 5, 3806	17.4	48
60	Influence of slip and twinning on the crystallographic stability of bimetal interfaces in nanocomposites under deformation. <i>Acta Materialia</i> , 2014 , 72, 137-147	8.4	32

59	A multi-scale model for texture development in Zr/Nb nanolayered composites processed by accumulative roll bonding. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014 , 63, 012170	0.4	11
58	Layer Stability and Material Properties of Friction-Stir Welded Cu/Nb Nanolamellar Composite Plates. <i>Materials Research Letters</i> , 2014 , 2, 227-232	7.4	2
57	An interface facet driven Rayleigh instability in high-aspect-ratio bimetallic nanolayered composites. <i>Applied Physics Letters</i> , 2014 , 105, 111901	3.4	18
56	Processing and Deformation Behavior of Bulk Cu/Nb Nanolaminates. <i>Metallography, Microstructure, and Analysis</i> , 2014 , 3, 470-476	1.1	25
55	The Influence of Rolling Schedule on the Dynamic Properties of Accumulatively Roll Bonded Nano-Layered Cu-Nb. <i>Key Engineering Materials</i> , 2014 , 622-623, 1031-1040	0.4	2
54	He implantation of bulk Cu/Nb nanocomposites fabricated by accumulated roll bonding. <i>Journal of Nuclear Materials</i> , 2014 , 452, 57-60	3.3	40
53	Processing Parameter Influence on Texture and Microstructural Evolution in Cu-Nb Multilayer Composites Fabricated via Accumulative Roll Bonding. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2014 , 45, 2192-2208	2.3	50
52	Bond Characterization of Plasma Sprayed Zirconium on Uranium Alloy by Microcantilever Testing. <i>Journal of Thermal Spray Technology</i> , 2013 , 22, 233-241	2.5	4
51	Interface-driven microstructure development and ultra high strength of bulk nanostructured Cu-Nb multilayers fabricated by severe plastic deformation. <i>Journal of Materials Research</i> , 2013 , 28, 1799-1812	2.5	106
50	Radiation damage tolerant nanomaterials. <i>Materials Today</i> , 2013 , 16, 443-449	21.8	328
49	Design of radiation tolerant materials via interface engineering. <i>Advanced Materials</i> , 2013 , 25, 6975-9	24	248
48	Meso-Scale Modeling the Orientation and Interface Stability of Cu/Nb-Layered Composites by Rolling. <i>Jom</i> , 2013 , 65, 431-442	2.1	13
47	High-strength and thermally stable bulk nanolayered composites due to twin-induced interfaces. <i>Nature Communications</i> , 2013 , 4, 1696	17.4	238
46	Characterization of nickel nanostrand nanocomposites through dielectric spectroscopy and nanoindentation. <i>Polymer Engineering and Science</i> , 2013 , 53, 2666-2673	2.3	5
45	Effect of double ion implantation and irradiation by Ar and He ions on nano-indentation hardness of metallic alloys. <i>Journal of Nuclear Materials</i> , 2013 , 438, 108-115	3.3	46
44	Modeling the texture evolution of Cu/Nb layered composites during rolling. <i>International Journal of Plasticity</i> , 2013 , 49, 71-84	7.6	65
43	Anomalous Basal Slip Activity in Zirconium under High-strain Deformation. <i>Materials Research Letters</i> , 2013 , 1, 133-140	7.4	80
42	Synthesis and mechanical behavior of nanoporous nanotwinned copper. <i>Applied Physics Letters</i> , 2013 , 103, 241907	3.4	10

41	Optimum high temperature strength of two-dimensional nanocomposites. <i>APL Materials</i> , 2013 , 1, 0521037	3.7	38
40	Indentation Fracture Response of AlTiN Nanolaminates. <i>Materials Research Letters</i> , 2013 , 1, 102-108	7.4	27
39	Twinnability of bimetal interfaces in nanostructured composites. <i>Materials Research Letters</i> , 2013 , 1, 89-95	7.4	53
38	Microcantilever bend testing and finite element simulations of HIP-ed interface-free bulk Al and AlAl HIP bonded interfaces. <i>Philosophical Magazine</i> , 2013 , 93, 2749-2758	1.6	5
37	A wedge-mounting technique for nanoscale electron backscatter diffraction. <i>Journal of Applied Physics</i> , 2013 , 113, 094304	2.5	31
36	Size effects in the superelastic response of Ni ₅₄ Fe ₁₉ Ga ₂₇ shape memory alloy pillars with a two stage martensitic transformation. <i>Acta Materialia</i> , 2012 , 60, 5670-5685	8.4	66
35	Structure-Property-Functionality of Bimetal Interfaces. <i>Jom</i> , 2012 , 64, 1192-1207	2.1	110
34	Aligned carbon nanotubes sandwiched in epitaxial NbC film for enhanced superconductivity. <i>Nanoscale</i> , 2012 , 4, 2268-71	7.7	11
33	Structure and Property of Interfaces in ARB Cu/Nb Laminated Composites. <i>Jom</i> , 2012 , 64, 1208-1217	2.1	52
32	Deformation twinning mechanisms from bimetal interfaces as revealed by in situ straining in the TEM. <i>Acta Materialia</i> , 2012 , 60, 5858-5866	8.4	83
31	Interfacially Driven Deformation Twinning in Bulk Ag-Cu Composites. <i>Jom</i> , 2012 , 64, 1218-1226	2.1	9
30	Atomic-level study of twin nucleation from face-centered-cubic/body-centered-cubic interfaces in nanolamellar composites. <i>Applied Physics Letters</i> , 2012 , 100, 011911	3.4	71
29	Bulk texture evolution of Cu/Nb nanolamellar composites during accumulative roll bonding. <i>Acta Materialia</i> , 2012 , 60, 1576-1586	8.4	167
28	Morphology and porosity of nanoporous Au thin films formed by dealloying of AuSi ₁₁ . <i>Journal of Applied Physics</i> , 2012 , 112, 094320	2.5	23
27	Microcompression study of Al-Nb nanoscale multilayers. <i>Journal of Materials Research</i> , 2012 , 27, 592-598	2.5	50
26	Interface-facilitated deformation twinning in copper within submicron AgCu multilayered composites. <i>Scripta Materialia</i> , 2011 , 64, 1083-1086	5.6	74
25	Suppression of irradiation hardening in nanoscale V/Ag multilayers. <i>Acta Materialia</i> , 2011 , 59, 6331-6340	8.4	139
24	Texture evolution via combined slip and deformation twinning in rolled silver-copper cast eutectic nanocomposite. <i>International Journal of Plasticity</i> , 2011 , 27, 121-146	7.6	117

23	Multiscale Model for the Extreme Piezoresistivity in Silicone/Nickel Nanostrand Nanocomposites. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011 , 42, 3898-3906	2.3	9
22	Epitaxial superconducting FeMoN films grown by a chemical solution method. <i>Journal of the American Chemical Society</i> , 2011 , 133, 20735-7	16.4	43
21	Compressive flow behavior of AlTiN multilayers at nanometer scale layer thickness. <i>Acta Materialia</i> , 2011 , 59, 3804-3816	8.4	120
20	Mechanism for shear banding in nanolayered composites. <i>Applied Physics Letters</i> , 2010 , 97, 021909	3.4	134
19	Chemical solution deposition of epitaxial carbide films. <i>Journal of the American Chemical Society</i> , 2010 , 132, 2516-7	16.4	39
18	Mechanical Behavior of Nanostructured Materials <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2010 , 41, 777-777	2.3	1
17	In situ x-ray investigation of freestanding nanoscale CuNb multilayers under tensile load. <i>Applied Physics Letters</i> , 2009 , 94, 031906	3.4	39
16	Transmission electron microscopy study of the deformation behavior of Cu/Nb and Cu/Ni nanoscale multilayers during nanoindentation. <i>Journal of Materials Research</i> , 2009 , 24, 1291-1302	2.5	53
15	Strong and ductile nanostructured Cu-carbon nanotube composite. <i>Applied Physics Letters</i> , 2009 , 95, 071907	3.4	56
14	Ultrahigh Strength and Ductility of Cu-Nb Nanolayered Composites. <i>Materials Science Forum</i> , 2009 , 633-634, 647-653	0.4	18
13	Deformability of ultrahigh strength 5nm CuNb nanolayered composites. <i>Applied Physics Letters</i> , 2008 , 92, 231901	3.4	206
12	High-temperature mechanical behavior/microstructure correlation of Cu/Nb nanoscale multilayers. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 493, 274-282	5.3	45
11	The effects of decreasing layer thickness on the high temperature mechanical behavior of Cu/Nb nanoscale multilayers. <i>Thin Solid Films</i> , 2007 , 515, 3241-3245	2.2	36
10	Plasticity at really diminished length scales. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 463, 8-13	5.3	16
9	Superplasticity and cooperative grain boundary sliding in nanocrystalline Ni_3Al . <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007 , 463, 238-244	5.3	31
8	Grain boundary sliding in nanomaterials at elevated temperatures. <i>Journal of Materials Science</i> , 2007 , 42, 1433-1438	4.3	30
7	Residual strain and texture in free-standing nanoscale Cu-Nb multilayers. <i>Journal of Applied Physics</i> , 2007 , 102, 083514	2.5	14
6	Cooperative grain boundary sliding in nanocrystalline materials. <i>Philosophical Magazine</i> , 2006 , 86, 5797-5804	3.7	37

5	Shear band formation and ductility in bulk metallic glass. <i>Philosophical Magazine</i> , 2005 , 85, 2671-2687	1.6	83
4	Elevated Temperature Mechanical Properties of Devitrified Metallic Glass. <i>Materials Research Society Symposia Proceedings</i> , 2004 , 821, 191		
3	Shear band formation and ductility of metallic glasses. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 383, 219-223	5.3	41
2	Mechanical response of Zr-based metallic glass. <i>Journal of Non-Crystalline Solids</i> , 2003 , 317, 169-175	3.9	18
1	Algorithms for Nanoindentation Strain Rate Jump Testing and Analysis. <i>Experimental Mechanics</i> , 1	2.6	0