

Oleg V Mikhailov

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6767608/oleg-v-mikhailov-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81 papers	663 citations	15 h-index	20 g-index
95 ext. papers	717 ext. citations	2.5 avg, IF	4.73 L-index

#	Paper	IF	Citations
81	Synthesis of 3d-element metalmacrocylic chelates into polypeptide biopolymer medium and their molecular structures. <i>Inorganica Chimica Acta</i> , 2013 , 394, 664-684	2.7	43
80	Molecular structures of (5456)metalmacrocylic chelates with 7-imino-1-oxa-3,6,8,11-tetraazacyclododecanetetrathione-4,5,9,10 formed at template synthesis according to DFT OPBE/TZVP method data. <i>Inorganica Chimica Acta</i> , 2013 , 408, 246-250	2.7	26
79	DFT Calculations of Space Structures of MII Complexes with (N,N,N,N)-Coordinating Macroheterocyclic Ligand 1,8-Dioxa-3,6,10,13-tetraazacyclotetradecanetetrathione-4,5,11,12. <i>Macroheterocycles</i> , 2009 , 2, 271-274	2.2	26
78	Soft template synthesis in copper(II) dithiooxamideethanal, copper(II) dithiooxamideethanal and copper(II) dithiooxamidepropanone triple systems in a copper(II) hexacyanoferrate(II) gelatin-immobilized matrix. <i>Transition Metal Chemistry</i> , 2000 , 25, 552-558	2.1	25
77	From novel complexing conditions to novel coordination compounds of nickel(II) with dithiooxamide and its bulky analogues. <i>Transition Metal Chemistry</i> , 1996 , 21, 363-369	2.1	23
76	Soft template synthesis of (2,8-dithio-3,7-diaza-5-oxanonandithioamide-1,9) nickel(II) and (2,7-dithio-3,6-diazaoctadien-3,5-dithioamide-1,8)nickel(II) using a nickel(II) hexacyanoferrate(II) gelatin-immobilized matrix. <i>Transition Metal Chemistry</i> , 1999 , 24, 503-510	2.1	22
75	Template synthesis in the M(II) thiocarbohydrazide diacetyl triple system. <i>Transition Metal Chemistry</i> , 2004 , 29, 732-736	2.1	21
74	Mild template synthesis of a copper(II)-containing macrocyclic compound with 4,4,6-trimethyl-2,3,7,8-tetraazanonen-6-dithiohydrazide-1,9 in a gelatin-immobilized matrix. <i>Transition Metal Chemistry</i> , 2003 , 28, 665-667	2.1	21
73	Low-temperaturic template synthesis of macrocyclic cobalt(III) chelates with (N,N,S,S)-donor atomic ligands in the cobalt(II) dithiooxamide-formaldehyde and cobalt(II) dithiooxamide-glyoxal systems in the Co ₂ [Fe(CN) ₆]-gelatin-immobilized matrices. <i>Transition Metal Chemistry</i> , 2000 , 25, 26-31	2.1	21
72	Gelatin-immobilized metal complexes: synthesis and applications. <i>Journal of Coordination Chemistry</i> , 2008 , 61, 1333-1384	1.6	19
71	Complex formation processes in 3dmetal hexacyanoferrate(II) gelatin-immobilised matrices. <i>Russian Chemical Reviews</i> , 1995 , 64, 657-673	6.8	19
70	Sol-gel technology and template synthesis in thin gelatin films. <i>Journal of Sol-Gel Science and Technology</i> , 2014 , 72, 314-327	2.3	18
69	Elemental Silver Nanoparticles: Biosynthesis and Bio Applications. <i>Materials</i> , 2019 , 12,	3.5	17
68	Template synthesis in the nickel(II) thiocarbohydrazidepropanone triple system. <i>Transition Metal Chemistry</i> , 2005 , 30, 299-304	2.1	16
67	Complexing processes on the immobilized matrices of hexacyanoferrate(II) copper(II) and nitrogen-sulfur-containing ligands in thin gelatin layer. <i>Monatshefte für Chemie</i> , 1991 , 122, 595-603	1.4	16
66	Ni(II)- and Cu(II)-Containing Heterocyclic Compounds with 4,4',6-trimethyl-2,8-dithio-3,7-diazanonon-6-dithioamide-1,9 Obtained in Gelatin-Immobilized Matrices in the Template Synthesis Process. <i>Heterocyclic Communications</i> , 2000 , 6,	1.7	15
65	Structures of metalmacrocylic compounds arising from self-assembly in ion 3d-element dithiooxamide-hydroxysubstituted acetaldehyde ternary systems. <i>Inorganica Chimica Acta</i> , 2013 , 408, 199-203	2.7	13

64	From novel complexing conditions to novel coordination compounds of copper(II) with dithiooxamide and its bulky analogues. <i>Transition Metal Chemistry</i> , 1997 , 22, 535-540	2.1	13
63	MOLECULAR STRUCTURE MODELS OF Al ₂ Ti ₃ AND Al ₂ V ₃ CLUSTERS ACCORDING TO DFT QUANTUM-CHEMICAL CALCULATION. <i>European Chemical Bulletin</i> , 2020 , 9, 62	0.5	13
62	Soft template synthesis of macrocyclic copper(II) chelates with 3,9-dithio-4,8-diaza-6-oxaundekandithioamide-1,11 in a Cu ₂ [Fe(CN) ₆]-gelatin-immobilized matrix. <i>Transition Metal Chemistry</i> , 2003 , 28, 592-594	2.1	12
61	Complexing processes on the immobilized matrices of hexacyanoferrate(II)-nickel(II) and nitrogen-sulfur ligands in thin gelatin layer. <i>Monatshefte für Chemie</i> , 1990 , 121, 601-607	1.4	12
60	DFT OPBE/TZVP Calculation of Molecular Structures of (5656) Macroheterocyclic Chelates of Double Charged 3d-Element Ions with 1,5,8,11-Tetraazacyclotetradecanetetraethione-2,3,9,10 and Its Dioxo- and Dithia Analogs. <i>Macroheterocycles</i> , 2016 , 9, 268-276	2.2	12
59	Template Synthesis into Gelatin-Immobilized Matrix as Perspective Method of Obtaining Supramolecular Macroheterocyclic Compounds. <i>Macroheterocycles</i> , 2008 , 1, 90-97	2.2	12
58	About possibility of stabilization of unusual copper(IV) oxidation state in complexes with porphyrizine and two fluorine ligands: Quantum-chemical design. <i>Inorganic Chemistry Communication</i> , 2019 , 106, 224-227	3.1	11
57	The relative stability of macrotricyclic metal complexes in M(II)-thiocarbohydrazide-acetone (M = Mn, Fe, Co, Ni, Cu, Zn) ternary systems according to the data of quantum-chemical calculations. <i>Russian Journal of Physical Chemistry A</i> , 2011 , 85, 152-155	0.7	10
56	Mild template synthesis in the iron(III)-ethanedithioamide-1,2-formaldehyde triple system on a K[Fe ₂ (CN) ₆] gelatin-immobilized matrix. <i>Journal of Coordination Chemistry</i> , 2009 , 62, 1058-1066	1.6	10
55	Molecular structure design and soft template synthesis of aza-, oxaza- and thiaazamacrocyclic metal chelates in the gelatin matrix. <i>Arabian Journal of Chemistry</i> , 2017 , 10, 47-67	5.9	9
54	Mild template synthesis of nickel(II) and copper(II) chelates with an (N,N,S,S)-tetradentate ligand in metal hexacyanoferrate(II)-immobilised matrix systems. <i>Mendeleev Communications</i> , 1998 , 8, 96-97	1.9	9
53	Copper(II)- Heterocyclic Compounds with 4,5-Dimethyl-2,3,6,7-tetraazaocctadien-3,5-dithiohydrazide-1,8 and 3,10-Dithio-6,7,13,14-tetramethyl-1,2/4,5,8/9/11,12-octaazacyclotetradekatetraen-1,5,7,12 Obtained in Gelatin-Immobilized Matrix. <i>Journal of Coordination Chemistry</i> , 2008 , 61, 1058-1066	1.7	9
52	Complexing processes in M(II)-dithiomalonamide-diacetyl triple systems (M= Ni, Cu) in ethanol solution and in a metal(II)hexacyanoferrate(II) gelatin-immobilized matrix materials. <i>Transition Metal Chemistry</i> , 2005 , 30, 18-21	2.1	9
51	DFT Quantum-Chemical Modeling Molecular Structures of Cobalt Macrocyclic Complexes with Porphyrizine or Its Benzo-Derivatives and Two Oxygen Acido Ligands. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	9
50	Molecular nanotechnologies of gelatin-immobilization using macrocyclic metal chelates. <i>Nano Reviews</i> , 2014 , 5,		8
49	A new version of the Hirsh index: The j-index. <i>Herald of the Russian Academy of Sciences</i> , 2014 , 84, 217-220	0.7	7
48	Stability of isomeric chelates in M(II)-thiocarbamoylmethanamide-ethandial systems according to the DFT B3LYP method (M = Mn, Fe, Co, Ni, Cu, Zn). <i>Russian Journal of Physical Chemistry A</i> , 2011 , 85, 1475-1477	0.7	7
47	Novel coordination compounds of nickel(II) and copper(II) with N,N'-prime-diphenylthiooxamide; formation of complexed metalhexacyanoferrate(II) gelatin-immobilized matrix systems. <i>Transition Metal Chemistry</i> , 1998 , 23, 195-199	2.1	7

46	Soft template synthesis in the cobalt(III)-1,2-diaminoethane-1,2-dithione-propanone triple system on a K[CoFe(CN) ₆]-gelatin-immobilized matrix. <i>Transition Metal Chemistry</i> , 2008 , 33, 523-527	2.1	7
45	Soft template synthesis of cobalt(III) chelates with 2,8-dithio-3, 7-diaza-5-oxa-nonandithioamide-1,9 and with 2,7-dithio-3,6-diazaoctadien-3, 5-dithioamide-1,8 into cobalt(III)hexacyanoferrate(II) gelatin-immobilized matrix materials. <i>Transition Metal Chemistry</i> , 2005 , 30, 22-26	2.1	7
44	Possibility of template synthesis with junction of metallacycles containing trans-located nitrogen atoms in the 3d metal(II) ion-dithiooxamide-acetone systems as predicted by DFT simulation data. <i>Russian Journal of General Chemistry</i> , 2015 , 85, 628-633	0.7	6
43	Novel oxidation state Zinc(III) in chelate with 3,7,11,15-tetraazaporphine and one fluorine ligand: Quantum-chemical modeling. <i>Journal of Porphyrins and Phthalocyanines</i> , 2019 , 23, 685-689	1.8	6
42	SOFT TEMPLATE SYNTHESIS OF Fe(II,III), Co(II,III), Ni(II) AND Cu(II) METALMACROCYCLIC COMPOUNDS IN GELATIN-IMMOBILIZED MATRIX IMPLANTS. <i>Reviews in Inorganic Chemistry</i> , 2010 , 30,	2.4	6
41	Polycyclic 3d-metalchelates formed owing to inner-sphere transmutations in the gelatin matrix: synthesis and structures. <i>Reviews in Inorganic Chemistry</i> , 2017 , 37, 71-94	2.4	5
40	Complexes of elements with chelate and macrocyclic ligands as promising components of nonsilver photographic systems. <i>Russian Chemical Reviews</i> , 1997 , 66, 665-678	6.8	5
39	Cobalt(III)-dithiooxamide, cobalt(III)-N,N'-diphenylthiooxamide and cobalt(III)-N,N'-diphenyldithiooxamide complexing in the KCo[Fe(CN) ₆]-gelatin-immobilized matrices. <i>Transition Metal Chemistry</i> , 1999 , 24, 517-524	2.1	5
38	M(VI) Oxidation State Stabilization in Iron, Cobalt and Nickel Heteroligand Metal Chelates Containing 3,7,11,15-Tetraazaporphine and Two Axial Oxo Ligands: Quantum-Chemical Simulation. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
37	DFT analysis of molecular structure of 14-membered tetraaza-, dioxotetraaza-, and hexaazamacroheterocyclic ligands and their metal complexes. <i>Russian Journal of General Chemistry</i> , 2016 , 86, 1102-1107	0.7	4
36	Cobalt(II)-8-mercaptoquinolines complexing in cobalt(II) hexacyanoferrate(II) gelatin-immobilized matrix materials. <i>Transition Metal Chemistry</i> , 2002 , 27, 159-162	2.1	4
35	DFT study on the relative stability of isomeric macrocyclic metal chelates of divalent 4D-element ions with tetradentate (NSSN)- and (NNNN)- template ligands. <i>European Chemical Bulletin</i> , 2020 , 9, 329	0.5	4
34	Copper (IV) Stabilization in Macrocyclic Complexes with 3,7,11,15-Tetraazaporphine, Its Di[benzo]- or Tetra[benzo] Derivatives and Oxide Anion: Quantum-Chemical Research. <i>Materials</i> , 2020 , 13,	3.5	4
33	Molecular structures and thermodynamics of stable N4, N6 and N8 neutral poly-nitrogens according to data of QCISD(T)/TZVP method. <i>Chemical Physics Letters</i> , 2020 , 753, 137594	2.5	3
32	Progress in the synthesis of Ag nanoparticles having manifold geometric forms. <i>Reviews in Inorganic Chemistry</i> , 2018 , 38, 21-42	2.4	3
31	Models of molecular structure of heteronuclear clusters Al ₂ Fe ₃ , Al ₂ Co ₃ , and Al ₂ Ni ₃ according to the data of quantum-chemical density functional simulation. <i>Russian Journal of General Chemistry</i> , 2016 , 86, 1991-1999	0.7	3
30	THE COMPLEXING INTO METAL-CONTAINING GELATIN-IMMOBILIZED MATRICES AS NOVEL PERSPECTIVE METHOD OF COORDINATION POLYMERS SYNTHESIS. UNCHELATED COORDINATION POLYMERS OF NICKEL (II) AND COPPER(II) WITH DITHIOOXAMIDE. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1997 , 126, 129-136	1	3
29	Iron(II)-8-mercaptoquinoline, iron(II)-5-chloro-8-mercaptoquinoline and iron(II)-5-bromo-8-mercaptoquinoline complexing in the iron(III) hexacyanoferrate(II) gelatin-immobilized matrix systems. <i>Transition Metal Chemistry</i> , 1998 , 23, 497-500	2.1	3

28	MII-N-diisopropoxythiophosphorylthiobenzamide complexing processes in M2[Fe(CN)6]-gelatin-immobilized matrices (M = Co, Ni, Cu). <i>Transition Metal Chemistry</i> , 2002 , 27, 423-428 ^{2.1}	3
27	Copper(II)8-mercaptoquinoline, copper(II)8,8-dimercaptoquinoline and copper(II)8-thiomethyl-8-mercaptoquinoline complexing in a copper(II)hexacyanoferrate(II) gelatin-immobilized matrix. <i>Transition Metal Chemistry</i> , 2000 , 25, 45-51	2.1 3
26	Combination of phthalocyanine and fluoride ligand for Zn(III) stabilization: Quantum-chemical consideration. <i>Inorganic Chemistry Communication</i> , 2019 , 108, 107526	3.1 2
25	Molecular structures of M(II) chelates with compartmental (N,N)-, (N,O)- and (N,S)-donor ligands and articulated metal chelate cycles. <i>Reviews in Inorganic Chemistry</i> , 2018 , 38, 163-191	2.4 2
24	Copper(II)1,2-bis(thiocarbamoyl)hydrazine and copper(II)1-carbamoyl-2-thiocarbamoyl)hydrazine complexing in copper(II)hexacyanoferrate(II) gelatin-immobilized matrix systems. <i>Transition Metal Chemistry</i> , 2000 , 25, 32-36	2.1 2
23	Complexing between copper(II) and bulky substituted 3-benzoyl thioureas in copper(II) hexacyanoferrate(II) gelatin-immobilized matrix systems. <i>Transition Metal Chemistry</i> , 1999 , 24, 218-223	2.1 2
22	Polypeptide-matrix Synthesis and Quantum-chemical Models of Molecular Structures of 3d-metal Macro Heterocyclic Compounds. <i>Current Organic Chemistry</i> , 2017 , 21,	1.7 2
21	Achievements in the Synthesis of Elemental Silver Nanoparticles with Various Geometric Forms. <i>Current Nanoscience</i> , 2018 , 15, 112-128	1.4 2
20	Elemental silver nano-sized crystals: various geometric forms and their specific growth parameters. <i>Crystallography Reviews</i> , 2019 , 25, 54-75	1.3 2
19	Electrophilic substitution in the d-metal hexacyanoferrate(II) gelatin-immobilized matrix systems. <i>Reviews in Inorganic Chemistry</i> , 2018 , 38, 103-126	2.4 2
18	About of Possibility of Existence of Zn(IV) Oxidation State in Heteroligand Complexes with Porphyrizine, trans-Di[benzo]porphyrizine, Phthalocyanine, and Oxo Ligands: Quantum-Chemical Review. <i>Comments on Inorganic Chemistry</i> , 2020 , 40, 107-115	3.9 1
17	Quantum-Chemical Design of Molecular Structures of Tetra-, Penta- and Hexanuclear Metal Clusters Containing Aluminum and 3-Element Atoms. <i>Materials</i> , 2020 , 13,	3.5 1
16	Electron paramagnetic resonance study of the TiCl4/Al(i-C4H9)3 system. <i>Russian Journal of Physical Chemistry A</i> , 2012 , 86, 1177-1179	0.7 1
15	Molecular structures of metalmacrocyclic chelates of 3d-elements formed at template synthesis in the ion M(II)- thiooxamide-guanidine-formaldehyde quaternary systems. <i>Open Chemistry</i> , 2013 , 11, 1822-1829 ^{1.6}	1 1
14	Complexing reactions in the Ni(II)-5-methyl-4-amino-3-thiooxo-1,2,4-triazapentene-1-methanal and Ni(II)-5-methyl-4-amino- 3-thiooxo-1,2,4-triazapentene-1-propanone triple systems. <i>Journal of Coordination Chemistry</i> , 2009 , 62, 2792-2795	1.6 1
13	Low-Temperature Template Synthesis of Nickel-Containing Heterocyclic Compound with 2,8-Dithio-3,5,7-triazanonandithioamide-1,9 in Gelatin-Immobilized Matrix. <i>Heterocyclic Communications</i> , 2001 , 7,	1.7 1
12	Cobalt(III)-8-mercaptoquinoline complexing in cobalt(III)hexacyanoferrate(II) gelatin-immobilized matrix systems. <i>Transition Metal Chemistry</i> , 2000 , 25, 341-343	2.1 1
11	Complexing of nickel(II) with 8-mercaptoquinoline and of its 5-derivatives in nickel(II)hexacyanoferrate(II) gelatin-immobilized matrix systems. <i>Transition Metal Chemistry</i> , 1999 , 24, 350-354	2.1 1

10	A new chemical compound with an unusual ratio of number of carbon and nitrogen atoms - C(N): quantum-chemical modelling.. <i>RSC Advances</i> , 2021 , 11, 35974-35981	3.7	1
9	(H,H)-Isomerism of cis- and trans-di[benzo]porphyrazines: Quantum chemical modeling within the framework of the DFT method. <i>Journal of Porphyrins and Phthalocyanines</i> , 2021 , 25, 858-865	1.8	1
8	Models of Molecular Structures of Hexa-Nuclear AlFe Metal Clusters (n + m = 6): DFT Quantum-Chemical Design. <i>Materials</i> , 2021 , 14,	3.5	1
7	Periodic law and system of chemical elements: 150 years from the date of discovery. <i>Reviews in Inorganic Chemistry</i> , 2019 , 39, 139-156	2.4	
6	Novel modification of elemental silver formed in Ag ₄ [Fe(CN) ₆]-gelatin-immobilized matrix Implants. <i>Open Chemistry</i> , 2010 , 8, 448-452	1.6	
5	Geometric isomerism of nickel(II) with monochlorobenzhydrazide chelate complexes. <i>Transition Metal Chemistry</i> , 1992 , 17, 292-294	2.1	
4	Structural changes at complexing of 3d (4d) elements with Bemplate[tetradentate ligand □ 1,8-diimino-1,8-dimercapto- 3,6-diazaoctadien-3,5-dithione-2,7: DFT analysis. <i>Journal of Chemical Sciences</i> , 2021 , 133, 1	1.8	
3	Summary of the 3rd sol-gel conference of the CIS countries. <i>Journal of Sol-Gel Science and Technology</i> , 2016 , 80, 233-238	2.3	
2	Amendment to: Structural changes at complexing of 3d (4d) elements with "template" tetradentate ligand □ 1,8-diimino-1,8-dimercapto-3,6-diazaoctadien-3,5-dithione-2,7: DFT analysis. <i>Journal of Chemical Sciences</i> , 2022 , 134, 1	1.8	
1	Encyclopedia of the Elemental Carbon (with a Commentary Tailored for Inorganic Chemists). <i>Comments on Inorganic Chemistry</i> , 1-7	3.9	