## Laura De La Fuente

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6768052/publications.pdf Version: 2024-02-01



LAHDA DE LA FHENTE

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Development of a Multilocus Sequence Typing Method for Analysis of Listeria monocytogenes Clones.<br>Journal of Clinical Microbiology, 2003, 41, 757-762.   | 3.9 | 181       |
| 2  | Ecological separation and genetic isolation of Neisseria gonorrhoeae and Neisseria meningitidis.<br>Current Biology, 1993, 3, 567-572.  | 3.9 | 63        |
| 3  | Increasing incidence of meningococcal disease in Spain associated with a new variant of serogroup C.<br>European Journal of Clinical Microbiology and Infectious Diseases, 1998, 17, 85-89.             | 2.9 | 48        |
| 4  | Capsule Switching among C:2b:P1.2,5 Meningococcal Epidemic Strains after Mass Immunization Campaign, Spain. Emerging Infectious Diseases, 2002, 8, 1512-1514.   | 4.3 | 46        |
| 5  | Antibiotic Susceptibility Patterns of Neisseria meningitidis Isolates from Patients and Asymptomatic<br>Carriers. Antimicrobial Agents and Chemotherapy, 2000, 44, 1705-1707.                           | 3.2 | 36        |
| 6  | Molecular Typing by Pulsed-Field Gel Electrophoresis of Spanish Animal and Human Listeria monocytogenes Isolates. Applied and Environmental Microbiology, 2001, 67, 5840-5843.                          | 3.1 | 35        |
| 7  | Isolation of a strain of beta-lactamase-producingNeisseria meningitidis in Spain. European Journal of<br>Clinical Microbiology and Infectious Diseases, 1996, 15, 181-182.                              | 2.9 | 26        |
| 8  | Neisseria meningitidis showing decreased susceptibility to ciprofloxacin: first report in Spain. Journal of Antimicrobial Chemotherapy, 2004, 53, 409-409.  | 3.0 | 26        |
| 9  | In Vitro Susceptibilities of 400 Spanish Isolates of Neisseria gonorrhoeae to Gemifloxacin and 11 Other<br>Antimicrobial Agents. Antimicrobial Agents and Chemotherapy, 2000, 44, 2543-2544.            | 3.2 | 25        |
| 10 | Antigenic and/or phase variation of PorA protein in non-subtypable Neisseria meningitidis strains<br>isolated in Spain. Journal of Medical Microbiology, 2004, 53, 515-518.                             | 1.8 | 24        |
| 11 | Latex agglutination for bacterial antigens and meningococcus PCR: two useful tools in legal sudden deaths. Forensic Science International, 2005, 147, 13-20.  | 2.2 | 19        |
| 12 | The epidemic wave of meningococcal disease in Spain in 1996–1997: probably a consequence of strain<br>displacement. Journal of Medical Microbiology, 2002, 51, 1102-1106.                               | 1.8 | 15        |
| 13 | Analysis of genetic variability of penicillinase non-producing Neisseria gonorrhoeae strains with<br>different levels of resistance to penicillin. Journal of Medical Microbiology, 1992, 37, 96-99.    | 1.8 | 13        |
| 14 | Dynamics of thepenAGene in Serogroup C Meningococcal Strains. Journal of Infectious Diseases, 2003,<br>187, 1010-1014.  | 4.0 | 9         |
| 15 | Genetic Structures Of Non-Penicillinase-Producing Neisseria Gonorrhoeae. Journal of Infectious<br>Diseases, 1994, 170, 696-700.   | 4.0 | 8         |
| 16 | Multilocus Enzyme Analysis of African Type Penicillinase-Producing Neisseria gonorrhoeae (PPNG)<br>Strains Isolated in Spain. Sexually Transmitted Diseases, 1991, 18, 150-152.                         | 1.7 | 7         |
| 17 | In Vitro Susceptibility of Neisseria meningitidis Isolates to Gemifloxacin and Ten Other Antimicrobial<br>Agents. European Journal of Clinical Microbiology and Infectious Diseases, 2001, 20, 150-151. | 2.9 | 3         |
| 18 | Penicillinase-producingNeisseria gonorrhoeae strains showing two beta-lactamase bands. European<br>Journal of Clinical Microbiology and Infectious Diseases, 1994, 13, 40-41.                           | 2.9 | 2         |