Yan-hui Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6768368/publications.pdf

Version: 2024-02-01

32	792	12	27
papers	citations	h-index	g-index
33	33	33	1683
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Oncogenic activation of the STAT3 pathway drives PD-L1 expression in natural killer/T-cell lymphoma. Blood, 2018, 132, 1146-1158.	1.4	218
2	PIK3R1 targeting by miR-21 suppresses tumor cell migration and invasion by reducing PI3K/AKT signaling and reversing EMT, and predicts clinical outcome of breast cancer. International Journal of Oncology, 2016, 48, 471-484.	3. 3	95
3	Genetic risk of extranodal natural killer T-cell lymphoma: a genome-wide association study. Lancet Oncology, The, 2016, 17, 1240-1247.	10.7	84
4	MiR-21/RASA1 axis affects malignancy of colon cancer cells <i>via</i> RAS pathways. World Journal of Gastroenterology, 2015, 21, 1488.	3. 3	52
5	MYC Expression in Concert with BCL2 and BCL6 Expression Predicts Outcome in Chinese Patients with Diffuse Large B-Cell Lymphoma, Not Otherwise Specified. PLoS ONE, 2014, 9, e104068.	2.5	39
6	Prognostic and predictive value of a microRNA signature in adults with T-cell lymphoblastic lymphoma. Leukemia, 2019, 33, 2454-2465.	7.2	38
7	Impact of the updated 2018 ASCO/CAP guidelines on HER2 FISH testing in invasive breast cancer: a retrospective study of HER2 fish results of 2233 cases. Breast Cancer Research and Treatment, 2019, 175, 51-57.	2.5	35
8	Comparative study of oneâ€step nucleic acid amplification assay, frozen section, and touch imprint cytology for intraoperative assessment of breast sentinel lymph node in <scp>C</scp> hinese patients. Cancer Science, 2012, 103, 1989-1993.	3.9	25
9	The genomic landscape of small cell carcinoma of the esophagus. Cell Research, 2018, 28, 771-774.	12.0	23
10	Justification of the Change From 10% to 30% for the Immunohistochemical HER2 Scoring Criterion in Breast Cancer. American Journal of Clinical Pathology, 2009, 132, 74-79.	0.7	22
11	Intravoxel incoherent motion MRI for the differentiation of benign, intermediate, and malignant solid softâ€tissue tumors. Journal of Magnetic Resonance Imaging, 2017, 46, 1611-1618.	3.4	20
12	Diffuse large B cell lymphoma associated with chronic inflammation arising within atrial myxoma: aggressive histological features but indolent clinical behaviour. Histopathology, 2017, 71, 951-959.	2.9	19
13	A gene-expression-based signature predicts survival in adults with T-cell lymphoblastic lymphoma: a multicenter study. Leukemia, 2020, 34, 2392-2404.	7.2	13
14	Cardiac myxoma with glandular elements: A clinicopathological and immunohistochemical study of five new cases with an emphasis on differential diagnosis. Pathology Research and Practice, 2014, 210, 55-58.	2.3	12
15	Azidothymidine inhibits cell growth and telomerase activity and induces DNA damage in human esophageal cancer. Molecular Medicine Reports, 2017, 15, 4055-4060.	2.4	12
16	A CpG Methylation Classifier to Predict Relapse in Adults with T-Cell Lymphoblastic Lymphoma. Clinical Cancer Research, 2020, 26, 3760-3770.	7.0	11
17	Intravascular large B-cell lymphoma involving gastrointestinal stromal tumor: a case report and literature review. Diagnostic Pathology, 2015, 10, 214.	2.0	10
18	Overexpression of SRCâ€3 promotes esophageal squamous cell carcinoma aggressiveness by enhancing cell growth and invasiveness. Cancer Medicine, 2016, 5, 3500-3511.	2.8	9

#	Article	IF	CITATIONS
19	A Proposed Set of Metrics to Reduce Patient Safety Risk From Within the Anatomic Pathology Laboratory. Laboratory Medicine, 2017, 48, 195-201.	1.2	9
20	Impact of repeat HER2 testing after initial equivocal HER2 FISH results using 2013 ASCO/CAP guidelines. Breast Cancer Research and Treatment, 2017, 166, 757-764.	2.5	8
21	Application of fluorescence in situ hybridization in the detection of bladder transitional-cell carcinoma: A multi-center clinical study based on Chinese population. Asian Journal of Urology, 2019, 6, 114-121.	1.2	8
22	Efficacy of intraoperative GeneSearch Breast Lymph Node (BLN) Assay for breast cancer metastasis detection in sentinel lymph node in Chinese patients. Cancer Science, 2010, 101, 1920-1924.	3.9	7
23	The relationship between histopathological and imaging features of sacroiliitis. International Journal of Clinical and Experimental Medicine, 2015, 8, 5904-10.	1.3	6
24	Investigation of correlation between mutational status in key EGFR signaling genes and prognosis of stage II colorectal cancer. Future Oncology, 2017, 13, 1473-1492.	2.4	4
25	Intravascular NK/T-cell lymphoma: a series of four cases. International Journal of Clinical and Experimental Pathology, 2017, 10, 9541-9550.	0.5	4
26	ALK expression plays different roles in anaplastic large-cell lymphomas and outcome of crizotinib use in relapsed/refractory ALK+ patients in a Chinese population. Annals of Hematology, 2018, 97, 149-159.	1.8	3
27	GeneSearchâ,,¢ BLN Assay could replace frozen section and touch imprint cytology for intra-operative assessment of breast sentinel lymph nodes. Breast Cancer, 2014, 21, 583-589.	2.9	2
28	Decreased expression of LKB1 predicts poor prognosis in pancreatic neuroendocrine tumor patients undergoing curative resection. OncoTargets and Therapy, 2018, Volume 11, 1259-1265.	2.0	2
29	Reply to Span <i>etÂal.</i> : Mammaglobin RTâ€qPCR for breast cancer metastasis detection in sentinel lymph nodes. Cancer Science, 2010, 101, 2502-2502.	3.9	0
30	Pulmonary lymphoma: computed tomography features with pathologic correlation. Chinese-German Journal of Clinical Oncology, 2011, 10, 632-635.	0.1	0
31	Myxoid Adrenocortical Adenoma: A report of two cases and literature review. Pathology Research and Practice, 2017, 213, 857-859.	2.3	0
32	A pilot study of dose-dense (biweekly) carboplatin plus paclitaxel with or without trastuzumab as neoadjuvant treatment for breast cancer Journal of Clinical Oncology, 2014, 32, 1062-1062.	1.6	0