Ricardo Serra

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6768486/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Nanostructured sol–gel coatings doped with cerium nitrate as pre-treatments for AA2024-T3. Electrochimica Acta, 2005, 51, 208-217.	5.2	498
2	Nanoporous titania interlayer as reservoir of corrosion inhibitors for coatings with self-healing ability. Progress in Organic Coatings, 2007, 58, 127-135.	3.9	280
3	Corrosion protective properties of nanostructured sol–gel hybrid coatings to AA2024-T3. Surface and Coatings Technology, 2006, 200, 3084-3094.	4.8	253
4	Oxide nanoparticle reservoirs for storage and prolonged release of the corrosion inhibitors. Electrochemistry Communications, 2005, 7, 836-840.	4.7	177
5	The corrosion resistance of hot dip galvanised steel and AA2024-T3 pre-treated with bis-[triethoxysilylpropyl] tetrasulfide solutions doped with Ce(NO3)3. Corrosion Science, 2006, 48, 3740-3758.	6.6	155
6	Effect of peak target power on the properties of Cr thin films sputtered by HiPIMS in deep oscillation magnetron sputtering (DOMS) mode. Surface and Coatings Technology, 2014, 258, 249-256.	4.8	63
7	Influence of Zr alloying on the mechanical properties, thermal stability and oxidation resistance of Cr–Al–N coatings. Applied Surface Science, 2014, 317, 269-277.	6.1	33
8	On the role of the energetic species in TiN thin film growth by reactive deep oscillation magnetron sputtering in Ar/N2. Thin Solid Films, 2018, 645, 253-264.	1.8	25
9	Diamond-like carbon coatings deposited by deep oscillation magnetron sputtering in Ar-Ne discharges. Diamond and Related Materials, 2019, 98, 107521.	3.9	22
10	Additional control of bombardment by deep oscillation magnetron sputtering: Effect on the microstructure and topography of Cr thin films. Thin Solid Films, 2016, 619, 250-260.	1.8	17
11	Barrier properties of polyurethane coil coatings treated by microwave plasma polymerization. Surface and Coatings Technology, 2006, 200, 4040-4049.	4.8	16
12	Enhanced sinterability of mechanical alloyed La9.33Si2Ge4O26 oxyapatite powders for IT-SOFC electrolytes. Ceramics International, 2012, 38, 5355-5361.	4.8	15
13	Sub-micron structuring of silicon using femtosecond laser interferometry. Optics and Laser Technology, 2013, 54, 428-431.	4.6	14
14	Influence of base pressure prior to deposition on the adhesion behaviour of carbon thin films on steel. Applied Surface Science Advances, 2020, 2, 100034.	6.8	11
15	Correlation between Substrate Ion Fluxes and the Properties of Diamond-Like Carbon Films Deposited by Deep Oscillation Magnetron Sputtering in Ar and Ar + Ne Plasmas. Coatings, 2020, 10, 914.	2.6	8
16	Role of Au incorporation in the electrochemical behavior of Ag/a:C nanocomposite coatings. Surface and Coatings Technology, 2020, 401, 126240.	4.8	8
17	Robust LSPR Sensing Using Thermally Embedded Au Nanoparticles in Glass Substrates. Nanomaterials, 2021, 11, 1592.	4.1	8
18	HiPIMS pulse shape influence on the deposition of diamond-like carbon films. Surface and Coatings Technology, 2022, 432, 128059.	4.8	8

RICARDO SERRA

#	Article	IF	CITATIONS
19	Surface modification of coil coatings with thin plasma polymer films structure and stability. Progress in Organic Coatings, 2007, 58, 248-252.	3.9	7
20	Synthesis and thermal behavior of La9.33Si2Ge4O26 apatite for SOFCs. Journal of Alloys and Compounds, 2012, 536, S480-S484.	5.5	7
21	Influence of the RF plasma polymerization process on the barrier properties of coil-coating. Progress in Organic Coatings, 2005, 53, 225-234.	3.9	6
22	Electroless Deposition of Ni-P Coatings on HNBR for Low Friction Rubber Seals. Coatings, 2020, 10, 1237.	2.6	6
23	Durable electroless deposited Ni-P films on NBR for dynamic contacts. Characterization and tribological performance. Surface and Coatings Technology, 2021, 423, 127579.	4.8	6
24	Large-area homogeneous periodic surface structures generated on the surface of sputtered boron carbide thin films by femtosecond laser processing. Applied Surface Science, 2015, 331, 161-169.	6.1	5
25	Production of Au clusters by plasma gas condensation and their incorporation in oxide matrixes by sputtering. Applied Surface Science, 2018, 440, 144-152.	6.1	5
26	Synergetic effect of thickness and oxygen addition on the electrochemical behaviour of tantalum oxide coatings deposited by HiPIMS in DOMS mode. Electrochimica Acta, 2022, 423, 140497.	5.2	4
27	Stability of Thin Plasma Polymer Films Applied on Coil Coatings. Plasma Processes and Polymers, 2006, 3, 618-626.	3.0	2
28	Modification of Organic Coatings with Thin Plasma Polymer Films. Influence on the Barrier Properties. Materials Science Forum, 2006, 514-516, 1401-1408.	0.3	2
29	Evaluation of bias voltage-dependent mechanical properties of amorphous TiSi2 thin films on PEEK by nano-characterization techniques. Surface and Coatings Technology, 2021, 409, 126859.	4.8	2
30	Adhesion of Amorphous Carbon Nanofilms on Ferrous Alloy Substrates Using a Nanoscale Silicon Interlayer: Implications for Solid-State Lubrication. ACS Applied Nano Materials, 2022, 5, 3763-3772.	5.0	2
31	Development of Nanocomposite Coating by Hybrid Gas Condensation Process and Magnetron Sputtering Equipment: Electrochemical Characteristics and Surface Analysis. Journal of Materials Engineering and Performance, 2021, 30, 4083-4093.	2.5	1

32 SOL-GEL COATING WITH NANORESERVOIRS FOR CORROSION INHIBITORS. , 2005, , .

0