
Sergi Fernandez-Gonzalez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6768612/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Impact of Surgical Practice on Oncological Outcomes in Robot-Assisted Radical Hysterectomy for Early-Stage Cervical Cancer, Spanish National Registry. Cancers, 2022, 14, 698.	3.7	3
2	An Integrated Approach for the Early Detection of Endometrial and Ovarian Cancers (Screenwide) Tj ETQq0 0 0 r	gB <u>T</u> /Over	lock 10 Tf 50
3	Can we avoid axillary lymph node dissection in N2 breast cancer patients with chemo-sensitive tumours such as HER2 and TNBC?. Breast Cancer Research and Treatment, 2021, 185, 657-666.	2.5	10
4	Assessment of ovarian reserve and reproductive outcomes in BRCA1 or BRCA2 mutation carriers. International Journal of Gynecological Cancer, 2020, 30, 83-88.	2.5	12
5	Risk Factors for Recurrence after Robot-Assisted Radical Hysterectomy for Early-Stage Cervical Cancer: A Multicenter Retrospective Study. Cancers, 2020, 12, 3387.	3.7	6
6	Predictive factors for omitting lymphadenectomy in patients with nodeâ€positive breast cancer treated with neoâ€adjuvant systemic therapy. Breast Journal, 2020, 26, 888-896.	1.0	8
7	Reducing postoperative catheterisation after anterior colporrhaphy from 48 to 24Âh: a randomised controlled trial. International Urogynecology Journal, 2019, 30, 1897-1902.	1.4	4

- The Shift From Sentinel Lymph Node Biopsy Performed Either Before or After Neoadjuvant Systemic

 Therapy in the Clinical Negative Nodes of Breast Cancer Patients. Results, and the Advantages and
 2.4
 18

 Disadvantages of Both Procedures. Clinical Breast Cancer, 2018, 18, 71-77.
 Contasura-peodleless ® compared with Monarc® for the treatment of stress urinany incontinence
- 9 Contasure-needleless® compared with Monarc® for the treatment of stress urinary incontinence. 1.4 13 International Urogynecology Journal, 2017, 28, 1077-1084.