

JesÃ³s Miguel LÃ³pez-Dupla

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6769836/publications.pdf>

Version: 2024-02-01

31
papers

814
citations

566801

15
h-index

500791

28
g-index

33
all docs

33
docs citations

33
times ranked

1332
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterization and risk estimate of cancer in patients with primary SjÃgren syndrome. <i>Journal of Hematology and Oncology</i> , 2017, 10, 90.	6.9	112
2	Clinical characteristics and outcome of Spanish patients with ANCA-associated vasculitides. <i>Medicine (United States)</i> , 2017, 96, e6083.	0.4	101
3	IgG4-Related Disease. <i>Medicine (United States)</i> , 2015, 94, e1275.	0.4	98
4	In Vitro Cytotoxicity and Mitochondrial Toxicity of Tenofovir Alone and in Combination with Other Antiretrovirals in Human Renal Proximal Tubule Cells. <i>Antimicrobial Agents and Chemotherapy</i> , 2006, 50, 3824-3832.	1.4	63
5	Polymorphisms of alcohol-metabolizing enzymes and the risk for alcoholism and alcoholic liver disease in Caucasian Spanish women. <i>Drug and Alcohol Dependence</i> , 2006, 84, 195-200.	1.6	34
6	Previous ciprofloxacin exposure is associated with resistance to Î²-lactam antibiotics in subsequent <i>Pseudomonas aeruginosa</i> bacteremic isolates. <i>American Journal of Infection Control</i> , 2009, 37, 753-758.	1.1	29
7	Leptin and adiponectin, but not IL18, are related with insulin resistance in treated HIV-1-infected patients with lipodystrophy. <i>Cytokine</i> , 2012, 58, 253-260.	1.4	26
8	A baseline metabolomic signature is associated with immunological CD4+ T-cell recovery after 36 months of antiretroviral therapy in HIV-infected patients. <i>Aids</i> , 2018, 32, 565-573.	1.0	26
9	A study on the TNF-Î± system in Caucasian Spanish patients with alcoholic liver disease. <i>Drug and Alcohol Dependence</i> , 2008, 92, 91-99.	1.6	24
10	Effect of TNF-Î± genetic variants and CCR5Î”32 on the vulnerability to HIV-1 infection and disease progression in Caucasian Spaniards. <i>BMC Medical Genetics</i> , 2010, 11, 63.	2.1	24
11	Adipogenic/Lipid, Inflammatory, and Mitochondrial Parameters in Subcutaneous Adipose Tissue of Untreated HIV-1-Infected Long-Term Nonprogressors. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012, 61, 131-137.	0.9	24
12	The IL-6 system in HIV-1-infection and in HAART-related fat redistribution syndromes. <i>Aids</i> , 2008, 22, 893-896.	1.0	23
13	Glutaminolysis and lipoproteins are key factors in late immune recovery in successfully treated HIV-infected patients. <i>Clinical Science</i> , 2019, 133, 997-1010.	1.8	21
14	Lipodystrophy and Insulin Resistance in Combination Antiretroviral Treated HIV-1-Infected Patients: Implication of Resistin. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 57, 16-23.	0.9	20
15	Involvement of the LPS-LPB-CD14-MD2-TLR4 inflammation pathway in HIV-1/HAART-associated lipodystrophy syndrome (HALS). <i>Journal of Antimicrobial Chemotherapy</i> , 2014, 69, 1653-1659.	1.3	19
16	Coexistence of immune-mediated diseases in sarcoidosis. Frequency and clinical significance in 1737 patients. <i>Joint Bone Spine</i> , 2021, 88, 105236.	0.8	19
17	Circulating metabolomic profile can predict dyslipidemia in HIV patients undergoing antiretroviral therapy. <i>Atherosclerosis</i> , 2018, 273, 28-36.	0.4	15
18	PPARγ Pro12Ala Polymorphism in HIV-1-Infected Patients with HAART-Related Lipodystrophy. <i>Current HIV Research</i> , 2009, 7, 533-540.	0.2	13

#	ARTICLE	IF	CITATIONS
19	Hepatic amyloidosis associated with systemic lupus erythematosus. <i>Lupus</i> , 1995, 4, 75-77.	0.8	12
20	Pharmacogenetics of the Metabolic Disturbances and Atherosclerosis Associated with Antiretroviral Therapy in HIV-Infected Patients. <i>Current Pharmaceutical Design</i> , 2010, 16, 3379-3389.	0.9	12
21	Patients With Systemic Lupus Erythematosus Show an Increased Arterial Stiffness That is Predicted by IgM Anti-β ₂ -Glycoprotein I and Small Dense High-Density Lipoprotein Particles. <i>Arthritis Care and Research</i> , 2019, 71, 116-125.	1.5	12
22	Resistin and IL-15 as Predictors of Invasive Mechanical Ventilation in COVID-19 Pneumonia Irrespective of the Presence of Obesity and Metabolic Syndrome. <i>Journal of Personalized Medicine</i> , 2022, 12, 391.	1.1	12
23	No Relationship Between TNF-α Genetic Variants and Combination Antiretroviral Therapy-Related Lipodystrophy Syndrome in HIV Type 1-Infected Patients: A Case-Control Study and a Meta-Analysis. <i>AIDS Research and Human Retroviruses</i> , 2011, 27, 143-152.	0.5	11
24	Pharmacogenetics of Efficacy and Safety of HCV Treatment in HCV-HIV Coinfected Patients: Significant Associations with IL28B and SOCS3 Gene Variants. <i>PLoS ONE</i> , 2012, 7, e47725.	1.1	11
25	Evaluation of the pharmacogenetics of immune recovery in treated HIV-infected patients. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2014, 10, 81-101.	1.5	10
26	Polymorphisms in the interleukin-10 gene promoter and the risk of alcoholism and alcoholic liver disease in Caucasian Spaniard men. <i>Alcohol</i> , 2010, 44, 211-216.	0.8	8
27	Predictive Biomarkers of COVID-19 Severity in SARS-CoV-2 Infected Patients with Obesity and Metabolic Syndrome. <i>Journal of Personalized Medicine</i> , 2021, 11, 227.	1.1	5
28	IL-7/IL-7R gene variants impact circulating IL-7/IL-7R homeostasis and ART-associated immune recovery status. <i>Scientific Reports</i> , 2019, 9, 15722.	1.6	4
29	Expression of Jejunal Taste Receptors in Women with Morbid Obesity. <i>Nutrients</i> , 2021, 13, 2437.	1.7	4
30	HIV-1/HAART-Related Lipodystrophy Syndrome (HALS) Is Associated with Decreased Circulating sTWEAK Levels. <i>PLoS ONE</i> , 2015, 10, e0144789.	1.1	4
31	Lipocalin, Resistin and Gut Microbiota-Derived Propionate Could Be Used to Predict Metabolic Bariatric Surgery Selected Outcomes. <i>Processes</i> , 2022, 10, 143.	1.3	1