

# Daniele Minardi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6769976/publications.pdf>

Version: 2024-02-01

33  
papers

932  
citations

393982

19  
h-index

454577

30  
g-index

33  
all docs

33  
docs citations

33  
times ranked

1279  
citing authors

#	ARTICLE	IF	CITATIONS
1	Normal human macula densa morphology and cell turnover: A histological, ultrastructural, and immunohistochemical investigation. <i>Anatomical Record</i> , 2020, 303, 2904-2916.	0.8	6
2	Recent Aspects of Sunitinib Therapy in Patients with Metastatic Clear-Cell Renal Cell Carcinoma: a Systematic Review of the Literature. <i>Current Urology Reports</i> , 2015, 16, 3.	1.0	12
3	Tumor VEGF expression correlates with tumor stage and identifies prognostically different groups in patients with clear cell renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 113.e1-113.e7.	0.8	15
4	Neutrophil-to-lymphocyte ratio may be associated with the outcome in patients with prostate cancer. <i>SpringerPlus</i> , 2015, 4, 255.	1.2	40
5	β-blockers for the treatment of recurrent urinary tract infections in women with dysfunctional voiding: A prospective randomized study. <i>International Journal of Urology</i> , 2015, 22, 115-121.	0.5	10
6	Nebivolol induces, via β <sub>3</sub> adrenergic receptor, lipolysis, uncoupling protein 1, and reduction of lipid droplet size in human adipocytes. <i>Journal of Hypertension</i> , 2014, 32, 389-396.	0.3	28
7	VEGF expression and response to sunitinib in patients with metastatic clear cell renal cell carcinoma. <i>Anticancer Research</i> , 2013, 33, 5017-22.	0.5	12
8	In vitro and in vivo effects of sub-MICs of pexiganan and imipenem on <i>Pseudomonas aeruginosa</i> adhesion and biofilm development. <i>Infezioni in Medicina</i> , 2013, 21, 287-95.	0.7	8
9	Pathogenic and Diagnostic Potential of BLCA-1 and BLCA-4 Nuclear Proteins in Urothelial Cell Carcinoma of Human Bladder. <i>Advances in Urology</i> , 2012, 2012, 1-5.	0.6	22
10	Prognostic value of CD44 expression in penile squamous cell carcinoma: a pilot study. <i>Cellular Oncology (Dordrecht)</i> , 2012, 35, 377-384.	2.1	3
11	Efficacy of Tigecycline and Rifampin Alone and in Combination against <i>Enterococcus faecalis</i> Biofilm Infection in a Rat Model of Ureteral Stent. <i>Journal of Surgical Research</i> , 2012, 176, 1-6.	0.8	36
12	Nitric Oxide Synthase Expression in Rat Anorectal Tissue after Sacral Neuromodulation. <i>Journal of Surgical Research</i> , 2012, 176, 29-33.	0.8	7
13	Sacral neuromodulation in patients with multiple sclerosis. <i>World Journal of Urology</i> , 2012, 30, 123-128.	1.2	62
14	D2-40 immunoreactivity in penile squamous cell carcinoma: a marker of aggressiveness. <i>Human Pathology</i> , 2011, 42, 1596-1602.	1.1	21
15	Urinary tract infections in women: etiology and treatment options. <i>International Journal of General Medicine</i> , 2011, 4, 333.	0.8	106
16	Effect of the combination of clarithromycin and amikacin on <i>Pseudomonas aeruginosa</i> biofilm in an animal model of ureteral stent infection. <i>Journal of Antimicrobial Chemotherapy</i> , 2011, 66, 1318-1323.	1.3	27
17	Green fluorescent protein as indicator of nonviral transient transfection efficiency in endometrial and testicular biopsies. <i>Microscopy Research and Technique</i> , 2010, 73, 229-233.	1.2	10
18	Cannabinoid CB1 receptor expression in relation to visceral adipose depots, endocannabinoid levels, microvascular damage, and the presence of the Cnr1 A3813G variant in humans. <i>Metabolism: Clinical and Experimental</i> , 2010, 59, 734-741.	1.5	42

#	ARTICLE	IF	CITATIONS
19	The Role of Uroflowmetry Biofeedback and Biofeedback Training of the Pelvic Floor Muscles in the Treatment of Recurrent Urinary Tract Infections in Women With Dysfunctional Voiding: A Randomized Controlled Prospective Study. <i>Urology</i> , 2010, 75, 1299-1304.	0.5	59
20	Altered pattern of cannabinoid type 1 receptor expression in adipose tissue of dysmetabolic and overweight patients. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 361-367.	1.5	42
21	VEGF, survivin and NOS overexpression in psoriatic skin: Critical role of nitric oxide synthases. <i>Journal of Dermatological Science</i> , 2009, 54, 205-208.	1.0	38
22	BMAP-28 improves the efficacy of vancomycin in rat models of gram-positive cocci ureteral stent infection. <i>Peptides</i> , 2008, 29, 1118-1123.	1.2	28
23	Perineal Ultrasound Evaluation of Dysfunctional Voiding in Women With Recurrent Urinary Tract Infections. <i>Journal of Urology</i> , 2008, 179, 947-951.	0.2	27
24	RNAIII-Inhibiting Peptide Affects Biofilm Formation in a Rat Model of Staphylococcal Ureteral Stent Infection. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 4518-4520.	1.4	57
25	The antimicrobial peptide Tachyplesin III coated alone and in combination with intraperitoneal piperacillin-tazobactam prevents ureteral stent <i>Pseudomonas</i> infection in a rat subcutaneous pouch model. <i>Peptides</i> , 2007, 28, 2293-2298.	1.2	50
26	Lower Urinary Tract and Bowel Disorders and Multiple Sclerosis: Role of Sacral Neuromodulation: A Preliminary Report. <i>Neuromodulation</i> , 2005, 8, 176-181.	0.4	24
27	Tolerability of Prostate Transrectal Biopsies Using Gel and Local Anesthetics: Results of a Randomized Clinical Trial. <i>Journal of Endourology</i> , 2005, 19, 738-743.	1.1	21
28	Comparison of proliferating cell nuclear antigen immunostaining in lymph node metastases and primary prostate adenocarcinoma after neoadjuvant androgen deprivation therapy. <i>Scandinavian Journal of Urology and Nephrology</i> , 2004, 38, 19-25.	1.4	11
29	Acupuncture reflexotherapy in the treatment of sensory urgency that persists after transurethral resection of the prostate: A preliminary report. <i>Neurourology and Urodynamics</i> , 2004, 23, 58-62.	0.8	21
30	SAFETY AND EFFICACY OF TRANSURETHRAL RESECTION OF PROSTATE GLANDS UP TO 150 ML: A PROSPECTIVE COMPARATIVE STUDY WITH 1 YEAR OF FOLLOWUP. <i>Journal of Urology</i> , 2004, 172, 611-615.	0.2	53
31	Production of Serum-free and Total Prostate-specific Antigen Due to Prostatic Intraepithelial Neoplasia. <i>Scandinavian Journal of Urology and Nephrology</i> , 2002, 36, 323-329.	1.4	3
32	Diagnostic Accuracy of Percent Free Prostate-Specific Antigen in Prostatic Pathology and Its Usefulness in Monitoring Prostatic Cancer Patients. <i>Urologia Internationalis</i> , 2001, 67, 272-282.	0.6	17
33	Serum markers for monitoring of prostatic carcinoma. , 1997, 33, 208-216.		14