

Hyeon Gyu Lee

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6770172/hyeon-gyu-lee-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139
papers

3,795
citations

36
h-index

54
g-index

142
ext. papers

4,319
ext. citations

5.5
avg, IF

5.71
L-index

#	Paper	IF	Citations
139	Effect of cross-linking on the physicochemical and physiological properties of corn starch. <i>Food Hydrocolloids</i> , 2010 , 24, 619-625	10.6	142
138	Microencapsulation of alpha-tocopherol using sodium alginate and its controlled release properties. <i>International Journal of Biological Macromolecules</i> , 2006 , 38, 25-30	7.9	138
137	Purification and identification of an angiotensin I-converting enzyme inhibitory peptide from fermented soybean extract. <i>Process Biochemistry</i> , 2009 , 44, 490-493	4.8	127
136	Antitumor activity of levan polysaccharides from selected microorganisms. <i>International Journal of Biological Macromolecules</i> , 2004 , 34, 37-41	7.9	119
135	Evaluation of canola oil oleogels with candelilla wax as an alternative to shortening in baked goods. <i>Food Chemistry</i> , 2015 , 187, 525-9	8.5	113
134	Mechanical properties of gellan and gelatin composite films. <i>Carbohydrate Polymers</i> , 2004 , 56, 251-254	10.3	104
133	Purification and identification of angiotensin I-converting enzyme inhibitory peptide from buckwheat (<i>Fagopyrum esculentum</i> Moench). <i>Food Chemistry</i> , 2006 , 96, 36-42	8.5	99
132	Stability of chitosan nanoparticles for L-ascorbic acid during heat treatment in aqueous solution. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 1936-41	5.7	98
131	Viscometric behavior of high-methoxy and low-methoxy pectin solutions. <i>Food Hydrocolloids</i> , 2006 , 20, 62-67	10.6	79
130	Effect of partially hydrolyzed oat β -glucan on the weight gain and lipid profile of mice. <i>Food Hydrocolloids</i> , 2009 , 23, 2016-2021	10.6	73
129	Utilization of pectin-enriched materials from apple pomace as a fat replacer in a model food system. <i>Bioresource Technology</i> , 2010 , 101, 5414-8	11	72
128	PURIFICATION AND CHARACTERIZATION OF ANTIOXIDANT PEPTIDES FROM SOY PROTEIN HYDROLYSATE. <i>Journal of Food Biochemistry</i> , 2010 , 34, 120-132	3.3	59
127	Evaluation of bitterness in enzymatic hydrolysates of soy protein isolate by taste dilution analysis. <i>Journal of Food Science</i> , 2008 , 73, S41-6	3.4	59
126	Rheological characterization of levan polysaccharides from <i>Microbacterium laevaniformans</i> . <i>International Journal of Biological Macromolecules</i> , 2008 , 42, 10-3	7.9	57
125	D-psicose, a sweet monosaccharide, ameliorate hyperglycemia, and dyslipidemia in C57BL/6J db/db mice. <i>Journal of Food Science</i> , 2010 , 75, H49-53	3.4	55
124	Structural and biological characterization of aminated-derivatized oat beta-glucan. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 5554-8	5.7	55
123	Effect of dry heat treatment on physical property and in vitro starch digestibility of high amylose rice starch. <i>International Journal of Biological Macromolecules</i> , 2018 , 108, 568-575	7.9	54

122	Feasibility of hydroxypropyl methylcellulose oleogel as an animal fat replacer for meat patties. <i>Food Research International</i> , 2019 , 122, 566-572	7	52
121	Purification and identification of adipogenesis inhibitory peptide from black soybean protein hydrolysate. <i>Peptides</i> , 2007 , 28, 2098-103	3.8	49
120	Structural and biological characterization of sulfated-derivatized oat beta-glucan. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 3815-8	5.7	48
119	Effects of β -glucanotransferase treatment on the thermo-reversibility and freeze-thaw stability of a rice starch gel. <i>Carbohydrate Polymers</i> , 2006 , 63, 347-354	10.3	48
118	Improving solubility, stability, and cellular uptake of resveratrol by nanoencapsulation with chitosan and β -poly (glutamic acid). <i>Colloids and Surfaces B: Biointerfaces</i> , 2016 , 147, 224-233	6	47
117	(1-3)(1-6)- β -glucan-enriched materials from <i>Lentinus edodes</i> mushroom as a high-fibre and low-calorie flour substitute for baked foods. <i>Journal of the Science of Food and Agriculture</i> , 2011 , 91, 1915-9	4.3	46
116	Effect of levan's branching structure on antitumor activity. <i>International Journal of Biological Macromolecules</i> , 2004 , 34, 191-4	7.9	45
115	Rice noodle enriched with okara: Cooking property, texture, and in vitro starch digestibility. <i>Food Bioscience</i> , 2018 , 22, 178-183	4.9	43
114	Effect of hydrocolloid coatings on the heat transfer and oil uptake during frying of potato strips. <i>Journal of Food Engineering</i> , 2011 , 102, 317-320	6	41
113	Characteristics and antioxidant activity of <i>Elsholtzia splendens</i> extract-loaded nanoparticles. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 3316-21	5.7	41
112	Single walled carbon nanotube-based junction biosensor for detection of <i>Escherichia coli</i> . <i>PLoS ONE</i> , 2014 , 9, e105767	3.7	40
111	Preparation and characterization of calcium pectinate gel beads entrapping catechin-loaded liposomes. <i>International Journal of Biological Macromolecules</i> , 2008 , 42, 178-84	7.9	39
110	Effects of selective oxidation of chitosan on physical and biological properties. <i>International Journal of Biological Macromolecules</i> , 2005 , 35, 27-31	7.9	39
109	Enhancement of anti-radical activity of pectin from apple pomace by hydroxamation. <i>Food Hydrocolloids</i> , 2011 , 25, 545-548	10.6	38
108	Characterization of yeasts isolated from kefir as a probiotic and its synergic interaction with the wine byproduct grape seed flour/extract. <i>LWT - Food Science and Technology</i> , 2018 , 90, 535-539	5.4	37
107	Chitosan/poly- β -glutamic acid nanoparticles improve the solubility of lutein. <i>International Journal of Biological Macromolecules</i> , 2016 , 85, 9-15	7.9	37
106	Effect of the degree of sulfation on the physicochemical and biological properties of <i>Pleurotus eryngii</i> polysaccharides. <i>Food Hydrocolloids</i> , 2011 , 25, 1291-1295	10.6	37
105	Physicochemical and hypocholesterolemic characterization of oxidized oat beta-glucan. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 439-43	5.7	37

104	Effect of enzymatic hydrolysis on cholesterol-lowering activity of oat beta-glucan. <i>New Biotechnology</i> , 2010 , 27, 85-8	6.4	36
103	In vitro starch digestion and cake quality: impact of the ratio of soluble and insoluble dietary fiber. <i>International Journal of Biological Macromolecules</i> , 2014 , 63, 98-103	7.9	35
102	Improving the water solubility and antimicrobial activity of silymarin by nanoencapsulation. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017 , 154, 171-177	6	34
101	Antiobesity Effect of Exopolysaccharides Isolated from Kefir Grains. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 10011-10019	5.7	34
100	Antihypertensive effect of Korean Red Ginseng by enrichment of ginsenoside Rg3 and arginine-fructose. <i>Journal of Ginseng Research</i> , 2016 , 40, 237-44	5.8	34
99	Enzymatic Process for High-Yield Turanose Production and Its Potential Property as an Adipogenesis Regulator. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 4758-64	5.7	32
98	Catechin-loaded calcium pectinate microparticles reinforced with liposome and hydroxypropylmethylcellulose: Optimization and in vivo antioxidant activity. <i>Food Hydrocolloids</i> , 2009 , 23, 2226-2233	10.6	32
97	Structural and biological study of carboxymethylated Phellinus linteus polysaccharides. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 3368-72	5.7	32
96	Effect of Lentinus edodes β -Glucan-Enriched Materials on the Textural, Rheological, and Oil-Resisting Properties of Instant Fried Noodles. <i>Food and Bioprocess Technology</i> , 2013 , 6, 553-560	5.1	31
95	Correlation of branching structure of mushroom β -glucan with its physiological activities. <i>Food Research International</i> , 2013 , 51, 195-200	7	31
94	Characteristics and antioxidant activity of catechin-loaded calcium pectinate gel beads prepared by internal gelation. <i>Colloids and Surfaces B: Biointerfaces</i> , 2009 , 74, 17-22	6	31
93	Nanoencapsulation of Red Ginseng Extracts Using Chitosan with Polyglutamic Acid or Fucoidan for Improving Antithrombotic Activities. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 4765-71	5.7	31
92	Extraction optimization and nanoencapsulation of jujube pulp and seed for enhancing antioxidant activity. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015 , 130, 93-100	6	30
91	In vitro starch digestibility of noodles with various cereal flours and hydrocolloids. <i>LWT - Food Science and Technology</i> , 2015 , 63, 122-128	5.4	30
90	Effect of the degree of enzymatic hydrolysis on the physicochemical properties and in vitro digestibility of rice starch. <i>Food Science and Biotechnology</i> , 2010 , 19, 1333-1340	3	28
89	Dietetic and hypocholesterolaemic action of black soy peptide in dietary obese rats. <i>Journal of the Science of Food and Agriculture</i> , 2007 , 87, 908-913	4.3	28
88	Chemical composition and physicochemical properties of barley dietary fiber by chemical modification. <i>International Journal of Biological Macromolecules</i> , 2013 , 60, 360-5	7.9	27
87	Rheological and gelation properties of rice starch modified with 4-alpha-glucanotransferase. <i>International Journal of Biological Macromolecules</i> , 2008 , 42, 298-304	7.9	27

86	Structural characteristics of pumpkin pectin extracted by microwave heating. <i>Journal of Food Science</i> , 2012 , 77, C1169-73	3.4	26
85	Improved quantitative analysis of oligosaccharides from lichenase-hydrolyzed water-soluble barley beta-glucans by high-performance anion-exchange chromatography. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 1656-62	5.7	26
84	In vitro potential of phenolic phytochemicals from black rice on starch digestibility and rheological behaviors. <i>Journal of Cereal Science</i> , 2016 , 70, 214-220	3.8	26
83	Antiobesity Effect of Prebiotic Polyphenol-Rich Grape Seed Flour Supplemented with Probiotic Kefir-Derived Lactic Acid Bacteria. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 12498-12511	5.7	26
82	Calcium-alginate microparticles for sustained release of catechin prepared via an emulsion gelation technique. <i>Food Science and Biotechnology</i> , 2016 , 25, 1337-1343	3	25
81	Effect of sulfation on the physicochemical and biological properties of citrus pectins. <i>Food Hydrocolloids</i> , 2009 , 23, 1980-1983	10.6	25
80	Preparation, characterization, and food application of rosemary extract-loaded antimicrobial nanoparticle dispersions. <i>LWT - Food Science and Technology</i> , 2019 , 101, 138-144	5.4	25
79	Optimization of calcium pectinate gel beads for sustained-release of catechin using response surface methodology. <i>International Journal of Biological Macromolecules</i> , 2008 , 42, 340-7	7.9	24
78	Effect of different pH conditions on the in vitro digestibility and physicochemical properties of citric acid-treated potato starch. <i>International Journal of Biological Macromolecules</i> , 2018 , 107, 1235-1241	7.9	23
77	The effects of particle size on the physicochemical properties of optimized astaxanthin-rich Xanthophyllomyces dendrorhous-loaded microparticles. <i>LWT - Food Science and Technology</i> , 2014 , 55, 638-644	5.4	23
76	The effect of chemically-modified resistant starch, RS type-4, on body weight and blood lipid profiles of high fat diet-induced obese mice. <i>Starch/Staerke</i> , 2012 , 64, 78-85	2.3	23
75	Preparation, characteristics, and stability of glutathione-loaded nanoparticles. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 11264-9	5.7	23
74	Alpha-tocopherol-loaded Ca-pectinate microcapsules: optimization, in vitro release, and bioavailability. <i>Colloids and Surfaces B: Biointerfaces</i> , 2009 , 73, 394-8	6	22
73	Isolation of an exopolysaccharide-producing bacterium, Sphingomonas sp. CS101, which forms an unusual type of sphingan. <i>Bioscience, Biotechnology and Biochemistry</i> , 2004 , 68, 1146-8	2.1	22
72	Release Properties and Cellular Uptake in Caco-2 Cells of Size-Controlled Chitosan Nanoparticles. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 10899-10906	5.7	21
71	Encapsulation of astaxanthin-rich Xanthophyllomyces dendrorhous for antioxidant delivery. <i>International Journal of Biological Macromolecules</i> , 2011 , 49, 268-73	7.9	21
70	Characteristics of enzymatically-deesterified pectin gels produced in the presence of monovalent ionic salts. <i>Food Hydrocolloids</i> , 2009 , 23, 1926-1929	10.6	20
69	Antioxidative activity and structural stability of microencapsulated Eryzanol in heat-treated lards. <i>Food Chemistry</i> , 2007 , 100, 1065-1070	8.5	20

68	PHYSICOCHEMICAL, TEXTURAL AND NOODLE-MAKING PROPERTIES OF WHEAT DOUGH CONTAINING ALGINATE. <i>Journal of Texture Studies</i> , 2008 , 39, 393-404	3.6	20
67	Antioxidative activity of microencapsulated gamma-oryzanol on high cholesterol-fed rats. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 9747-50	5.7	20
66	Stabilization of Black Soybean Anthocyanin by Chitosan Nanoencapsulation and Copigmentation. <i>Journal of Food Biochemistry</i> , 2017 , 41, e12316	3.3	19
65	Ascorbyl palmitate-loaded chitosan nanoparticles: characteristic and polyphenol oxidase inhibitory activity. <i>Colloids and Surfaces B: Biointerfaces</i> , 2013 , 103, 391-4	6	19
64	Characterization of apple dietary fibers influencing the in vitro starch digestibility of wheat flour gel. <i>LWT - Food Science and Technology</i> , 2016 , 65, 158-163	5.4	18
63	Effect of the degree of oxidation on the physicochemical and biological properties of <i>Grifola frondosa</i> polysaccharides. <i>Carbohydrate Polymers</i> , 2011 , 83, 1298-1302	10.3	18
62	Complexation of high amylose rice starch and hydrocolloid through dry heat treatment: Physical property and in vitro starch digestibility. <i>Journal of Cereal Science</i> , 2018 , 79, 341-347	3.8	18
61	Preparation and Characterization of Mucoadhesive Buccal Nanoparticles Using Chitosan and Dextran Sulfate. <i>Journal of Agricultural and Food Chemistry</i> , 2016 , 64, 5384-8	5.7	17
60	Mucoadhesive Chitosan-Gum Arabic Nanoparticles Enhance the Absorption and Antioxidant Activity of Quercetin in the Intestinal Cellular Environment. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 8609-8616	5.7	16
59	Optimized preparation of anthocyanin-rich extract from black rice and its effects on in vitro digestibility. <i>Food Science and Biotechnology</i> , 2017 , 26, 1415-1422	3	16
58	Resveratrol-loaded chitosan- β -poly(glutamic acid) nanoparticles: Optimization, solubility, UV stability, and cellular antioxidant activity. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020 , 186, 110702	6	16
57	Evaluation of wheat gluten hydrolysates as taste-active compounds with antioxidant activity. <i>Journal of Food Science and Technology</i> , 2014 , 51, 535-42	3.3	15
56	Evaluation of biological activities of the short-term fermented soybean extract. <i>Food Science and Biotechnology</i> , 2013 , 22, 973-978	3	14
55	Impact of Buckwheat Flavonoids on In Vitro Starch Digestibility and Noodle-Making Properties. <i>Cereal Chemistry</i> , 2016 , 93, 299-305	2.4	13
54	Preparation, characterization, and cellular uptake of resveratrol-loaded trimethyl chitosan nanoparticles. <i>Food Science and Biotechnology</i> , 2018 , 27, 441-450	3	13
53	Preparation and Characterization of Mucoadhesive Nanoparticles for Enhancing Cellular Uptake of Coenzyme Q10. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 8930-8937	5.7	12
52	Utilisation of preharvest dropped apple peels as a flour substitute for a lower glycaemic index and higher fibre cake. <i>International Journal of Food Sciences and Nutrition</i> , 2014 , 65, 62-8	3.7	12
51	Optimization, in vitro release and bioavailability of gamma-oryzanol-loaded calcium pectinate microparticles reinforced with chitosan. <i>New Biotechnology</i> , 2010 , 27, 368-73	6.4	12

50	Influence of storage temperature and autoclaving cycles on slowly digestible and resistant starch (RS) formation from partially debranched rice starch. <i>Starch/Staerke</i> , 2013 , 65, 694-701	2.3	11
49	Substituting whole grain flour for wheat flour: Impact on cake quality and glycemic index. <i>Food Science and Biotechnology</i> , 2013 , 22, 1-7	3	11
48	Influence of arabic gum on in vitro starch digestibility and noodle-making quality of Segami. <i>International Journal of Biological Macromolecules</i> , 2019 , 125, 668-673	7.9	11
47	PARTICLE SIZE EFFECT OF LENTINUS EDODES MUSHROOM (CHAMSONG-I) POWDER ON THE PHYSICOCHEMICAL, RHEOLOGICAL, AND OIL-RESISTING PROPERTIES OF FRYING BATTERS. <i>Journal of Texture Studies</i> , 2010 , 41, 381-395	3.6	10
46	Optimization and oxidative stability of the microencapsulated conjugated linoleic acid. <i>International Journal of Biological Macromolecules</i> , 2009 , 45, 348-51	7.9	10
45	Development and comparison of a porcine gelatin detection system targeting mitochondrial markers for Halal authentication. <i>LWT - Food Science and Technology</i> , 2018 , 97, 697-702	5.4	9
44	Gamma-oryzanol-loaded calcium pectinate microparticles reinforced with chitosan: optimization and release characteristics. <i>Colloids and Surfaces B: Biointerfaces</i> , 2009 , 70, 213-7	6	9
43	Dielectrophoresis-based microwire biosensor for rapid detection of Escherichia coli K-12 in ground beef. <i>LWT - Food Science and Technology</i> , 2020 , 132, 109230	5.4	8
42	Preparation of dietary fibre-enriched materials from preharvest dropped apples and their utilisation as a high-fibre flour substitute. <i>Journal of the Science of Food and Agriculture</i> , 2013 , 93, 1974-8	4.3	8
41	Effect of different chemical modification on the physicochemical properties of fiber-enriched polysaccharides isolated from wholegrain rice and buckwheat. <i>Food Science and Biotechnology</i> , 2014 , 23, 1469-1475	3	8
40	Effect of oat β -glucan and its oxidised derivative on the quality characteristics of sponge cake. <i>International Journal of Food Science and Technology</i> , 2011 , 46, 2663-2668	3.8	8
39	Physicochemical properties and biological activities of DEAE-derivatized Sphingomonas gellan. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 6235-9	5.7	8
38	Classification of hydrocolloids based on in vitro starch digestibility and rheological properties of Segami gel. <i>International Journal of Biological Macromolecules</i> , 2017 , 104, 442-448	7.9	7
37	Microencapsulation of catechin with high loading and encapsulation efficiencies using soaking methods. <i>Food Science and Biotechnology</i> , 2015 , 24, 1735-1739	3	7
36	Antioxidant and Synergistic Activities of Fruit and Vegetable Concentrates. <i>Korean Journal of Food Science and Technology</i> , 2015 , 47, 240-245		7
35	Nanoencapsulation of synergistic antioxidant fruit and vegetable concentrates and their stability during in vitro digestion. <i>Journal of the Science of Food and Agriculture</i> , 2020 , 100, 1056-1063	4.3	7
34	Combined Effect of Protease and Phytase on the Solubility of Modified Soy Protein. <i>Journal of Food Biochemistry</i> , 2013 , 37, 511-519	3.3	6
33	Physicochemical properties and cell permeation efficiency of l-ascorbic acid loaded nanoparticles prepared with N-trimethyl chitosan and N-triethyl chitosan. <i>Food Science and Biotechnology</i> , 2014 , 23, 1867-1874	3	6

32	Estrogenic effects of various extracts from Chamdanggui (<i>Angelica gigas</i> Nakai) and sogdan (<i>Phlomis umbrosa</i> Turcz). <i>Food Science and Biotechnology</i> , 2011 , 20, 1113-1118	3	6
31	Synergistic antimicrobial properties of nanoencapsulated clove oil and thymol against oral bacteria. <i>Food Science and Biotechnology</i> , 2020 , 29, 1597-1604	3	6
30	Comparative effects of slowly digestible and resistant starch from rice in high-fat diet-induced obese mice. <i>Food Science and Biotechnology</i> , 2016 , 25, 1443-1448	3	5
29	Utilization of preharvest-dropped apple powder as an oil barrier for instant fried noodles. <i>LWT - Food Science and Technology</i> , 2013 , 53, 88-93	5.4	5
28	Combination of Whole Grapeseed Flour and Newly Isolated Kefir Lactic Acid Bacteria Reduces High-Fat-Induced Hepatic Steatosis. <i>Molecular Nutrition and Food Research</i> , 2019 , 63, e1801040	5.9	5
27	Quercetin delivery characteristics of chitosan nanoparticles prepared with different molecular weight polyanion cross-linkers. <i>Carbohydrate Polymers</i> , 2021 , 267, 118157	10.3	5
26	Effect of Surface Layer Proteins Derived from Paraprobiotic Kefir Lactic Acid Bacteria on Inflammation and High-Fat Diet-Induced Obesity. <i>Journal of Agricultural and Food Chemistry</i> , 2021 ,	5.7	5
25	Effects of high-fiber rice Dodamssal (<i>Oryza sativa</i> L.) on glucose and lipid metabolism in mice fed a high-fat diet. <i>Journal of Food Biochemistry</i> , 2020 , 44, e13231	3.3	4
24	Antistaling of rice starch in a gel model system and Korean rice cake: the role of wheat flour in retrogradation-retardation technology. <i>Food Science and Biotechnology</i> , 2014 , 23, 781-786	3	4
23	Physicochemical and rheological properties of starches substituted with type 4 resistant starch (cross-linked corn starch). <i>Starch/Staerke</i> , 2014 , 66, 468-474	2.3	4
22	Comparison of volatile release in hydrocolloid model systems containing original and regio selectively carboxylated β -glucans. <i>Food Hydrocolloids</i> , 2014 , 39, 215-222	10.6	4
21	Synergistic antiradical action of natural antioxidants and herbal mixture for preventing dioxin toxicity. <i>Food Science and Biotechnology</i> , 2012 , 21, 491-496	3	4
20	Effect of hydrocolloids on the pasting and rheological characteristics of resistant starch (type 4). <i>Food Science and Biotechnology</i> , 2012 , 21, 769-774	3	4
19	Hypocholesterolemic Action of Fermented Brown Rice Supplement in Cholesterol-Fed Rats: Cholesterol-lowering Action of Fermented Brown Rice. <i>Journal of Food Science</i> , 2005 , 70, s527-s531	3.4	4
18	Nanoencapsulation of synergistic combinations of acai berry concentrate to improve antioxidant stability. <i>Food Science and Biotechnology</i> , 2016 , 25, 1597-1603	3	4
17	Effect of modified dietary fiber extracted from wholegrain wheat on the physicochemical and cake properties. <i>Food Science and Biotechnology</i> , 2016 , 25, 477-482	3	4
16	Improvement of antithrombotic activity of red ginseng extract by nanoencapsulation using chitosan and antithrombotic cross-linkers: polyglutamic acid and fucodan. <i>Journal of Ginseng Research</i> , 2021 , 45, 236-245	5.8	4
15	Chitosan-Tripolyphosphate Nanoparticles Prepared by Ionic Gelation Improve the Antioxidant Activities of Astaxanthin in the In Vitro and In Vivo Model.. <i>Antioxidants</i> , 2022 , 11,	7.1	4

14	Physicochemical and biological characteristics of DEAE-derivatized PS7 biopolymer of <i>Beijerinckia indica</i> . <i>International Journal of Biological Macromolecules</i> , 2007 , 41, 141-5	7.9	3
13	Preparation of Black Hoof medicinal mushroom <i>Phellinus linteus</i> (Berk. et M.A. Curt.) Teng (Aphyllphoromycetidae) beta-glucan sulfate and in vitro tumor cell growth inhibitory activity. <i>International Journal of Medicinal Mushrooms</i> , 2011 , 13, 115-20	1.3	3
12	Hypoglycemic Effect of Dry Heat Treated Starch With Xanthan: An In Vitro and In Vivo Comparative Study. <i>Starch/Staerke</i> , 2018 , 70, 1800088	2.3	3
11	Optimization of Extraction Conditions for <i>Elsholtzia splendens</i> and Its Antioxidant Activity. <i>Journal of Food Biochemistry</i> , 2013 , 37, 669-676	3.3	2
10	Suitability of TEMPO-oxidized oat β glucan for noodle preparation. <i>Food Science and Biotechnology</i> , 2014 , 23, 1897-1901	3	2
9	Antimicrobial and indicator properties of edible film containing clove bud oil-loaded chitosan capsules and red cabbage for fish preservation.. <i>International Journal of Biological Macromolecules</i> , 2021 , 196, 163-171	7.9	2
8	Changes in quality characteristics of tofu with freezing treatment of soybeans. <i>Food Science and Biotechnology</i> , 2016 , 25, 757-761	3	2
7	Effects of kefir lactic acid bacteria-derived postbiotic components on high fat diet-induced gut microbiota and obesity. <i>Food Research International</i> , 2022 , 111445	7	2
6	Effect of wheat flour addition on retardation of retrogradation in waxy rice cake, Ingeolmi 2015 , 58, 285-291		1
5	Response surface optimization of β glucan extraction from cauliflower mushrooms (<i>Sparassis crispa</i>). <i>Food Science and Biotechnology</i> , 2012 , 21, 1031-1035	3	1
4	Finger Millet Ethanol Extracts Prevent Hypertension by Inhibiting the Angiotensin-Converting Enzyme Level and Enhancing the Antioxidant Capacity in Spontaneously Hypertensive Rats. <i>Antioxidants</i> , 2021 , 10,	7.1	1
3	Quality and functional characteristics of tofu prepared rapidly from soybeans dried after soaking in water. <i>Journal of Food Processing and Preservation</i> , e16232	2.1	1
2	Effect of Modified Casein to Whey Protein Ratio on Dispersion Stability, Protein Quality and Body Composition in Rats. <i>Food Science of Animal Resources</i> , 2021 , 41, 855-868	3.2	1
1	Effects of roasting conditions on Korean rice wine () with licorice ().. <i>Food Science and Biotechnology</i> , 2022 , 31, 323-332	3	