

Bodil Ohlsson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6770455/publications.pdf>

Version: 2024-02-01

165
papers

4,241
citations

109321

35
h-index

175258

52
g-index

167
all docs

167
docs citations

167
times ranked

6517
citing authors

#	ARTICLE	IF	CITATIONS
1	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , 2014, 12, 168.	5.5	178
2	Functional variants in the sucrase-isomaltase gene associate with increased risk of irritable bowel syndrome. <i>Gut</i> , 2018, 67, 263-270.	12.1	120
3	Development and psychometric testing of the Visual Analogue Scale for Irritable Bowel Syndrome (VAS-IBS). <i>BMC Gastroenterology</i> , 2007, 7, 16.	2.0	105
4	Severe intestinal dysbiosis is prevalent in primary Sjögren's syndrome and is associated with systemic disease activity. <i>Arthritis Research and Therapy</i> , 2017, 19, 237.	3.5	103
5	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. <i>American Journal of Human Genetics</i> , 2014, 95, 462-471.	6.2	96
6	Higher Levels of Serum Zonulin May Rather Be Associated with Increased Risk of Obesity and Hyperlipidemia, Than with Gastrointestinal Symptoms or Disease Manifestations. <i>International Journal of Molecular Sciences</i> , 2017, 18, 582.	4.1	95
7	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015, 13, 242.	5.5	93
8	Oxytocin is expressed throughout the human gastrointestinal tract. <i>Regulatory Peptides</i> , 2006, 135, 7-11.	1.9	79
9	General and abdominal obesity and risk of esophageal and gastric adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 137, 646-657.	5.1	79
10	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. <i>International Journal of Cancer</i> , 2016, 138, 348-360.	5.1	77
11	A Nested Case-Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS Medicine</i> , 2016, 13, e1001988.	8.4	76
12	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 654-666.e6.	4.4	74
13	Oxytocin and oxytocin-receptor mRNA expression in the human gastrointestinal tract: a polymerase chain reaction study. <i>Regulatory Peptides</i> , 2004, 119, 39-44.	1.9	72
14	Gastrointestinal symptoms among endometriosis patients: A case-cohort study. <i>BMC Women's Health</i> , 2015, 15, 59.	2.0	67
15	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. <i>BMC Medicine</i> , 2015, 13, 107.	5.5	66
16	Increased Prevalence of Rare Sucrase-isomaltase Pathogenic Variants in Irritable Bowel Syndrome Patients. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 1673-1676.	4.4	64
17	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1498-1508.	4.7	63
18	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. <i>Journal of Hepatology</i> , 2019, 70, 885-892.	3.7	58

#	ARTICLE	IF	CITATIONS
19	Female-Specific Association Between Variants on Chromosome 9 and Self-Reported Diagnosis of Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2018, 155, 168-179.	1.3	55
20	Circulating copper and zinc levels and risk of hepatobiliary cancers in Europeans. <i>British Journal of Cancer</i> , 2017, 116, 688-696.	6.4	53
21	Chronic Intestinal Pseudo-Obstruction due to Buserelin-Induced Formation of Anti-GnRH Antibodies. <i>Gastroenterology</i> , 2007, 132, 45-51.	1.3	52
22	Dense genotyping of immune-related loci identifies HLA variants associated with increased risk of collagenous colitis. <i>Gut</i> , 2017, 66, 421-428.	12.1	50
23	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 607-616.	4.7	50
24	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , 2017, 15, 72.	5.5	49
25	Associations Between Endometriosis and Gut Microbiota. <i>Reproductive Sciences</i> , 2021, 28, 2367-2377.	2.5	49
26	miR-16 and miR-103 impact 5-HT4 receptor signalling and correlate with symptom profile in irritable bowel syndrome. <i>Scientific Reports</i> , 2017, 7, 14680.	3.3	46
27	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 137, 2705-2714.	5.1	45
28	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. <i>International Journal of Cancer</i> , 2021, 148, 609-625.	5.1	45
29	Evaluation of the microbiome in children's appendicitis. <i>International Journal of Colorectal Disease</i> , 2017, 32, 19-28.	2.2	44
30	Calprotectin in serum and zonulin in serum and feces are elevated after introduction of a diet with lower carbohydrate content and higher fiber, fat and protein contents. <i>Biomedical Reports</i> , 2017, 6, 411-422.	2.0	43
31	Cholecystokinin Stimulation Leads to Increased Oxytocin Secretion in Women. <i>The European Journal of Surgery</i> , 2002, 168, 114-118.	0.9	41
32	Evaluation of gastrointestinal symptoms in different patient groups using the visual analogue scale for irritable bowel syndrome (VAS-IBS). <i>BMC Gastroenterology</i> , 2011, 11, 122.	2.0	41
33	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. <i>Cancer Prevention Research</i> , 2016, 9, 758-765.	1.5	41
34	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Epidemiology</i> , 2018, 33, 1063-1075.	5.7	41
35	The Malmö Offspring Study (MOS): design, methods and first results. <i>European Journal of Epidemiology</i> , 2021, 36, 103-116.	5.7	41
36	Inflammatory bowel disease and biomarkers of gut inflammation and permeability in a community with high exposure to perfluoroalkyl substances through drinking water. <i>Environmental Research</i> , 2020, 181, 108923.	7.5	39

#	ARTICLE	IF	CITATIONS
37	Dietary fat, fat subtypes and hepatocellular carcinoma in a large European cohort. <i>International Journal of Cancer</i> , 2015, 137, 2715-2728.	5.1	38
38	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016, 40, 179-187.	1.9	38
39	Enteric ganglioneuritis and abnormal interstitial cells of Cajal. <i>Inflammatory Bowel Diseases</i> , 2007, 13, 721-726.	1.9	37
40	Further Validation of the Visual Analogue Scale for Irritable Bowel Syndrome After Use in Clinical Practice. <i>Gastroenterology Nursing</i> , 2013, 36, 188-198.	0.4	36
41	TRPM8 polymorphisms associated with increased risk of IBS-C and IBS-M. <i>Gut</i> , 2017, 66, 1725-1727.	12.1	36
42	Irregular Dietary Habits with a High Intake of Cereals and Sweets Are Associated with More Severe Gastrointestinal Symptoms in IBS Patients. <i>Nutrients</i> , 2019, 11, 1279.	4.1	35
43	The oxytocin/vasopressin receptor antagonist atosiban delays the gastric emptying of a semisolid meal compared to saline in human. <i>BMC Gastroenterology</i> , 2006, 6, 11.	2.0	34
44	An Okinawan-based Nordic diet improves anthropometry, metabolic control, and health-related quality of life in Scandinavian patients with type 2 diabetes: a pilot trial. <i>Food and Nutrition Research</i> , 2016, 60, 32594.	2.6	34
45	Smoking- and alcohol habits in relation to the clinical picture of women with microscopic colitis compared to controls. <i>BMC Women's Health</i> , 2014, 14, 16.	2.0	33
46	High blood glucose levels are associated with higher risk of colon cancer in men: a cohort study. <i>BMC Cancer</i> , 2017, 17, 842.	2.6	31
47	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. <i>Gut</i> , 2019, 68, 672-683.	12.1	31
48	A course of instruction for women with irritable bowel syndrome. <i>Patient Education and Counseling</i> , 2006, 62, 118-125.	2.2	30
49	Depletion of enteric gonadotropin-releasing hormone is found in a few patients suffering from severe gastrointestinal dysmotility. <i>Scandinavian Journal of Gastroenterology</i> , 2012, 47, 1165-1173.	1.5	30
50	Microscopic Colitis is Associated with Several Concomitant Diseases. <i>Drug Target Insights</i> , 2013, 7, DTI.S12109.	1.4	30
51	Impaired Gastric Emptying in Primary Sjögren's Syndrome. <i>Journal of Rheumatology</i> , 2010, 37, 2313-2318.	2.0	28
52	Body iron status and gastric cancer risk in the EURGAST study. <i>International Journal of Cancer</i> , 2015, 137, 2904-2914.	5.1	28
53	Physical inactivity during leisure time and irregular meals are associated with functional gastrointestinal complaints in middle-aged and elder subjects. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 1299-1307.	1.5	27
54	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , 2017, 116, 811-820.	6.4	27

#	ARTICLE	IF	CITATIONS
55	Anthropometric and metabolic improvements in human type 2 diabetes after introduction of an Okinawan-based Nordic diet are not associated with changes in microbial diversity or SCFA concentrations. <i>International Journal of Food Sciences and Nutrition</i> , 2018, 69, 729-740.	2.8	27
56	Subclinical sympathetic neuropathy appears early in the course of Crohn's disease. <i>BMC Gastroenterology</i> , 2007, 7, 33.	2.0	26
57	Gonadotropin-releasing hormone analog buserelin causes neuronal loss in rat gastrointestinal tract. <i>Cell and Tissue Research</i> , 2013, 351, 521-534.	2.9	26
58	Expression and distribution of GnRH, LH, and FSH and their receptors in gastrointestinal tract of man and rat. <i>Regulatory Peptides</i> , 2013, 187, 24-28.	1.9	26
59	Gastroparesis is associated with oxytocin deficiency, oesophageal dysmotility with hyperCKemia, and autonomic neuropathy with hypergastrinemia. <i>BMC Gastroenterology</i> , 2009, 9, 17.	2.0	25
60	Gastrointestinal symptoms and psychological well-being in patients with microscopic colitis. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 27-34.	1.5	25
61	Appendicitis in children from a gender perspective. <i>Pediatric Surgery International</i> , 2015, 31, 845-853.	1.4	25
62	Abundance of <i>Enterobacteriaceae</i> in the colon mucosa in diverticular disease. <i>World Journal of Gastrointestinal Pathophysiology</i> , 2018, 9, 18-27.	1.0	25
63	Assessment of a 4-Week Starch- and Sucrose-Reduced Diet and Its Effects on Gastrointestinal Symptoms and Inflammatory Parameters among Patients with Irritable Bowel Syndrome. <i>Nutrients</i> , 2021, 13, 416.	4.1	25
64	Self-reported bowel symptoms are associated with differences in overall gut microbiota composition and enrichment of <i>Blautia</i> in a population-based cohort. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 174-180.	2.8	25
65	Auto-Antibodies and Their Association with Clinical Findings in Women Diagnosed with Microscopic Colitis. <i>PLoS ONE</i> , 2013, 8, e66088.	2.5	24
66	HLA Associations Distinguish Collagenous From Lymphocytic Colitis. <i>American Journal of Gastroenterology</i> , 2016, 111, 1211-1213.	0.4	24
67	Fibre intake and incident colorectal cancer depending on fibre source, sex, tumour location and Tumour, Node, Metastasis stage. <i>British Journal of Nutrition</i> , 2015, 114, 959-969.	2.3	23
68	New insights and challenges in microscopic colitis. <i>Therapeutic Advances in Gastroenterology</i> , 2015, 8, 37-47.	3.2	23
69	Smoking is associated with several functional gastrointestinal symptoms. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 914-922.	1.5	23
70	Intake of different types of red meat, poultry, and fish and incident colorectal cancer in women and men: results from the MalmÅr Diet and Cancer Study. <i>Food and Nutrition Research</i> , 2017, 61, 1341810.	2.6	23
71	A Dietary Intervention with Reduction of Starch and Sucrose Leads to Reduced Gastrointestinal and Extra-Intestinal Symptoms in IBS Patients. <i>Nutrients</i> , 2019, 11, 1662.	4.1	22
72	Computational postprocessing quantification of small bowel motility using magnetic resonance images in clinical practice: An initial experience. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 277-287.	3.4	21

#	ARTICLE	IF	CITATIONS
73	The role of smoking and alcohol behaviour in management of functional gastrointestinal disorders. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2017, 31, 545-552.	2.4	21
74	Autoantibodies and gastrointestinal symptoms in infertile women in relation to in vitro fertilization. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 201.	2.4	20
75	Characteristics of endometriosis: A case-cohort study showing elevated IgG titers against the TSH receptor (TRAb) and mental comorbidity. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 231, 8-14.	1.1	20
76	A systematic review and meta-analysis of the associations between endometriosis and irritable bowel syndrome. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 246, 99-105.	1.1	20
77	Novel Biomarkers of Habitual Alcohol Intake and Associations With Risk of Pancreatic and Liver Cancers and Liver Disease Mortality. <i>Journal of the National Cancer Institute</i> , 2021, 113, 1542-1550.	6.3	20
78	Sociodemographic and Lifestyle Factors in relation to Overweight Defined by BMI and "Normal-Weight Obesity". <i>Journal of Obesity</i> , 2020, 2020, 1-11.	2.7	20
79	Antibodies against gonadotropin-releasing hormone (GnRH) and destruction of enteric neurons in 3 patients suffering from gastrointestinal dysfunction. <i>BMC Gastroenterology</i> , 2010, 10, 48.	2.0	19
80	Sympathetic Nerve Dysfunction is Common in Patients With Chronic Intestinal Pseudo-obstruction. <i>Journal of Clinical Gastroenterology</i> , 2008, 42, 174-177.	2.2	18
81	Modification of a traditional breakfast leads to increased satiety along with attenuated plasma increments of glucose, C-peptide, insulin, and glucose-dependent insulinotropic polypeptide in humans. <i>Nutrition Research</i> , 2016, 36, 359-368.	2.9	18
82	Atrophic Myenteric and Submucosal Neurons Are Observed in Parkinson's Disease. <i>Parkinson's Disease</i> , 2019, 2019, 1-5.	1.1	18
83	Spatial relationship between telocytes, interstitial cells of Cajal and the enteric nervous system in the human ileum and colon. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 3399-3406.	3.6	18
84	Prediagnostic alterations in circulating bile acid profiles in the development of hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2022, 150, 1255-1268.	5.1	18
85	Expression of Luteinizing Hormone Receptor in the Gastrointestinal Tract in Patients with and without Dysmotility. <i>Drug Target Insights</i> , 2012, 6, DTI.S9324.	1.4	17
86	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020, 147, 1027-1039.	5.1	17
87	Diarrhoea is not the only symptom that needs to be treated in patients with microscopic colitis. <i>European Journal of Internal Medicine</i> , 2013, 24, 573-578.	2.2	16
88	Appendicitis in Children: Evaluation of the Pediatric Appendicitis Score in Younger and Older Children. <i>Surgery Research and Practice</i> , 2014, 2014, 1-6.	0.5	16
89	Urinary biomarkers in pediatric appendicitis. <i>Pediatric Surgery International</i> , 2016, 32, 795-804.	1.4	16
90	Time-course of the pancreatic changes following long-term stimulation or inhibition of the CCK-A receptor. <i>International Journal of Gastrointestinal Cancer</i> , 1995, 18, 59-66.	0.4	15

#	ARTICLE	IF	CITATIONS
91	Small bowel enteroclysis with magnetic resonance imaging and computed tomography in patients with failed and uncertain passage of a patency capsule. <i>BMC Medical Imaging</i> , 2012, 12, 3.	2.7	15
92	Gonadotropin-Releasing Hormone and Its Physiological and Pathophysiological Roles in Relation to the Structure and Function of the Gastrointestinal Tract. <i>European Surgical Research</i> , 2016, 57, 22-33.	1.3	14
93	Elevated levels of faecal calprotectin in primary Sjögren's syndrome is common and associated with concomitant organic gastrointestinal disease. <i>Arthritis Research and Therapy</i> , 2016, 18, 9.	3.5	14
94	Gonadotropin-Releasing Hormone and Its Role in the Enteric Nervous System. <i>Frontiers in Endocrinology</i> , 2017, 8, 110.	3.5	14
95	Antibodies against gonadotropin-releasing hormone (GnRH) in patients with diabetes mellitus is associated with lower body weight and autonomic neuropathy. <i>BMC Research Notes</i> , 2013, 6, 329.	1.4	13
96	AXIN1 in Plasma or Serum Is a Potential New Biomarker for Endometriosis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 189.	4.1	13
97	Advanced Dental Cleaning is Associated with Reduced Risk of COPD Exacerbations – A Randomized Controlled Trial. <i>International Journal of COPD</i> , 2021, Volume 16, 3203-3215.	2.3	13
98	Structural and functional consequences of busirelin-induced enteric neuropathy in rat. <i>BMC Gastroenterology</i> , 2014, 14, 209.	2.0	12
99	Dietary intervention with an Okinawan-based Nordic diet in type 2 diabetes renders decreased interleukin-18 concentrations and increased neurofilament light concentrations in plasma. <i>Nutrition Research</i> , 2018, 60, 13-25.	2.9	12
100	Dietary intake of advanced glycation endproducts and risk of hepatobiliary cancers: A multinational cohort study. <i>International Journal of Cancer</i> , 2021, 149, 854-864.	5.1	12
101	The Expression of Serum Antibodies against Gonadotropin-releasing Hormone (GnRH1), Progonadoliberin-2, Luteinizing Hormone (LH), and Related Receptors in Patients with Gastrointestinal Dysfunction or Diabetes Mellitus. <i>Drug Target Insights</i> , 2014, 8, DTI.S19352.	1.4	11
102	Busirelin treatment to rats causes enteric neurodegeneration with moderate effects on CRF-immunoreactive neurons and Enterobacteriaceae in colon, and in acetylcholine-mediated permeability in ileum. <i>BMC Research Notes</i> , 2015, 8, 824.	1.4	11
103	Severe gastrointestinal dysmotility developed after treatment with gonadotropin-releasing hormone analogs. <i>Scandinavian Journal of Gastroenterology</i> , 2015, 50, 291-299.	1.5	11
104	An Okinawan-based Nordic diet improves glucose and lipid metabolism in health and type 2 diabetes, in alignment with changes in the endocrine profile, whereas zonulin levels are elevated (Review). <i>Experimental and Therapeutic Medicine</i> , 2019, 17, 2883-2893.	1.8	11
105	Theories behind the effect of starch- and sucrose-reduced diets on gastrointestinal symptoms in irritable bowel syndrome (Review). <i>Molecular Medicine Reports</i> , 2021, 24, .	2.4	11
106	A starch- and sucrose-reduced dietary intervention in irritable bowel syndrome patients produced a shift in gut microbiota composition along with changes in phylum, genus, and amplicon sequence variant abundances, without affecting the microRNA levels. <i>United European Gastroenterology Journal</i> , 2022, 10, 363-375.	3.8	11
107	Expression of Luteinizing Hormone Receptor in the Gastrointestinal Tract in Patients with and without Dysmotility. <i>Drug Target Insights</i> , 2012, 6, .	1.4	11
108	Polymorphism in the oxytocin promoter region in patients with lactase non-persistence is not related to symptoms. <i>BMC Gastroenterology</i> , 2009, 9, 90.	2.0	10

#	ARTICLE	IF	CITATIONS
109	Oxytocin prolongs the gastric emptying time in patients with diabetes mellitus and gastroparesis, but does not affect satiety or volume intake in patients with functional dyspepsia. <i>BMC Research Notes</i> , 2012, 5, 148.	1.4	10
110	The brief Visual Analogue Scale for Irritable Bowel Syndrome questionnaire can be used to evaluate psychological well-being in patients with irritable bowel syndrome. <i>European Journal of Internal Medicine</i> , 2013, 24, e82-e83.	2.2	10
111	Metabolic Profiling of Plasma in Patients with Irritable Bowel Syndrome after a 4-Week Starch- and Sucrose-Reduced Diet. <i>Metabolites</i> , 2021, 11, 440.	2.9	10
112	Microangiopathy is Common in Submucosal Vessels of the Colon in Patients With Diabetes Mellitus. <i>Review of Diabetic Studies</i> , 2014, 11, 175-180.	1.3	10
113	Poor intake of vitamins and minerals is associated with symptoms among patients with irritable bowel syndrome. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, , .	2.8	10
114	Longer colonic transit time is associated with laxative and drug use, lifestyle factors, and symptoms of constipation. <i>Acta Radiologica Open</i> , 2018, 7, 205846011880723.	0.6	9
115	Gastrointestinal Symptoms and Irritable Bowel Syndrome Are Associated With Female Sex and Smoking in the General Population and With Unemployment in Men. <i>Frontiers in Medicine</i> , 2021, 8, 646658.	2.6	9
116	Esophageal and Gastric Dysmotilities are Associated with Altered Glucose Homeostasis and Plasma Levels of Incretins and Leptin. <i>Review of Diabetic Studies</i> , 2016, 13, 79-90.	1.3	9
117	A prospective evaluation of the diagnostic value of video capsule endoscopy in patients initially classified as irritable bowel syndrome. <i>European Journal of Internal Medicine</i> , 2009, 20, 48-52.	2.2	8
118	A cross-sectional study of subclinical and clinical thyroid disorders in women with microscopic colitis compared to controls. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 1414-1422.	1.5	8
119	Hepcidin levels and gastric cancer risk in the EPICâ€EurGast study. <i>International Journal of Cancer</i> , 2017, 141, 945-951.	5.1	8
120	Autoantibodies common in patients with gastrointestinal diseases are not found in patients with endometriosis: A cross-sectional study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 240, 370-374.	1.1	8
121	Alignments of endocrine, anthropometric, and metabolic parameters in type 2 diabetes after intervention with an Okinawa-based Nordic diet. <i>Food and Nutrition Research</i> , 2018, 62, .	2.6	8
122	Ganglioneuritis is common in rats with enteric neuropathy due to busserelin treatment. <i>Regulatory Peptides</i> , 2014, 190-191, 43-45.	1.9	7
123	Two meals with different carbohydrate, fat and protein contents render equivalent postprandial plasma levels of calprotectin, cortisol, triglycerides and zonulin. <i>International Journal of Food Sciences and Nutrition</i> , 2016, 67, 872-880.	2.8	7
124	The role of fermentable carbohydrates and beverages in the symptomatology of functional gastrointestinal disease. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 1224-1234.	1.5	7
125	Susceptibility to diarrhea is related to hemodynamic markers of sympathetic activation in the general population. <i>Scandinavian Journal of Gastroenterology</i> , 2019, 54, 1426-1432.	1.5	7
126	Volumetric analysis of small bowel motility in an unselected cohort of patients with Crohnâ€™s disease. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13909.	3.0	7

#	ARTICLE	IF	CITATIONS
127	Microscopic colitis and its associations with complications observed in classic inflammatory bowel disease: a systematic review. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 312-320.	1.5	7
128	A carbohydrate-restricted diet for patients with irritable bowel syndrome lowers serum C-peptide, insulin, and leptin without any correlation with symptom reduction. <i>Nutrition Research</i> , 2021, 86, 23-36.	2.9	7
129	Increased intestinal permeability in primary Sjögren's syndrome and multiple sclerosis. <i>Journal of Translational Autoimmunity</i> , 2021, 4, 100082.	4.0	7
130	The changes in the rat parotid glands following total parenteral nutrition and pancreatico-biliary diversion are not mediated by cholecystokinin. <i>International Journal of Gastrointestinal Cancer</i> , 1996, 20, 109-118.	0.4	6
131	Proenkephalin-A mRNA Is Widely Expressed in Tissues of the Human Gastrointestinal Tract. <i>European Surgical Research</i> , 2006, 38, 464-468.	1.3	6
132	Luteinizing hormone receptors are expressed in rat myenteric neurons and mediate neuronal loss. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2015, 193, 104-107.	2.8	6
133	Endoscopic full-thickness biopsy, a novel method in the work up of complicated abdominal symptoms. <i>Therapeutic Advances in Gastroenterology</i> , 2018, 11, 1756283X1773074.	3.2	6
134	A colorectal cancer diet quality index is inversely associated with colorectal cancer in the Malmö diet and cancer study. <i>European Journal of Cancer Prevention</i> , 2019, 28, 463-471.	1.3	6
135	The effect of intermittent injections of CCK-8S and the CCK-A receptor antagonist devazepide on cell proliferation in exocrine rat pancreas. <i>International Journal of Gastrointestinal Cancer</i> , 1998, 24, 211-218.	0.4	5
136	3D analysis of the myenteric plexus of the human bowel by X-ray phase-contrast tomography – a future method?. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 1261-1267.	1.5	5
137	Autonomic and peripheral neuropathy with reduced intraepidermal nerve fiber density can be observed in patients with gastrointestinal dysmotility. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 142-148.	0.5	5
138	An Evaluation of Serum IgE and Th2-Associated Interleukins in Children With Uncomplicated and Complicated Appendicitis. <i>Frontiers in Pediatrics</i> , 2022, 10, 884138.	1.9	5
139	High Fiber Fat and Protein Contents Lead to Increased Satiety Reduced Sweet Cravings and Decreased Gastrointestinal Symptoms Independently of Anthropometric Hormonal and Metabolic Factors. <i>Journal of Diabetes & Metabolism</i> , 2017, 08, .	0.2	4
140	Association Between Collagenous and Lymphocytic Colitis and Risk of Severe Coronavirus Disease 2019. <i>Gastroenterology</i> , 2021, 160, 2585-2587.e3.	1.3	4
141	Diseases which cause generalized peripheral neuropathy: a systematic review. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 1000-1010.	1.5	4
142	Chronic stress and poor sleeping habits are associated with self-reported IBS and poor psychological well-being in the general population. <i>BMC Research Notes</i> , 2021, 14, 280.	1.4	4
143	Plasma AXIN1 expression exhibit negative correlations with inflammatory biomarkers and is associated with gastrointestinal symptoms in endometriosis. <i>Biomedical Reports</i> , 2020, 12, 211-221.	2.0	4
144	A possible association between early life factors and burden of functional bowel symptoms in adulthood. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 506-514.	1.5	4

#	ARTICLE	IF	CITATIONS
145	Self-reported IBS and gastrointestinal symptoms in the general population are associated with asthma, drug consumption and a family history of gastrointestinal diseases. <i>Scandinavian Journal of Gastroenterology</i> , 2022, , 1-11.	1.5	4
146	Oxytocin and cholecystokinin secretion in women with colectomy. <i>BMC Gastroenterology</i> , 2004, 4, 25.	2.0	3
147	Antibodies against Gonadotropin-Releasing Hormone in Patients with Posterior Laryngitis. <i>Drug Target Insights</i> , 2013, 7, DTI.S10837.	1.4	3
148	Two-trocar appendectomy in children – description of technique and comparison with conventional laparoscopic appendectomy. <i>BMC Surgery</i> , 2016, 16, 52.	1.3	3
149	3d phase-contrast nanotomography of unstained human skin biopsies may identify morphological differences in the dermis and epidermis between subjects. <i>Skin Research and Technology</i> , 2021, 27, 316-323.	1.6	3
150	Gastrointestinal symptoms in women with endometriosis and microscopic colitis in comparison to irritable bowel syndrome – A cross-sectional study. <i>Turkish Journal of Gastroenterology</i> , 2021, 32, 819-827.	1.1	3
151	A Starch- and Sucrose-Reduced Diet in Irritable Bowel Syndrome Leads to Lower Circulating Levels of PAI-1 and Visfatin: A Randomized Controlled Study. <i>Nutrients</i> , 2022, 14, 1688.	4.1	3
152	Functional bowel symptoms in the general population (Review). <i>Molecular Medicine Reports</i> , 2022, 26, .	2.4	3
153	A case report on a patient suffering from recurrent vomiting episodes, whose condition improved markedly during pregnancy and breast feeding. <i>BMC Gastroenterology</i> , 2006, 6, 28.	2.0	2
154	Acute Taurodeoxycholate-Induced Pancreatitis in the Rat Is Associated with HyperCCKemia. <i>International Journal of Gastrointestinal Cancer</i> , 2000, 27, 195-202.	0.4	1
155	New Insights into the Understanding of Gastrointestinal Dysmotility. <i>Drug Target Insights</i> , 2007, 2, 117739280700200.	1.4	1
156	Basal Plasma Levels of Copeptin are Elevated in Inactive Inflammatory Bowel Disease after Bowel Resection. <i>Drug Target Insights</i> , 2015, 9, DTI.S26589.	1.4	1
157	Long-term follow-up of buserelin-induced enteric neuropathy in rats. <i>Molecular Medicine Reports</i> , 2016, 13, 3507-3513.	2.4	1
158	Endoscopic versus Laparoscopic Full-Thickness Biopsy in the Pathological Evaluation of the Enteric Nervous System. <i>Case Reports in Gastroenterology</i> , 2018, 12, 32-40.	0.6	1
159	Quantified small bowel motility in patients with ulcerative colitis and gastrointestinal symptoms: a pilot study. <i>Acta Radiologica</i> , 2020, 62, 028418512094671.	1.1	1
160	New European statements and recommendations for the management of microscopic colitis. <i>United European Gastroenterology Journal</i> , 2021, 9, 5-6.	3.8	1
161	Zinc as a modulator of transglutaminase activity – Laboratory and pathophysiological aspects. <i>Journal of Translational Autoimmunity</i> , 2021, 4, 100110.	4.0	1
162	Motility index measured by magnetic resonance enterography is associated with sex and mural thickness. <i>World Journal of Gastroenterology</i> , 2020, 26, 5484-5497.	3.3	1

#	ARTICLE	IF	CITATIONS
163	Applicability of polygenic risk scores in endometriosis clinical presentation. BMC Women's Health, 2022, 22, .	2.0	1
164	Endoscopic sinus surgery improve quality of life and decrease absenteeism in patients with chronic rhinosinusitis –a multi-centre study. Clinical and Translational Allergy, 2015, 5, O6.	3.2	0
165	New insights into the understanding of gastrointestinal dysmotility. Drug Target Insights, 2007, 2, 229-37.	1.4	0