

Bodil Ohlsson

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6770455/bodil-ohlsson-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158
papers

2,902
citations

30
h-index

45
g-index

167
ext. papers

3,750
ext. citations

4.6
avg, IF

5.48
L-index

#	Paper	IF	Citations
158	Combined impact of healthy lifestyle factors on colorectal cancer: a large European cohort study. <i>BMC Medicine</i> , 2014 , 12, 168	11.4	135
157	Functional variants in the sucrase-isomaltase gene associate with increased risk of irritable bowel syndrome. <i>Gut</i> , 2018 , 67, 263-270	19.2	79
156	Endoscopic sinus surgery improve quality of life and decrease absenteeism in patients with chronic rhinosinusitis - a multi-centre study. <i>Clinical and Translational Allergy</i> , 2015 , 5, O6	5.2	78
155	Development and psychometric testing of the Visual Analogue Scale for Irritable Bowel Syndrome (VAS-IBS). <i>BMC Gastroenterology</i> , 2007 , 7, 16	3	78
154	Genome-wide association study identifies five susceptibility loci for follicular lymphoma outside the HLA region. <i>American Journal of Human Genetics</i> , 2014 , 95, 462-71	11	74
153	Oxytocin and oxytocin-receptor mRNA expression in the human gastrointestinal tract: a polymerase chain reaction study. <i>Regulatory Peptides</i> , 2004 , 119, 39-44		63
152	Oxytocin is expressed throughout the human gastrointestinal tract. <i>Regulatory Peptides</i> , 2006 , 135, 7-11		61
151	Metabolomic profiles of hepatocellular carcinoma in a European prospective cohort. <i>BMC Medicine</i> , 2015 , 13, 242	11.4	60
150	A Nested Case-Control Study of Metabolically Defined Body Size Phenotypes and Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>PLoS Medicine</i> , 2016 , 13, e1001988	11.6	58
149	Alteration of amino acid and biogenic amine metabolism in hepatobiliary cancers: Findings from a prospective cohort study. <i>International Journal of Cancer</i> , 2016 , 138, 348-60	7.5	58
148	Higher Levels of Serum Zonulin May Rather Be Associated with Increased Risk of Obesity and Hyperlipidemia, Than with Gastrointestinal Symptoms or Disease Manifestations. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	57
147	General and abdominal obesity and risk of esophageal and gastric adenocarcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 646-57	7.5	57
146	Severe intestinal dysbiosis is prevalent in primary Sjögren's syndrome and is associated with systemic disease activity. <i>Arthritis Research and Therapy</i> , 2017 , 19, 237	5.7	55
145	Pre-diagnostic concordance with the WCRF/AICR guidelines and survival in European colorectal cancer patients: a cohort study. <i>BMC Medicine</i> , 2015 , 13, 107	11.4	45
144	Chronic intestinal pseudo-obstruction due to buserelin-induced formation of anti-GnRH antibodies. <i>Gastroenterology</i> , 2007 , 132, 45-51	13.3	45
143	The association of coffee intake with liver cancer risk is mediated by biomarkers of inflammation and hepatocellular injury: data from the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 1498-508	7	44
142	Consumption of Fish and Long-chain n-3 Polyunsaturated Fatty Acids Is Associated With Reduced Risk of Colorectal Cancer in a Large European Cohort. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 654-666.e6	6.9	43

141	Gastrointestinal symptoms among endometriosis patients--A case-cohort study. <i>BMC Women's Health</i> , 2015 , 15, 59	2.9	40
140	Increased Prevalence of Rare Sucrase-isomaltase Pathogenic Variants in Irritable Bowel Syndrome Patients. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 1673-1676	6.9	37
139	Cholecystokinin stimulation leads to increased oxytocin secretion in women. <i>The European Journal of Surgery</i> , 2002 , 168, 114-8		35
138	Prospective association of liver function biomarkers with development of hepatobiliary cancers. <i>Cancer Epidemiology</i> , 2016 , 40, 179-87	2.8	34
137	Dense genotyping of immune-related loci identifies HLA variants associated with increased risk of collagenous colitis. <i>Gut</i> , 2017 , 66, 421-428	19.2	33
136	Circulating copper and zinc levels and risk of hepatobiliary cancers in Europeans. <i>British Journal of Cancer</i> , 2017 , 116, 688-696	8.7	33
135	miR-16 and miR-103 impact 5-HT receptor signalling and correlate with symptom profile in irritable bowel syndrome. <i>Scientific Reports</i> , 2017 , 7, 14680	4.9	33
134	Enteric ganglioneuritis and abnormal interstitial cells of Cajal: features of inflammatory bowel disease. <i>Inflammatory Bowel Diseases</i> , 2007 , 13, 721-6	4.5	33
133	Subtypes of fruit and vegetables, variety in consumption and risk of colon and rectal cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015 , 137, 2705-14	7.5	32
132	Calprotectin in serum and zonulin in serum and feces are elevated after introduction of a diet with lower carbohydrate content and higher fiber, fat and protein contents. <i>Biomedical Reports</i> , 2017 , 6, 411-422	18	31
131	Female-Specific Association Between Variants on Chromosome 9 and Self-Reported Diagnosis of Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2018 , 155, 168-179	13.3	31
130	Inflammatory potential of the diet and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 607-616	7	30
129	The oxytocin/vasopressin receptor antagonist atosiban delays the gastric emptying of a semisolid meal compared to saline in human. <i>BMC Gastroenterology</i> , 2006 , 6, 11	3	30
128	Association between physical activity and risk of hepatobiliary cancers: A multinational cohort study. <i>Journal of Hepatology</i> , 2019 , 70, 885-892	13.4	30
127	Circulating Osteopontin and Prediction of Hepatocellular Carcinoma Development in a Large European Population. <i>Cancer Prevention Research</i> , 2016 , 9, 758-65	3.2	29
126	Evaluation of the microbiome in children's appendicitis. <i>International Journal of Colorectal Disease</i> , 2017 , 32, 19-28	3	28
125	Evaluation of gastrointestinal symptoms in different patient groups using the visual analogue scale for irritable bowel syndrome (VAS-IBS). <i>BMC Gastroenterology</i> , 2011 , 11, 122	3	28
124	Further validation of the visual analogue scale for irritable bowel syndrome after use in clinical practice. <i>Gastroenterology Nursing</i> , 2013 , 36, 188-98	1	27

123	Exposure to bacterial products lipopolysaccharide and flagellin and hepatocellular carcinoma: a nested case-control study. <i>BMC Medicine</i> , 2017 , 15, 72	11.4	26
122	Smoking- and alcohol habits in relation to the clinical picture of women with microscopic colitis compared to controls. <i>BMC Women's Health</i> , 2014 , 14, 16	2.9	25
121	Depletion of enteric gonadotropin-releasing hormone is found in a few patients suffering from severe gastrointestinal dysmotility. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 1165-73	2.4	25
120	A course of instruction for women with irritable bowel syndrome. <i>Patient Education and Counseling</i> , 2006 , 62, 118-25	3.1	25
119	polymorphisms associated with increased risk of IBS-C and IBS-M. <i>Gut</i> , 2017 , 66, 1725-1727	19.2	24
118	Impaired gastric emptying in primary Sjogren's syndrome. <i>Journal of Rheumatology</i> , 2010 , 37, 2313-8	4.1	24
117	An Okinawan-based Nordic diet improves anthropometry, metabolic control, and health-related quality of life in Scandinavian patients with type 2 diabetes: a pilot trial. <i>Food and Nutrition Research</i> , 2016 , 60, 32594	3.1	24
116	Dietary fat, fat subtypes and hepatocellular carcinoma in a large European cohort. <i>International Journal of Cancer</i> , 2015 , 137, 2715-28	7.5	23
115	Gonadotropin-releasing hormone analog busserelin causes neuronal loss in rat gastrointestinal tract. <i>Cell and Tissue Research</i> , 2013 , 351, 521-34	4.2	23
114	Gastrointestinal symptoms and psychological well-being in patients with microscopic colitis. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 27-34	2.4	23
113	Subclinical sympathetic neuropathy appears early in the course of Crohn's disease. <i>BMC Gastroenterology</i> , 2007 , 7, 33	3	23
112	Dietary intake of total polyphenol and polyphenol classes and the risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>European Journal of Epidemiology</i> , 2018 , 33, 1063-1075	12.1	23
111	Fibre intake and incident colorectal cancer depending on fibre source, sex, tumour location and Tumour, Node, Metastasis stage. <i>British Journal of Nutrition</i> , 2015 , 114, 959-69	3.6	22
110	Gastroparesis is associated with oxytocin deficiency, oesophageal dysmotility with hyperCKemia, and autonomic neuropathy with hypergastrinemia. <i>BMC Gastroenterology</i> , 2009 , 9, 17	3	22
109	Mediterranean diet and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition cohort. <i>British Journal of Cancer</i> , 2017 , 116, 811-820	8.7	21
108	Expression and distribution of GnRH, LH, and FSH and their receptors in gastrointestinal tract of man and rat. <i>Regulatory Peptides</i> , 2013 , 187, 24-8		20
107	Microscopic Colitis is Associated with Several Concomitant Diseases. <i>Drug Target Insights</i> , 2013 , 7, 19-25	3.4	19
106	Computational postprocessing quantification of small bowel motility using magnetic resonance images in clinical practice: An initial experience. <i>Journal of Magnetic Resonance Imaging</i> , 2016 , 44, 277-87	5.6	18

105	Auto-antibodies and their association with clinical findings in women diagnosed with microscopic colitis. <i>PLoS ONE</i> , 2013 , 8, e66088	3.7	18
104	Inflammatory bowel disease and biomarkers of gut inflammation and permeability in a community with high exposure to perfluoroalkyl substances through drinking water. <i>Environmental Research</i> , 2020 , 181, 108923	7.9	18
103	Comparison of prognostic models to predict the occurrence of colorectal cancer in asymptomatic individuals: a systematic literature review and external validation in the EPIC and UK Biobank prospective cohort studies. <i>Gut</i> , 2019 , 68, 672-683	19.2	18
102	Appendicitis in children from a gender perspective. <i>Pediatric Surgery International</i> , 2015 , 31, 845-53	2.1	17
101	Sympathetic nerve dysfunction is common in patients with chronic intestinal pseudo-obstruction. <i>Journal of Clinical Gastroenterology</i> , 2008 , 42, 174-7	3	17
100	High blood glucose levels are associated with higher risk of colon cancer in men: a cohort study. <i>BMC Cancer</i> , 2017 , 17, 842	4.8	16
99	Abundance of in the colon mucosa in diverticular disease. <i>World Journal of Gastrointestinal Pathophysiology</i> , 2018 , 9, 18-27	3.2	16
98	Autoantibodies and gastrointestinal symptoms in infertile women in relation to in vitro fertilization. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 201	3.2	16
97	Body iron status and gastric cancer risk in the EURGAST study. <i>International Journal of Cancer</i> , 2015 , 137, 2904-14	7.5	16
96	HLA Associations Distinguish Collagenous From Lymphocytic Colitis. <i>American Journal of Gastroenterology</i> , 2016 , 111, 1211-3	0.7	16
95	Physical inactivity during leisure time and irregular meals are associated with functional gastrointestinal complaints in middle-aged and elder subjects. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 1299-307	2.4	16
94	New insights and challenges in microscopic colitis. <i>Therapeutic Advances in Gastroenterology</i> , 2015 , 8, 37-47	4.7	15
93	Spatial relationship between telocytes, interstitial cells of Cajal and the enteric nervous system in the human ileum and colon. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 3399-3406	5.6	15
92	Smoking is associated with several functional gastrointestinal symptoms. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 914-22	2.4	15
91	Intake of different types of red meat, poultry, and fish and incident colorectal cancer in women and men: results from the MalmDiet and Cancer Study. <i>Food and Nutrition Research</i> , 2017 , 61, 1341810	3.1	15
90	Expression of Luteinizing Hormone Receptor in the Gastrointestinal Tract in Patients with and without Dysmotility. <i>Drug Target Insights</i> , 2012 , 6, 13-8	3.4	15
89	Antibodies against gonadotropin-releasing hormone (GnRH) and destruction of enteric neurons in 3 patients suffering from gastrointestinal dysfunction. <i>BMC Gastroenterology</i> , 2010 , 10, 48	3	15
88	Metabolic perturbations prior to hepatocellular carcinoma diagnosis: Findings from a prospective observational cohort study. <i>International Journal of Cancer</i> , 2021 , 148, 609-625	7.5	15

87	Modification of a traditional breakfast leads to increased satiety along with attenuated plasma increments of glucose, C-peptide, insulin, and glucose-dependent insulinotropic polypeptide in humans. <i>Nutrition Research</i> , 2016 , 36, 359-368	4	14
86	Diarrhoea is not the only symptom that needs to be treated in patients with microscopic colitis. <i>European Journal of Internal Medicine</i> , 2013 , 24, 573-8	3.9	14
85	Appendicitis in children: evaluation of the pediatric appendicitis score in younger and older children. <i>Surgery Research and Practice</i> , 2014 , 2014, 438076	1.2	14
84	Time-course of the pancreatic changes following long-term stimulation or inhibition of the CCK-A receptor. <i>International Journal of Gastrointestinal Cancer</i> , 1995 , 18, 59-66		14
83	Irregular Dietary Habits with a High Intake of Cereals and Sweets Are Associated with More Severe Gastrointestinal Symptoms in IBS Patients. <i>Nutrients</i> , 2019 , 11,	6.7	13
82	The Malmö Offspring Study (MOS): design, methods and first results. <i>European Journal of Epidemiology</i> , 2021 , 36, 103-116	12.1	13
81	The role of smoking and alcohol behaviour in management of functional gastrointestinal disorders. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2017 , 31, 545-552	2.5	12
80	Small bowel enteroclysis with magnetic resonance imaging and computed tomography in patients with failed and uncertain passage of a patency capsule. <i>BMC Medical Imaging</i> , 2012 , 12, 3	2.9	12
79	Structural and functional consequences of busserelin-induced enteric neuropathy in rat. <i>BMC Gastroenterology</i> , 2014 , 14, 209	3	12
78	Urinary biomarkers in pediatric appendicitis. <i>Pediatric Surgery International</i> , 2016 , 32, 795-804	2.1	12
77	Severe gastrointestinal dysmotility developed after treatment with gonadotropin-releasing hormone analogs. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 291-9	2.4	11
76	Atrophic Myenteric and Submucosal Neurons Are Observed in Parkinson's Disease. <i>Parkinson's Disease</i> , 2019 , 2019, 7935820	2.6	10
75	Anthropometric and metabolic improvements in human type 2 diabetes after introduction of an Okinawan-based Nordic diet are not associated with changes in microbial diversity or SCFA concentrations. <i>International Journal of Food Sciences and Nutrition</i> , 2018 , 69, 729-740	3.7	10
74	An Okinawan-based Nordic diet improves glucose and lipid metabolism in health and type 2 diabetes, in alignment with changes in the endocrine profile, whereas zonulin levels are elevated. <i>Experimental and Therapeutic Medicine</i> , 2019 , 17, 2883-2893	2.1	8
73	Elevated levels of faecal calprotectin in primary Sjögren's syndrome is common and associated with concomitant organic gastrointestinal disease. <i>Arthritis Research and Therapy</i> , 2016 , 18, 9	5.7	8
72	A Dietary Intervention with Reduction of Starch and Sucrose Leads to Reduced Gastrointestinal and Extra-Intestinal Symptoms in IBS Patients. <i>Nutrients</i> , 2019 , 11,	6.7	8
71	Gonadotropin-Releasing Hormone and Its Role in the Enteric Nervous System. <i>Frontiers in Endocrinology</i> , 2017 , 8, 110	5.7	8
70	Buserelin treatment to rats causes enteric neurodegeneration with moderate effects on CRF-immunoreactive neurons and Enterobacteriaceae in colon, and in acetylcholine-mediated permeability in ileum. <i>BMC Research Notes</i> , 2015 , 8, 824	2.3	8

69	Antibodies against gonadotropin-releasing hormone (GnRH) in patients with diabetes mellitus is associated with lower body weight and autonomic neuropathy. <i>BMC Research Notes</i> , 2013 , 6, 329	2.3	8
68	Polymorphism in the oxytocin promoter region in patients with lactase non-persistence is not related to symptoms. <i>BMC Gastroenterology</i> , 2009 , 9, 90	3	8
67	Sociodemographic and Lifestyle Factors in relation to Overweight Defined by BMI and "Normal-Weight Obesity". <i>Journal of Obesity</i> , 2020 , 2020, 2070297	3.7	8
66	A systematic review and meta-analysis of the associations between endometriosis and irritable bowel syndrome. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020 , 246, 99-105 ²⁻⁴		7
65	Gonadotropin-Releasing Hormone and Its Physiological and Pathophysiological Roles in Relation to the Structure and Function of the Gastrointestinal Tract. <i>European Surgical Research</i> , 2016 , 57, 22-33	1.1	7
64	Ganglioneuritis is common in rats with enteric neuropathy due to busserelin treatment. <i>Regulatory Peptides</i> , 2014 , 190-191, 43-5		7
63	Oxytocin prolongs the gastric emptying time in patients with diabetes mellitus and gastroparesis, but does not affect satiety or volume intake in patients with functional dyspepsia. <i>BMC Research Notes</i> , 2012 , 5, 148	2.3	7
62	The brief Visual Analogue Scale for Irritable Bowel Syndrome questionnaire can be used to evaluate psychological well-being in patients with irritable bowel syndrome. <i>European Journal of Internal Medicine</i> , 2013 , 24, e82-3	3.9	7
61	The Expression of Serum Antibodies Against Gonadotropin-releasing Hormone (GnRH1), Progonadoliberein-2, Luteinizing Hormone (LH), and Related Receptors in Patients with Gastrointestinal Dysfunction or Diabetes Mellitus. <i>Drug Target Insights</i> , 2014 , 8, 45-50	3.4	7
60	A prospective evaluation of the diagnostic value of video capsule endoscopy in patients initially classified as irritable bowel syndrome. <i>European Journal of Internal Medicine</i> , 2009 , 20, 48-52	3.9	7
59	Esophageal and Gastric Dysmotilities are Associated with Altered Glucose Homeostasis and Plasma Levels of Incretins and Leptin. <i>Review of Diabetic Studies</i> , 2016 , 13, 79-90	3.6	7
58	Novel Biomarkers of Habitual Alcohol Intake and Associations With Risk of Pancreatic and Liver Cancers and Liver Disease Mortality. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 1542-1550	9.7	7
57	Two meals with different carbohydrate, fat and protein contents render equivalent postprandial plasma levels of calprotectin, cortisol, triglycerides and zonulin. <i>International Journal of Food Sciences and Nutrition</i> , 2016 , 67, 872-80	3.7	7
56	Characteristics of endometriosis: A case-cohort study showing elevated IgG titers against the TSH receptor (TRAb) and mental comorbidity. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018 , 231, 8-14	2.4	7
55	Dietary intervention with an Okinawan-based Nordic diet in type 2 diabetes renders decreased interleukin-18 concentrations and increased neurofilament light concentrations in plasma. <i>Nutrition Research</i> , 2018 , 60, 13-25	4	7
54	Hepcidin levels and gastric cancer risk in the EPIC-EurGast study. <i>International Journal of Cancer</i> , 2017 , 141, 945-951	7.5	6
53	Luteinizing hormone receptors are expressed in rat myenteric neurons and mediate neuronal loss. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2015 , 193, 104-7	2.4	6
52	A cross-sectional study of subclinical and clinical thyroid disorders in women with microscopic colitis compared to controls. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 1414-22	2.4	6

51	Proenkephalin-A mRNA is widely expressed in tissues of the human gastrointestinal tract. <i>European Surgical Research</i> , 2006 , 38, 464-8	1.1	6
50	The changes in the rat parotid glands following total parenteral nutrition and pancreatico-biliary diversion are not mediated by cholecystokinin. <i>International Journal of Gastrointestinal Cancer</i> , 1996 , 20, 109-18		6
49	Self-reported bowel symptoms are associated with differences in overall gut microbiota composition and enrichment of <i>Blautia</i> in a population-based cohort. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 174-180	4	6
48	Assessment of a 4-Week Starch- and Sucrose-Reduced Diet and Its Effects on Gastrointestinal Symptoms and Inflammatory Parameters among Patients with Irritable Bowel Syndrome. <i>Nutrients</i> , 2021 , 13,	6.7	6
47	Inflammatory potential of the diet and risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition study. <i>International Journal of Cancer</i> , 2020 , 147, 1027-1039	7.5	5
46	Endoscopic full-thickness biopsy, a novel method in the work up of complicated abdominal symptoms. <i>Therapeutic Advances in Gastroenterology</i> , 2018 , 11, 1756283X17730747	4.7	5
45	The effect of intermittent injections of CCK-8S and the CCK-A receptor antagonist devazepide on cell proliferation in exocrine rat pancreas. <i>International Journal of Gastrointestinal Cancer</i> , 1998 , 24, 211-8		5
44	Microangiopathy is common in submucosal vessels of the colon in patients with diabetes mellitus. <i>Review of Diabetic Studies</i> , 2014 , 11, 175-80	3.6	5
43	Dietary intake of advanced glycation endproducts and risk of hepatobiliary cancers: A multinational cohort study. <i>International Journal of Cancer</i> , 2021 , 149, 854	7.5	5
42	Longer colonic transit time is associated with laxative and drug use, lifestyle factors, and symptoms of constipation. <i>Acta Radiologica Open</i> , 2018 , 7, 2058460118807232	1.2	5
41	Autoantibodies common in patients with gastrointestinal diseases are not found in patients with endometriosis: A cross-sectional study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019 , 240, 370-374	2.4	4
40	Volumetric analysis of small bowel motility in an unselected cohort of patients with Crohn's disease. <i>Neurogastroenterology and Motility</i> , 2020 , 32, e13909	4	4
39	Microscopic colitis and its associations with complications observed in classic inflammatory bowel disease: a systematic review. <i>Scandinavian Journal of Gastroenterology</i> , 2020 , 55, 312-320	2.4	4
38	The role of fermentable carbohydrates and beverages in the symptomatology of functional gastrointestinal disease. <i>Scandinavian Journal of Gastroenterology</i> , 2017 , 52, 1224-1234	2.4	4
37	Pre-diagnostic alterations in circulating bile acid profiles in the development of hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2021 ,	7.5	4
36	Alignments of endocrine, anthropometric, and metabolic parameters in type 2 diabetes after intervention with an Okinawa-based Nordic diet. <i>Food and Nutrition Research</i> , 2018 , 62,	3.1	4
35	Associations Between Endometriosis and Gut Microbiota. <i>Reproductive Sciences</i> , 2021 , 28, 2367-2377	3	4
34	Susceptibility to diarrhea is related to hemodynamic markers of sympathetic activation in the general population. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 1426-1432	2.4	4

33	AXIN1 in Plasma or Serum Is a Potential New Biomarker for Endometriosis. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	4
32	Autonomic and peripheral neuropathy with reduced intraepidermal nerve fiber density can be observed in patients with gastrointestinal dysmotility. <i>Clinical Case Reports (discontinued)</i> , 2020 , 8, 142-148	0.7	4
31	High Fiber Fat and Protein Contents Lead to Increased Satiety Reduced Sweet Cravings and Decreased Gastrointestinal Symptoms Independently of Anthropometric Hormonal and Metabolic Factors. <i>Journal of Diabetes & Metabolism</i> , 2017 , 08,	0	3
30	Antibodies against gonadotropin-releasing hormone in patients with posterior laryngitis. <i>Drug Target Insights</i> , 2013 , 7, 1-8	3.4	3
29	Oxytocin and cholecystokinin secretion in women with colectomy. <i>BMC Gastroenterology</i> , 2004 , 4, 25	3	3
28	3D analysis of the myenteric plexus of the human bowel by X-ray phase-contrast tomography - a future method?. <i>Scandinavian Journal of Gastroenterology</i> , 2020 , 55, 1261-1267	2.4	3
27	Theories behind the effect of starch- and sucrose-reduced diets on gastrointestinal symptoms in irritable bowel syndrome (Review). <i>Molecular Medicine Reports</i> , 2021 , 24,	2.9	3
26	A colorectal cancer diet quality index is inversely associated with colorectal cancer in the Malmö diet and cancer study. <i>European Journal of Cancer Prevention</i> , 2019 , 28, 463-471	2	2
25	A case report on a patient suffering from recurrent vomiting episodes, whose condition improved markedly during pregnancy and breast feeding. <i>BMC Gastroenterology</i> , 2006 , 6, 28	3	2
24	3d phase-contrast nanotomography of unstained human skin biopsies may identify morphological differences in the dermis and epidermis between subjects. <i>Skin Research and Technology</i> , 2021 , 27, 316-323	1.9	2
23	Chronic stress and poor sleeping habits are associated with self-reported IBS and poor psychological well-being in the general population. <i>BMC Research Notes</i> , 2021 , 14, 280	2.3	2
22	Gastrointestinal Symptoms and Irritable Bowel Syndrome Are Associated With Female Sex and Smoking in the General Population and With Unemployment in Men. <i>Frontiers in Medicine</i> , 2021 , 8, 646658	4.9	2
21	Expression of Luteinizing Hormone Receptor in the Gastrointestinal Tract in Patients with and without Dysmotility. <i>Drug Target Insights</i> , 2012 , 6,	3.4	2
20	Two-trocar appendectomy in children - description of technique and comparison with conventional laparoscopic appendectomy. <i>BMC Surgery</i> , 2016 , 16, 52	2.3	1
19	Basal Plasma Levels of Copeptin are Elevated in Inactive Inflammatory Bowel Disease after Bowel Resection. <i>Drug Target Insights</i> , 2015 , 9, 21-7	3.4	1
18	New Insights into the Understanding of Gastrointestinal Dysmotility. <i>Drug Target Insights</i> , 2007 , 2, 117739280700200	3.4	1
17	Acute taurodeoxycholate-induced pancreatitis in the rat is associated with hyperCKemia. <i>International Journal of Gastrointestinal Cancer</i> , 2000 , 27, 195-201		1
16	Motility index measured by magnetic resonance enterography is associated with sex and mural thickness. <i>World Journal of Gastroenterology</i> , 2020 , 26, 5484-5497	5.6	1

15	Plasma AXIN1 expression exhibit negative correlations with inflammatory biomarkers and is associated with gastrointestinal symptoms in endometriosis. <i>Biomedical Reports</i> , 2020 , 12, 211-221	1.8	1
14	Quantified small bowel motility in patients with ulcerative colitis and gastrointestinal symptoms: a pilot study. <i>Acta Radiologica</i> , 2021 , 62, 858-866	2	1
13	A carbohydrate-restricted diet for patients with irritable bowel syndrome lowers serum C-peptide, insulin, and leptin without any correlation with symptom reduction. <i>Nutrition Research</i> , 2021 , 86, 23-36	4	1
12	Zinc as a modulator of transglutaminase activity - Laboratory and pathophysiological aspects. <i>Journal of Translational Autoimmunity</i> , 2021 , 4, 100110	4.1	1
11	Increased intestinal permeability in primary Sjögren's syndrome and multiple sclerosis. <i>Journal of Translational Autoimmunity</i> , 2021 , 4, 100082	4.1	1
10	Endoscopic versus Laparoscopic Full-Thickness Biopsy in the Pathological Evaluation of the Enteric Nervous System. <i>Case Reports in Gastroenterology</i> , 2018 , 12, 32-40	1	0
9	Long-term follow-up of buserelin-induced enteric neuropathy in rats. <i>Molecular Medicine Reports</i> , 2016 , 13, 3507-13	2.9	0
8	Self-reported IBS and gastrointestinal symptoms in the general population are associated with asthma, drug consumption and a family history of gastrointestinal diseases.. <i>Scandinavian Journal of Gastroenterology</i> , 2022 , 1-11	2.4	0
7	A possible association between early life factors and burden of functional bowel symptoms in adulthood. <i>Scandinavian Journal of Primary Health Care</i> , 2021 , 1-9	2.7	0
6	Advanced Dental Cleaning is Associated with Reduced Risk of COPD Exacerbations - A Randomized Controlled Trial. <i>International Journal of COPD</i> , 2021 , 16, 3203-3215	3	0
5	Association Between Collagenous and Lymphocytic Colitis and Risk of Severe Coronavirus Disease 2019. <i>Gastroenterology</i> , 2021 , 160, 2585-2587.e3	13.3	0
4	Diseases which cause generalized peripheral neuropathy: a systematic review. <i>Scandinavian Journal of Gastroenterology</i> , 2021 , 56, 1000-1010	2.4	0
3	An Evaluation of Serum IgE and Th2-Associated Interleukins in Children With Uncomplicated and Complicated Appendicitis.. <i>Frontiers in Pediatrics</i> , 2022 , 10, 884138	3.4	0
2	New insights into the understanding of gastrointestinal dysmotility. <i>Drug Target Insights</i> , 2007 , 2, 229-37	3.4	0
1	Gastrointestinal Symptoms in Women With Endometriosis and Microscopic Colitis in Comparison to Irritable Bowel Syndrome: A Cross-Sectional Study. <i>Turkish Journal of Gastroenterology</i> , 2021 , 32, 819-827	3.4	1