
Ulisses X Silva Neto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6770831/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	XP Shaper, A Novel Adaptive Core Rotary Instrument: Micro–computed Tomographic Analysis of Its Shaping Abilities. Journal of Endodontics, 2017, 43, 1532-1538.	1.4	77
2	Knowledge of general practitioners dentists about the emergency management of dental avulsion in Curitiba, Brazil. Dental Traumatology, 2007, 23, 6-8.	0.8	40
3	MTA Repair of a Supracrestal Perforation: A Case Report. Journal of Endodontics, 2005, 31, 212-214.	1.4	39
4	The Use of Micro–Computed Tomography toÂDetermine the Accuracy of 2 Electronic ApexÂLocators and Anatomic Variations AffectingÂTheir Precision. Journal of Endodontics, 2016, 42, 1263-1267.	1.4	37
5	The influence of metallic posts in the detection of vertical root fractures using different imaging examinations. Dentomaxillofacial Radiology, 2014, 43, 20130287.	1.3	35
6	Leakage of 4 resin-based root-canal sealers used with a single-cone technique. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2007, 104, e53-e57.	1.6	33
7	Evaluation of 17% EDTA and 10% citric acid in smear layer removal and tubular dentin sealer penetration. Microscopy Research and Technique, 2018, 81, 275-282.	1.2	33
8	The Accuracy in the Control of the Apical Extent of Rotary Canal Instrumentation Using Root ZX II and ProTaper Instruments: An In Vivo Study. Journal of Endodontics, 2008, 34, 1342-1345.	1.4	30
9	Cyclic fatigue of instruments for endodontic glide path. Odontology / the Society of the Nippon Dental University, 2015, 103, 56-60.	0.9	29
10	Effect of calcium hydroxide dressing on the long-term sealing ability of two different endodontic sealers: An in vitro study. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2010, 110, 386-389.	1.6	27
11	Accuracy of Root Length Determination Using Tri Auto ZX and ProTaper Instruments: An In Vitro Study. Journal of Endodontics, 2006, 32, 142-144.	1.4	24
12	Comparative analysis of leakage in root canal fillings performed with gutta-percha and Resilon cones with AH Plus and Epiphany sealers. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2010, 109, e131-e135.	1.6	24
13	The Accuracy of a New Cone-beam Computed Tomographic Software in the Preoperative Working Length Determination ExÂVivo. Journal of Endodontics, 2018, 44, 1024-1029.	1.4	23
14	Evaluation of care of dentoalveolar trauma. Journal of Applied Oral Science, 2010, 18, 343-345.	0.7	22
15	Accuracy of Root ZX II in Locating Foramen in Teeth with Apical Periodontitis: An In Vivo Study. Journal of Endodontics, 2011, 37, 1213-1216.	1.4	22
16	Efficacy of five rotary systems versus manual instrumentation during endodontic retreatment. Brazilian Dental Journal, 2011, 22, 294-298.	0.5	22
17	The Positive Influence of Atopy on the Prognosis of Avulsed and Replanted Teeth Despite Differences in Post-trauma Management. Journal of Endodontics, 2011, 37, 463-465.	1.4	19
18	Lack of correlation between tubular dentine cement penetration, adhesiveness and leakage in roots filled with gutta percha and an endodontic cement based on epoxy amine resin. Journal of Applied Oral Science. 2014. 22. 22-28.	0.7	18

ULISSES X SILVA NETO

#	Article	IF	CITATIONS
19	Accuracy of 2 Endodontic Rotary Motors with Integrated Apex Locator. Journal of Endodontics, 2017, 43, 1716-1719.	1.4	16
20	Tubular dentin sealer penetration after different final irrigation protocols: A confocal laser scanning microscopy study. Microscopy Research and Technique, 2018, 81, 649-654.	1.2	13
21	Treatment of extrusive luxation by intentional replantation. International Journal of Paediatric Dentistry, 2007, 17, 134-138.	1.0	11
22	Management of horizontal rootâ€fractured teeth: report of three cases. Dental Traumatology, 2008, 24, e11-5.	0.8	11
23	The Influence of Atopy in the Prognosis of the Replantation of Avulsed Teeth. Journal of Periodontology, 2009, 80, 1121-1124.	1.7	11
24	Relationship Between Extra-Alveolar Time and Atopy in the Prognosis of the Replantation of Avulsed Teeth. Journal of Trauma, 2010, 69, E79-E81.	2.3	11
25	An <i>in vivo</i> evaluation of the Auto Apical Reverse function of the Root ZX II. International Endodontic Journal, 2012, 45, 950-954.	2.3	11
26	Analysis of the association of clinical factors and <i>IL4</i> gene polymorphisms with root resorption in avulsed teeth after 1Âyear of replantation. International Endodontic Journal, 2018, 51, 12-19.	2.3	11
27	Influence of Atopy in the Outcome of Avulsed and Replanted Teeth during 5 Years of Follow-up. Journal of Endodontics, 2017, 43, 25-28.	1.4	10
28	Assessment of platelet-rich fibrin in the maintenance and recovery of cell viability of the periodontal ligament. Scientific Reports, 2019, 9, 19476.	1.6	10
29	Efficacy of protaper instruments during endodontic retreatment. Indian Journal of Dental Research, 2017, 28, 400.	0.1	10
30	Electrochemical dissolution of fractured nickel–titanium instruments in human extracted teeth. International Endodontic Journal, 2017, 50, 578-585.	2.3	9
31	Types of External Root Resorption of Replanted Teeth: Analysis of the Clinical Aspects and of Interleukin-4 Gene Polymorphisms Involvement. Journal of Endodontics, 2017, 43, 1792-1796.	1.4	8
32	Expression levels of the receptor activator of NF-κB ligand and osteoprotegerin and the number of gram-negative bacteria in symptomatic and asymptomatic periapical lesions. Archives of Oral Biology, 2017, 73, 166-171.	0.8	8
33	Capacidade seladora proporcionada por alguns materiais quando utilizados em perfurações na região de furca de molares humanos extraÃdos. Journal of Applied Oral Science, 2003, 11, 27-33.	0.7	7
34	Micro-CT evaluation of four final irrigation protocols on hard-tissue debris removal from mesial roots of mandibular molars containing isthmus. Clinical Oral Investigations, 2022, 26, 6121-6128.	1.4	6
35	Microscopic evaluation of the dentinal walls of extracted human teeth following electrochemical dissolution of fragmented nickel–titanium instruments. Microscopy Research and Technique, 2019, 82, 1529-1534.	1.2	5
36	Smear layer removal by passive ultrasonic irrigation and 2 new mechanical methods for activation of the chelating solution. Restorative Dentistry & Endodontics, 2021, 46, e11.	0.6	5

ULISSES X SILVA NETO

#	Article	IF	CITATIONS
37	Postoperative pain after endodontic treatment of necrotic teeth with large intentional foraminal enlargement. Restorative Dentistry & Endodontics, 2021, 46, e31.	0.6	5
38	Lack of correlation between obturation limits and apical leakage. Brazilian Oral Research, 2013, 27, 331-335.	0.6	4
39	Percentage of Gutta-Percha-, Sealer-, and Void-Filled Areas in Oval-Shaped Root Canals Obturated with Different Filling Techniques: A Confocal Laser Scanning Microscopy Study. European Journal of Dentistry, 2020, 14, 008-012.	0.8	4
40	Accuracy of electronic apical functions of a new integrated motor compared to the visual control of the working length—an ex vivo study. Clinical Oral Investigations, 2021, 25, 231-236.	1.4	4
41	Endodontic Retreatment Using a Single Instrument from four Nickel-Titanium Systems - A Micro-CT Study. Brazilian Dental Journal, 2020, 31, 605-610.	0.5	4
42	Evaluation of fluoride and sodium hypochlorite solutions during the electrochemical dissolution of conventional NiTi instruments and Gold thermomechanically treated NiTi instruments. International Endodontic Journal, 2020, 53, 513-518.	2.3	3
43	Influence of the Calcium Hydroxide Intracanal Dressing on Dentinal Tubule Penetration of Two Root Canal Sealers. European Endodontic Journal, 2017, 2, 1-6.	0.4	3
44	Maintenance of Pulp after Horizontal Root Fractures in Three Maxillary Incisors: A Thirteen-Year Evaluation. Iranian Endodontic Journal, 2017, 12, 508-511.	0.8	2
45	Management of Multiple Dental Trauma: Case Report with Eight-Year Follow-up. Iranian Endodontic Journal, 2018, 13, 410-412.	0.8	2
46	Lack of correlation between radiographic density of filling and fluid infiltration. Dental Press Endodontics, 2014, 4, 42-46.	0.0	1
47	Correlation among Root Canal Configuration, Quality of Filling, and Its Sealability. European Journal of Dentistry, 2021, 15, 568-573.	0.8	0
48	Capacidade de selamento e penetração intratubular do MTA Fillapex e do AH Plus em dentes humanos. Universidade Estadual Paulista Revista De Odontologia, 2017, 46, 7-13.	0.3	0