

Bente Gammelgaard

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6773671/bente-gammelgaard-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45
papers

1,015
citations

19
h-index

30
g-index

46
ext. papers

1,140
ext. citations

4.3
avg, IF

4.24
L-index

#	Paper	IF	Citations
45	Modulation of hypochlorous acid (HOCl) induced damage to vascular smooth muscle cells by thiocyanate and selenium analogues. <i>Redox Biology</i> , 2021 , 41, 101873	11.3	2
44	Analysis of selenium nanoparticles in human plasma by capillary electrophoresis hyphenated to inductively coupled plasma mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 2247-2255	4.4	4
43	Comparison of external calibration and isotope dilution LC-ICP-MS/MS for quantitation of oxytocin and its selenium analogue in human plasma. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 6479-6488	4.4	1
42	Effects of a novel selenium substituted-sugar (1,4-anhydro-4-seleno-d-talitol, SeTal) on human coronary artery cell lines and mouse aortic rings. <i>Biochemical Pharmacology</i> , 2020 , 173, 113631	6	3
41	Selenomethionine supplementation reduces lesion burden, improves vessel function and modulates the inflammatory response within the setting of atherosclerosis. <i>Redox Biology</i> , 2020 , 29, 101409	11.3	17
40	Development of a UPLC-IDA-ICP-MS/MS method for peptide quantitation in plasma by Se-labelling, and comparison to S-detection of the native peptide. <i>Journal of Analytical Atomic Spectrometry</i> , 2019 , 34, 375-383	3.7	7
39	Distribution of platinum between nuclear and cytosolic fractions - Can subcellular fractionation be performed quantitatively?. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 165, 82-89	3.5	4
38	Laser-assisted delivery enhances topical uptake of the anticancer agent cisplatin. <i>Drug Delivery</i> , 2018 , 25, 1877-1885	7	16
37	Development and validation of an ICP-MS method for quantification of total carbon and platinum in cell samples and comparison of open-vessel and microwave-assisted acid digestion methods. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 158, 144-150	3.5	13
36	Cisplatin Encapsulation Generates Morphologically Different Multicompartment in the Internal Nanostructures of Nonlamellar Liquid-Crystalline Self-Assemblies. <i>Langmuir</i> , 2018 , 34, 6570-6581	4	25
35	On the toxicity and transport mechanisms of cisplatin in kidney tissues in comparison to a gold-based cytotoxic agent. <i>Metallomics</i> , 2017 , 9, 1786-1795	4.5	19
34	Cellular uptake of metallated cobalamins. <i>Metallomics</i> , 2016 , 8, 298-304	4.5	14
33	Quantification of pharmaceutical peptides in human plasma by LC-ICP-MS sulfur detection. <i>Journal of Analytical Atomic Spectrometry</i> , 2016 , 31, 1877-1884	3.7	13
32	Quantification of low molecular weight selenium metabolites in human plasma after treatment with selenite in pharmacological doses by LC-ICP-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 2293-301	4.4	18
31	In vivo synthesized ³⁴ S enriched amino acid standards for species specific isotope dilution of proteins. <i>Journal of Analytical Atomic Spectrometry</i> , 2016 , 31, 1830-1835	3.7	13
30	Selective analysis of human serum albumin based on SEC-ICP-MS after labelling with iophenoxic acid. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 2829-36	4.4	6
29	A method for studies on interactions between a gold-based drug and plasma proteins based on capillary electrophoresis with inductively coupled plasma mass spectrometry detection. <i>Analytical and Bioanalytical Chemistry</i> , 2015 , 407, 8497-503	4.4	9

28	In vitro characterization of a novel C,N-cyclometalated benzimidazole Ru(II) arene complex: stability, intracellular distribution and binding, effects on organic osmolyte homeostasis and induction of apoptosis. <i>Metallomics</i> , 2015 , 7, 885-95	4.5	10
27	Selenium as an alternative peptide label - comparison to fluorophore-labelled penetratin. <i>European Journal of Pharmaceutical Sciences</i> , 2015 , 67, 76-84	5.1	11
26	Evaluation of a membrane desolvator for LC-ICP-MS analysis of selenium and platinum species for application to peptides and proteins. <i>Journal of Analytical Atomic Spectrometry</i> , 2015 , 30, 277-284	3.7	11
25	Quantification of pharmaceutical peptides using selenium as an elemental detection label. <i>Metallomics</i> , 2014 , 6, 1639-47	4.5	16
24	Metallomics in drug development: characterization of a liposomal cisplatin drug formulation in human plasma by CE-ICP-MS. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 1845-54	4.4	24
23	Development and validation of an ICP-OES method for quantitation of elemental impurities in tablets according to coming US pharmacopeia chapters. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 84, 209-14	3.5	31
22	Determination of platinum drug release and liposome stability in human plasma by CE-ICP-MS. <i>International Journal of Pharmaceutics</i> , 2013 , 449, 95-102	6.5	32
21	Estimating intestinal absorption of inorganic and organic selenium compounds by in vitro flux and biotransformation studies in Caco-2 cells and ICP-MS detection. <i>Biological Trace Element Research</i> , 2012 , 145, 248-56	4.5	30
20	Investigation of a liposomal oxaliplatin drug formulation by capillary electrophoresis hyphenated to inductively coupled plasma mass spectrometry (CE-ICP-MS). <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 2131-9	4.4	31
19	Inductively Coupled Plasma Mass Spectrometry for Analysis of Metal-Containing Pharmaceuticals 2012 , 1		1
18	Human urinary excretion and metabolism of (82)Se-enriched selenite and selenate determined by LC-ICP-MS. <i>Metallomics</i> , 2012 , 4, 149-55	4.5	18
17	Surveying selenium speciation from soil to cell--forms and transformations. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 399, 1743-63	4.4	60
16	Simultaneous measurement of phosphorus and platinum by Size Exclusion Chromatography coupled to Inductively Coupled Plasma Mass Spectrometry (SEC-ICPMS) using xenon as reactive collision gas for characterization of platinum drug liposomes. <i>Journal of Analytical Atomic Spectrometry</i> , 2011 , 26, 1466	3.7	15
15	Characterization of a liposome-based formulation of oxaliplatin using capillary electrophoresis: encapsulation and leakage. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 55, 16-22	3.5	35
14	Reply to comments on Elevated antimony concentrations in commercial juices <i>Journal of Environmental Monitoring</i> , 2010 , 12, 2308		
13	Stability, accumulation and cytotoxicity of an albumin-cisplatin adduct. <i>Metallomics</i> , 2010 , 2, 811-8	4.5	35
12	Selenium metabolism in hepatocytes incubated with selenite, selenate, selenomethionine, Se-methylselenocysteine and methylseleninic acid and analysed by LC-ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2010 , 25, 414	3.7	18
11	In situ identification of dimethyl diselenide in hepatocytes treated with methylseleninic acid by membrane inlet mass spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , 2009 , 24, 949	3.7	12

10	LC-ICP-MS and LC-ESI-MS identification of Se-methylselenocysteine and selenomethionine as metabolites of methylseleninic acid in rat hepatocytes. <i>Journal of Analytical Atomic Spectrometry</i> , 2009 , 24, 69-75	3.7	18
9	Comparison of two CE-ICP-MS interfaces and quantitative measurements of carboplatin in plasma samples using an internal standard. <i>Journal of Analytical Atomic Spectrometry</i> , 2009 , 24, 1208	3.7	29
8	The use of inductively coupled plasma mass spectrometry as a detector in drug metabolism studies. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2008 , 4, 1187-207	5.5	45
7	Separation and identification of the selenium-sulfur amino acid S-(methylseleno)cysteine in intestinal epithelial cell homogenates by LC-ICP-MS and LC-ESI-MS after incubation with methylseleninic acid. <i>Journal of Analytical Atomic Spectrometry</i> , 2008 , 23, 727	3.7	19
6	Complementary use of molecular and element-specific mass spectrometry for identification of selenium compounds related to human selenium metabolism. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 390, 1691-706	4.4	63
5	Application of inductively coupled plasma mass spectrometry in drug metabolism studies. <i>Journal of Analytical Atomic Spectrometry</i> , 2007 , 22, 235	3.7	37
4	Quantitative determination of selenium metabolites in human urine by LC-DRC-ICP-MS. <i>Journal of Analytical Atomic Spectrometry</i> , 2005 , 20, 889	3.7	34
3	Selenium speciation in human urine samples by LC- and CE-ICP-MS separation and identification of selenosugars. <i>Journal of Analytical Atomic Spectrometry</i> , 2004 , 19, 135-142	3.7	86
2	Interfacing capillary electrophoresis with inductively coupled plasma mass spectrometry by direct injection nebulization for selenium speciation. <i>Journal of Analytical Atomic Spectrometry</i> , 2001 , 16, 38-42	3.7	81
1	Detergents and bleaches are sources of chromium contact dermatitis in Israel. <i>Contact Dermatitis</i> , 1998 , 38, 101-4	2.7	28